

A SCHOOL ARITHMETIC



MACMILLAN AND CO, LIMITED
LONDON BOMBAY CALCUTTA
MELBOURNE

THE MACMILLAN COMPANY
NEW YORK BOSTON CHICAGO
DALLAS SAN FRANCISCO

THE MACMILLAN CO OF CANADA, LTD
TORONTO

A SCHOOL ARITHMETIC

BY
H S. HALL, M.A.
AND
F H STEVENS, M.A.
AUTHORS OF "A SCHOOL GEOMETRY," "A TEXT BOOK OF
EUCLID'S ELEMENTS," ETC

ADAPTED FOR USE IN INDIAN SCHOOLS
BY
REV ANDREW SIMS, B.A.
LONDON MISSIONARY SOCIETY'S INSTITUTION, BHOWANIPUR, CALCUTTA

MACMILLAN AND CO, LIMITED
ST MARTIN'S STREET, LONDON

1915

COPYRIGHT

**First Edition 1912.
Reprinted 1913, 1915**

PREFACE.

THE present edition has been revised throughout and adapted to the requirements of Indian Schools by the Rev ANDREW SIMS, B A , London Missionary Society's Institution, Bhowanipur, Calcutta In dealing with Compound Quantities, Indian currency and Tables of Indian Weights and Measures have been introduced side by side with the corresponding British Tables Similarly in Reduction, the examples in the text have been designed to bring into comparison the methods of using the different Tables, Indian or British In the explanation of subsequent rules and processes, the needs of Indian Students have constantly been kept in view , a few necessary changes have been made in the text, and a very large number of the examples have been altered so as to provide amply for Indian requirements in the different Provinces

The following remarks are quoted from the Preface to the English Edition

“The book is not intended for pupils who have had no previous teaching in the subject First lessons in Arithmetic can never be efficient and adequate unless the teaching is expressed verbally, direct from teacher to pupil, and largely illustrated by means of oral exercises Partly for this reason, and also in order to keep our work within a reasonable compass, we have not gone as fully into the details of the ‘First Four Rules’ as is necessary for learners quite new to the subject Our first two chapters furnish a course of revision lessons suitable for all who have a first elementary knowledge as far as Reduction Here we have reviewed fundamental principles, and in their application we have endeavoured to enforce none but the best methods From this

point we believe our treatment will be found sufficiently full for pupils of all classes

"With regard to the succession of the different parts of the subject, there is no recognised order which would satisfy all teachers, or which would be equally serviceable for all learners. Consequently we have made no attempt to lay down a course which may be followed without deviation from beginning to end, but we believe that the order we have adopted is that which will give teachers the least trouble in finding what they want

"Our main plan has been to group together for convenience such portions of the subject as are closely allied, and to follow a natural exposition and development without resorting to needless subdivision. For example, all the essentials of Fractions are introduced and disposed of in Chapters v and vi , and Decimals are discussed fully in Chapters viii – xi . But it is not intended that the study of Fractions should be completed before Decimals are begun, it will probably be found convenient if the simpler parts of these two sections are read concurrently, or the greater part of Chapter viii may be read before Fractions. Still less do we suggest that all that deals with Contracted Methods and Approximation in Chapters x and xi should be mastered before entering on some later chapters such, for example, as those on Proportion, Percentage, and Interest. The full Table of Contents will enable teachers to map out for themselves the course best suited to their own classes.

"The following special features may be mentioned

"(1) In dealing with Compound Quantities, the British and Foreign Weights and Measures are introduced and illustrated side by side. Tables which are becoming obsolete or rarely used have been excluded, while Linear and Square Measure have been simplified by the omission of all cases of reduction from poles to yards, or yards to poles

"(2) In view of the fact that the use of symbols is no longer prohibited in examinations in Arithmetic, algebraical methods are used whenever they seem conducive to clearness and simplicity. As no previous algebraical knowledge is assumed, the necessary processes are explained simply, as occasion requires.

"(iii) In Fractions very frequent use is made of diagrams for the purpose of illustration

"(iv) Decimals and the Metric System are discussed together, metric weights and measures being constantly used in illustration of decimal notation

"(v) Great care has been bestowed on the sections dealing with Decimal Approximation. We believe that in this part of the work we have gone further than has hitherto been attempted in an English school book

"(vi) The Method of Aliquot Parts (or 'Practice') is not made the subject of a separate chapter, but arises naturally as a convenient form of multiplication in connection with Fractions and Decimals

"(vii) The principles of Ratio, Proportion, and Percentage are introduced in a simple manner in connection with Fractions, and are more fully developed in later sections

"(viii) Though the Unitary Method is dealt with in an early chapter, it gives way later to more direct and scientific methods in all questions depending on Proportion

"(ix) A chapter is given explaining all that is necessary for a clear understanding of Simple Graphs. In subsequent chapters graphical methods are frequently used for the purpose of illustration—especially in connection with Proportion and Variation

"(x) The use of Four-Figure Logarithms is fully explained. Tables of Logarithms and Antilogarithms are supplied, together with a large variety of examples for practice in logarithmic work

"(xi) We have given no formal treatment of Recurring Decimals, or of Cube Root. Such cases of cube root as occur in the examples can be treated by factors or by the use of logarithms

"(xii) A short section on the properties of Continued Fractions has been given in Chapter xx, in order to meet the requirements of some of the harder Civil Service Examinations "

CONTENTS

PART I

Chapter I

	PAGE
REVISION OF THE FOUR RULES FOR SIMPLE QUANTITIES -	1
Addition (pp 1, 2) Subtraction, Complementary Addition (pp 2-4) Multiplication, Verification, Casting out the Nines (pp 5-8) Division, Italian Method, Partition, Quoti- tion (pp 9-11)	
Miscellaneous Examples I. SIMPLE QUANTITIES -	13

Chapter II

COMPOUND QUANTITIES -	16
Tables, British, Indian and Metric Money (pp 24-37) Lineal Measure (pp 38-41) Weight and Capacity (pp 41-43) Square Measure (pp 43-47) Land Measure (pp 47-49) Cubic Measure (pp 50-53) Number and Time (53)	

Chapter III.

USE OF SIGNS AND SYMBOLS -	54
Introductory Definitions and Notation (pp 54-58) Negative Quantities (pp 58-60) Use of Brackets, Multiplication Formulæ (pp 60-64) Illustrations leading up to Equations (p 65) Equations, Simple Applications (pp 66-69)	

Chapter IV

FACTORS PRIME NUMBERS HIGHEST COMMON FACTOR LOWEST COMMON MULTIPLE -	70
Factors, Prime Numbers (p 70) Tests of Divisibility (pp 71-74) Resolution into Prime Factors (pp 74-76) Square and Cube Root by Factors (pp 77-79) Highest Common Factor (pp 79-83) Lowest Common Multiple (pp 83-86)	

Chapter V.

FRACTIONS

PAGE

87

Definitions and Oral Examples (pp 87-90) Reduction to Lowest Terms (pp 91-94) Proper and Improper Fractions, Mixed Numbers (pp 94-96) Comparison of Fractions (pp 96, 97) Addition and Subtraction of Fractions (pp 97-104) Multiplication and Division by an Integer, Graphical Illustrations (pp 104-108) Multiplication by a Fraction, Compound Fractions, Graphical Illustrations (pp 108-115) Division by a Fraction (pp 115-117) Combined Processes, Complex Fractions (pp 118-121) Fractional Equations (pp 121-123)

Chapter VI

FRACTIONS CONTINUED COMPOUND QUANTITIES - 124

Fractions of Concrete Quantities (pp 124-127) Ratio, Proportion, Ratios as Percentages (pp 127-132) Aliquot Parts, Practice (pp 132-134)

Miscellaneous Examples II - 135

Chapter VII

THE UNITARY METHOD - 141

Chapter VIII

DECIMALS - 148

Numeration and Notation, Oral Examples (pp 148-152) Place Value illustrated by the Metric Table of Length (pp 152-154) Multiplication and Division by Powers of Ten, Standard Form (pp 154-158) Illustrations from Metric Square Measure, Cubic Measure Capacity, Weight (pp 158-161) Addition and Subtraction (pp 162-164) Multiplication (pp 164-169) Division (pp 170-176) Decimals and Fractions (pp 176-179)

Chapter IX

DECIMAL REDUCTION OF COMPOUND QUANTITIES 160

Illustrative Examples (pp 180-184) Decimalization of Money at sight (pp 184-188)

Chapter X

Decimal Approximations - - - - -	PAGE 189
Significant Figures, Absolute Error, Relative Error, Percentage Error (pp 189-194) Contracted Addition and Subtraction (pp 194-196) Contracted Multiplication (pp 196-199) Contracted Division (pp 200-204) Further Examples on Contracted Work (pp 204-207) Approximate Data, Limits of Errors (pp 207-214)	

Chapter XI

SOME APPLICATIONS OF DECIMAL PROCESSES - - -	215
Decimals of Compound Quantities, Ratios, Percentages (pp 215-219) Practice Decimalized (pp 219-222)	

Chapter XII.

EASY PROBLEMS - - - - -	223
Examples on Work and Time (pp 223-225) Examples on Time and Distance (pp 225-228) Averages (pp 229, 230) Miscellaneous Examples (pp 231-237)	
Miscellaneous Examples III - - - - -	238

PART II

Chapter XIII

SQUARE ROOT - - - - -	242
Square Root of Integers (pp 242-245) Square Root of Decimals, Approximate Square Roots (pp 246-250) Surds (pp 250, 251) Miscellaneous Examples on Square Root (pp 252-254)	

Chapter XIV

	PAGE
AREAS AND VOLUMES	255
Rectangular Areas (pp 255-260) Carpeting Floors, Papering Walls (pp 261-264) Miscellaneous Examples on Areas (pp 265-267) Cubes and Cuboids (pp 268-271) Specific Gravity, Weight, Miscellaneous Examples on Volumes (pp 272-275)	

Chapter XV

GRAPHS	276
Axes, Coordinates, Plotting Points (pp 276-280) Definition of a Graph, Graph of a Straight Line (pp 280-284) Graphs of Statistics, Practical Applications (pp 285-292)	

Chapter XVI

RATIO AND PROPORTION	293
Definitions, Easy Examples (pp 293-296) Simple Proportion, Variation (pp 296-307) Tests of Proportionality, Graphical Illustrations (pp 308-316) Compound Proportion (pp 316-319) Proportional Division (pp 320-324) Miscellaneous Applications of Proportion and Variation (pp 325-329)	
Miscellaneous Examples IV EXERCISES FOR REVISION	330

Chapter XVII.

PERCENTAGES	340
Definitions, Examples on Percentages (pp 340-345) Profit and Loss (pp 346-352) Miscellaneous Examples on Percentages (pp 352-355)	

Chapter XVIII.

INTEREST AND DISCOUNT	356
Simple Interest (pp 356-361) Inverse Cases of Simple Interest (pp 362-366) Discount, Bills of Exchange (pp 367-371) Compound Interest (pp 371-375) Inverse Cases, Miscellaneous Examples on Interest and Discount (pp 375-378) Graphical Illustrations (pp 378-381)	

Chapter XIX

	PAGE
STOCKS AND SHARES - - - - -	382
Definitions, Examples on Stocks (pp 382-389) Brokerage, Examples involving Brokerage (pp 390-394) Shares (pp 394-396) Miscellaneous Examples on Stocks and Shares (pp 397-399)	
Miscellaneous Examples V EXERCISES FOR REVISION -	400

Chapter XX

CONTINUED FRACTIONS FURTHER NOTES ON APPROXIMATE METHODS - - - - -	410
Simplification of Continued Fractions (pp 410, 411) Properties of Continued Fractions, Convergents (pp 412- 416) Approximation by Aliquot Parts, Reduction Formulæ, Evaluation of Series (pp 416-419)	

Chapter XXI

LOGARITHMS - - - - -	420
Definitions, Laws of Indices, General Properties of Logarithms (pp 420-426) Common Logarithms (pp 426-429) Use of Four-Figure Tables (pp 430-434) Applications of Logarithms (pp 434-437) Tables of Logarithms and Antilogarithms (pp 438-441)	
Miscellaneous Examples VI - - - - -	442

PART I

CHAPTER I

INTRODUCTORY

Revision of the Four Rules for Simple Quantities

1 It is assumed that pupils who use this book will have learnt the rules for Addition, Subtraction, Multiplication, and Division for both Simple and Compound Quantities. Consequently no formal explanation of these rules will be given. This introductory chapter will be devoted to enforcing some points of method and arrangement in connection with abstract numbers and simple quantities. It will also be assumed that the pupil is acquainted with the meanings of the signs $+$, $-$, \times , \div , the symbols $=$, $<$, $>$, and the simplest use of brackets $()$.

It should be noticed that according to the Indian method of numeration a hundred thousand is termed a **lac**, and ten-million is termed a **crore**, thus, 218120812 would be twenty-one crores, eighty one lacs, twenty thousand, eight hundred and twelve, and would be marked off with commas as 21,81,20,812.

2 **Addition** The only way to secure rapid work in addition is to dispense with all that is not actually necessary in the mental calculation.

Suppose it is required to add the series of numbers in the margin. It is undesirable to say mentally 1 and 8 are 9, 9 and 7 are 16, 16 and 7 are 23, and so on.

All that is really necessary is as follows

1st column	9, 16, 23, 28, 31	Set down 1 and carry the 3 tens to the next column	783 55 497
2nd column	12, 14, 20, 29, 34, 42	Set down 2 and carry 4	867 628 91
3rd column	10, 18, 22, 29		2921

This process can be still further shortened when the eye is trained to combine two or more numbers in a single step at any part of a column. This is especially useful when a pair or more of such numbers combine to make up 10.

For example, to add the numbers given in the left hand margin. In the right-hand margin the way in which the numbers are grouped together is shown by brackets.

MENTAL WORK.				9	3	6	5
9365	1st col	8, 18, 28, 33	Set down 3 and	7	9	0	6
7906		carry 3		3	1	2	4
3124	2nd col	10, 20, 28	Set down 8 and	5	4	1	2
5412		carry 2		8	5	3	8
8538	3rd col	7, 10, 20, 32	Set down 2	9	3	6	5
9365		and carry 3		4	5	7	3
4573	4th col	7, 16, 24, 29, 39, 48		48	2	8	3
48283							

To check the accuracy of addition the columns should be added from top to bottom as well as from bottom to top

3 It is very useful to be able to add a series of numbers horizontally from left to right, or from right to left, without placing them in column. The process is the same as before, but it is less easy to group two or more numbers together. Beginners are recommended not to attempt such grouping, or to confine the grouping to pairs which make up 10

EXAMPLE *Add together the following numbers*

3124, 6835, 4787, 9138

Working from right to left, the mental process is

15, 20, 24, 5, 13, 16, 18, 2, 0, 17, 18, 10, 20, 23,

and the answer is 23884, the figures in deeper type being those which are successively written down, beginning with that in the units' place

4 **Subtraction** Suppose it is required to subtract 279 from 751. Probably most beginners go through the following mental process

9 from 11, 2, 8 from 15, 7, 3 from 7, 4	751
	279
	472

But very few can give the reason for this process, or explain clearly why the 1 in the first step is treated as 11, or the 7 in the second as 8

The method depends upon the following principle

The difference between any two numbers is unaltered if each of them is increased by the same amount

Hence, when we find that 9 cannot be taken from 1, we increase the 1 by 10 units (making 11). At the same time we add a compensating ten to the lower number in the tens' column (making the 7 tens into 8 tens)

Again, since 8 *tens* cannot be taken from 5 *tens* we increase the 5 *tens* by 10 *tens* (making 15 *tens*) At the same time we add a compensating *hundred* to the lower number *in the hundreds' column* (making the 2 *hundreds* into 3 *hundreds*)

5 Another method of subtraction known as **Complementary Addition** has great advantages and should be acquired at the outset In the foregoing example we found the difference between 751 and 279 Now this difference may be regarded as the number which must be *added to 279 in order to make up 751*

Hence instead of saying '9 from 11,' we mentally ask what must be *added to 9 to make 11*, then what must be added to 8 (carrying 1) to make 15, and so on

751
279

472

The mental process will then be

9 and 2, 11 , 8 and 7, 15 , 3 and 4, 7 ,

the digits in deeper type being those which are successively written down in the result

This method is sometimes referred to as the **Austrian method**, and in some subsequent rules is indispensable for rapid work We give two more examples to illustrate its use.

EXAMPLE 1 *Subtract 3265 from 6182.*

MENTAL WORK.

5 and 7, 12 Set down 7, and carry 1 to the tens' column of the lower number	6182
7 and 1, 8 Set down 1. (nothing to carry)	3265
2 and 9, 11 Set down 9, and carry 1	2017
4 and 2, 6 Set down 2	

EXAMPLE 2 *Subtract the sum of 2346, 4658, 3245, and 1026 from 13682*

Write down the last number and draw a line under it, then place the other numbers under the line Then as in previous examples, we have

11, 19, 25, and 7, 32 Set down 7 and carry 3	13682
5, 9, 14, 18, and 0, 18 Set down 0 and carry 1	2346
3, 9, 12, and 4, 16 Set down 4 and carry 1	4658
2, 5, 9, 11, and 2, 13 Set down 2	3245
	1026
	2407

To check the result, now add the numbers in the five lower rows and the sum should be the number in the top row

6 The complementary method is also useful in subtraction of money [See Chap II, Art 23] It is, in fact, nothing more than the usual 'shop method' of giving change Suppose a purchaser buys an article worth $8\frac{1}{2}d$ and tenders a half-crown as payment The shopkeeper would probably give

a halfpenny, a threepenny piece, a shilling, a sixpence,
saying as he put down the several coins

'9 pence,' '1 shilling,' '2 shillings,' 'half a crown'

He thus *makes up* to even money at each stage

The following Examples will furnish practice in the Austrian method of subtraction

EXAMPLES I a

- 1 Subtract (i) 3289 from 7291, (ii) 43702 from 90000
- 2 The sum of two numbers is 2735 and the less is 857, what is the greater?
- 3 From 529 take the sum of 27, 39, 47
- 4 In a school of 250 boys, four Houses contain respectively 60, 45, 42, 37 boys, how many day boys are there?
- 5 Subtract the sum of 2034, 4316, 3184 from 21351
- 6 In a battle 10,000 men were engaged, of these 227 were killed, 563 were wounded, and 87 were taken prisoners How many returned to camp unwounded?
- 7 Find the value of $75683 - 2317 - 4184 - 1609$
- 8 Find the difference between 98469 and the sum of 12065, 235, 4837, 62038
- 9 A country has an area of 32,300,000 acres, it consists of 11,425,000 acres of arable land, 15,237,000 acres of meadow, 2,975,250 acres of waste land, and the rest is water How many acres of water are there?

Write down the number in the missing line in each of the following examples in addition

$$\begin{array}{r}
 10 \quad 2971 \\
 \quad 4832 \\
 \quad 60791 \\
 \quad \text{*****} \\
 \hline
 \quad 83050
 \end{array}$$

$$\begin{array}{r}
 11. \quad 45907 \\
 \quad 38652 \\
 \quad 70945 \\
 \quad \text{*****} \\
 \hline
 \quad 170000
 \end{array}$$

$$\begin{array}{r}
 12. \quad 583 \\
 \quad 31276 \\
 \quad 8975 \\
 \quad \text{*****} \\
 \hline
 \quad 68732
 \end{array}$$

7 Multiplication Suppose it is required to multiply 3297 by 629. This means that we have to find the value of 3297 taken 629 times. Now the multiplier $629 = 600 + 20 + 9$, so that we have to take the multiplicand 600 times, 20 times, and 9 times, and then add the results. In other words we have to multiply 3297 by 6 hundreds, 2 tens, 9 units, and then add the partial products.

In theory the order in which these separate multiplications is performed is immaterial, but there are great advantages in keeping the order above indicated, that is, *beginning with the figure of highest place-value in the multiplier*, in the present case hundreds before tens, tens before units.

The work will stand as follows

$$\begin{array}{r}
 3297 \\
 \underline{629} \\
 1978200 = 3297 \times 600 \\
 65940 = 3297 \times 20 \\
 \underline{29673 = 3297 \times 9} \\
 2073813 = 3297 \times 629
 \end{array}$$

Or more briefly thus

$$\begin{array}{r}
 3297 \\
 \underline{629} \\
 19782 \\
 6594 \\
 \underline{29673} \\
 2073813
 \end{array}$$

Place the numbers so that units, tens, hundreds of the multiplier are respectively under units, tens, hundreds of the multiplicand. The several partial products and their sum are shown in the work on the left-hand side.

The ciphers may be omitted as in the arrangement on the right-hand side if it is remembered that *in each line of work the first figure is set down immediately below the figure of the multiplier which is being used to obtain the partial product*. The other figures then fall into their proper places naturally.

NOTE Though the order of the successive lines of work may be varied without altering the final result, it should be noticed that the order here recommended has the advantage of giving the partial products *in the order of their importance*. Thus in the above example the first line gives a rough approximation to the result required, the first and second taken together give another approximation closer than the first, while the first, second, and third combine to give the correct product. In forming such approximations care must be taken not to omit ciphers at the end.

	12567
Thus a first approximation to the product of 12567 and	4325
4325 is 50268000 - - - - - - -	50268000
	3770100
And a second approximation is 54038100 - - -	54038100

8 Some special artifices for shortening work may here be noticed

To multiply by 5 Since $10 = 5 \times 2$, the required result will be obtained by multiplying by 10 and dividing the result by 2. That is, we have only to place *one* cipher to the right of the multiplicand and divide by 2. The process is entirely mental.

To multiply by 25 Since $100 = 25 \times 4$, we have only to place *two* ciphers to the right of the multiplicand and divide by 4.

To multiply by 125 Since $1000 = 125 \times 8$, we have only to place *three* ciphers to the right of the multiplicand and divide by 8.

NOTE The converse processes for division by 5, 25, 125 may also be used, but when the division is not exact, beginners will find the remainders puzzling.

9 The product of three or more numbers is called their **continued product**, and each number is called a **factor** of the product. The factors may be taken in any order.

EXAMPLE Find the value of the following continued products

$$(i) 125 \times 650 \times 8 \times 2 \qquad (ii) 4 \times 2 \times 76 \times 50 \times 25 \times 15$$

(i) By changing the order of the factors,

$$\text{the product} = 650 \times 2 \times 125 \times 8 = 1300 \times 1000 = 1300000$$

(ii) The product $= 76 \times 50 \times 2 \times 25 \times 4 \times 15$

$$= 76 \times 100 \times 100 \times 15 = 760000 \times 15$$

$$= 11400000$$

The last result may be obtained by halving the multiplicand and multiplying by 30.

10 The following examples shew how the work of multiplication may be abbreviated in special cases.

EXAMPLE Multiply 7342 (i) by 99, (ii) by 998

$$\begin{array}{r} (i) \ 734200 \\ \quad 7342 \\ \hline 726858 \end{array}$$

Here $99 = 100 - 1$. Hence we have only to subtract the multiplicand from the multiplicand $\times 100$.

$$\begin{array}{r} (ii) \ 7342000 \\ \quad 14684 \\ \hline 7327316 \end{array}$$

Since $998 = 1000 - 2$, we place *three* ciphers after the multiplicand and subtract twice the multiplicand from the number so obtained.

A similar method may be used for multipliers such as 59, 78, 87, which differ very slightly from *some multiple of 10*.

11 It will sometimes be found that the digits of the multiplier suggest an order and arrangement which will shorten the work

EXAMPLE *Multiply 3297 by 639*

$\begin{array}{r} 3297 \\ 639 \\ \hline 29673 \\ 207711 \\ \hline 2106783 \end{array}$	<p>Here $639 = 9 + 630 = 9 + 9 \times 70$ Hence in this case it is convenient to form the first partial product by beginning with the unit figure 9 The next partial product is 70 times the first That is, we have only to multiply the first product by 7 tens, and the first resulting figure will be set down in the tens' place</p>
--	---

12 **Verification** The best way of testing the accuracy of a result in multiplication is the method known as "casting out the nines" We shall give an example of the use of this rule, deferring the explanation of the principle on which it depends to a later chapter

To 'cast out nines' from a number such as 4973968, we add up the digits dropping every 9, and the sum of two or more digits which make up 9 Also whenever the sum is more than 9, we subtract 9, and go on with the remainder

Thus first crossing out the two digits 9 in the number, we have counting from the right, 14 (subtract 9), 5, 8, 15 (subtract 9), 6, 10 (subtract 9), and 1 is left

EXAMPLE *Multiply 40397 by 5684 and test the accuracy of the result by casting out nines*

$\begin{array}{r} 40397 \\ 5684 \\ \hline 201985 \\ 242382 \\ 323176 \\ 161588 \\ \hline 229616548 \end{array}$	<p>Cast out nines from multiplicand and multiplier</p> <p>7, 10, 1, 5 } Multiply the two remainders and cast 12, 3, 8, 5 } out nines 25, 7</p> <p>Now cast out nines from the product</p> <p>12, 3, 8, 14, 5, 6, 12, 3, 5, 7</p>
---	--

If the two remainders obtained by this process are different, the work is certainly wrong, if they agree, the result is *probably* correct, but the rule does not give an absolute test of accuracy For example, an interchange of two or more digits in the complete product would vitiate the answer, without altering the remainder on casting out nines

13 The following example illustrates a method of combining multiplication and subtraction *in a single operation* The method is of great importance and will be frequently used

EXAMPLE. *Multiply 48327 by 3 and subtract the result from 162615*

WORK IN FULL.

$$\begin{array}{r} 48327 \mid 162615 \\ 144981 \\ \hline 17634 \end{array}$$

The process is as follows

3 sevens, 21, and 4, 25 Set down 4, and carry 2,
3 twos, 6, 8, and 3, 11 Set down 3, and carry 1,
3 threes, 9, 10, and 6, 16 Set down 6, and carry 1,
3 eights, 24, 25, and 7, 32. Set down 7, and carry 3,
3 fours, 12, 15, and 1, 16 Set down 1

ABBREVIATED WORK

$$\begin{array}{r} 48327 \mid 162615 \\ 17634 \end{array}$$

Addition may, of course, be combined with multiplication in the same way, but the combination is less useful than that illustrated above.

EXAMPLES I b

Find the value of the following products, in each case beginning with the left hand digit of the multiplier Test the results by casting out nines

1 247×35

2 1032×324

3 2083×619

4. 6234×836

5 91253×478

6 8132×2561

7 50327×7030

8 43097×8203

9 79306×8009

Write down a first approximation to the following products. (See Art 7, NOTE.)

10 6345×74

11 2893×821

12 4385×6301

Multiply, as shortly as you can,

13 4275 by 5, 25, 125

14. 96084 by 5, 25, 125

15 3652 by 98, 999

16 84703 by 99, 99, 999

17 Shew that to multiply by 625 we may affix 4 ciphers to the multiplicand and then divide the result by 16

[In Examples 18-29 each is to be worked in a single step]

18 Multiply 256 by 3, and subtract the result from 980

19 Multiply 478 by 5, " " " 2583

20 Multiply 4036 by 4, " " " 20000

21. Multiply 6871 by 6, " " " 43127

22. Multiply 9386 by 8, " " " 102364.

23 Multiply 5376 by 9, and add the result to 357

Write down, by the method of Art. 13, the result of

- | | | | |
|----|----------------------------|----|------------------------------|
| 24 | $58356 - (9240 \times 6)$ | 25 | $864083 - (107920 \times 8)$ |
| 26 | $97832 - (13938 \times 7)$ | 27 | $100000 - (14832 \times 6)$ |
| 28 | $(4832 \times 8) + 1236$ | 29 | $(57345 \times 6) + 24302$ |
30. Multiply (using only two partial products)
 (i) 69432 by 567, (ii) 803050 by 9036

14 Division. In short division beginners do not usually find much difficulty except with regard to remainders when the divisor is the product of two or more factors. The examples which follow are given in order to explain how the remainders are dealt with, and to give the pupil models for reference

EXAMPLE 1 Divide 67441 by 56, or 7×8

$\begin{array}{r} 7 \overline{) 67441} \\ 8 \overline{) 9674} \end{array}$ <p>groups of 7, and 3 units over 1204 groups of 56, and 2 sevens over</p>	$\begin{array}{r} 7 \overline{) 67441} \\ 8 \overline{) 9634} \end{array}$ <p>1204 2 } 17</p>
---	--

Complete remainder = 2 sevens + 3 units = $7 \times 2 + 3 = 17$

In practice the only work necessary is that shewn on the right

EXAMPLE 2. Divide 92467 by 168, or $4 \times 6 \times 7$

$\begin{array}{r} 4 \overline{) 92467} \\ 6 \overline{) 23116} \\ 7 \overline{) 3852} \end{array}$ <p>groups of 4 and 3 units over groups of 24, and 4 fours over 550 groups of 168, and 2 twenty fours over</p>	$\begin{array}{r} 4 \overline{) 92467} \\ 6 \overline{) 23116} \\ 7 \overline{) 3852} \end{array}$ <p>550 4 } 67 2 }</p>
--	--

Complete remainder = 2 twenty fours + 4 fours + 3 units

$$= 24 \times 2 + 4 \times 4 + 3$$

$$= 67$$

It will be seen that the following rule is applicable in each case

Multiply each partial remainder by all the divisors preceding its own, and add the results

15 In Long Division the pupil is recommended to learn and practice the Italian Method, in which at each stage of the work corresponding to a digit in the quotient, the multiplication and subtraction are combined in a single process as explained in Art 13. The following example exhibits the work thus abbreviated side by side with the ordinary full working

EXAMPLE. Divide 784946 by 358

WORK IN FULL

$$\begin{array}{r}
 2192 \\
 358 \overline{) 784946} \\
 \underline{716} \\
 689 \\
 \underline{358} \\
 3314 \\
 \underline{3222} \\
 926 \\
 \underline{716} \\
 210
 \end{array}$$

ITALIAN METHOD

$$\begin{array}{r}
 2192 \\
 358 \overline{) 784946} \\
 \underline{689} \\
 3314 \\
 \underline{926} \\
 210 \text{ remainder} \\
 \text{Quotient} = 2192, \\
 \text{remainder} = 210
 \end{array}$$

To perform the 1st stage of division we shall require 3 digits of the dividend thus the first digit of the quotient will represent thousands, and it is convenient to place it in the place of thousands, that is *over the last digit of the dividend used in the 1st stage*. The other digits of the quotient will then follow in their proper places. The mental work is as follows

2 eights, 16, and 8, 24, carry 2 2 fives, 10, 12, and 6, 18, carry 1
 2 threes, 6, 7 Bring down 9 from the dividend
 1 eight, 8, and 1, 9, carry 0 1 five, 5, and 3, 8, carry 0
 1 three, 3, and 3, 6 Bring down 4 from the dividend, and continue the process

16 When Division is *exact*, the Dividend, Divisor, and Quotient are connected by the relation

$$\text{Dividend} - \text{Divisor} = \text{Quotient},$$

$$\text{or} \quad \text{Dividend} = \text{Divisor} \times \text{Quotient}$$

When Division is *not exact*, the relation is

$$\text{Dividend} = (\text{Divisor} \times \text{Quotient}) + \text{Remainder}$$

Or using symbols, if a number N is divided by a divisor D , with quotient Q , and remainder R

$$N = D \times Q + R$$

from which result any one of the four quantities can be determined when the numerical values of the other three are known. Such a general relation is called a **formula**.

EXAMPLE The number 217 when divided by a certain number has a quotient 16 and remainder 9, what is the divisor?

Since there is a remainder 9 on division, it follows that 217 is greater by 9 than 16 times the divisor. That is, 208 is 16 times the divisor, hence the divisor is 13

17 Two distinct questions are answered by division of one number by another For instance

(i) *If £493 is divided into 29 equal parts what is the value of each part?*

Here $£493 \div 29 = £17$

The divisor is *abstract*, and the quotient *concrete* (being of the same denomination as the dividend) This is called *partition*.

(ii) *If £493 is divided into shares of £29 each, how many such shares are there?*

Here $£493 \div £29 = 17$

The divisor is *concrete* and the quotient *abstract* This is called *quotition*

In brief, *partition* answers the question "What is the value of each *part*?"

Quotition answers the question "*How many times?*"

EXAMPLES I. c.

In Examples 1-12 find the quotient and remainder, using short division

1	3267-42	2	4248-56	3	1373-72
4.	8950-63	5	7356-49	6.	56703-54
7	4785-108	8	8412-144	9	3207-128
10	15831-154	11.	6320-(7 × 8 × 11)	12	9873-(5 × 9 × 11)

Perform the following divisions by the Italian method

13.	6099-19	14.	2495-23	15.	8593-41
16	86765-37	17	22919-53	18	93802-91
19	103672-119	20	141431-233	21	177399-207
22	136160-471	23.	710580-593	24.	876543-123

18 In the foregoing pages the following fundamental principles of Arithmetic have been assumed without formal proof or illustration

(i) *Additions and Subtractions may be made in any order, so long as the subtractions are possible*

Thus $15 + 8 - 6 = 8 + 15 - 6 = 15 - 6 + 8 = 8 - 6 + 15$

Or, more generally, if we use letters to denote numbers,

$$a + b - c = b + a - c = a - c + b = b - c + a$$

(ii) *The factors of a product may be taken in any order*

Thus $5 \times 7 = 7 \times 5$, $8 \times 9 = 9 \times 8$

Similarly $5 \times 7 \times 3 = 7 \times 5 \times 3 = 7 \times 3 \times 5$

(iii) *When a number consisting of several parts is to be multiplied by another number, the result may be obtained by multiplying each of the parts of the multiplicand separately, and then taking the sum of the partial products*

Thus $(4+3) \times 5 = 4 \times 5 + 3 \times 5$

Similarly $(4+3+7) \times 5 = 4 \times 5 + 3 \times 5 + 7 \times 5$,

and $(4-3+7) \times 5 = 4 \times 5 - 3 \times 5 + 7 \times 5$

Of these (i) may be accepted without proof

The reason for (ii) and (iii) may be thus explained.

(i) *To prove that $5 \times 7 = 7 \times 5$*

In the adjoining diagram let each square represent a unit. Then the rectangle ABCD contains 35 units

There are 7 columns each containing 5 squares, and 5 rows each containing 7 squares

If we add up by columns the number of squares in ABCD is 5 multiplied by 7


If we add up by rows the number of squares in ABCD is 7 multiplied by 5

Thus $5 \times 7 = 7 \times 5$

And since the reasoning is quite general, we may say

$$a \times b = b \times a,$$

where a and b denote any two numbers



(iii) *To prove that $(4+3) \times 5 = 4 \times 5 + 3 \times 5$*

In the adjoining diagram the rectangle ABCD has $4+3$ squares in each row, and there are 5 rows.


the total number of squares $= (4+3) \times 5$

Again the dotted line divides the rectangle into two smaller ones containing 4 squares and 3 squares in a row respectively, and in each rectangle there are 5 rows.

the total number of squares $= 4 \times 5 + 3 \times 5$

Thus $(4+3) \times 5 = 4 \times 5 + 3 \times 5$

Or, generally, $(a+b) \times c = a \times c + b \times c$



MISCELLANEOUS EXAMPLES I

SIMPLE QUANTITIES

1 Add together ninety-nine millions, nine thousand and ten, seventy thousand and eighty, eight hundred thousand and nine, six hundred and eighty thousand and twenty one. State in words by how much the sum falls short of two hundred millions

2 What number taken from seventy two lacs, six hundred and seventeen will leave forty lacs, six hundred and three?

3 The populations of the different parishes and districts of a large town are 16640, 321, 3750, 3906, 5144, 2684, 13360, 391, and 5797 respectively. by how many does the whole town's population fall short of a million?

4. A man leaves £17875 amongst his six sons. If each of the five younger sons receives £2500, what is the portion of the eldest?

5 A man leaves Rs 30,000, to his wife he gives Rs 10,500, to his eldest son Rs 4000, and to his other sons and daughters Rs 8750. There are also two debts of Rs 3036 and Rs 287 to be paid. If the rest of his property is left to charitable objects, find the amount so left

6 Find the sum, difference, product, and quotient of two dozen dozen and half a dozen dozen

7 How many times must 257 be added to 3785 so that the sum may be 7126?

8 How many times must 332 be subtracted from 18944 so that the difference may be 5000?

9 One number is greater than another by 155, and their sum is 547. find them

10 Divide 500 into two parts whose difference shall be 26

11 A firm of three partners earns Rs 45000 a year, and their expenses amount to Rs 20640. If the profits are equally divided, what is the share of each?

12 A greengrocer has 500 oranges. He has orders for 200, 175, 90, and 5 dozen. How many more must he buy to complete his orders?

13 In a page of a newspaper there are 7 columns, and in each column 172 lines, and in each line an average of 50 letters. How many letters go to a page?

14. Find the sum of 7 consecutive odd numbers of which 27 is the fourth

15 Write down 12 consecutive numbers beginning with 35, and find the sum of the *even* numbers in the series

16 Two horses and a cart cost £52, and each of the horses cost 6 times as much as the cart, what did each horse cost?

17 Three hats and two caps cost Rs 22, and each hat cost 3 times as much as a cap, find the price of a hat and cap respectively

18 A father and son together earn 36 rupees a month. If the father earns 14 rupees more than the son, find the wages of each

19 Multiply 203547 by 567 in two lines [See Art 11]

20 Multiply 357895 by 9998 as shortly as possible

21 Divide 643281 by 512 and give the remainder, using factors and short division

22 Find the number next above 987654321 which is exactly divisible by 164609

23 What is the nearest whole number to one crore which is exactly divisible by 234?

24 How much must be added to five hundred thousand in order that the sum may be divisible by 117?

25 In a division sum the quotient is 420, the divisor is 7564, and the remainder 5199, find the dividend [See Art 16]

26 Find the quotient when the dividend is 1021957, the divisor 2035, and the remainder 1822

27 What number is the same multiple of 7 that 43120 is of 55?

28 Multiply 31729 (i) by 41096, (ii) by 52575, each in three lines

29 After filling 71 casks from a tank, 15 maunds remained, if each cask contained 18 maunds, what did the tank hold at first?

30 Write down the value of (i) $4 \times 737 \times 25$,
(ii) $8 \times 625 \times 50$

31 Write down the quotient and remainder when 3785036 is divided by the product of 25 and 40

32 What is the least number which must be added to 2486132 in order that the sum may be exactly divisible by 4125?

33 What is the least number which must be subtracted from 28241 in order that the remainder may be exactly divisible by 3472?

34 Write down the product of 555666778 and 999

35 Write down a number such that if multiplied by 65 and then divided by 13 the result is 4832160

36 How old is a man who 7 years ago was twice as old as his sister now aged 15?

37 Five years hence a man will be five times as old as his son now 4 years old. How old was the father when the son was born?

38 The sum of the ages of a father and son is 50 years. Five years ago the father's age was three times the son's. What are their present ages?

39 Along a hedge, 220 yards in length, 23 trees are planted at equal distances, the first tree being at the beginning of the hedge What is the distance between the trees in yards?

40 Find, as shortly as possible, the continued product of 16, 64, 125, and 625

41 If 109 is multiplied by a certain number it is increased by 2071 Find the multiplier

42 A boy had to divide 76428 by 123 He copied a figure wrong in the divisor, and obtained as his quotient 611 with remainder 53 What mistake did he make?

43 Complete the division below by writing in the missing numbers in the first and second lines

$$\begin{array}{r} 5 \overline{) } \\ 8 \overline{) } \text{ remainder } 4 \\ 1718 \text{ remainder } 2 \end{array}$$

44 A certain number is divided by 165 by short division The quotient is 262, the first remainder is 2, the second is 4, and the third is 8 Find the number

45 A has £85 and B has £39, how many pounds must A give to B in order that they may each have the same sum of money?

46 A man bought 270 mangoes at the rate of 15 for a rupee and the same number at 18 for a rupee He found that 81 were damaged and he sold the rest at the rate of 27 for 2 rupees, how much did he gain?

47 In the number 2345678 insert a cipher, somewhere between the 2 and the 8, first, so as to make the greatest possible difference in the number, next, so as to make the smallest possible difference Give the answers according to the Indian method of numeration

48 The aggregate score of three cricketers A, B, and C was 149 If B and C together make 76 runs, and A and C make 103, what was the score of each?

49 A, B, and C together made 168 runs in a cricket match C made twice as many runs as A, and B's score was half of A's, what was the score of each? If in the same match there were 15 "extras," and the total score was 255, what was the average score of the remaining batsmen?

50 With 4 wickets to fall, an innings is "declared" for a total of ~~220~~ If there were 12 extras and the not out batsmen had made 56 and 45 respectively, find the average score made by the other batsmen

51 A certain number when divided by 8 has a remainder 5, and the quotient divided by 9 has a remainder 7, what will be the respective remainders when the order of division is reversed?

52 In a long division sum the dividend is 529565, and the successive remainders from first to last are 246, 222, 542 Find the divisor and quotient

CHAPTER II

COMPOUND QUANTITIES

19 THE pupil is supposed to be already acquainted with the general principles of Reduction and of the four Fundamental Rules as applied to Compound Quantities. The object of this chapter is to provide examples for revision, and in particular to illustrate the advantages of *Decimal Tables* (that is to say, Tables based upon the number 10) over the older British and Indian Standards.

A quantity expressed in a single denomination is said to be **simple**.

For instance, £7, 11 feet, 20 acres are simple quantities.

A quantity expressed in two or more denominations is said to be **compound**.

For instance, £7 5s 6d, 2 yds 1 ft 3 in are compound quantities.

To measure any kind of quantity it is necessary to fix upon some **standard unit** in terms of which other quantities of the same kind may be measured. Thus, in regard to money, the British unit is the sovereign, £1, the Indian and Ceylon unit is the rupee, Re 1.

All quantities of the same kind are not conveniently expressed in terms of the same unit. A large unit is convenient for measuring large quantities, smaller quantities are more suitably measured in smaller units.

Thus the price of a horse is usually given in *pounds*, the price of a man's hat in *shillings*, the price of a pamphlet or magazine in *pence*, and so on.

Hence from the standard unit we form other **subsidiary units**, either by subdivision of the standard into certain smaller parts, or by taking a new unit which contains the standard a fixed number of times.

Lists, or *Tables*, giving the relations of these units for English and Indian measures, as well as those of the Metric System, are here collected together for reference.

(iii) METRIC

10 <i>milli</i> -metres (mm)	= 1 <i>centi</i> -metre (cm)
10 centimetres	= 1 <i>deci</i> metre (dm)
10 decimetres	= 1 metre (m)
10 metres	= 1 <i>deca</i> -metre (Dm)
10 decametres	= 1 <i>hecto</i> -metre (Hm)
10 hectometres	= 1 <i>kilo</i> -metre (Km)

Here the metre is considered as the *Standard unit of length*, and accordingly gives its name to the whole system.


Short lengths will be expressed in *metres, decimetres, and centimetres*, as 5 m 3 dm 7 cm *shorter lengths* in *centimetres and millimetres*, as 8 cm 4 mm

Long distances will usually be expressed in *kilometres and metres*, as 9 Km 356 m (decametres and hectometres being little used)

1 metre = 39 $\frac{3}{4}$ inches (nearly),

so that the metric unit of length is roughly 3 $\frac{3}{4}$ inches longer than the yard

A scale comparing inches and centimetres is given below



In this scale the first inch is subdivided into 10 equal parts

The first centimetre is also subdivided into tenths, that is to say, into millimetres

The diagram shows that 1 centimetre is slightly less than four tenths of an inch

The Metric Table may be arranged thus

1 decametre = 10 metres	1 decimetre = $\frac{1}{10}$ metre
1 hectometre = 100 metres	1 centimetre = $\frac{1}{100}$ metre
1 kilometre = 1000 metres	1 millimetre = $\frac{1}{1000}$ metre

Here, the *metre* being taken as the unit, the higher denominations are shown by *Greek* prefixes *Deca-* (10), *Hecto-* (100), *Kilo-* (1000),

while the corresponding subdivisions are shown by *Latin* prefixes, *deci-* ($\frac{1}{10}$), *centi-* ($\frac{1}{100}$), *milli-* ($\frac{1}{1000}$)

For the sake of greater clearness it is usual to write the prefixes for the higher denominations with a capital letter

III. Tables of Weight

(i) BRITISH (*Avoirdupois*)

16 ounces (oz)	= 1 pound (lb)
28 pounds	= 1 quarter (qr)
4 quarters	= 1 hundredweight (cwt)
20 hundredweight	= 1 ton

The following weights are sometimes used

1 oz.	= 16 drams (dr)
1 lb	= 7000 grains (gr)
1 stone	= 14 lbs.

For the precious metals a special ounce, called the *ounce Troy*, is at present used

1 oz. Troy = 480 grains.

With the exception of the precious metals and precious stones all goods are bought and sold by *Avoirdupois* weight, but in the dispensing of drugs apothecaries use the following

20 grains (grs.)	= 1 scruple (1 sc or ʒi)
3 scruples	= 1 drachm (1 dr or ʒi)
8 drachms	= 1 ounce (1 oz or ʒi)

Though, as will be seen, the ounces in the different tables vary, the grain is the same throughout

(ii) INDIAN IMPERIAL (*Bengal Bazar*)

4 sikis	= 1 tola
5 sikis	= 1 kancha
4 kanchas (5 tolas)	= 1 chatak (chk)
4 chataks	= 1 powa (pow)
4 powas	= 1 seer (si)
5 seers	= 1 pansau
40 seers	= 1 maund (md)

The Imperial seer and maund are used on all the Indian railways

A maund = 82½ lbs

35 seers = 72 lbs

A tola is the weight of a rupee and = 180 grains

(iii) BOMBAY

4 dhans	= 1 rati
8 ratis	= 1 masha
4 mashas	= 1 tank
72 tanks	= 1 seer
40 seers	= 1 maund
20 maunds	= 1 candy
A Bombay maund	= 28 lbs

(iv) MADRAS

3 tolas	= 1 palam
8 palams	= 1 seer
5 seers	= 1 vis
8 vis	= 1 maund
20 maunds	= 1 candy
A Madras maund	= 25 lbs (nearly)
A candy	= 493½ lbs

There is an *Indian Jewellers' Table of Weight* as follows

4 dhans	= 1 rati
6 ratis	= 1 anna
8 ratis	= 1 masha
16 annas (12 mashas)	= 1 tola

(v) METRIC

10 <i>milli</i> -grams (mg)	= 1 <i>centi</i> -gram (cg)
10 centigrams	= 1 <i>deci</i> -gram (dg)
10 decigrams	= 1 gram (g)
10 grams	= 1 <i>deca</i> gram (Dg)
10 decagrams	= 1 <i>hecto</i> -gram (Hg)
10 hectograms	= 1 <i>kilo</i> -gram (Kg)

The following weights are some times used

$$\begin{aligned} 100 \text{ Kg} &= 1 \text{ quintal} \\ 1000 \text{ Kg} &= 1 \text{ tonne} \end{aligned}$$

The *gram* is the Metric unit of weight, and the prefixes *Deca*, *Hecto*, *Kilo*, *deci*, *centi*, *milli*, are used with the same meaning as in the Metric Table of Length

$$1 \text{ gram} = 15\frac{1}{2} \text{ grains (nearly)}$$

$$1 \text{ kilogram} = 2\frac{1}{2} \text{ pounds (nearly)}$$

Hence the British *ton* and the Metric *tonne* are nearly equal, for

$$1 \text{ ton (British)} = 2240 \text{ lbs}$$

$$1 \text{ tonne (Metric)} = 2200 \text{ lbs (nearly)}$$

Further information as to the connection between the Metric and the old British systems will be found in Chapter VIII

IV Tables of Capacity

(i) BRITISH

2 pints (pts)	= 1 quart (qt)
4 quarts	= 1 gallon (gal)

These measures are used both for liquid and dry goods. The following are used for dry goods only

$$1 \text{ peck} = 2 \text{ gallons}$$

$$1 \text{ bushel} = 8 \text{ gallons}$$

A gallon is capable of containing 10 lbs weight of pure water

An ordinary tumbler contains about half a pint, so that 1 gallon of water fills about 16 tumblers

In making up prescriptions chemists use the following

$$60 \text{ minims} = 1 \text{ fluid drachm}$$

$$8 \text{ drachms} = 1 \text{ fluid ounce}$$

(ii) INDIAN (*Fluids*)

$$4 \text{ chataks} = 1 \text{ pawa}$$

$$4 \text{ pawas} = 1 \text{ seer}$$

$$40 \text{ seers} = 1 \text{ maund}$$

(iii) METRIC

10 centi-litres (cl)	= 1 deci-litre (dl)
10 decilitres	= 1 litre (l)
10 litres	= 1 deca-litre (Dl)
10 decahtres	= 1 hecto-litre (Hl)
10 hectolitres	= 1 kilo-litre (Kl)

These measures are used
for liquid and dry goods
alike.

The litre is the metric unit of capacity

1 litre = 1 $\frac{1}{2}$ pints (nearly)

V Tables of Square Measure

(i) BRITISH

144 square inches (sq in)	= 1 square foot (sq ft)
9 square feet	= 1 square yard (sq yd)
<u>40 square poles (sq p)</u>	<u>= 1 rood (r)</u>
4 roods	= 1 acre (ac.)
4840 square yards	= 1 acre
<u>10 square chains (sq ch)</u>	<u>= 1 acre</u>
640 acres	= 1 square mile (sq mi)

(ii) BENGAL

<u>20 square cubits</u> (or gandas)	<u>= 1 square chatak</u>
16 square chataks	= 1 square cottah
20 square cottahs	= 1 square bigha

A Bengal bigha	= 1600 sq yds
Thus 40 acres	= 121 bighas
A square cottah	= 80 sq yds
A cottah square	= 4 sq yds

(iii) BOMBAY

39 $\frac{1}{2}$ square cubits	= 1 kathi (ka)
20 kathis	= 1 pand (pa)
20 pands	= 1 bigha
A Bombay bigha	= 3925 sq yds

The Bombay Government has
adopted the following Table

16 annas	= 1 guntha (gu)
40 gunthas	= 1 acre

(iv) PUNJAB

9 sarsai (or karam)	= 1 maila
20 marlas	= 1 kanal (kan)
4 kanals	= 1 bigha
2 bighas	= 1 ghuma (ghm)
A Punjab bigha	= 1620 sq yds

(v) THE N W P

20 hanchwansi	= 1 biswansi
20 biswansi	= 1 biswa
20 biswas	= 1 bigha
A N W P bigha	= 3025 sq yds

(vi) MADRAS.

2400 square feet = 1 ground (or manai)
 24 grounds = 1 cawny (caw)

(vii) METRIC

100 square millimetres (sq mm) = 1 square centimetre (sq cm)
 100 square centimetres = 1 square decimetre (sq dm)
 100 square decimetres = 1 square metre (sq m)
 100 square metres = 1 square decimetre (sq Dm)
 100 square decametres = 1 square hectometre (sq Hm)
 100 square hectometres = 1 square kilometre (sq Km)

In measuring land the unit of area is the Acre, which equals one square decametre

$\left\{ \begin{array}{l} 1 \text{ centiare (ca.)} = 1 \text{ square metre.} \\ 100 \text{ centiares} = 1 \text{ Acre (A)} = 100 \text{ sq. m.} \\ 100 \text{ Acres} = 1 \text{ hectare (Ha)} \\ 1 \text{ square metre} = 1550 \text{ square inches (nearly)} \\ 1 \text{ hectare} = 2\frac{1}{2} \text{ acres (nearly)} \end{array} \right.$

VI Tables of Cubic Measure

(i) BRITISH

1728 cubic inches (cu in.) = 1 cubic foot (cu ft)
 27 cubic feet = 1 cubic yard (cu yd)

The following equivalents connecting cubic measures with measures of capacity and weight should be noted

(i) 1 cubic inch of distilled water (under average conditions of temperature and pressure) weighs about $252\frac{1}{4}$ grains

Now 1 gallon contains 10 lbs of pure water hence it may be shown that

(ii) 1 gallon is nearly equivalent to $277\frac{1}{2}$ cubic inches

(iii) 1 cubic foot of water weighs $996\frac{1}{2}$ ounces, nearly,
 (or 1000 ounces, roughly)

(ii) INDIAN (Bengal)

8 cubic haths (cubits) = 1 cubic yard.
 8 cubic yards = 1 chouka

(iii) METRIC

1000 cubic millimetres (cu mm) = 1 cubic centimetre (cu cm)

1000 cubic centimetres = 1 cubic decimetre (cu dm)

1000 cubic decimetres = 1 cubic metre (cu m.)

Sometimes the cubic metre is called a stere

1 cubic metre (or stere) = 35 317 cubic feet (nearly)

The following equivalents connect cubic measure with measures of capacity and weight

(i) 1 cubic centimetre of water weighs 1 gram

(ii) 1 litre is equivalent to 1 cubic decimetre, or 1000 cubic centimetres.

(iii) 1 litre of water weighs 1 kilogram.

VII Measure of Number

12 units = 1 dozen (doz.)

12 dozen = 1 gross

20 units = 1 score

24 sheets of paper = 1 quire

20 quires = 1 ream

VIII British Measure of Time

60 seconds (sec) = 1 minute (min)

60 minutes = 1 hour (hr)

24 hours = 1 day (dy)

7 days = 1 week (wk)

365 days = 1 year (y)

366 days = 1 leap-year

100 years = 1 century

The twelve months into which the year is unequally divided are called Calendar months

A month of four weeks is called a Lunar month

"Thirty days have September,
April, June and November,
All the rest have thirty-one."

February alone has 28 days, except in Leap year, when it has 29

A Leap year occurs when the number of the year is exactly divisible by 4. Thus 1858, 1892, 1896 were leap years

But Century years are not Leap years, unless the number of the century is divisible by 4. Thus, 1800, 1900 were not leap years, the year 2000 will be

Money

(For Tables of Money see Tables I)

20 Reduction

I *Reduction of a compound sum to its lowest denomination*

EXAMPLE. Reduce (i) £45 13s 7½d to farthings

(ii) Rs 217 11a 9p to pies

(iii) 198 Rs 25 cents to cents

BRITISH COINAGE.	INDIAN COINAGE	CETLON COINAGE.
(i) £45 13s 7½d	(ii) Rs 217 11a 9p	(iii) 198 Rs 25 cents
<u>20</u>	<u>16</u>	<u>100</u>
913 shillings.	3483 annas	<u>19825</u> cents
<u>12</u>	<u>12</u>	
10963 pence	41805 pies	
<u>4</u>		
<u>43854</u> farthings		

Observe carefully that while in (i) and (ii) the process requires the numerical work of multiplication and addition, in (iii) the required result by the *Decimal system* may be at once written down without any numerical work whatever

II *Reduction of a simple sum to a compound sum in higher denominations*

EXAMPLE Reduce (i) 27306 farthings to £ s d

(ii) 4758 pies to Rs a p

(iii) 18310 cents to rupees and cents

BRITISH COINAGE	INDIAN COINAGE.
(i) 4 27306 farthings.	(ii) 12 4758 pies
12 6826 pence + ½d	16 396 annas + 6 p
20 568 shillings + 10d	24 24 rupees + 12 a
28 pounds + 8s	4758 pies = Rs 24 12a 6p
27306 farthings = £28 8s 10½d	

CETLON COINAGE

(iii) 100 | 18310 cents
183 Rs 10 cents

Notice that here again in (iii) the required result may be at once written down, by merely marking off two figures from the right

EXAMPLES II a

(Examples 1-15 should be taken orally)

- 1 How many *shillings* are there in £5, £9 17s, 15 guineas?
- 2 How many *pence* are there in 1s 7d, 9s 7d, £10, £1 5s?
- 3 How many *cents* are there in 7 Rs. 70 cents, 70 Rs 7 cents?
- 4 How many *annas* are there in Rs 6, Rs 16 9a, Rs 15 15a?
- 5 How many *pice* are there in Re 1, 10a 6p, 12a 3p?
- 6 How many *pies* are there in Re 1, 6a 8p, 15a 4p?
- 7 Reduce to *pounds and shillings* 140 shillings, 551s, 637s
- 8 Reduce to *shillings and pence* 60 pence, 74d, 151d, 219d
- 9 Reduce to *rupees and cents* 946 cents, 4080 cents, 4008 cents
- 10 Reduce to *annas and pies* 16p, 26p, 79p, 100p, 186p
- 11 Reduce to *rupees and annas* 40a, 75a, 100a, 256a, 180a
- 12 How many *scripences* are there in 11s 6d, £5, £4 9s 6d?
- 13 How many *threepences* are there in 7s, £1 10s, one guinea?
- 14 How many *florins* are there in 18s, 34s, £3 14s, £4 12s?
- 15 How many *half crowns* are there in 12s 6d, 25s, £2 2s 6d?

Reduce to pence

- | | | | | | |
|----|------------|----|----------------|----|------------|
| 16 | £73 2s 11d | 17 | 12 half crowns | 18 | 29 guineas |
|----|------------|----|----------------|----|------------|

Reduce to half-pence

- | | | | | | |
|----|------------|----|-----------|-----|------------|
| 19 | £13 7s 11d | 20 | £8 2s 7½d | 21. | £19 4s 3½d |
|----|------------|----|-----------|-----|------------|

Reduce to farthings

- | | | | | | |
|----|-------------|----|------------|-----|-----------|
| 22 | £6 13s 11½d | 23 | £4 11s 3¾d | 24. | £9 2s 7¼d |
|----|-------------|----|------------|-----|-----------|

Express as £ s d

- | | | | | | |
|----|------------|----|-----------------|----|-----------------|
| 25 | 2190 pence | 26 | 4577 half pence | 27 | 21927 farthings |
|----|------------|----|-----------------|----|-----------------|

Reduce to annas

- | | | | | | |
|----|-------|----|-----------|----|------------|
| 28 | Rs 50 | 29 | Rs 29 10a | 30 | Rs 347 13a |
|----|-------|----|-----------|----|------------|

Reduce to pies

- | | | | | | |
|----|----------|----|--------------|----|--------------|
| 31 | Rs 15 4a | 32 | Rs 87 8a 11p | 33 | Rs 135 6a 8p |
|----|----------|----|--------------|----|--------------|

Express as R a p

- | | | | | | |
|-----|-----------|----|---------------|----|-----------------|
| 34. | 1000 pice | 35 | A lac of pies | 36 | 3½ lacs of pice |
|-----|-----------|----|---------------|----|-----------------|

Find the number of sixpences in

37 £33 13s 6d 38 £87 0s 6d 39 £91 12s

Find the number of half crowns in

40 £723 10s 41 £561 12s 6d 42 £1920 17s 6d

Reduce to £ s d

43 297 sixpences 44 801 threepences 45 1359 florins

46 How many guineas are worth £399?

47 How many pounds are equivalent to 740 guineas?

48 How many half crowns are equivalent to 3470 florins?

49 How many rupees are there in a crore of annas?

50 Reckoning 15 rupees as equivalent to £1, how many rupees and cents (Ceylon coinage) should I get for £37 10s?

21 The Four Compound Rules In applying the rules of Addition, Subtraction, Multiplication, and Division to compound quantities, the advantage of Decimal Tables lies in the fact that all processes of reduction required in carrying the work from one denomination to the next are performed automatically

22 Addition

EXAMPLE Compare the following additions in the British and Indian and in the Decimal Tables

BRITISH			INDIAN			CEYLON (Decimal)		
£	s	d	Rs	a	p		Rs	cents
(i) 43	9	4½	(ii) 100	2	7	(iii)	87	60
7	17	8½		14	5		407	15
103	14	3		94	11		8	30
19	8	11½		7	0		129	85
281	13	2		824	15		14	75
<hr/> 456	<hr/> 3	<hr/> 5½		<hr/> 1027	<hr/> 12		<hr/> 647	<hr/> 65

In (i) and (ii) we use the method of **Mental Reduction**. In (i), e.g., the farthings column totals $1\frac{1}{2}d$, so we set down the $\frac{1}{2}d$ and carry the $1d$ to the pence column, which we find now totals $2s\ 5d$, so we set down the $5d$ and carry the $2s$ to the shillings column. This now totals £3 3s, so we set down the 3s and carry the £3 to the pounds column, which now totals 456.

In (iii), on adding the cents, we get 265 cents, that is, 2 rupees 65 cents, thus the number of *rupees* to be carried from the second column of figures is the same as the number of *hundreds* which we should carry from that column if we were adding *simple quantities*. The mental process is therefore merely that of adding abstract numbers.

EXAMPLES II b

ADDITION

Add the following sums of money (writing down the answers only)

	£	s	d
1	4	18	3
		13	7
	15	8	11
		19	4

	Rs	a	p
2	4	2	3
		12	4
	10	4	6
		7	9

	Rs	cents
3	61	25
	3	10
	17	30
	23	60

	£	s	d
4	3	9	2½
	5	10	7
	13	11	4½
	4	0	9
	15	9	3½

	Rs	a	p
5	29	11	7
	46	15	9
	8	10	2
		14	3
	92	0	11

	Rs	cents
6	47	75
	102	20
	37	45
	800	00
	42	35

	£	s	d
7	25	6	4½
	18	9	2
	20	10	2½
	30	19	6½
	15	8	4½
	32	17	9½

	Rs	a	p
8	126	5	8
	78	4	8
	517	15	3
	196	7	10
	21	13	5
	827	12	9

	Rs	cents
9	318	50
	46	30
	201	10
	13	95
	75	25
	81	00

10 Add together as one column of money the amounts given in Exs 2, 5 and 8

Find the total of the following payments

11 £12 9s 5d, £14 3s 7d, £8 0s 11d, £7 5s 4d, £3 6s 4d, and £6 2s 5d

12 42 Rs 30 cents, 79 Rs 10 cents, 85 cents, 40 Rs 90 cents, 100 Rs 35 cents

13 Add the following sums of money in columns, also in rows Find and check the grand total

	£	s	d
(i) 9632	11	9	
	803	5	7
	8070	13	10
	985	6	0
	6732	17	8
	573	0	11
	7306	15	4
	3572	8	2
	1384	4	9
	2222	2	2
	1009	19	11
	3808	7	6

	£	s	d
(ii) 235	12	9	
	1783	9	4
	673	0	5
	409	15	0
	9356	7	7
	353	19	3
	4576	3	6
	5847	16	8
	328	5	11
	793	13	2
	5489	11	10
	6357	18	4

	£	s	d
(iii) 3149	17	2	
	672	14	9
	548	4	3
	19	18	7
	893	6	8
	2749	9	1
	134	17	4
	6924	2	9
	4867	12	6
	499	19	10
	9578	9	2
	21	7	11

23 Subtraction.

EXAMPLE 1 Compare the following processes of subtraction in the British and Indian and in the Decimal Tables

BRITISH			INDIAN			CEYLON (Decimal)	
£	s	d	Rs	a	p	Rs	cents
(i) 5	6	4½	(ii) 976	10	3	(iii) 108	10
3	8	9½	298	12	6	89	15
1	17	6½	677	13	9	18	95

In each case the method of *Complementary Addition* should be used [Art 5]

(i) 1st step Since 3f cannot be taken from 2f we add 4f to the farthings in the top line, and 1d to the pence in the lower line

2nd step Since 10d cannot be taken from 4d, we add 12d to the pence in the top line, and 1s to the shillings in the lower line

3rd step We add 20s to the shillings in the top line, and £1 to the pounds in the lower line

The mental work is briefly as follows

3f and 3f, 6f = 1½d Set down 3f (¾d) and carry 1d

10d and 6d, 16d = 1s 4d Set down 6d, and carry 1s

9s and 17s, 26s = £1 6s Set down 17s, and carry £1

£4 and £1, £5 Set down £1

(iii) Here the process is simply that of finding how many cents must be added to 8915 cents to make 10810 cents.

EXAMPLE 2 Subtract the sum of £3 6s 2d, £4 18s 8½d, £5 13s 6½d, and £2 7s 8½d from £25 17s 4½d

Write down £25 17s 4½d and draw a line under it, then place the other sums of money under the line Then we have

2f, 4f, 6f = 1½d, and 0f = 1½d, carry 1d	£	s	d
9d, 15d, 23d, 25d = 2s 1d, and 3d = 2s 4d, carry 2s	25	17	4½
9s, 12s, 20s, 26s, 36s, 46s = £2. 6s, and 11s = £2 17s; carry £2	3	6	2
£4, £9, £13, £16 and 9 = £25	4	18	8½
	5	13	6½
	2	7	8½
	9	11	3

In the work of each column the figures in deeper type are those to be set down in the answer

The result may be checked as in Ex 2 of Art 5

EXAMPLES II c.

SUBTRACTION

Find in each case the difference between the following sums of money

$$\begin{array}{r} \text{£} \quad \text{s} \quad \text{d} \\ 1 \quad 28 \quad 14 \quad 3 \\ \underline{18 \quad 17 \quad 7} \end{array}$$

$$\begin{array}{r} \text{£} \quad \text{s} \quad \text{d} \\ 2 \quad 403 \quad 11 \quad 4 \\ \underline{317 \quad 12 \quad 5\frac{1}{2}} \end{array}$$

$$\begin{array}{r} \text{Rs} \quad \text{a} \quad \text{p} \\ 3 \quad 425 \quad 10 \quad 5 \\ \underline{219 \quad 14 \quad 8} \end{array}$$

$$\begin{array}{r} \text{Rs} \quad \text{a} \quad \text{p} \\ 4 \quad 1683 \quad 6 \quad 6 \\ \underline{919 \quad 15 \quad 11} \end{array}$$

$$\begin{array}{r} \text{Rs} \quad \text{cents} \\ 5 \quad 750 \quad 00 \\ \underline{89 \quad 25} \end{array}$$

$$\begin{array}{r} \text{Rs} \quad \text{cents} \\ 6 \quad 2308 \quad 10 \\ \underline{690 \quad 15} \end{array}$$

7 If I pay a bill of £3 13s 5d with a five pound note, how much change should I get?

8 What must be added to £93 18s 1½d to make up £100?

9 Find the excess of Rs 100 over Rs 329 12a 6p

10 By how much does 699 Rs 90 cents fall short of Rs 1000?

In the following subtraction sums supply the missing figures in the places marked by asterisks

$$\begin{array}{r} \text{Rs.} \quad \text{a} \quad \text{p} \\ 11 \quad \begin{array}{r} 7^*5 \\ 497 \\ \underline{288} \end{array} \quad \begin{array}{r} * \\ 5 \\ 7 \end{array} \quad \begin{array}{r} * \\ 4 \\ 10 \end{array} \end{array}$$

$$\begin{array}{r} \text{Rs} \quad \text{a} \quad \text{p} \\ 12 \quad \begin{array}{r} 3^{**} \\ 295 \\ \underline{76} \end{array} \quad \begin{array}{r} * \\ 12 \\ 9 \end{array} \quad \begin{array}{r} * \\ 9 \\ 7 \end{array} \end{array}$$

$$\begin{array}{r} \text{£} \quad \text{s} \quad \text{d} \\ 13 \quad \begin{array}{r} 565 \\ *** \\ \underline{240} \end{array} \quad \begin{array}{r} 15 \\ * \\ 19 \end{array} \quad \begin{array}{r} 11 \\ * \\ 2 \end{array} \end{array}$$

In the following examples the sums of money below the dotted line are to be added together and then sum is to be subtracted from the top line (Only the answer is to be written down)

$$\begin{array}{r} \text{Rs} \quad \text{a} \quad \text{p} \\ 14 \quad \begin{array}{r} 105 \\ 17 \\ 43 \\ 16 \end{array} \quad \begin{array}{r} 13 \\ 2 \\ 5 \\ 9 \end{array} \quad \begin{array}{r} 2 \\ 9 \\ 4 \\ 8 \end{array} \end{array}$$

$$\begin{array}{r} \text{Rs} \quad \text{a} \quad \text{p} \\ 15. \quad \begin{array}{r} 129 \\ 28 \\ 75 \\ 15 \end{array} \quad \begin{array}{r} 14 \\ 9 \\ 9 \\ 5 \end{array} \quad \begin{array}{r} 5 \\ 11 \\ 2 \\ 4 \end{array} \end{array}$$

$$\begin{array}{r} \text{£} \quad \text{s} \quad \text{d} \\ 16 \quad \begin{array}{r} 678 \\ 354 \\ 213 \\ 20 \end{array} \quad \begin{array}{r} 15 \\ 13 \\ 10 \\ 6 \end{array} \quad \begin{array}{r} 6\frac{1}{2} \\ 3\frac{1}{2} \\ 4\frac{1}{2} \\ 4\frac{1}{2} \end{array} \end{array}$$

17 Subtract the sum of £29 12s 7d, £19 0s 10d, £37 17s 11d from £97 8s 3d

18 Having a balance of £269 15s 6d at my bank, I draw cheques for £75 7s 5d, £37 15s 1d, £42 4s 2d and £17 12s 6d How much have I left?

24 Multiplication. CASE I *When the multiplier can be resolved into convenient factors*

EXAMPLE Multiply (i) £16 18s 6½d by 35, (ii) Rs 16 14a 6p by 35, (iii) 16 Rs 65 cents by 35

BRITISH			INDIAN			CEYLON (Decimal)	
£	s	d	Rs	a	p	Rs	cents
(i) 16	18	6½	(ii) 16	14	6	(iii) 16	65
		7			7		7
118	9	9½	118	5	6	116	55
		5			5		5
592	8	11½	591	11	6	582	75

In (i) and (ii) the process is that of Mental Reduction. In the first line of the process of (ii), *eg*, the work is as follows

6p × 7 = 42p = 3a 6p. We set down the 6p and carry on the 3a. (14a × 7) + 3a = 101a = Rs 6 5a. We set down the 5a and carry on the Rs 6. (Rs 16 × 7) + Rs 6 = Rs 118.

But in (iii) the mental process throughout is the same as if the multiplicand were the *simple quantity* 1665 cents

CASE II *When the multiplier is large or not readily expressed in factors*

EXAMPLE. Multiply (i) £27 6s 5½d by 817, (ii) Rs 27 6a 5p by 817, (iii) Rs 27 65 cents by 817

(i) 3f × 817 = 2451 f		(ii) 5p × 817 = 4085 p	
4 2451 farthings		12 4085 pies	
612 pence + 3f		340 annas + 5p	
5d × 817 = 4085 "		6a × 817 = 4902 "	
12 4697 pence		16 5242 annas	
391 shillings + 5d		327 rupees + 10a.	
6s × 817 = 4902 "		Rs 27 × 817 = { 1634 "	
20 5293 shillings		{ 5719 "	
264 pounds + 13s		22386 rupees	
£27 × 817 = { 1634 "		Rs 22386 10a 5p Ans	
{ 5719 "			
22323 pounds			
£22323 13s 5½d Ans			

	Rs. cents
(iii)	27 65
	8 17
	<hr/>
	22120
	276 5
	193 55
	<hr/>
	Rs 22590 05
	<hr/>
	22590 Rs 5cents Ans

Remembering that 27 Rs 65 cents = 2765 cents, we arrange the work as shown on the left

The multiplicand is now treated as the simple number 2765, and the work proceeds as in ordinary multiplication

NOTE Work in Compound Multiplication may in many cases be shortened by the method of *Aliquot Parts* explained in Chapter VI

EXAMPLES II d.

MULTIPLICATION

Multiply

- 1 £15 7s 11d (i) by 3, (ii) by 7, (iii) by 11
- 2 £26 9s 4½d (i) by 4, (ii) by 7, (iii) by 9
- 3 Rs 208 15s 9p (i) by 5 (ii) by 9 (iii) by 12
- 4 417 Rs 80 cents (i) by 6 (ii) by 8, (iii) by 10
- 5 £28 16s 3d by 16 6 £41 5s 2½d by 72.
- 7 Rs 23 2s 9p by 49 8 Rs 41 15s 3p by 77
- 9 735 Rs 65 cents by 85 * 10 507 Rs 90 cents by 96
11. Multiply (i) £23 2s 7d (ii) 23 Rs 25 cents by 10, by 100, by 1000
12. Multiply £41 5s 2½d (i) by 8 Hence obtain the values of (ii) £41 5s 2½d × 9 (iii) £41 5s 2½d × 17

Multiply

- | | |
|-------------------------|-------------------------|
| 13 437 15 7d by 29 | 14 £23 2s 7d by 79 |
| 15 £27 6s 4d by 122 | 16 £37 9s 2½d by 286 |
| 17 Rs 82 10s 3p by 141 | 18 Rs 173 11s 9p by 193 |
| 19 40 Rs 20cents by 177 | 20 76 Rs 55cents by 307 |

21 Twenty nine members of a club agree to subscribe £3 2s 6d each towards the extinction of a debt of £100 How much more will be wanted?

22 A tradesman bought 96 yards of calico at 2s 9p a yard and sold the whole at 3s 3p a yard What was the total profit?

23 Six men work 290 days in the year for a daily wage of 55 cents (Ceylon coinage) each what is the total sum earned?

24 A company has 6500 Ordinary shares and 5250 Preference shares What sum will be required to pay a dividend of Rs 5 3s on the former and Rs 4 6s on the latter?

25. DIVISION The advantage of decimal tables is further seen on computing the following examples in Division

EXAMPLE 1 (Partition) *Divide* (i) £783 9s 5d, (ii) Rs 783 9a 9p, (iii) 783 Rs 90 cents, *into 47 equal parts, and find the remainder*

BRITISH

$$\begin{array}{r}
 \text{(i) } 47 \overline{) 783} \begin{array}{l} \text{£} \quad \text{s} \quad \text{d} \\ 9 \quad 5 \end{array} \text{ (£16} \\
 \underline{752} \\
 31 \\
 \underline{20} \\
 47 \overline{) 629} \text{ (13s} \\
 \underline{611} \\
 18 \\
 \underline{12} \\
 47 \overline{) 221} \text{ (4d} \\
 \underline{188} \\
 33 \\
 \underline{4} \\
 47 \overline{) 132} \text{ (2f} \\
 \underline{94} \\
 \text{remr} = 38\text{f} = 9\frac{1}{2}\text{d} \\
 \text{each part} = \underline{\underline{\text{£16 } 13\text{s } 4\frac{1}{2}\text{d}}} \\
 \text{with } 9\frac{1}{2}\text{d over}
 \end{array}$$

INDIAN

$$\begin{array}{r}
 \text{(ii) } 47 \overline{) 783} \begin{array}{l} \text{Rs} \quad \text{a} \quad \text{p} \\ 9 \quad 9 \end{array} \text{ (16 rupees} \\
 \underline{752} \\
 31 \\
 \underline{16} \\
 47 \overline{) 505} \text{ (10 annas} \\
 \underline{47} \\
 35 \\
 \underline{12} \\
 47 \overline{) 429} \text{ (9 pies} \\
 \underline{423} \\
 \text{remr} = 6 \text{ p} \\
 \text{each part} = \underline{\underline{\text{Rs } 16 \text{ } 10 \text{ a } 9 \text{ p}}} \\
 \text{with 6 p over}
 \end{array}$$

CEYLON (Decimal)

$$\begin{array}{r}
 \text{(iii) } 47 \overline{) 783} \begin{array}{l} \text{Rs} \quad \text{cents} \\ 90 \end{array} \text{ (16 Rs 67 cents} \\
 \underline{47} \\
 313 \\
 \underline{282} \\
 319 \\
 \underline{282} \\
 370 \\
 \underline{329} \\
 \text{remr} = 41 \text{ cents} \\
 \text{each part} = \underline{\underline{16 \text{ Rs } 67 \text{ cents}}} \\
 \text{with 41 cents over}
 \end{array}$$

Throughout the division the dividend is considered as the simple quantity 78390 cents

NOTE In each case the written work might be abridged by the Italian method

EXAMPLE 2 (Quotition) (i) *How many times is £2 14s 7d contained in £564 19s 1d?* (ii) *How many times is Rs 2 14a 6p contained in Rs 564 15a 3p?* (iii) *How many times is 31 Rs 25 cents contained in 6475 Rs 10 cents?*

In each case reduce both sums of money to their highest common denomination, and divide the second sum by the first

(i)	£ s d	£ s d	655) 135589 (207
	2 14 7	564 19 1	
	20	20	1310
	34s	11299s	4589
	12	12	4585
	655d	135589d	remr = 4d

Ans 207 times, remainder 4d

(ii)	Rs a p	Rs a p	558) 108471 (194
	2 14 6	564 15 3	
	16	16	558
	46 annas	9039 annas	5267
	12	12	5022
	558 pias	108471 pias	2451
			2232
			remr = 210 p = Re 1 2a 3p

Ans 194 times, remainder Re 1 2a 3p

(iii)	31 Rs 25 cents = 3125 cents	3125) 647510 (207
	6475 Rs 10 cents = 647510 cents	
		6250
		22510
		21875
		remr = 635 cents = 6Rs 35cents

Ans 207 times, remainder 6 Rs 35 cents

Observe that in (iii) the necessary reduction is done *at sight*

Notice that in **partition** we are finding the value of each part. In this case the divisor is *abstract*, while the quotient is *concrete* and of the same denomination as the dividend.

In **quotition**, on the other hand we are finding how many times one amount is contained in the other. In this case both divisor and dividend are *concrete* and of the same denomination, while the quotient is *abstract*.

EXAMPLES II e

DIVISION (*Partition*)

Divide

- | | |
|------------------------|-------------------------|
| 1. £37 15s 5d by 7 | 2. £51 16s 6d by 9 |
| 3 Rs 54 15a by 12 | 4. Rs 260 3a. 4p by 10 |
| 5 109 Rs 80 cents by 6 | 6 509 Rs 85 cents by 11 |

7 If Rs 99 11a is equally divided among 10 men, and the same amount equally divided among 12 women, by how much does the share of each man exceed that of each woman?

8 How much must be added to *one ninth* of £250 10s to make *one eighth* of the same sum?

Divide

- | | |
|---------------------------|---------------------------|
| 9 £409 14s 8d by 56 | 10 Rs 2970 12a by 72 |
| 11 2213 Rs 75 cents by 55 | 12 8644 Rs 80 cents by 96 |

Divide as far as pence (or pies, or cents), noting remainders

- | | |
|----------------------------|----------------------------|
| 13 £326 4s 7d by 100 | 14. 608 Rs 20 cents by 100 |
| 15 £439 9s 1d by 19 | 16 Rs 6643 5a. 3p by 161 |
| 17 4936 Rs 70 cents by 267 | 18 Rs 8271 by 407 |

(*Quotition*)

How many times is the first of the following sums contained in the second?

[Be careful in each case to reduce both sums to their *highest common denomination*, for instance in Ex 19 to *half sovereigns*, in Ex 20 to *half crowns*, and so on]

- | | |
|---|------------------------------|
| 19 £5 10s in £93 10s ? | 20 £3 7s 6d in £37 12s 6d ? |
| 21. 3s 6d in £4 0s 6d ? | 22 £2. 10s 7d in £35 8s 2d ? |
| 23 Re 1 8a in Rs. 148 8a ? | 24 Rs 7 14a in Rs. 346 8a. ? |
| 25 Rs 47 0a 3p in Rs 3385 2a. ? | |
| 26 23 Rs 80 cents in 2641 Rs 80 cents ? | |

27 How many payments each of £33 18s 1d can be made out of £779 16s 9d, and what will be the remainder?

28 How many times can Rs 7 10a 3p be subtracted from Rs 100, and what will be the remainder?

29 If coal is £1 3s 8d a ton, what is the greatest number of tons I can buy for £86, and how much money should I have over?

30 By distributing Rs 29683 4a, a company may pay a dividend of Rs. 4 10a per share. How many shares are there?

EXAMPLES II f

COMPOUND RULES MONEY

(Examples 1-15 should be taken orally)

1 How many sixpences are there in 15s 6d, in 29s 6d, in £3 11s, in £2 6s 6d, in £5 11s 6d?

2 Add together

- (i) 4d, 5d, 7d, 9d, 11d (ii) 6d, 9½d, 10d, 10½d
 (iii) 3½d, 7½d, 6d, 8½d, 13½d (iv) 1s 3p, 2s 6p, 3s, 3s 9p
 (v) Rs 2 8a, Rs 5, Rs 2 12a, Rs 7 12a
 (vi) 9 Rs 20 cents, 1 Ru 85 cents, 6 Rs 75 cents

3 What change should be given when

- (i) 3½d is taken out of 1 shilling?
 (ii) 1s 1½d 1 florin?
 (iii) 1s 5½d half a crown?
 (iv) 4 10½d half a sovereign?
 (v) 12s 7d 1 sovereign?
 (vi) Rs 3 3a 3p a ten rupee note?

4 Give the cost of a dozen things at

- (i) 7d each, (ii) 9½d each, (iii) 4½d each,
 (iv) 6½d each, (v) 1s 2½d each, (vi) 2s 8d each,
 (vii) 9p each (viii) 1s 3p each, (ix) 6a 6p each,
 (x) 11a 9p each (xi) 75 cents each, (xii) 3 Rs 25 cents each

5 Give the cost of 10 things at

- (i) 4s 6p each, (ii) 7s 9p each,
 (iii) 11s 3p each, (iv) Ru 1 2a each,
 (v) Rs 3 4a 3p each, (vi) Rs 16 4a 6p each

6 Give the cost of 20 things at

- (i) 1s each, (ii) 5s 6d each, (iii) 2s 3d each,
 (iv) 7s 6d each (v) £1 1s each, (vi) £2 5s 6d each

7 State the value of 8 half crowns, 3 half crowns, 5 half crowns, 7 half crowns, 11 half crowns, 13 half crowns, 25 half crowns

8 Add together

- (i) 2s 6d, 7s 6d, 3s 8d and 6s 4d
 (ii) 1s 2d, 3s 10d, 4s 3d, 5s 9d, and 10s
 (iii) Ru 1 11a, Rs 2 3a, Rs 3 12a, Rs 5 4a, Rs 5 7a,
 Rs 6 9a.

9 At a stationer's shop I spend 2s 3d and 6s 8d, what change should I get out of half a sovereign?

10 For things costing 3a 6p, 4a 9p, and 11a 3p I tender a five rupee note. What change should I get?

11 If third class fare is a pice a mile, what change should a passenger going 194 miles receive out of a ten rupee note?

12 Reckoning first class fare at twopence a mile, what should be the change out of a sovereign after paying for a first single ticket from Oxford to Bristol (76 miles)?

13 What is the cost of 6 yards of silk at Rs 4 10 cents a yard?

14 What is the cost of 9 lbs of tea at 14 annas a pound?

15 Five guineas are to be equally distributed among 21 persons. How much should each get?

16 I have £3 2s 6d in my purse, after paying two bills of £1 7s 5d and 19s 2d, what have I left?

17 By how much is the sum of Rs 43 2a 6p and Rs 76 7a 3p less than Rs 120?

18 I have £95 in the bank, what is my balance after writing cheques for £24 6s 11d, £13 17s 4d, £32 5s 7d, and £5 2s 8d?

19 What is the cost of 18 yards of linen at 1 Re 25 cents per yard?

20 How much does a man earn in 55 days of 8 hours each at 5 cents per hour?

21 What amount of money can be equally distributed amongst 14 persons if each is to receive £15 7s 11d?

22 A sum of £31 11s 6d is equally divided between 36 men. How much does each receive?

23 How many books at 14a. 6p each can be bought for Rs 36 4a?

24 A Christmas dole of £7 8s 6d was divided amongst 297 poor children. How much did each receive?

25 How many payments of Rs 5 1a 3p each can be made with a sum of Rs 483 0a 9p, and how much will be left?

26 With Rs 600 to begin with, for how many days can a man spend 2Rs 55 cents a day, and how much will then be left?

27 In how many weeks can a man save 15 guineas to buy a bicycle if he saves 5s 10d a week?

28 How many persons can each receive £1 3s out of a sum of £170 10s 2d? And if the balance is distributed equally among them, how much more will each receive?

29 At a school treat a sum of £11 14s 9d was used in giving a threepenny piece to each child. How many children were there?

30 To how many persons may the sum of £19 19s 11d be paid out of £10,000? How much may each of 25 other persons receive from the residue?

31 A sum of £43 4s 7d is made up of an equal number of pounds, shillings, and pence. How many are there of each?

32 In four successive years a business cleared Rs 4010 11s 9p, Rs 4901 8s 6p, Rs 5286 6s 9p, and Rs 719 4s respectively. What were its average annual profits?

33 A man's yearly income is £741 12s 6d and his daily expenditure a guinea and a half. How much does he save in an ordinary year?

34 Find the total cost of three dozen pocket handkerchiefs at 1s 10d each, two and a half dozen collars at 9d, and one dozen neckties at 1s 11d each.

35 Divide Rs 67 between A and B so that A may have Rs 13 more than B.

36 How must £265 be divided between A, B, and C so that A may have £40 more than B, and B £15 more than C?

37 A certain sum of money was divided among A, B, and C, A and B received 18Rs 20cents, A and C, 17Rs 25cents, B and C, 15Rs 45cents. How much did each receive?

38 If the income tax is 11d in every £, what amount of tax would a man have to pay whose income was £850?

39 At 11d in the £ a man has to pay income tax amounting to £45 16s 8d, what is his income?

40 A tradesman buying articles at the rate of £3 7s 6d per score, sells at £2 2s 6d per dozen. What profit does he make on one such article? What profit on 1000 articles?

41 Cloth was bought at 2s 9p a yard and sold at 3s 3p. If the total profit came to Rs. 2 4s, how many yards were bought and sold?

42 A merchant mixes 20 maunds of oil which cost him 15Rs 80cents a maund with 16 maunds of oil at 23Rs 45cents a maund. What is the value of one maund of the mixture?

43 A grocer mixes 11 lbs of tea at 2s 6d with 15 lbs at 1s 10d and 14 lbs at 2s 1d per pound. If he sells the whole at 2s 4d per pound, what does he gain per pound, and what is his total gain?

44 To bring goods from Zanzibar to Unyamwezi costs £200 per ton, and, in consequence, calico which costs 14d a yard in Zanzibar costs 5d a yard in Unyamwezi. How many yards are there to the ton?

45 In the first four months the takings of a business are respectively Rs 335 7s 3p, Rs 371 15s 6p, Rs 401 11s 9p, Rs 446 11s. What must the average takings be for the remaining months, that the total receipts for the year may be Rs 5000?

26

Lineal Measure

(For Tables of Length see Tables II)

Observe that the Metric Table of Length is constructed on the same plan as the *Numeration Table*, that is to say, each denomination is *ten* times the denomination next below it, just as in any abstract number each digit has a "place value" ten times that of the next digit on its right.

For example,

Just as $3765 = 3 \text{ thousands} + 7 \text{ hundreds} + 6 \text{ tens} + 5 \text{ units}$,

so $3765 \text{ metres} = 3 \text{ Km} + 7 \text{ Hm} + 6 \text{ Dm} + 5 \text{ m}$

Similarly $4080 \text{ metres} = 4 \text{ Km} + 0 \text{ Hm} + 8 \text{ Dm} + 0 \text{ m}$

Conversely, $5 \text{ Km } 9 \text{ Hm } 1 \text{ Dm } 2 \text{ m} = 5912 \text{ metres}$

Similarly $7 \text{ Km } 3 \text{ m} = 7003 \text{ metres}$

In like manner,

$8 \text{ m } 5 \text{ dm } 6 \text{ cm} = 856 \text{ centimetres} = 8560 \text{ millimetres}$

Conversely,

$7090 \text{ millimetres} = 709 \text{ centimetres} = 7 \text{ m } 0 \text{ dm } 9 \text{ cm}$

Hence in the Metric Table all processes of *Reduction* follow the laws of *Numeration* and can be performed at sight. Consequently *Addition*, *Subtraction*, *Multiplication*, and *Division*, in *Compound* metric quantities differ in no way from the corresponding work in *Simple* quantities. Herein lies the overwhelming advantage of a decimal over a non decimal system of Tables.

EXAMPLE 1 Compare the following additions in British and Metric Tables of Length

BRITISH			METRIC		
(i)	mi	yds	(ii)	km	metres
	3	150		3	150
	17	718		17	718
	9	522		9	522
	21	540		21	540
		<hr/> 2530 (1 mi			<hr/> 520
		1760		52	530
		<hr/> 51 mi 770 yds			

In (i) we obtain on addition 2530 yards. This we divide by 1760, setting down the remainder 770 yds and carrying the quotient 1 mile to the next column.

In (ii) we obtain 2530 metres, namely 2 Km 530 metres, so that the number of metres set down and the number of kilometres to carry are just the same as if the quantities to be added were *simple*.

EXAMPLE 2. Multiply (i) 7 yds 2 ft 5 in by 11, (ii) 7 m. 2 dm 5 cm by 11

BRITISH.

	yd.	ft.	in.
(i)	7	2	5
			11
	85	2	7

METRIC

	m	dm	cm
(ii)	7	2	5
			11
	79	7	5

In (i), to get the carrying figure at each stage, inches must be reduced to feet, and feet to yards.

In (ii) the carrying figures are the same as if the multiplicand were the simple quantity 725 cm

for 55 cm = 5 dm 5 cm, set down 5, and carry 5

And 27 dm = 2 m 7 dm, set down 7, and carry 2.

EXAMPLES II. g

COMPOUND RULES. LENGTH

Reduce to inches

1. 8 ft 5 in.

2. 23 ft 7 in.

3. 19 yds 2 ft 11 in.

Reduce to haths

4. 2 big 6 cot 5 14 big 18 cot 3 haths 6. 27 big 11 cot. 3 haths

Write down the number of centimetres in

7. 7 metres

8. 8 decimetres

9. 7 m 8 dm 5 cm

10. 6 m 9 dm 3 cm

11. 6 m 0 dm 3 cm

12. 6 m 9 dm 0 cm

13. 5 m 3 dm

14. 5 m 3 cm

15. 5 dm 3 cm

Reduce to yards

16. 8½ miles

17. 11 m 250 yds

18. 4 fur 111 yds

Write down the number of metres in

19. 7 kilometres

20. 8 hectometres

21. 3 decametres

22. 7 Km 8 Hm 3 Dm

23. 7 Km 8 Hm 3 m

24. 7 Km 8 Dm 3 m

25. 7 Km 830 m

26. 14 Km 14 m

27. 141 Km 4 m

28. Reduce (i) 171 in, (ii) 493 in to yards, feet, and inches

29. Reduce (i) 319 cottahs, (ii) 4100 haths, to bighas and cottahs

Write down in compound quantities

30. 723 centimetres

31. 813 centimetres

32. 905 centimetres

33. 7020 millimetres

34. 702 millimetres

35. 5173 metres

36. 5002 metres

37. 5200 metres

38. 5020 metres

39. How many inches are there in a quarter of a mile? How many feet in five miles and a quarter?

- 40 How many chains are there in a mile? How many inches in a chain? The length of 1 link is between 7 inches and 8 inches which of these is nearer to the actual value? (Shew work to justify your answer)

Add together the following quantities

41	yds	ft	in	42	m	dm	cm.	43	dm	cm	mm.
	4	2	8		4	2	8		4	2	8
	7	1	3		7	1	3		7	1	3
	8	0	7		8	0	7		8	0	7
	11	1	9		11	1	9		11	1	9
	3	0	4		3	0	4		3	0	4

44	miles.	yds.	45	Km	metres.	46	fur	yds	47	big	cot	haths.
	5	100		5	100		4	117		4	17	2
	2	375		2	375		6	75		6	7	0
	3	950		3	950		5	80		5	8	3
	12	876		12	876		7	122		7	12	2
	1	219		1	219		3	35		3	5	1

- 48 Subtract (i) 4 yds 2 ft. 9 in from 16 yds 2 ft 0 in
(ii) 4 m 2 dm 9 cm from 16 m 2 dm 0 cm
- 49 By how much does 7 mi 980 yds fall short of 10 miles? And by how much does 10 kilometres exceed 7 Km 980 m?
- 50 Multiply (i) 5 yds 1 ft 7 in (ii) 9 big 12 cot 3 haths (iii) 5 m 1 dm 7 cm by 9
- 51 Divide (i) 35 yds 1 ft 7 in (ii) 13 big 17 cot 3 haths (iii) 35 m 1 dm 7 cm by 11, and find the remainder in each case
- 52 A circular track is 2 fur 88 yds round How far will a cyclist have ridden when he has gone round 40 times?
- 53 If telegraph posts stand at intervals of 25 metres, how many kilometres apart are the 1st and 24th posts?
- 54 A train is travelling at the rate of 36 miles an hour how many yards will it run in half a minute?
- 55 How many pieces of calico each 14 ft 6 in long can be cut from a roll of 50 yards, and how much will be left?
- 56 A carriage wheel is 8 ft 3 in in circumference how many revolutions does it make travelling 7 mi 1331 yds?
- 57 A surveyor measuring the four sides of a field finds them to be 5 ch 50 lks, 5 ch 10 lks, 4 ch 75 lks, and 4 ch 65 lks What is the distance all round the field (i) in chains, (ii) in yards?
- 58 The average speed of a certain mail boat is 18 knots an hour, a knot being 2026 yds. 2 ft Two passengers estimate her daily run at 497 miles and 498 miles respectively which estimate is nearer the truth?

- 59 A gang of men began laying a section of railway, 67 mi 500 yds in length, on the morning of January 1st, and just finished by the end of the month. What was the average advance per day?

Had the length of the section been 67 Km 500 m, and the daily advance 2 Km 177 m, how much would have remained to be laid at the end of the month?

- 60 A cage is lowered into a mine by a steel rope run off a drum 44 ft 6 in in circumference. If the drum makes 2 revolutions in every 3 seconds and the cage descends in 45 seconds, what is the depth of the shaft?

27 Weight and Capacity

(For Tables of Weight and Capacity see Tables III and IV)

EXAMPLES II h

COMPOUND RULES WEIGHT CAPACITY

Reduce to pounds

- 1 9 cwt 17 lbs 2 $4\frac{1}{2}$ tons 3 2 tons 3 cwt 2 qrs

Reduce to tolas

- 4 16 md 18 sr 10 chh 5 14 md 6 vis 3 sr (Madras)

Write down the number of grams in

- 6 5 kilograms 7 9 hectograms 8 3 Kg 9 Hg
9 6 Hg 41 g 10 6 Hg 4 Dg 1 g 11. $3\frac{1}{2}$ kilograms

Express

- 12 100 oz. in pounds
13 6000 lbs. in tons, hundred weight, and pounds
14 355 pints in gallons, quarts and pints
15 712 chataks in maunds, seers, pawas and chataks

Express as far as possible in the highest units of weight

- 16 $3\frac{1}{2}$ lbs of tolas (Indian Imperial)
17 $3\frac{1}{2}$ lbs of tolas (Madras) 18 A crore of dhans (Bombay)

Write down in compound quantities

- 19 107 grains 20 4007 grams 21 4700 grams
22 1070 grams 23 55 litres 24 200 litres

25 Work out the equivalents of (i) 1 ton (British), (ii) 1 tonne (metric) in pounds, remembering that 1 tonne = 1000 kilograms, and 1 kilogram = 2 $\frac{1}{2}$ lbs.

26 What is the difference in the weight (i) between an ounce of gold and an ounce of lead, (ii) between a gram of gold and a gram of lead?

Add together the following quantities

	tons	owt.	qrs	lbs.		md	sr	chk.	tola.		Kg	Hg	Dg	g
27	14	18	3	13	28	72	30	12	4	29	8	0	2	8
	23	7	0	17		146	12	15	2		3	7	9	6
	47	10	2	9		37	4	11	4		4	8	6	9
	90	5	1	12		80	27	9	3		7	3	8	3

30 What weight must be added to 11 owt. 47 lbs to make up 1 ton?

And by how much does 1 kilogram exceed 9 Hg 8 Dg 7 g?

In the following examples the quantities below the dotted line are to be added together and their sum is to be subtracted from the quantity in the top line (Only the answer is to be written down)

	gals.	qts.	pts		md	sr	chk.			l	dl	cl
31	215	3	0	32	47	20	8	33	68	3	8	
	14	3	2		9	14	6		15	0	6	
	23	2	1		18	22	9		20	8	9	
	47	1	2		6	5	13		7	4	5	
	90	2	0		12	19	11		14	0	7	

34 If 3 srs 1 pawa of water has been mixed with a quantity of pure milk, so as to make altogether 2 mds. 2 srs, how much of this total quantity is pure milk?

35 If a man buys $4\frac{1}{2}$ maunds of oil for Rs 50 and sells it at 4 a 6 p a seer, what does he gain or lose?

36 How many times is 3 mds 20 srs 12 chks contained in 14 mds 3 srs?

37 Write the following in hectolitres and add them together 496 l, 72134 dl, 76 Hl, 32 DL, 213764 cl

38 A milkman bottles 2 maunds 1 seer of milk into an equal number of seers and half seers How many bottles will there be of each?

39 One man weighs 12 stone 8 lbs, another 166 lbs By how much does the first man's weight exceed the other's? And what is their average weight?

40 A small copper wire, evenly wound on a reel, goes just 48 times round If the circumference of the reel is 4 ft 3 in, and the wire weighs 3 ounces to the yard, what are the length and weight of the wire on the reel?

41 A steel rope capable of working a load of 2 tons 10 owt weighs $2\frac{1}{2}$ lbs to the yard What would be the total weight of 280 yards of the rope together with the load above mentioned?

42 How many trucks each capable of carrying 6 owt 50 lbs may be loaded up from a stack of bricks weighing 10 tons?

43. A collier cuts out an average of 3 tons 5 cwt of coal per day. How many trollies each carrying 13 cwt will he fill in a working month of 27 days?



44. From a tank containing 2850 gallons water is drawn off by a pipe which discharges a pint each second. The discharge tap is turned on at 9 o'clock. When will the tank be empty?

45. An engine of 1 horse power will raise a weight of 55 lbs through 10 feet in 1 second. How many tons would it raise the same height in 1 hour? [Give a rough answer to the nearest ton only.]

28

Square Measure

(For Tables of Square Measure see Tables V)




The familiar figures represented above are known as a **square** and a **rectangle**.


In the square (Fig 1) the length AB is equal to the breadth AD.

In the rectangle (Fig 2) the length AB and the breadth AD are unequal.

A **square inch** is the *amount of surface* enclosed within a square of which each side is one inch in length.



Similarly a **square centimetre** is the space enclosed within a square on a side of one centimetre.



The terms *square yard*, *square foot*, *square metre* are to be understood in the same sense.

29 An inch of *length* is called a **linear inch** to distinguish it from an inch of *surface* or *square inch*


The area of any figure is the *amount of surface* enclosed within its bounding lines. This is measured by the number of square inches or square centimetres (or other units of square measure) it contains

30 To find the area of a rectangle, having given its length and breadth.

Here ABCD represents a rectangle whose length AB is 5 inches, and breadth AD is 4 inches

Divide AB and AD into equal parts representing inches, and through the points of division draw parallels as shewn by the dotted lines in the diagram

The rectangle ABCD is then divided into equal compartments representing *square inches*



Now there are 4 rows, each containing 5 squares,

the rectangle contains (5×4) square inches.

Similarly if the length = l linear units, and the breadth b linear units,

then the *area* = $(l \times b)$ units of square measure

This we may abridge by saying

area of rectangle = length \times breadth.

EXAMPLES.

- (i) If the page of a book is 7 inches long by 5 inches wide,
its *area* is 7×5 , or 35, square inches.
- (ii) If the top of a table is 6 feet long by 4 feet wide,
its *area* is 6×4 , or 24, square feet
- (iii) If a court yard is 30 metres long by 20 metres wide,
its *area* is 30×20 , or 600, square metres

NOTE. It is correct to write "*area* = (30×20) square metres", but it is incorrect to write "*area* = $30 \text{ metres} \times 20 \text{ metres}$ ". For a multiplier cannot be a *concrete* quantity, nor can any process of multiplication convert units of one kind (such as metres) into units of another kind (such as square metres)


31 We can now shew how a Table of *Square Measure* is derived from the corresponding Table of *Linear Measure*

The figure ABCD in the margin represents a square of which each side is 1 *yard*. That is, ABCD represents a *square yard*

Divide AB and AD into equal parts representing feet, and complete the figure as explained in Art 31

Then the square ABCD is divided into equal compartments representing *square feet*

Now there are 3 rows each containing 3 squares,



the whole square contains 3×3 , or 9, *square feet**

Hence from

1 yd = 3 ft, we derive 1 *square yd* = 3^2 , or 9, *square ft*

Similarly from

1 ft = 12 in, we derive 1 *square ft* = 12^2 , or 144, *square in*

1 m = 10 dm, „ 1 *square m* = 10^2 , or 100, *square dm*

Thus we have the following Tables of Square Measure

BRITISH	METRIC
12^2 , or 144, sq in = 1 sq ft	10^2 , or 100, sq mm = 1 sq cm
3^2 , or 9, sq ft = 1 sq yd	10^2 , or 100, sq cm = 1 sq dm
$(1760)^2$ sq yds. = 1 sq mi	10^2 , or 100, sq dm = 1 sq m
	and so on

NOTES

(i) A beginner often confuses the expressions *three feet square* and *three square feet*

Three feet square denotes the square on a side of 3 feet, that is, the whole square represented by ABCD in the last diagram, viz. 9 sq feet

Three square feet denotes an area represented by one row of squares in the same diagram

(ii) Figures of different *shapes* may have the same area. We imply nothing as to the shape of a figure when we say that its *area* is 3 square feet

* The product of a number multiplied by itself is called the *square* of that number
Thus 3×3 is read "3 squared," and may be written 3^2
 4×4 „ "4 squared," „ „ „ 4^2

EXAMPLES II k.

COMPOUND RULES SQUARE MEASURE

1. Point out rectangular objects and surfaces in the room, and measure or estimate their length and breadth

2. What is meant by the *area* of a figure, and in what units is it expressed?

Draw figures on squared paper to shew that a figure whose area is 1 square inch is not itself necessarily square

3. Draw figures on squared paper to shew why

(i) 1 square foot = 12², or 144, square inches

(ii) 1 square metre = 10², or 100, square decimetres

4. State the area of the following in square feet

(i) A door, 8 feet high and 4 feet wide.

(ii) The top of a table, 6 feet long by 5 feet broad

(iii) A window, 7 feet long by 3 feet wide

(iv) A wall, 20 feet long by 12 feet high

5. A sheet of paper is 12 inches long by 8 inches wide, what is its area in square inches?

6. The length of a rectangular play ground is 60 metres, and its breadth is 45 metres, how many square metres are there in its surface?

7. What is the area of a square play ground of which each side measures 90 yards?

8. A slate is a foot long and 8 inches wide, how many square inches are there on one side of it?

9. A plank is 4 feet long and 10 inches wide, how many square inches are there in its upper surface?

10. A drinking trough is 4 yards long and 4 feet wide. Give the area of the water surface in square feet

11. A strip of silk is 5 metres long by 8 decimetres wide, how many square decimetres are there in it?

Reduce to square inches

12. 8 sq ft

13. 10½ sq ft

14. 7 sq yds

15. 15 sq ft 40 sq in

16. 2 sq yds. 7 sq ft

17. 3 sq yds 7 sq ft 104 sq in

Write down in square centimetres the equivalents of

18. 14 sq decimetres 19. 14 sq metres 20. 14 sq m 14 sq dm.

21. 5 sq m 16 sq dm 17 sq cm 22. 5 sq m 6 sq dm 7 sq cm

Reduce

- 23 1100 square feet to sq yds and sq ft
 24 1248 square inches to sq ft and sq in
 25 726084 square inches to sq yds, sq ft, sq in

Write down in compound quantities

- 26 5648 sq cm 27 564800 sq cm. 28 560408 sq cm.

Add together

	sq yds	sq ft.	sq in.
29	10	7	120
	18	5	115
	21	8	72
	32	4	130

	sq m.	sq dm.	sq cm
30	3	14	30
	11	8	9
	4	80	41
	7	97	20

- 31 How many square metres are there in (i) a square decametre?
 (ii) a square hectometre? (iii) a square kilometre?

- 32 What is the total area of 12 plots of ground each containing
 (i) 80 sq yds 7 sq ft., (ii) 80 sq m 7 sq dm?

- 33 How many times is (i) 5 sq yds 8 sq ft contained in 70 sq yds
 6 sq ft?

- (ii) 7 sq m 18 sq dm contained in 86 sq m 16 sq dm?

- 34 A garden contains 16 flower beds, a lawn, and gravel paths.
 The whole area of the garden is 1300 sq yds, the area of each bed is
 50 sq yds 5 sq ft, and the paths take up 241 sq yds 1 sq ft. What
 is the area of the lawn?

Find the areas of the following rectangular spaces

- 35 Length 30 ft, breadth 25 ft [Ans in sq yds, sq ft]
 36 Length 22 m, breadth 18 m [Ans in sq ft, sq in]
 37 Length 22 dm, breadth 18 dm [Ans in sq m, sq dm]
 38 Length 50 m, breadth 28 dm [Ans in sq m]

- 39 If the length of a card board is 19 inches and its breadth
 15 inches, by how much does its area fall short of 2 square feet?

- 40 The floor of a room has an area of 600 sq ft, and its length is
 30 ft, what is its breadth?

- 32 Land Measure In the British standard land is measured
 in acres, roods, and square poles

$$\begin{aligned} 40 \text{ sq poles} &= 1 \text{ rood,} \\ 4 \text{ roods} &= 1 \text{ acre} \end{aligned}$$

We have seen that a *linear* pole = $5\frac{1}{2}$ yards, hence 1 *square* pole is the area of a square on a side of $5\frac{1}{2}$ yards.

Thus 1 sq pole contains $(5\frac{1}{2})^2$, namely $30\frac{1}{4}$, square yards

From these data the student should prove that

(i) 1 acre = 4840 sq yds, (ii) 1 square mile = 640 acres

NOTE There is no *linear* unit corresponding either to a *rood* or an *acre* of surface

It should however be observed that an acre is nearly equal to the area of a square on a side of 70 yards

for 1 acre = 4840 square yards,
the square on 70 yards = 4900 square yards

33 Again we have seen on page 17 that 1 chain = 22 yards

1 square chain = $(22)^2$, or 484, square yards

Now 1 acre = 4840 square yards

1 acre = 10 square chains

Similarly, since 1 chain = 100 links

1 square chain = $(100)^2$, or 10,000, square links

Hence 1 acre = 100,000 square links

34 Careful attention should be given to the fact that the Indian Table of Square Measure (Bengal) cannot be derived from the corresponding Table of Linear Measure in the same way as the English and Metric Measures 20 linear cottahs = 1 linear bigha, but $(20)^2$, or 400, square cottahs do not equal 1 square bigha 20 square cottahs = 1 square bigha A square cottah is thus 20 times the area of a cottah square

35 The metric unit of area for land measure is the square decametre, called an Are

1 Are (A) = 10^2 , or 100, square metres

1 hectare (Ha) = 100 ares = 10,000 square metres

NOTE. 1 sq metre = 1550 sq inches (nearly)

1 hectare = $2\frac{1}{2}$ acres (nearly)

Further information as to metric land measure with examples for practice will be given in Chapter XIII

EXAMPLES II k. (Continued)

41 Give calculations to show that

(i) 1 acre = 4840 sq yds, (ii) 1 sq mile = 640 acres.

42 About how many square poles should you think there are in the area of your school room floor? Give a reason for your estimate

43 Try to estimate in acres the area of any play ground, field, garden, or quadrangle that may be well known to you (remembering that 1 acre is nearly equal to a square on a side of 70 yards)

44. Find the area in acres of the following rectangular fields

- (i) Length 110 yards, breadth 44 yards
- (ii) Length 121 yards, breadth 120 yards
- (iii) Length 220 yards, breadth 99 yards
- (iv) Length 12 chains, breadth 5 chains

45 Reduce (i) 5 acres 2 roods to sq yds

- (ii) 12 sq big 13 sq cot to square chataks
- (iii) 10 sq big 16 sq cot 5 sq chik to gandas (square cubits)
- (iv) 20 caw 15 grounds (Madras) to square feet
- (v) 76 ac 25 gu 12 a (Bombay) to annas
- (vi) 3 Ha 74 A to square metres

46 What is the difference between a cottah square and a square cottah?

47 Find the area in square bighas of a rectangular plot of land measuring 25 cottahs by 32 cottahs

48 Taking the area of Calcutta to be 7 square miles, what is its area in square bighas (Bengal)?

49 Reduce (i) 70,000 square cubits (Bengal) to sq big, sq cot, sq chik

- (ii) 1245 square bighas (Bengal) to acres and square yards
- (iii) A crore of annas (Bombay) to acres
- (iv) 4 lacs of square feet (Madras) to cawnies, grounds, and square feet

Add together the following quantities

	ac	r	p		sq big	sq cot	sq chik		square links		Ha	A
50		2	36	51	6	12	7	52	14,350	53	2	13
	73	1	25		29	9	14		32,600		4	65
	224	3	32		143	14	15		40,250		22	3
		3	27		67	10	2		<u>12,800</u>			<u>19</u>

54. Find the total area of 100 allotments

- (i) of 3 ac 2 r 10 p each, (ii) of 3 Ha 14 A each.

55 How many allotments each of 6 ac 0 r 25 p may be made from an estate of 215 ac 1 r 35 p?

36

Cubic Measure

(For Tables of Cubic Measure see Tables VI)




FIG 1




FIG 2.

The solid figures represented above are known as **rectangular blocks**. If, as in Fig 1, the length, breadth, and height are all equal, the figure is called a **cube**. If, as in Fig 2, the length, breadth, and height are not all equal, the figure is called a **cuboid**.

A **cubic inch** is the amount of space enclosed within the faces of a cube of which each edge is 1 inch.

The terms cubic yard, cubic foot, cubic metre, cubic centimetre are to be understood in the same sense.

37 The **volume** of any solid figure is the amount of space enclosed within its bounding faces. This is measured by the number of cubic inches, or cubic centimetres (or other units of cubic measure) it contains.

38 To find the **volume** of a rectangular block, having given its length, breadth, and height.




FIG 1




FIG 2.

Consider the rectangular block whose length AB is 5 inches, breadth AC 4 inches, height AD 3 inches.

Fig 1 shows that the solid may be divided into 3 equal *slices*, each 1 inch thick.

And each slice may be subdivided (as in Fig 2) into cubical blocks whose edges are 1 inch, that is, into cubical inches

Now the number of cubic inches in each slice is 5×4 , so that the number of cubic inches in the whole solid is $5 \times 4 \times 3$, or 60

Similarly if the length = l linear units, the breadth = b linear units, and the height = h linear units,

then the *volume* = $(l \times b \times h)$ units of *cubic measure*

This we may abridge by saying

volume of rectangular solid = length \times breadth \times height

EXAMPLES.

(i) If a rectangular block of wood is 8 inches long, by 4 inches wide, and 3 inches thick, the amount of wood in it is given by

$$\text{volume} = 8 \times 4 \times 3, \text{ or } 96, \text{ cubic inches}$$

(ii) If the internal dimensions of a tank are as follows length 6 feet, breadth 5 feet, depth 4 feet, the amount of water it can contain is given by

$$\text{volume} = 6 \times 5 \times 4, \text{ or } 120, \text{ cubic feet}$$


(iii) If a room is 7 metres long, by 5 metres wide, and 4 metres high, the air space within it is given by

$$\text{volume} = 7 \times 5 \times 4, \text{ or } 140, \text{ cubic metres}$$

39 We can now shew how a Table of *Cubic Measure* is derived from the corresponding Table of *Linear Measure*

The fig ABCDE represents a cube of which each side is 1 yard That is, ABCDE represents 1 *cubic yard*

The diagram shews that the whole cube may be divided into 3 horizontal slices, each 1 foot thick, and each slice may be subdivided into cubical blocks whose edges are 1 foot, that is, into *cubic feet*



the whole cube contains $3 \times 3 \times 3$, or 27, *cubic feet*

Hence from

$$1 \text{ yd.} = 3 \text{ ft}, \text{ we derive } 1 \text{ cubic yd} = 3^3, \text{ or } 27, \text{ cubic ft}$$

Similarly from

$$1 \text{ ft} = 12 \text{ in}, \text{ we derive } 1 \text{ cubic ft} = 12^3, \text{ or } 1728, \text{ cubic in}$$

$$1 \text{ m} = 10 \text{ dm}, \quad \text{,,} \quad 1 \text{ cubic m} = 10^3, \text{ or } 1000, \text{ cubic dm}$$

and so on

EXAMPLES II 1

COMPOUND RULES CUBIC MEASURE

1 What is meant by a *cubic foot*? Define the *volume* of a solid figure, and state in what units it may be expressed

2 Draw a figure to represent a cube on a side of 1 metre, and explain how it may be subdivided into 1000 cubic centimetres

3 Find the volume of the following

(i) A block of stone measuring 12 inches in length, 10 inches in width, and 5 inches in thickness

(ii) The content of a box measuring internally 4 feet long, 3 feet broad, and 2 feet deep

(iii) The air space in a room of which the length is 20 feet, the breadth 15 feet, and the height 12 feet.

(iv) A cubical mass of masonry of which each edge measures 5 feet.

4. How many cubic inches are there in

(i) 1 cubic yard, (ii) 10 cu ft 620 cu. in.?

5 Express six million cubic centimetres in terms of cubic metres

6 (i) How many choukas are there in two lacs sixteen thousand cubic feet of earth?

(ii) What will be the cost of digging out this amount of earth at the rate of Rs 3 4a. a thousand cubic feet?

7 Reduce (i) 40 choukas 40 cu cubits to cubic feet

(ii) What would this amount of masonry cost at Rs 25 per hundred cubic feet?

8 In cutting a certain trench, 700 cubic yards of earth were excavated. What weight of earth was removed, reckoning 21 cubic feet to the ton?

9 (i) Given that 1 litre is equivalent to 1 cubic decimetre, how many litres are contained in 1 cubic metre?

(ii) Given that 1 cubic centimetre of water weighs 1 gram, what is the weight of 1 cubic metre of water?

10 One gallon of water weighs 10 lbs. In 1 ton of water how many gallons are there?

11 A coal truck carries 8 tons, and 42 cubic feet of coal go to the ton. How many trucks could be filled after cutting out 112 cubic yards of coal?

12 How many cubic inches of deal are there per foot in planking 10 inches wide and 3 inches thick?

13. A piece of squared timber is 7 yards long, and 1 foot both in width and thickness. How many cubic feet does it contain? And what is its weight (in cwt.) at the rate of 64 lbs. per cubic foot?

14. A tank is 5 feet long, 4 feet wide and 3 feet deep, and I estimate that it can contain $1\frac{1}{2}$ tons of water. Supposing that 1 cubic foot of water weighs 1000 ounces, by how many pounds do I over-estimate the weight of water?

15. A solid cube of iron with edge measuring one hath (cubit) is immersed in water in a rectangular vessel whose base measures 6 ft. by 2 ft. 3 in. How much is the water raised in the vessel?

40

Number and Time

(For Tables of Number and Time see Tables VII and VIII.)

EXAMPLES II. m.

1. State which of the following years are leap years. 1800, 1820, 1842, 1600, 1910.

2. If a man is paid a wage every day of 6s. 9p. from April 4, 1903, to March 31, 1904, how much will he receive?

3. Reduce 10 crores of seconds to days.

4. Divide a leap year into 100 equal parts, giving the answer in days, hours, minutes, seconds.

5. What will be the cost of 5 gross 8 dozen articles at one pie each?

6. How much of the year 1910 is left at 20 min. 10 sec. past 6 o'clock on the morning of Jan. 25th?

7. How many seconds were there in 1900, not reckoning the time spent in sleeping eight hours a day? Express the answer according to the Indian system of numeration.

8. How many sheets of paper are there in 624½ reams? Find their value at 10 annas a quire.

9. How many strokes would there be in the hourly striking of a clock during February 1912?

10. How many seconds are there in a solar year, which consists of 365 days, 5 hours, 45 minutes, 46 seconds?

11. If a daily paper is numbered 3000 on December 1st, 1910, on what date was it first published?

12. How many days old would a person be on December 31st, 1910, who was born on January 24th, 1892?

CHAPTER III

USE OF SIGNS AND SYMBOLS NEGATIVE QUANTITIES EQUATIONS

41 It is often convenient in Arithmetic to represent numbers by *letters*, for by this means we may express Arithmetical laws in such a way as to shew that they are *general*, that is to say, true for all numbers whatever, while if *figures* only were used our conclusions might be true only for the special numbers so expressed

For example, $5 \times 7 = 7 \times 5$ merely states that 5 multiplied by 7 gives the same result as 7 multiplied by 5. But if we allow a and b to stand for any numbers whatever, then $a \times b = b \times a$ states the same principle quite generally, that is, not for 5 and 7 only, but for any and every pair of numbers

42 Any collection of numbers (or of letters standing for numbers) connected by the signs $+$, $-$, \times , \div , is called an **expression**.

Thus $14 + 2 - 3$, $a + b - c$, $45 + 4 \times 3 - 6 - 2$, are expressions

Parts of an expression separated by the signs $+$ or $-$ are called **terms**

43 When two or more numbers are multiplied together to form a product, each is called a **factor** of the product.

Thus 2, 5, 7 are factors of $2 \times 5 \times 7$, or 70, and a , b , c are factors of the product $a \times b \times c$

44 When *letters* stand for numbers the sign of multiplication between factors is often omitted

For instance, $a \times b$, or $b \times a$, may be written ab

$a \times b \times c$, or $c \times b \times a$, " " abc

Similarly $7 \times a$, or $a \times 7$, " " $7a$

NOTE. The omission of the sign \times cannot be allowed if all the factors are expressed by figures. For instance, 75 already means *seventy five*, and must not therefore stand for 7×5 . In such cases the sign \times is often replaced by a dot. Thus $2 \times 5 \times 7$ may be written
2 5 7

EXAMPLES If $a=3$, $b=5$, and $c=8$,

then $ab=3 \times 5=15$, and $abc=3 \times 5 \times 8=120$,

$9b=9 \times 5=45$, $11c=11 \times 8=88$,

$7bc=7 \times 5 \times 8=280$, $12abc=12 \times 3 \times 5 \times 8=1440$,

$7a+4b=7 \times 3+4 \times 5=21+20=41$,

$4c+9b-13a=32+45-39=38$

45 The product obtained by multiplying together several factors all equal to the same number is called a **power** of that number

Thus 4×4 is called the **second power** of 4,

$6 \times 6 \times 6$ **third power** of 6,

$a \times a \times a \times a$ **fourth power** of a ,

and so on

For the sake of brevity the following notation is used

$4 \times 4=4^2$, $6 \times 6 \times 6=6^3$, $a \times a \times a \times a=a^4$,

and the small figure which indicates the number of equal factors is called the **index** of the power

Thus in 2^3 , 4^5 , x^6 the *indices* are 3, 5, and 6 respectively

46 The *second* and *third* powers of a number are known as its **square** and **cube** respectively

Thus the square of 8, or $8^2=8 \times 8=64$,

the cube of 7, or $7^3=7 \times 7 \times 7=343$

EXAMPLES If $a=5$, $b=9$, and $c=4$,

then $7a^3=7 \times a \times a \times a=7 \times 5 \times 5 \times 5=875$,

$8bc^2=8 \times b \times c \times c=8 \times 9 \times 4 \times 4=1152$,

$3a^2+2b^2+c^3=3 \times 5 \times 5+2 \times 9 \times 9+4 \times 4 \times 4$
 $= 75+ 162+ 64=301$

47 In such expressions as $5r$, $7a^3$, $8bc^2$, the *numerical* multipliers 5, 7, 8 are called the **coefficients** of r , a^3 , and bc^2 respectively

48 Division is often expressed by writing the divisor *under* or *after* the dividend with a line between them

Thus $20-4$ may be written $\frac{20}{4}$, or $20/4$,

$a-b$ $\frac{a}{b}$, or a/b

EXAMPLES III a

(Most of the following examples may be taken orally)

1 Explain the difference in meaning between $3a$ and a^3 , when a stands for any number

2 If x and y represent two numbers, how would you express *eleven times x, y multiplied by thirteen, the product of x and y, $x \times x$, and $y \times y \times y \times y$*

3 If a, b , and c stand for numbers, express in words the meaning of

$$4a + 3b, \quad 12ab, \quad 7c^3, \quad 9b^2c, \quad \frac{bc}{a}$$

Find the value of

4	4 5 6	5	5^3	6	$4^2 \times 5$	7	$5^2 \times 2^3$
8	$1 + 3 + 3^2 + 3^3$	9	$2 \cdot 3^2 + 3 \cdot 2^2 + 2^3 \cdot 3^2$				

If $a=5, b=6, c=1, x=2, y=3$, find the value of

10	$10a$	11	y^2	12	xa	13	$7b$
14	$4xy$	15	c^3	16	bx^3	17	$3ax^2$
18	acy	19	$4a^2y$	20	$9c^2a$	21	$11ax^3$

22 If x denotes a certain number, how would you express (i) the number next above x , (ii) the next above that, (iii) the number that is greater than x by 5?

How would you express (i) the number next below x , (ii) the next below that, (iii) the number less than x by 5?

23 I possess Rs 40 How many rupees shall I have left (i) if I spend Rs 15, (ii) if I spend Rs a , (iii) if I first spend Rs 15 and then spend Rs a ?

24 How many shillings have I left if out of £1 I spend (i) 5 shillings, (ii) 11 shillings, (iii) y shillings?

25 A boy is 13 years old How old will he be (i) in 5 years, (ii) in 9 years, (iii) in l years? How old was he (i) 5 years ago, (ii) 9 years ago, (iii) h years ago?

26 What is the cost of 15 books (i) at Rs 2 each, (ii) at 5 rupees each, (iii) at r rupees each?

27 I want to give 5 apples to each of m children, how many apples are required? How many apples would be required if I wanted to give m apples to each of 5 children?

28 How would you express (i) the number of shillings in £ a , (ii) the number of pence in p shillings, (iii) the number of cwt in z tons?

29 How many pounds are there (i) in 100 shillings, (ii) in x shillings?
How many shillings are there (i) in 72 pence, (ii) in y pence?

If $m=4$, $n=1$, $p=5$, $q=8$, find the value of

30 $3m^2n$ 31 n^4 32 $7p^2m$ 33 $3mnpq$

34 $\frac{q}{2}$ 35 $\frac{q}{m}$ 36 $\frac{6m}{q}$ 37 $\frac{2q}{mn}$

38 A man is p years old how old will he be in q years' time?
How old was he q years ago?

39 Out of 3 rupees I spend z annas, how many annas have I left?
How many annas should I have left if instead of 3 rupees I had
 x rupees to start with?

40 A man walks 4 miles an hour how far will he walk at the same
rate in 3 hours? How far in y hours?

41 A book seller buys 13 copies of a book for 39 shillings how
much does he pay for each? What would he pay for each copy (i) if
he bought x for 39 shillings, (ii) if he bought x copies for y shillings?

42 How much do I pay per mile, if I travel (i) 9 miles for 36 pies,
(ii) 11 miles for 55 pies, (iii) m miles for n pies?

43 How many square inches are there in a sheet of paper (i) 12
inches long by 8 inches wide, (ii) 12 inches long by y inches wide,
(iii) x inches long by y inches wide?

44 There are a boys and b girls To each boy I give 5 shillings, to
each girl I give 4 shillings How many shillings do I give in all?

45 If a man earns 30 rupees a month, and a boy 10 rupees, at this
rate what are the monthly earnings (i) of 3 men and 5 boys, (ii) of
 x men and y boys?

46 If tea costs 2s 6d a pound and coffee 1s 6d a pound, how
many pence must be paid for x lbs of tea and y lbs of coffee?

47 Suppose a day's work consists of five lessons, and a boy's mark
for each of them is 0, what is his score for the day? What is the
value of (i) 0×3 , (ii) of $0 \div 7$, (iii) of 9×0 , (iv) of $0 \times a$ million?

If $x=3$, $y=5$, $z=0$, $p=1$, $q=7$, $r=9$, find the value of

48 $11z$ 49 qz 50 $4xy+5z$ 51 $7zy+qr$

52 $4x+2p+r-z$ 53 $13p-2y+3r-10x$

54 $5xq-y+22-7r$ 55 $93-x^2-3y^2-8p^3$

56 $100p+10q+r$ 57 $100r+10q+p$

58 $3y+y^3-\frac{100}{y}$ 59 $\frac{4r}{x}+5zq^2p-\frac{q^2}{q}$

60 What powers of 2 are 8 and 32? What powers of 3 are 9 and 81? Express 25 and 625 as powers of 5

61 "Every power of 1 is 1" What does this mean? Shew why it is true

62 Prove that $4^3 \times 4^2 = 4^5$ And in the same way show that $a^3 \times a^2 = a^5$, where a stands for any whole number

63 Simplify

$$(i) 2^3 \times 2 \times 2 \quad (ii) 3^2 \times 3 \times 3^2 \quad (iii) a^3 \times a^2 \times a$$

49 Quantities which are preceded by the sign + are said to be **positive**, those to which the sign - is prefixed are said to be **negative**. When no sign is prefixed the + sign is to be understood. These signs are frequently used to denote a *quality* possessed by the quantities to which they are attached, as explained in the following illustrations

(i) Suppose a trader gains £100 and then loses £70, the result of his trading is a *gain* of £30, that is $+\text{£}100 - \text{£}70 = +\text{£}30$, and the +£30 denotes that he is £30 better off than when he began

If, however, he had first gained £70 and then lost £100, the result of his trading would be a *loss* of £30, that is, $+\text{£}70 - \text{£}100 = -\text{£}30$, and the -£30 denotes that he is £30 worse off than when he began, or that he now has a *debt* of £30

Thus we see that the -£30 denotes a quantity *equal in magnitude, but opposite in character* to the +£30

Again if the trader had first gained £70 and then lost £70, the loss would exactly balance the gain, that is $+\text{£}70 - \text{£}70 = \text{£}0$. Thus he would be in the same position as when he began

(ii) Again, suppose a man to walk 5 miles due East and then to walk back 3 miles due West, his position relative to the starting point would be +5 miles - 3 miles, or +2 miles, the +2 miles denoting the distance he was due East of his starting point

If he had walked 3 miles due East and then back 5 miles due West, his position relative to the starting point would be +3 miles - 5 miles, or -2 miles, the -2 miles denoting the distance he was due West of his starting point

Thus we see that -2 miles denotes a distance *equal in magnitude, but opposite in direction* to that denoted by 2 miles

In general, if we represent positive quantities by a series of steps taken in one direction, we may represent negative quantities by a series of steps taken in the opposite direction

This may be illustrated graphically as follows



Let O be the starting point and let the line WOE be marked in centimetres, each centimetre representing 1 mile. Also let the direction OE (from left to right) be considered as due East, and OW (from right to left) as due West.

Then 5 miles Eastwards followed by 3 miles Westwards will be represented by motion from O to E followed by motion in the opposite direction from E to A.

$$\text{Thus } OA = OE - EA = +5 \text{ cm.} - 3 \text{ cm.} = +2 \text{ cm.}$$

which represents +2 miles

Again, 3 miles Eastwards followed by 5 miles Westwards will be represented by motion from O to B followed by motion in the opposite direction from B to C.

$$\text{Thus } OC = OB - BC = +3 \text{ cm.} - 5 \text{ cm.} = -2 \text{ cm.}$$

which represents -2 miles

(iii) On a Centigrade thermometer 15°C means 15° above the freezing point, and -15°C denotes 15° below the freezing point.

From the above examples it will be understood that +5, for example, will denote a quantity *greater* than 0 by 5 units, whereas -5 will denote a quantity that is *less* than 0 by 5 units, the two quantities being of the same *absolute value* but of *opposite character*.

50 The value of an expression is the same in whatever order the terms are taken

Thus, for example, $-\pounds 4 + \pounds 9 + \pounds 5 - \pounds 3 - \pounds 2$ may be regarded as a combination of two gains and three losses, and the final result is the same in whatever order the losses and gains occur.

More generally, if we use letters to represent numbers, expressions, such as $a - b - c$, $-b + a - c$, $-b - c + a$, might be used for a *gain*, represented by a , together with losses represented by b and c .

Or the same expression might be used to denote a steps in one direction together with b steps and c steps in the opposite direction. In each case the result is the same in whatever order the terms are considered.

The following Examples will serve to illustrate the principles here explained.

EXAMPLES III b

1. A trader gains £20, loses £42, and then gains £10, a second trader loses £35, gains £50, and then loses £12. In each case write down the result of the three transactions.

2. A merchant has a gain represented by Rs. a , losses represented by Rs. b and Rs. c , and then a gain represented by Rs. d . Express in symbols the final result of his trading.

3. A man walks 7 miles due South, then 8 miles due North, and finally 4 miles due South. What is his final position relatively to the starting point? Illustrate by a diagram on the scale of Art. 49, giving his distance in centimetres measured from O, the starting point.

4. Two cricket counties play 16 matches, one wins 10 and loses 6, and the other wins 7 and loses 9. Express the two results, allowing a gain of one point for a win and a loss of one point for a defeat.

5. In the night a Centigrade thermometer falls to -8° , and in the day time it rises to 12° . How many degrees are there between the readings?

6. A Centigrade thermometer rises to 9° in the day-time and falls 15° during the night, what is the night reading?

7. Two men each fire 20 shots at a mark and agree to register 4 points for every hit and to deduct 3 points for every miss. One hits the mark 12 times, the other 8 times. Express their separate scores by means of the proper signs.

8. A man who can row 5 miles an hour in still water rows for one hour *against* a stream flowing at the rate of 2 miles an hour. He then turns, and, using the same force, rows *with* the stream for one hour. Illustrate by a diagram, and express his final distance from his starting point with the proper sign.

9. A has £ a , and B has £ b . A owes £ x to B, and B owes £ y to A. How many pounds will each man have when their debts are paid?

The Use of Brackets

51 Brackets () are used to indicate that the terms enclosed within them are to be considered as one quantity.

The expression $8+(13+5)$ means that 13 and 5 are to be added and their sum added to 8. It is clear that 13 and 5 may be added to 8 separately or together without altering the result.

Thus $8+(13+5)=8+13+5=26$

Similarly, if the letters a, b, c are used to represent any numbers, $a+(b+c)$ means that the sum of b and c is to be added to a , and since b and c may be added separately or together, it follows that

$$a+(b+c)=a+b+c$$

Again, $8+(13-5)$ means that to 8 we are to add the excess of 13 over 5, now if we add 13 to 8 we have added too much by 5, and must therefore take 5 from the result

$$\text{Thus} \quad 8+(13-5)=8+13-5=16$$

Similarly $a+(b-c)$ means that to a we are to add b , diminished by c . If therefore we add b we must afterwards subtract c

$$\text{Thus} \quad a+(b-c)=a+b-c.$$

These results shew that *when an expression within brackets is preceded by the sign +, the brackets may be removed without making any change in the expression*

Conversely, *any part of an expression may be enclosed within brackets and the sign + prefixed, the sign of every term within the brackets remaining unaltered*

$$\text{Thus} \quad 9-7+8-5=9-7+(8-5)$$

$$\text{and} \quad a-b+c-d=a-b+(c-d)$$

52 The expression $9-(3+2)$ means that from 9 we are to subtract the sum of 3 and 2. To take the sum of 3 and 2 from 9 gives the same result as to subtract them *separately* from 9

$$\text{Thus} \quad 9-(3+2)=9-3-2$$

$$\text{Similarly} \quad a-(b+c)=a-b-c$$

Again, $9-(3-2)$ means that from 9 we are to subtract the excess of 3 over 2. If we subtract 3 we shall have taken away too much by 2, and must therefore add 2 to obtain the correct result

$$\text{Thus} \quad 9-(3-2)=9-3+2$$

$$\text{Similarly} \quad a-(b-c)=a-b+c$$

These results shew that *when an expression within brackets is preceded by the sign -, the brackets may be removed if the sign of every term within the brackets is changed*

Conversely, *any part of an expression may be enclosed within brackets and the sign - prefixed, provided the sign of every term within the brackets is changed*

$$\text{Thus} \quad 9-7-3+8-5=9+8-7-3-5=9+8-(7+3+5),$$

and the expression $a-b+c+d-e$ may be written in any of the following ways

$$a- (+b-c-d+e),$$

$$a-b- (-c-d+e),$$

$$a-b+c- (-d+e)$$

53 Sometimes a line called a *vinculum* is drawn over numbers or symbols which are to be taken together

Thus $a - (b + c)$ and $a - \overline{b + c}$ are used with the same meaning

54 Suppose A owes £5 to B . Then A 's debt is represented by $-\text{£}5$. Next suppose that B forgives this debt, that is to say, *takes it away* or *subtracts it*. This act is represented by $-(\text{debt of } \text{£}5)$ or $-(-\text{£}5)$, and is evidently equivalent to *giving* £5 to A , for now A is £5 better off than before

Thus $-(-5) = +5$

Similarly we conclude that $-(-a)$ is equivalent to $+a$.

55 When all the terms of an expression *taken as a whole* are to be multiplied or divided by a given number, the expression is enclosed in brackets

Thus the expression $(9+5) \times 6$, which may also be written $6(9+5)$, means that *the sum of 9 and 5*, namely 14, is to be multiplied by 6, giving the result 84

Now we have seen in Art. 18 (iii) that the same value is obtained by multiplying the two terms 9 and 5 separately by 6, and adding the results.

Thus $6(9+5) = 54 + 30 = 84$.

Or, generally, $m(a+b) = am + bm$

In the same way $6(9-5) = 6 \times 4 = 24$,

and $6(9-5) = 54 - 30 = 24$

Or, generally, $m(a-b) = am - bm$

Conversely, just as 11 tens + 8 tens = 19 tens,

so $11x + 8x = 19x$

Similarly $15y - 3y = 12y$,

and $15y - 3y + 2y = 14y$

56 When the terms of an expression *differ only in their coefficients* they can always be combined as in the last article. The process is known as *collecting coefficients*

Such expressions as $7a + 3b - c$, $5ab - 2cd$, where the letters (or combinations of letters) are different in different terms, cannot be simplified unless we know the numerical values of the letters

57 To prove that (i) $(a+b)(c+d)=ac+bc+ad+bd$,

$$(ii) (a+b)^2=a^2+2ab+b^2,$$

$$(iii) (a+b)(a-b)=a^2-b^2$$


(i) We have seen that $m(c+d)=cm+dm$ (Art 55)

Write $a+b$ in the place of m , then

$$(a+b)(c+d)=c(a+b)+d(a+b) \\ =ac+bc+ad+bd$$

This may also be shewn graphically In the following diagram we have a rectangle whose adjacent sides are $a+b$ and $c+d$ units respectively


The whole area $= (a+b)(c+d)$ square units, and it is made up of four smaller rectangles whose areas are ac , bc , ad , bd , square units respectively



Thus $(a+b)(c+d)=ac+bc+ad+bd$

Similarly $(a+b)(c-d)=ac+bc-ad-bd$

$$(ii) \quad (a+b)^2=(a+b)(a+b) \\ =a^2+ab+ab+b^2 \\ =a^2+2ab+b^2$$



Similarly $(a-b)^2=a^2-2ab+b^2$

$$(iii) \quad (a+b)(a-b)=a^2+ab-ab-b^2=a^2-b^2$$

EXAMPLES (i) $103 \times 97 = (100+3)(100-3)=100^2-3^2$
 $=10000-9=9991$

$$(ii) \quad 339^2-319^2=(339+319)(339-319) \\ =658 \times 20=13160$$

58 In such expressions as $(9+6-5)-2$, the brackets shew that the group of terms $9+6-5$, taken as a whole, namely 10, is to be divided by 2, giving the result 5

The expression $(9+6-5)-2$ may also be written $\frac{9+6-5}{2}$, in which form the line acts as a vinculum to shew that the terms $9+6-5$ are to be taken as a whole

EXAMPLE *Distinguish between*

(i) $13 - 5 \times 2$ and $(13 - 5) \times 2$,

(ii) $(16 - 4 + 9) - 3$ and $16 - 4 + 9 - 3$,

(iii) $(24 - 12) - (6 - 3)$ and $24 - 12 - 6 - 3$

(i) $13 - 5 \times 2$ means that the product 5×2 has to be subtracted from 13, thus the result is $13 - 10$, or 3

$(13 - 5) \times 2$ means that $13 - 5$, taken as a whole, has to be multiplied by 2, thus the result is 8×2 , or 16

(ii) $(16 - 4 + 9) - 3$ means that $16 - 4 + 9$, taken as a whole, has to be divided by 3, thus the result is $21 - 3$, or 7

$16 - 4 + 9 - 3$ means $12 + \frac{9}{3}$, thus the result is $12 + 3$, or 15

(iii) $(24 - 12) - (6 - 3)$ means that the difference between 24 and 12 has to be divided by the difference between 6 and 3, thus the result is $12 - 3$, or 4

$24 - 12 - 6 - 3$ means $24 - \frac{12}{3} - 3$, thus the result is $24 - 2 - 3$, or 19

From these cases it appears that in an expression which involves the signs $+$, $-$, \times , \div , the order of the operations is important

Operations within brackets must be performed first, when no brackets are used, all operations of multiplication and division must be performed before those of addition and subtraction

EXAMPLES III. c

In Examples 1-12 read off the expressions when the brackets have been removed

1 $8 + (5 - 3)$

2 $10 - (5 + 3)$

3 $(9 - 2) + 7$

4 $13 - (8 - 3)$

5 $7 + (3 + 2)$

6 $(11 - 3) - (8 - 2)$

7 $a + (b - c)$

8 $a - (b + c)$

9 $(a - b) + c$

10 $a - (b - c)$

11 $b + (c + a)$

12 $(a - b) - (c - d)$

Simplify

13 $15 - 3 \times 2$, $(15 - 3) \times 2$.

14. $(18 - 6) - 3$, $18 - 6 - 3$

15 $15 + 4 \times 3 + 6$

16 $(15 + 4) \times (3 + 6)$

17 $32 - 8 - 4 + 2$.

18 $(32 - 8) - (4 + 2)$

19 $45 + 3 \times 5 - \frac{12}{3}$

20 $45 - (3 + 5) - \frac{12}{3}$

21 $(27 - 5) - 2(16 - 10)$

22 $(27 - 5) - \frac{16 - 10}{2}$

Simplify, by removing brackets and collecting coefficients,

23 $7a + 3a - 4a$

24. $10b - 3b + 8b$

25 $10x - (8x - 3x)$

26 $14m - m(6 + 2)$

27 $(15 - 3)y - 6y$

28 $(12 - 7)x - (4 - 3)x$

59 Illustrations leading up to Equations The value of an unknown number can be found if we are told how it is connected with one or more known numbers For instance

(i) *A certain number when added to 5 gives 11 as the sum* Here the number in question is evidently 6

(ii) *If a certain number is taken from 20, the remainder is 13* Here the number is clearly 7

(iii) *A certain number multiplied by 8 gives 32 as the product* We see at once that the number is 4

(iv) *A certain number divided by 9 gives 5 as the quotient* Here the required number is evidently 45

EXAMPLES III d. (Oral)

1 What number when added to 8 gives 20 as the sum?

2 What number must be taken from 16 to make the remainder 7?

3 If from a certain number 11 is taken, the remainder is 24 What must the number be?

4 Two numbers added together make a sum of 27 One is 18, what is the other?

5 The difference between two numbers is 14, and the greater is 30, what is the less?

6 What number when multiplied by 7 gives 56?

7 The product of two numbers is 84 One of them is 12, what is the other?

8 Three numbers multiplied together give 72 Two of them are known to be 9 and 4, what is the third?

9 What number divided by 11 gives 12 as the quotient?

10 In a division sum the dividend is 96, the quotient 8, and there is no remainder What is the divisor?

If x denotes an unknown number, state its value when

11 $x+7=13$

12 $8+x=21$

13 $x-4=11$

14 $19-x=12$

15 $18=x+9$

16 $14=x-7$

17 $x \times 3 = 9$

18 $x \times 5 = 20$

19 $4 \times x = 28$

Give the value of y when

20 $y+3=4+7$

21 $28-y=17$

22 $y-3=10-3$

23 $7y=35$

24 $48=8y$

25 $11y=44$

26 $y-4=7$

27 $8=y \div 5$

28. $\frac{y}{3}=6$

60 Equations An equation is a statement that two algebraical expressions are equal

Thus

$$(i) \quad x+1=5,$$

$$(ii) \quad 3x+2=14-x$$

are equations

The parts of an equation separated by the sign of equality are called *sides* of the equation, and are distinguished as the *right side* and the *left side*

It will be found on trial that there is only one numerical value of x which makes each of the equations (i) and (ii) a true arithmetical statement

Thus $x+1=5$ is only true when $x=4$,

and $3x+2=14-x$ is only true when $x=3$

These values are said to **satisfy** the equations

The object of the present section is to shew how to find the values which satisfy equations of the simpler kinds.

61 The symbol whose value it is required to find in any equation is called the **unknown quantity**. The process of finding its value is called **solving the equation**. The value so found is called the **root** of the equation

62 In the solution of the equations with which we are concerned the process depends only on the following **axioms**

- 1 If to equals we add equals the sums are equal
- 2 If from equals we take equals the remainders are equal
- 3 If equals are multiplied by equals the products are equal
- 4 If equals are divided by equals the quotients are equal

EXAMPLE 1 Solve the equation $7x=14$.

Dividing both sides by 7 (Axiom 4), we get

$$x=2.$$

EXAMPLE 2 Solve the equation $\frac{x}{2}=5$

Multiplying both sides by 2 (Axiom 3), we get

$$x=10$$

EXAMPLE 3 Solve the equation $7x-2x=11+2-3$.

First collect the terms on each side, thus

$$5x=10$$

Dividing by 5 (Axiom 4), we get

$$x=2$$

EXAMPLE 4 Solve the equation $3(x-2)-2=x+12$

Removing the brackets, we have

$$3x-6-2=x+12 \quad (1)$$

Subtracting x from each side, we get

$$3x-x-8=12.$$

Adding 8 to each side, we have

$$3x-x=12+8, \quad \dots \quad (11)$$

$$2x=20,$$

dividing by 2,

$$x=10$$

NOTE. By carefully examining the lines marked (1) and (11) it will be seen that *any term may be removed from one side and transferred to the other by merely changing its sign*

63 Beginners should verify, that is, prove the correctness of their solutions by substituting, in both sides, the value obtained for the unknown quantity

In the last equation $3(x-2)-2=x+12,$

if $x=10,$

the left side $= 3 \times 8 - 2 = 22,$

and the right side $= 10 + 12 = 22$

Since these two results are equal the solution is correct

64 From the above examples it will be seen that the object in each case is to reduce the equation, by means of the axioms, until it consists of *a single term containing the unknown quantity on one side, and a single known term on the other*. The root is then found by dividing each side by the coefficient of the unknown quantity

EXAMPLES III e

(Examples 1-17 may be taken orally)

Find the values which satisfy the following equations

$$1 \quad 3x=12. \quad 2 \quad 4x=16 \quad 3 \quad 6x=18 \quad 4 \quad 7x=21$$

$$5 \quad 6=2x \quad 6 \quad 11x=33 \quad 7 \quad 9x=54 \quad 8 \quad 52=13x$$

$$9 \quad \frac{x}{2}=5 \quad 10 \quad \frac{x}{3}=4 \quad 11 \quad \frac{x}{4}=30 \quad 12 \quad \frac{x}{5}=16$$

$$13 \quad x+2x=10-7 \quad 14 \quad 3x+5x=28-4$$

$$15 \quad 8x-4x=24 \quad 16. \quad 3x-x=10 \quad 17 \quad 17x-4x=26$$

Find the values which satisfy the following equations

18 $7x - 4 = 17$

19 $3x - 5 = 10$

20 $2x + 15 = 23$

21 $4x - 3 = 3x + 4$

22 $8x - 9 = 39 - 4x$

23 $5x + 3 = 15 - x$

24 $3x + 4 = 5(x - 2)$

25 $2x + 3 = 16 - (2x - 3)$

26 $2(x + 7) = 30 - (x - 2)$

27 $15x - 1 = 17 + 3(6 - x)$

28 $48 - x = 7(18 - 2x)$

29 $23(3x - 6) = 3(5x + 8)$

65 Simple Applications We shall now shew how arithmetical examples may be solved by the aid of equations. The process consists of expressing the verbal statement of the question by means of signs and symbols, an equation is thus formed which can be solved by the methods already explained. After the first example the solution will be left as an exercise for the pupil.

EXAMPLE 1 *The difference between two numbers is 8, if 1 be added to five times the smaller, the result will be twice the greater find the numbers*

Let x be used to denote the smaller number, then $x + 8$ denotes the greater

Five times the smaller, increased by 1, is denoted by $5x + 1$, and twice the greater is denoted by $2(x + 8)$, hence, by the conditions of the question,

$$\begin{aligned} 5x + 1 &= 2(x + 8) \\ &= 2x + 16 \end{aligned}$$

Subtracting $2x + 1$ from each side, we get

$$\begin{aligned} 3x &= 15, \\ x &= 5, \\ \text{and } x + 8 &= 13 \end{aligned}$$

Thus the two numbers are 5 and 13

EXAMPLE 2 *Divide Rs 47 between A, B, and C, so that A may have Rs 10 more than B, and B Rs 8 more than C*

Let x represent the number of rupees that C has, then B has $x + 8$ rupees, and A has $x + 8 + 10$ rupees

Hence
$$x + (x + 8) + (x + 8 + 10) = 47,$$

whence it will be found that $x = 7$,

so that C has Rs 7, B Rs 15, A Rs 25

NOTE The symbol x represents a number, and such loose and inexact expressions as "Let x equal what C has," or "Let x equal C's money," must never be used

EXAMPLE 3 *A sum of £8 17s is made up of 124 coins which are either florins or shillings how many are there of each?*

Let x denote the number of florins, then $124 - x$ = the number of shillings

But x florins + $(124 - x)$ shillings make up £8 17s ,
expressing all in shillings, we have the equation

$$2x + 124 - x = 177,$$

whence $x = 53$ Thus there were 53 florins and 53 shillings

NOTE. It is important to express all the quantities in the same denomination shillings are here selected as being the most convenient

EXAMPLES III f

- 1 Find two numbers whose sum is 28, and whose difference is 4
- 2 Divide 45 into two parts so that twice the greater equals three times the less
- 3 If double a number is increased by 3, and the result multiplied by 4, the product is 52, find the number
- 4 Divide 60 into two parts, so that three times the greater may exceed 100 by as much as eight times the less falls short of 200
- 5 Divide £67 between A , B , and C , so that A may have £15 more than B , and B £8 more than C
- 6 Divide Rs 66 between A , B , and C , so that B 's share may be double of A 's, and C may have Rs 4 less than B
- 7 If a sum of £85 is divided between A , B , and C , so that A has £10 less than B , and C has three times as much as A , find the share of each
- 8 Divide Rs 188 between A , B , and C , so that A may have Rs 37 less than B , and C 's share may be Rs 11 more than twice A 's share
- 9 A purse contains £2 13s 6d in shillings and sixpences The number of coins is 67, how many are there of each kind?
- 10 A and B have Rs 12 between them, A receives Re 1 4 a from B and finds that he has seven times as much money as B how much had each at first?
- 11 A has three times as much money as B , after giving B ten rupees he has only twice as much what had each at first?
- 12 Two boys together have £1 10s, if one had 6s less and the other 9s more, the former's money would be one half that of the latter what has each of them?

CHAPTER IV

FACTORS PRIME NUMBERS HIGHEST COMMON FACTOR LOWEST COMMON MULTIPLE

66 One number is a **factor** (or *measure*) of another when it divides the other without remainder

Thus 3 and 5 are factors of 15, 2, 3, 4, 6 are factors of 12

The word *measure* is going out of use, but it is convenient to retain it in connection with concrete quantities

Thus a foot, a yard, and a furlong are *measures* of a mile. So also, a shilling, a florin, and a half crown are *measures* of a sovereign.

67 A number which is exactly divisible by another number is called a **multiple** of it

Thus 63 is a multiple of 7, and of 9

And, if m stands for any whole number, mx is a multiple of x

68 All multiples of 2 are called **even numbers**

Thus 2, 4, 6, 8, 10, are even numbers

Numbers which are not multiples of 2 are called **odd numbers**

Thus 1, 3, 5, 7, 9, are odd numbers

And generally, if n stands for any whole number, then $2n$ is the symbol for any *even* number, and $2n+1$ represents any *odd* number

69 A **prime number** (or a **prime**) is one which has no factors except itself and 1

Thus 2, 3, 5, 7, 11, 13, 17, 19, are primes

70 A **composite number** is one which has other factors besides itself and 1

Thus 6, 15, 27 are composite numbers

71 Two numbers are said to be **prime to each other** when their only common factor is 1

Thus 10 and 13, 15 and 17, 40 and 49 are pairs of numbers prime to each other. It is to be noticed that the numbers themselves are not necessarily prime numbers

72 It is important to notice the way in which any whole number can be expressed in terms of powers of 10 For example,

$$\begin{aligned} 4693 &= 4 \times 1000 + 6 \times 100 + 9 \times 10 + 3 \\ &= 4 \times 10^3 + 6 \times 10^2 + 9 \times 10 + 3 \end{aligned}$$

Similarly, any number N consisting of four digits a, b, c, d , in order from left to right, may be expressed as follows

$$N = a \times 10^3 + b \times 10^2 + c \times 10 + d$$

Tests of Divisibility

73 In the present section the word *divisible* is to be understood as *divisible without remainder*

To find when a number is divisible by 2 or 5

Any number which ends with a cipher is a multiple of 10, and therefore divisible by 2 and by 5

Any number greater than 10, which does not end in a cipher is made up of a multiple of 10 together with the number expressed by the units' digit Hence if this last digit is divisible by 2 or 5 the whole number is divisible by these factors respectively

EXAMPLES (i) $38416 = 38410 + 6 =$ a multiple of $10 + 6$,

(ii) $38415 = 38410 + 5 =$ a multiple of $10 + 5$

Thus (i) is a multiple of 2, (ii) is a multiple of 5

NOTE All even numbers must end in 2, 4, 6, 8, or 0,

All odd numbers ,, ,, 1, 3, 5, 7, or 9

74 *To find when a number is divisible by 4 or 25*

Any number ending in two ciphers is a multiple of 100, and therefore divisible by 4 and by 25

Any number greater than 100 which does not end with two ciphers is made up of a multiple of 100 together with the number formed by the last two digits Hence if this last number is divisible by 4 or 25 the whole number is divisible by these factors respectively

EXAMPLES. (i) $34736 = 34700 + 36 =$ a multiple of $100 + 36$,

(ii) $34775 = 34700 + 75 =$ a multiple of $100 + 75$

Thus (i) is divisible by 4, (ii) is divisible by 25

75 *To find when a number is divisible by 8 or 125*

Proceeding as before we may shew that a number is divisible by 8 or 125 when the number formed by its last three digits is divisible by these factors respectively

EXAMPLES. (i) 43136 and 43560 are divisible by 8,

(ii) 43625 and 43500 are divisible by 125

76 *To find when a number is divisible by 9 or 3*

Take any number such as 58476

Now $58476 = 50000 + 8000 + 400 + 70 + 6$

Also $50000 = 5 \times 10000 = 5(9999 + 1) = (\text{a mult of } 9) + 5,$

$8000 = 8 \times 1000 = 8(999 + 1) = (\text{a mult of } 9) + 8,$

$400 = 4 \times 100 = 4(99 + 1) = (\text{a mult of } 9) + 4,$

$70 = 7 \times 10 = 7(9 + 1) = (\text{a mult of } 9) + 7,$

$6 = 6$

Hence, by addition,

$58476 = \text{a multiple of } 9 + \text{the sum of the digits } 6, 7, 4, 8, 5$

In the same way it may be shewn that *any* number greater than 10 is a multiple of 9 + the sum of its digits, hence *a number is divisible by 9 only when the sum of its digits is so divisible*

Again since 9 is a multiple of 3,

any number = a multiple of 3 + the sum of its digits,

that is, *a number is divisible by 3 when the sum of its digits is so divisible*

NOTES (i) A number is divisible by 6 when it is even and also satisfies the test for divisibility by 3

(ii) When a number is divided by 9 or 3 the remainder is the same as when the sum of the digits is divided by 9 or 3

Hence also the remainder on dividing a number by 9 may be obtained by "casting out the nines" (Art 12) from the sum of the digits

EXAMPLE Find the remainders when (i) 8145, (ii) 5807613 are divided by 9

(i) The sum of the digits = 18, which is a multiple of 9, thus the number is divisible by 9

(ii) The sum of the digits = 30, and 30 divided by 9 leaves a remainder 3 Hence by Art 76, Note (ii), this is also the remainder when the given number is divided by 3

77 *To find when a number is divisible by 11*

We first note the following results

$$10 = 11 - 1,$$

$$100 = 99 + 1 = (\text{a multiple of } 11) + 1,$$

$$1000 = 990 + 10 = (\text{a multiple of } 11) - 1,$$

$$10000 = 9999 + 1 = (\text{a multiple of } 11) + 1,$$

$$100000 = 99990 + 10 = (\text{a multiple of } 11) - 1$$

and so on.

Now take any number such as 763425

Then $763425 = 5 + 20 + 400 + 3000 + 60000 + 700000$

Also $5 = 5$,
 $20 = 2 \times 10 = (\text{a multiple of } 11) - 2$,
 $400 = 4 \times 100 = (\text{a multiple of } 11) + 4$,
 $3000 = 3 \times 1000 = (\text{a multiple of } 11) - 3$,
 $60000 = 6 \times 10000 = (\text{a multiple of } 11) + 6$,
 $700000 = 7 \times 100000 = (\text{a multiple of } 11) - 7$

Hence, by addition,

$$\begin{aligned} 763425 &= (\text{a multiple of } 11) + 5 - 2 + 4 - 3 + 6 - 7 \\ &= \text{a multiple of } 11 + (5 + 4 + 6) - (2 + 3 + 7) \end{aligned}$$

Now $5 + 4 + 6 =$ the sum of the digits in the 1st, 3rd, 5th (or *odd*) places, and $2 + 3 + 7 =$ the sum of the digits in the 2nd, 4th, 6th (or *even*) places

Since the reasoning is quite general we conclude that *a number is divisible by 11 provided that the difference between the sum of the digits in the even places and the sum of the digits in the odd places is divisible by 11, or equal to 0*

78 With the exception of divisibility by 7 (for which there is no useful test) we have now tests for divisibility by all numbers up to 12

They may be summarised as follows

A number is divisible by

- 2, if it ends in 0, or in a digit which is a multiple of 2,
- 3, if the sum of the digits is divisible by 3,
- 4, if it ends in 00, or in two digits which form a number divisible by 4,
- 5, if it ends in 0 or 5,
- 6, if it is even and also satisfies the test for divisibility by 3,
- 8, if it ends in 000, or in three digits which form a number divisible by 8,
- 9, if the sum of the digits is divisible by 9,
- 10, if it ends in 0,
- 11, if the difference between the sums of the digits in the even and odd places is 0 or a multiple of 11,
- 12, if it is divisible by 4 and by 3

79 By means of Art. 76 we may give the reason for the Test of Multiplication by "casting out nines" to which reference was made in Art. 12

When division is not exact we know that

$$\text{dividend} = (\text{divisor} \times \text{quotient}) + \text{remainder}$$

Let a and b denote two numbers which when divided by 9 give quotients c and d , and remainders e and f respectively. That is, e and f are the remainders after casting out nines from the sums of the digits of the two numbers a and b

$$\text{Then} \quad a = 9c + e, \quad b = 9d + f$$

$$\text{product of } a \text{ and } b = \text{product of } 9c + e \text{ and } 9d + f$$

$$= (9c + e) \times (9d + f)$$

$$= 9c \ 9d + 9de + 9cf + ef$$

$$\text{product of } a \text{ and } b = a \text{ multiple of } 9 + \text{product of } e \text{ and } f$$

Hence the remainder left after casting out nines from the product of the two numbers a and b is equal to the remainder left after casting out nines from the product of e and f . See Art. 12

Resolution into Prime Factors

80 Suppose it is required to find all the prime numbers less than 100

We first write down all the numbers in their natural order up to 100

1, 2, 3, 4, 5, 6, 7, 8, 9, 10,

11, 12, 13, 14, 15, 16, 17, 18, 19, 20,

21, 22, 23, 24, 25, 26, 27, 28, 29, 30,

and so on

Beginning from 2, we strike out every second number, 4, 6, 8, , thus rejecting multiples of 2. The next prime number is 3, we therefore strike out every third number 6, 9, 12, , thus rejecting multiples of 3. Some of these being also multiples of 2 will have been rejected already.

From 5 we strike out every fifth number (not already struck out) and thus reject all multiples of 5. Proceeding in this way we eventually reject all multiples of the prime numbers 2, 3, 5, 7, . Hence when the process is complete the numbers left are prime.

This method was discovered by Eratosthenes in the third century B.C., and is referred to as the Sieve of Eratosthenes.

It will be found that the prime numbers less than 100 are

1, 2, 3, 5, 7, 11, 13, 17, 19, 23, 29, 31, 37,
41, 43, 47, 53, 59, 61, 67, 71, 73, 79, 83, 89, 97

81 A number is said to be resolved into prime factors when it is expressed in the form of a product only of prime numbers or their powers

Thus $700 = 7 \times 10 \times 10 = 7 \times 2 \times 5 \times 2 \times 5 = 7 \times 2^2 \times 5^2$

82 A composite number can often be expressed in factors in different ways, but there is *only one way of resolution into prime factors*

Thus $144 = 12 \times 12 = 9 \times 16 = 4 \times 36,$

but $3 \times 3 \times 2 \times 2 \times 2 \times 2$, or $3^2 \times 2^4$ is the only way of writing it in prime factors

EXAMPLE 1 *Resolve 7020 into prime factors*

$\begin{array}{r} 10 \overline{) 7020} \\ 9 \overline{) 702} \\ 6 \overline{) 78} \\ 13 \end{array}$	<p>The number is obviously divisible by 10, the first quotient satisfies the test for 9, and the next quotient that for 6. The quotient 13 is prime</p>
--	---

Thus the number $= 10 \times 9 \times 6 \times 13 = 2 \times 5 \times 3^2 \times 2 \times 13$
 $= 2^2 \times 3^3 \times 5 \times 13$

When divisors are not evident the prime numbers should be tried in succession

EXAMPLE 2 *Resolve 9163 into prime factors*

$\begin{array}{r} 7 \overline{) 9163} \\ 7 \overline{) 1309} \\ 11 \overline{) 187} \\ 17 \end{array}$	<p>Taking the primes in order we find that the tests for 2, 3, 5 are not satisfied. We next try 7 as often as possible, and then 11. The quotient 17 is prime</p>
--	---

the number $= 7 \times 7 \times 11 \times 17 = 7^2 \times 11 \times 17$

EXAMPLE 3 *To find whether 467 is prime or not*

We find by trial that 467 is not divisible by any of the primes 2, 3, 5, 7, 19, 23. But on dividing by 23 we get a quotient *less than 23*, and we need go no further. For if 467 contained a prime factor beyond 23, the quotient would be less than 23, and must have been revealed as a factor by the former trials. Hence 467 has no prime factor greater or less than 23, that is, it is a prime number

EXAMPLES IV a

Without actual division find which of the following numbers are divisible by one or more of the factors 3, 4, 5, 8, 9, 11

1 204 2 171 3 153 4 315 5 341 6 730
7 2211 8 1009 9 8712 10 10967 11 36324 12 924

13 Without division find the remainder when each of the following numbers is divided by 9

218, 3407, 276381, 4327065, 12345678

14 In the following numbers supply the missing digit so as to make each a multiple of 9

$30*4$, $573*1$, $*6708$, $836*57$

15 In the following numbers supply the missing digit so as to make each a multiple of 11

$148*3$, $7*563$, $8276*845$

16 What is the smallest number which must be added to 803642 in order to obtain (i) a multiple of 9, (ii) a multiple of 11?

Separate into prime factors

17 45 18 84 19 132 20 105 21 135
22 288 23 405 24 462 25 980 26 1386
27 3150 28 9009 29 3332 30 5382
31 6120 32 7245 33 19206 34 249984

In Examples 35-44 find which of the numbers are prime Express in prime factors those which are not prime

35 67 36 303 37 113 38 679 39 197
40 712 41 223 42 317 43 667 44 10681

45 Write down the numbers (i) 7543 and (ii) 8029 in their complete form as the sum of powers of 10 with numerical coefficients

46 How would you express the number whose digits, in order from left to right, are p , q , and r ? Why may not such a number be expressed by pqr ?

47 Write down a number whose digits are a , b , c , and state the condition that it may be divisible (i) by 2, (ii) by 5

48 Express in symbols a number whose digits are a , b , c , d

Prove that the number is divisible by 9, if $a + b + c + d$ is so divisible

49 Write down any two numbers whose digits are l , m , n (by taking the digits in different orders) Shew that the difference between two such numbers is always divisible by 9

83 The square root of a number is that number whose square is equal to the given number

Thus the square root of 49 is 7, because $7^2=49$

The cube root of a number is that number whose cube is equal to the given number

Thus the cube root of 64 is 4, because $4^3=64$

NOTE The square and cube root of 1 are each equal to 1

The root of a number is denoted by the symbol $\sqrt{\quad}$ with a small figure prefixed to indicate the *order* of the root. In the case of the square root the small figure is usually omitted

Thus the square root of 9 is denoted by $\sqrt[2]{9}$ or more simply by $\sqrt{9}$,
the cube root of 64 $\sqrt[3]{64}$

The symbol $\sqrt{\quad}$ is sometimes referred to as the radical sign.

84 The square of a composite number must contain the square of every factor of that number. For example

$$6=2 \times 3, \quad 6^2=2 \times 3 \times 2 \times 3 = 2^2 \times 3^2, \\ 56=2^3 \times 7, \quad 56^2=2^7 \times 7 \times 2^3 \times 7 = 2^6 \times 7^2$$

It will be noticed that each prime factor of the number is repeated an even number of times in the square of the number. Conversely, when a square number has been expressed in prime factors, its square root can be written down at once by simply halving the index of the power of each prime factor

EXAMPLE 1 Find the square root of the square number 213444

Here	$213444 = 4 \times 9 \times 11^2 \times 49$	$\begin{array}{r} 4 \overline{) 213444} \\ 9 \overline{) 53901} \\ 11 \overline{) 5920} \\ 11 \overline{) 530} \\ 49 \end{array}$
	$= 2^2 \times 3^2 \times 11^2 \times 7^2,$	
	sq. root of 213444 $= 2 \times 3 \times 11 \times 7$	
	$= 462$	

EXAMPLE 2 By means of factors find whether 5292 is a square number or not

Here	$5292 = 4 \times 9 \times 7^2 \times 3$	$\begin{array}{r} 4 \overline{) 5292} \\ 9 \overline{) 1323} \\ 7 \overline{) 147} \\ 7 \overline{) 21} \\ 8 \end{array}$
	$= 2^2 \times 3^3 \times 7^2$	

And since 3 occurs to an *odd* power, 5292 is not a square number

85 When a number is expressed in factors its cube contains each factor repeated 3 times

Thus	$10=2 \times 5, \quad 10^3=2 \times 5 \times 2 \times 5 \times 2 \times 5 = 2^3 \times 5^3,$	(i)
	$18=2 \times 3^2, \quad 18^3=2 \times 3^2 \times 2 \times 3^2 \times 2 \times 3^2 = 2^3 \times 3^6$	(ii)

In (i) each of the factors 2 and 5 occurs 3 times in the cube

In (ii) " " 2 and 3² " " "

It should also be noticed that the cube of every even number must contain the factor 2^3 , or 8

Conversely, when a cube number has been expressed in prime factors, its cube root can be written down by taking the product of the prime factors each with an index which is one third of the corresponding index in the cube number

Moreover any even cube number must be divisible by 8 Hence the method of the last article may be very quickly applied

EXAMPLE. Find the cube root of the cube number 3652264

Here	$3652264 = 8 \times 7^3 \times 1331$	$8 \overline{) 3652264}$
	$= 2^3 \times 7^3 \times 11^3$	$7 \overline{) 456533}$
cube root of 3652264	$= 2 \times 7 \times 11$	$7 \overline{) 65219}$
	$= 154$	$7 \overline{) 9317}$
		1881

We first use the factor 8 since the number is even

Then on finding that 7 is a factor we divide by it three times, and 1331 is obviously the cube of 11

EXAMPLES IV b

(Examples 1 to 17 and 33 may be taken orally)

Read off the square roots of

1 4, 9, 16, 25, 36, 49, 64, 81, 100, 144, 169

2 $2^2 \times 5^2$ 3 $3^2 \times 7^2$ 4 $2^4 \times 3^2$ 5 $2^6 \times 5^2$

6 $3^2 \times 13^2$ 7 $5^4 \times 2^2$ 8 $3^2 \times 2^4 \times 5^4$ 9 $2^6 \times 7^2 \times 5^6$

10 $a^2 b^2$ 11 $25a^2 b^4$ 12 $49m^2 n^2 p^4$ 13 $81a^4 c^2$

Read off the values of

14 $\sqrt{5^2 \times 7^2}$ 15 $\sqrt{5^2 \times 2^2 \times 7^2}$ 16 $\sqrt{16a^2 b^2 c^4}$ 17 $\sqrt{144m^4 n^6}$

By separating into prime factors determine which of the following numbers are squares, and find their square roots

18 324 19 576 20 628 21 1323 22 2304

23 10082. 24 1936 25 3136 26 6294 27 7056

Find the least factor by which the following numbers must be multiplied so that in each case the product may be a square number

28 392. 29 605 30 1584 31 1183 32 19845

33 Read off the cube roots of

8, 27, 64, 125, 216, 343, 512, 729, 1000, 1331, 1728

The following numbers are perfect cubes Find their cube roots by means of factors

34. 10648 35. 21952. 36. 46656 37. 91125

38. Find the least square number that is divisible by 7, 8, and 9

39 Find a square number between 1000 and 2000, which is divisible by 13

40 If $a=3$, $b=4$, $c=27$, find the value of

$$(i) \sqrt{abc} \quad (ii) \sqrt{\frac{b-c}{a}} \quad (iii) \sqrt{7(a+b)} \quad (iv) \sqrt{25(a^2+b^2)}$$

Highest Common Factor

86 A factor which divides two or more numbers is called a **common factor** (or *common measure*)

Thus 5 is a common factor of 15, 35, and 45,
and 2 is a common factor of ax , bx , and cx

87 The **Highest Common Factor** of two or more numbers is the highest number which divides each of them exactly The abbreviation **H C F** is used for the words *highest common factor*

The terms *highest common divisor* (**H C D**) and *greatest common measure* (**G C M**) are sometimes used instead of highest common factor

88 In the case of numbers which have been expressed in prime factors the **H C F** can be written down by inspection

EXAMPLE Find the **H C F** of 126, 396, and 1080

Expressing the numbers in prime factors it will be found that

$$\begin{array}{ll} 126 = 2 \times 3^2 \times 7, & \text{The highest power of 2 which will divide} \\ 396 = 2^2 \times 3^2 \times 11, & 2, 2^2, \text{ and } 2^3 \text{ is 2, the highest power of 3} \\ 1080 = 2^3 \times 3^3 \times 5 & \text{which will divide } 3^2, 3^3, \text{ is } 3^2, \text{ and there are no} \\ & \text{other common factors} \end{array}$$

Thus the **H C F** is 2×3^2 , or 18

89 Sometimes the **H C F** may be found without expressing all the numbers in prime factors

EXAMPLE. Find the **H C F** of 440, 1800, 2800

$440 = 10 \times 11 \times 4$, and of these three factors 10 and 4 divide all three numbers, 11 does not

$$\text{the H C F} = 10 \times 4 = 40$$

EXAMPLES IV c

(Examples 1 to 14 may be taken orally)

Read off the H C F of

1	9, 15	2	12, 18	3	6, 24	4	16, 20
5	27, 45	6	28, 49	7	42, 60	8	35, 56
9	12, 72	10	30, 45	11	4, 6, 12.		
12	14, 21, 28	13	24, 30, 36	14	15, 60, 75		

Find by resolution into prime factors the H C F of

15	144, 180	16	46, 138	17	136, 153
18	135, 225	19	198, 308	20	240, 512.
21	384, 1296	22	891, 231	23	45, 120, 180
24	24, 72, 108	25	51, 68, 153	26	36, 108, 216
27	111, 74, 185	28	140, 210, 315	29	350, 600, 550
30	234, 288, 270	31	540, 945, 1215	32	660, 1617, 4235

Write down the H C F of

33	$3xy^2, 6x^2y$	34	$8ab^2c, 12a^2bc^2$	35	$20p^2q, 15p^2q^2r$
36	$16a^3b, 24ac^2, 32a^2b^2c^2$	37	$21axy, 14a^2xy^2, 6x^2y^2$		

90 When the numbers are not easily separated into prime factors a different process has to be used

The method depends on the following principles

(i) If a number contains a certain factor, any multiple of the number is divisible by that factor

Thus 3 is a factor of 15, and therefore of $15 \times n$, where n stands for any whole number

(ii) If two numbers have a common factor, it will divide their sum and their difference, and also the sum and difference of any multiples of them

Thus 3 being a common factor of 27 and 15, is also a factor of $27 + 15$, and of $27 - 15$

Again 3 will divide $27m + 15n$ and $27m - 15n$, where m and n stand for any whole numbers.

EXAMPLE. Find the H C F of 506 and 1863

$$\begin{array}{r}
 506 \overline{) 1863} \quad (3 \\
 \underline{1518} \\
 345 \overline{) 506} \quad (1 \\
 \underline{345} \\
 161 \overline{) 345} \quad (2 \\
 \underline{322} \\
 23 \overline{) 161} \quad (7 \\
 \underline{161}
 \end{array}$$

Divide the greater number by the less, divide the less by the remainder, divide the first remainder by the new remainder, and so on till there is no remainder. The last divisor is the H C F required.

For the H C F of 1863 and 506 is also a factor of $1863 - 506 \times 3$, or 345, therefore a common factor of 506 and 345

Again the H C F of these numbers is a factor of their difference 161, and therefore a common factor of 345 and 161. Therefore also of $345 - 161 \times 2$, or 23. Therefore also of 161 and 23. And the *highest* common factor of these is obviously 23.

From this example it is seen that the method succeeds because at any stage every common factor of the original numbers is a factor of the dividend and divisor at that stage. Hence the H C F will be the same as that for the *last* divisor and dividend, that is the last divisor is the H C F.

If in any example by this method the last divisor is 1, the numbers have no common factor except unity, that is they are prime to each other.

The work may be arranged more compactly in parallel columns, placing the quotients to right and left alternately. Or more briefly still by employing the Italian method of division, but as it is difficult to detect a mistake made in the course of the work this method is not recommended to beginners.

$$\begin{array}{r|l|l|l}
 1 & 506 & 1863 & 3 \\
 & 345 & 1518 & \\
 7 & 161 & 345 & 2 \\
 & 161 & 322 & \\
 & \hline & & 23 &
 \end{array}$$

BY THE ITALIAN METHOD

$$\begin{array}{r|l|l|l}
 1 & 506 & 1863 & 3 \\
 7 & 161 & 345 & 2 \\
 & & 23 &
 \end{array}$$

91 The work may often be shortened by the following devices

(i) Any obvious factors may be removed from the numbers before the application of the rule. The H C F of these factors, if any, must be reserved and multiplied into the H C F given by the rule.

(ii) Since every remainder contains the H C F as a factor, we may throw out any factor of the remainder at any stage if it is not a factor common to the numbers whose H C F we are finding.

The following example illustrates the method above described. For comparison we also give the full working by the method of Art 90

EXAMPLE. Find the H.C.F. of 55224 and 122012

$$55224 = 8 \times 9 \times 767,$$

$$122012 = 4 \times 11 \times 2773$$

We may reject 9 and 11 which are not common factors. The H.C.F. of 8 and 4 is 4, which must be reserved as a factor of the H.C.F.

4	55224	122012	2
	40256	110448	
3	8968	11564	1
	7788	8968	
5	1180	2596	2
	1180	2360	
		236	

$$\text{H.C.F.} = 236$$

13	767	2773	3
	59	2301	
	177	8	472
	177	59	

The factor 8 is rejected because it is not a common factor of 767 and 2773

$$\begin{aligned}\text{Thus the H.C.F.} &= 4 \times 59 \\ &= 236\end{aligned}$$

92 When there are more than two numbers, not easily put into factors, we find the H.C.F. of two, then the H.C.F. of the result and a third number, and so on. The final H.C.F. is that required.

EXAMPLE 1 Find the H.C.F. of 806, 663, 377

We may first reject 2 from the first, and 3 from the second number, and proceed with 403, 221, 377.

The rule gives 13 as the H.C.F. of the first two, and since 13 divides 377 it is the required H.C.F.

EXAMPLE 2. What is the greatest length which can be used to measure exactly the following lengths 20 ft, 13 ft 9 in, 17 ft. 6 in, 21 ft 3 in.

We must express these lengths in the same denomination and find their greatest common measure (Art 66)

Expressed in inches we have 240 in, 165 in., 210 in, 255 in, and the G.C.M. of these is 15 in, or 1 ft 3 in.

EXAMPLES IV. d.

Find the H.C.F. of

1	117, 221	2.	203, 319	3	559, 817	4	644, 532
5.	255, 391	6	329, 799	7	527, 1147	8	623, 833

9	348, 1024	10.	1702, 1998	11	3451, 9367
12.	1379, 2401	13	4199, 5083	14	2893, 10520
15.	13547, 17081	16	20677, 31279	17	10549, 13563
18	16984, 5404	19	16993, 64890	20	94248, 504900
21	183, 793, 976	22	658, 940, 1128	23	403, 744, 1023
24.	42237, 75582, 8892.	25	3456, 26244, 90225		

26 Find the greatest number which will divide 14490 and 31530 so as to leave the remainder 6 in each case

27 Find the greatest number which will divide 11296 and 13528 so as to leave remainders 11 and 23 respectively

28 Shew that 53477 and 68401 are prime to one another

29 If two sums of £5 and 5 guineas are to be paid in coins all of one kind, what is the largest coin that can be used?

30 What is the length of the largest square tile that can be used in paving a hall 18 ft. 8 in. by 15 ft. 9 in.?

✓31 In finding the H C F of two numbers the last remainder is 35, and the quotients in order are 1, 2, 1, 3 Find the numbers

✓32 Find the largest number which is such that when 142408, 153599, and 166402 are divided by it, the remainders are all the same

33 In a long division sum the quotient consists of two figures, if the dividend is 40051, and the two remainders are 173 and 291, find the divisor and quotient

Lowest Common Multiple

93 A number which is exactly divisible by two or more numbers is called a **common multiple** of those numbers

Thus 42 is a common multiple of 3 and 7,
and mxy is a common multiple of x and y

94 The **lowest common multiple** of two or more numbers is the *lowest* number which contains each of them as a factor

Thus each of the numbers 12, 24, 48 is a common multiple of 2, 3, and 4, but their *lowest* common multiple is 12

The term *least* common multiple is also used, and the letters LCM are used as an abbreviation for either term

95 When numbers can be expressed in prime factors their L.C.M. can be written down by inspection

EXAMPLE Find the L.C.M. of 18, 28, 108, and 105

$$18 = 2 \times 3^2,$$

$$28 = 2^2 \times 7,$$

$$108 = 2^2 \times 3^3,$$

$$105 = 3 \times 5 \times 7$$

The L.C.M. must contain every prime factor of each of the numbers, and moreover it must contain the highest power of each factor which appears in any one of them

Thus it must contain 2^2 or it would not be a multiple of 28, and it must contain 3^3 or it would not be a multiple of 108. The other

factors are 5 and 7, which do not occur more than once in any of the given numbers.

$$\text{Thus the L.C.M.} = 2^2 \times 3^3 \times 5 \times 7 = 3780$$

NOTE We might have struck out 18 at once, since any multiple of 108 must contain 18 as a factor

96 The prime factors of the L.C.M. may often be obtained more quickly by the following method. It will be seen that the work admits of more than one arrangement

$$\begin{array}{r} 7 \overline{) 18, 28, 108, 105} \\ 3 \overline{) 6, 108, 15} \\ \hline 36, \quad 5 \end{array}$$

$$\begin{aligned} \text{L.C.M.} &= 7 \times 3 \times 5 \times 36 \\ &= 3780 \end{aligned}$$

$$\begin{array}{r} 2 \overline{) 18, 28, 108, 105} \\ 2 \overline{) 9, 14, 54, 105} \\ 3 \overline{) 9, 27, 105} \\ 3 \overline{) 9, 105} \\ \hline 3, \quad 35 \end{array}$$

$$\text{L.C.M.} = 2 \times 2 \times 3 \times 3 \times 3 \times 35 = 3780$$

Explanation After striking out any number which is a factor of any other, divide the remaining numbers by any prime factor which is a factor of two of them at least, bringing down into the line of quotients any number which is not divisible by the prime. Repeat this process till the line of quotients consists entirely of numbers prime to each other. Then the product of the successive divisors and the final quotients is the L.C.M. required. It is important to observe that in the rule thus stated the divisors should be *prime* numbers

EXAMPLES IV e

(Examples 1-30 may be taken orally)

Read off the L.C.M. of

1. 2, 6

2. 5, 10

3. 15, 10

4. 3, 8

5. 6, 8

6. 14, 21

7. 28, 21

8. 21, 35

9. 15, 25

10. 18, 24

11. 2, 4, 6

12. 3, 5, 7

13. 5, 9, 10

14. 6, 12, 18

15. 5, 45, 30

Read off as the product of prime factors the L C M of

16	$2^2 \times 3, 3^3 \times 2$	17	$2 \times 3^2 \times 5, 2^3 \times 5^2$
18	$2 \times 3 \times 7, 3 \times 7 \times 5$	19	$3^2 7, 5 7^2, 2 5^2$
20	$3^4, 2^2 3, 2 5^2$	21	$3^2 7, 11, 7^2 2$
22	ab, bc, ca	23	$2xy, 5yz, 4zx$
		24	$8x^2, 4xy, 12y^2$

Read off (as the product of prime factors) both the H C F and the L C M of

25	$5 3^2, 5^2 3, 5^3 3^2$	26	$2^4 7, 2 7^3, 2^2 7^2$
27	$3^4, 2^3 3^2, 2^4 3, 2 3^3$	28	ab^2, a^2b, a^3b^2
29	$12ab, 6bc, 4abc$	30	$9xyz, 3y^2z, xyz$

Find by the method of prime factors the L C M of

31	6, 8, 10	32	6, 12, 15	33	18, 24, 36
34	4, 12, 16, 20	35	18, 27, 36, 28		
36	16, 24, 48, 60	37	22, 33, 121, 132		
38	14, 49, 84, 63	39	120, 144, 96, 100		
40	12, 18, 30, 48, 60	41	63, 12, 84, 28, 70		
42	16, 42, 64, 70, 80, 112	43	135, 126, 90, 255		
44	80, 108, 64, 720, 864	45	60, 36, 65, 78, 208		

Find by the method of prime factors both the H C F and the L C M of

46	45, 75, 225	47	28, 42, 98	48	165, 231, 550
----	-------------	----	------------	----	---------------

97 When the numbers are not easily separated into prime factors we proceed as follows

Let A and B be two numbers, and X their H C F

Let A and B contain X exactly m and n times respectively,

then $A = mX$, and $B = nX$,

where m and n have no common factor

$$\text{L C M of } A \text{ and } B = mnX = \frac{mX}{X} \cdot \frac{nX}{X} = \frac{A}{X} \cdot \frac{B}{X}$$

Hence the L C M of two numbers may be found by dividing their product by their H C F

Also we conclude that the product of two numbers is the same as the product of their H C F and L C M

In the same way it may be shewn that if A, B, C are any three numbers whose H C F is X, their L C M $= \frac{A B C}{X^2}$

EXAMPLE Find the L C M of 299, 221, and 759

The H.C.F. of 299 and 221 is 13 By division we find that

$$299 = 13 \times 23, \text{ and } 221 = 13 \times 17$$

Since all these factors must be factors of the L C M we make trial of the factors 17 and 23 applied to the number 759 Thus we find

$$759 = 23 \times 3 \times 11$$

Thus the L.C.M. required $= 13 \times 23 \times 17 \times 3 \times 11 = 167739$

EXAMPLES IV f

Find the L C M of

1 221, 533 2. 667, 437 3 1397, 3683 4. 817, 2021

5 9669, 16115 6 3024, 4752, 7488 7 959, 3973, 2329

8 What is the least sum of money that can be distributed exactly either in half crowns or half guineas?

9 What is the greatest number that will divide 3104, 20832, 34144?

10 Find the smallest number which contains 156, 168, 208, and 432 as divisors

11 What is the lowest number which, when divided separately by 15, 20, 48, and 36, will in each case leave 9 as remainder?

12 Find the H.C.F. and the L C M of 161, 253, 299, 322

13 Four cisterns are capable of holding 72, 24, 56, and 120 gallons respectively What is the capacity of the greatest vessel which can be used to fill them exactly?

14 Determine the smallest sum of money out of which a number of men, women, and children respectively may receive £1 7s 6d, 18s 9d, and 8s 3d each

15 Four men can walk 105, 112, 126, and 168 miles in a week respectively What is the least distance they can all walk in an exact number of weeks?

16 Three bells toll at intervals of 18, 24, 32 seconds if they begin to toll together, what length of time will elapse before they toll together again?

17 A, B, and C start at the same time, and in the same direction, to run round a circular course If A makes the circuit in 252 seconds, B in 308, and C in 198, and they all start from the same point, when will they next be all at the starting point together?

18 The H.C.F. of two numbers is 119, their L C M is 11781, one of the numbers is 1071 Find the other

CHAPTER V


FRACTIONS

98 WHEN a number expresses an *exact* number of units of any kind it is called a **whole number** or an **integer**

Thus if £1 is the unit, £3, £5, £12 are respectively *three times*, *five times*, and *twelve times* the unit. Each is an **integral multiple** of the unit

99 When the unit is supposed to be divided into any number of equal parts, and one or more of those parts are taken, the result is called a **fraction**

Let the unit be the line AB, divided into 20 equal parts, so that each part is *one-twentieth* of the unit



Then AC, AD, AE respectively contain 3, 7, 15 parts, and represent 3 *twentieths*, 7 *twentieths*, and 15 *twentieths* of the unit

Again if £1 is the unit, and we suppose the unit to be divided into 20 equal parts, each part will be 1 shilling, and 3s, 7s, 15s will be respectively *three-twentieths*, *eight-twentieths*, and *fifteen-twentieths* of the unit.

These fractions are written $\frac{3}{20}$, $\frac{7}{20}$, $\frac{15}{20}$. Thus a fraction is expressed by two numbers one over the other, separated by a horizontal bar

The lower number, which expresses the number of equal parts into which the unit is divided, is called the **denominator**. The upper number which expresses the number of parts taken in any fraction is called the **numerator**. The numerator and denominator are sometimes called the **terms** of a fraction

NOTE When the numerator and denominator of a fraction are equal its value is unity

Thus in the above illustrations 20 twentieths of the line make up AB, which is the whole unit

And 20 twentieths of £1, that is 20 shillings, make up the whole pound. Thus $\frac{20}{20} = 1$

Similarly $\frac{4}{4}$, $\frac{5}{5}$, $\frac{1}{1}$ are each equal to 1

100 Fractions expressed in this manner are known as *Vulgar* (or *Common*) *Fractions* to distinguish them from *Decimal Fractions* (or *Decimals*) which will be explained in Chap VIII

The particular unit supposed to be divided is not necessarily expressed, but the notation is the same

The fractions $\frac{1}{2}$, $\frac{2}{3}$, $\frac{4}{5}$, $\frac{5}{16}$, are read as follows

one-half, two thirds, four fifths, five-sixteenths, ,

and apply to the subdivisions of any kind of unit

101 A fraction may also be defined as the result of dividing the numerator by the denominator For, by the former definition,


$\frac{4}{5}$ denotes *four times the fifth part of the unit*

But if we divide 4 units by 5 we get a result which is four times as great as the fifth part of 1 unit

Hence the fraction $\frac{4}{5}$ is the result of dividing 4 units by 5

This may be proved graphically as follows

In the adjoining diagram let each of the vertical strips, such as ABFE, denote the unit, then the fig ABCD represents 4 units Also it contains 20 squares,



4 units $\div 5 = \frac{20}{5}$, or 4 squares

Again the fraction $\frac{4}{5} = \frac{4}{5}$ of the unit strip ABFE
 $= 4$ squares

Thus the fraction $\frac{4}{5}$ is the result of dividing 4 units by 5

Hence there are two ways in which any fraction may be regarded

- (1) The fraction $\frac{4}{5} = 4$ parts each of which is *one fifth* of the unit
- (2) The fraction $\frac{4}{5} =$ *one fifth* part of 4 units
 $=$ the quotient when 4 is divided by 5

102 Another mode of reading fractions is sometimes used
 thus $\frac{5}{8}$ is read *five over eight*,

$\frac{11}{13}$ „ *eleven over thirteen*, and so on

NOTE Instead of using the horizontal line to separate numerator and denominator, it is sometimes convenient to write fractions in the following form

$1/2$, $2/3$, $4/5$, $5/16$

Verbally they are read as above explained in Art 100


EXAMPLES V a (Oral)

Read off the value of

- | | | |
|------------------------------------|---|--------------------------------|
| 1 Five twelfths of 1s | 2 Nine sixteenths of Re 1 | |
| 3 Six-twelfths of 1s | 4 One half of 1s | |
| 5 Two thirds of 1s | 6 Five eighths of Re 1 | |
| 7 Seven twentieths of £1 | 8 Fifteen twentieths of £1 | |
| 9 Three tenths of £1 | 10 Three fourths of £1 | |
| 11 Seven eighths of £1 | 12 Nine fortieths of £1 | |
| 13 Three fourths of 1 cwt | 14 Seven twentieths of 1 ton | |
| 15 One twelfth of 1 ft | 16 Two thirds of 1 yd | |
| 17 Five sixteenths of 1 seer | 18 Nineteen sixtieths of 1 hr | |
| 19 $\frac{1}{10}$ of £1 | 20 $\frac{1}{10}$ of Re 1 | 21 $\frac{3}{4}$ of £1 |
| 22 $\frac{5}{12}$ of 1s | 23 $\frac{1}{3}$ of Re 1 | 24 $\frac{6}{240}$ of £1 |
| 25 $\frac{7}{8}$ of Re 1 | 26 $\frac{1}{10}$ of £1 | 27 $\frac{1}{3}$ of 1 yd |
| 28 $\frac{7}{12}$ of 1 ft | 29 $\frac{3}{100}$ of 1 metre | 30 $\frac{7}{1000}$ of 1 metre |
| 31 $\frac{1}{1000}$ of 1 kilometre | 32 $\frac{3}{100}$ of Re 1 (Ceylon coinage) | |
| 33 $\frac{1}{100}$ of 1 kilogram | 34 $\frac{1}{1000}$ of 1 mile | 35 $\frac{1}{20}$ of 1 furlong |
| 36 $\frac{1}{60}$ of 1 hr | 37 $\frac{5}{24}$ of 1 day | 38 $\frac{3}{40}$ of 1 maund |

Read off the number of

- 39 Pence in $\frac{1}{2}$, $\frac{1}{6}$, $\frac{1}{3}$, $\frac{3}{4}$ of a shilling
- 40 Annas in $\frac{1}{12}$, $\frac{7}{12}$, $\frac{1}{6}$, $\frac{9}{16}$ of a rupee
- 41 Inches in $\frac{1}{30}$, $\frac{5}{30}$, $\frac{1}{12}$, $\frac{7}{12}$ of a yard
42. Hours in $\frac{1}{4}$, $\frac{1}{6}$, $\frac{1}{8}$, $\frac{1}{12}$, $\frac{5}{6}$, $\frac{7}{8}$ of a day
- 43 Chataks in $\frac{1}{10}$, $\frac{9}{10}$, $\frac{1}{8}$, $\frac{5}{8}$ of a seer
44. Pounds in $\frac{1}{112}$, $\frac{5}{112}$, $\frac{3}{80}$, $\frac{7}{80}$ of a cwt



- 45 The line AB is divided into 12 equal parts. Copy this on squared paper, and place letters P, Q, R, X, Y, Z so that
- | | |
|--|--|
| AP may represent $\frac{7}{12}$ of AB, | AQ may represent $\frac{5}{12}$ of AB, |
| BR $\frac{1}{12}$ of AB, | BX $\frac{1}{2}$ of AB, |
| AY $\frac{1}{3}$ of AB, | BZ $\frac{1}{4}$ of AB |

- 46 Each line of your squared paper is divided into inches, and each inch into *tenths* of an inch. Rule lines to represent $\frac{7}{10}$ of an inch, $\frac{9}{10}$ of an inch, 2 inches and $\frac{3}{10}$ of an inch, 3 inches and $\frac{4}{10}$ of an inch, 1 inch and $\frac{6}{10}$ inch.


[N.B. 2 inches and $\frac{3}{10}$ of an inch may be written $2\frac{3}{10}$ inch, and so on.]

- 47 A line AB is divided into n equal parts, and X is so placed that AX contains m of them. What fraction is the line AX of the line AB?

Illustrate this on squared paper, making

$$AB = 4\frac{1}{2} \text{ inches, } n = 15, \text{ and } m = 5$$

- 48 Copy this figure on squared paper, and by means of letters name portions that will shew $\frac{1}{10}$, $\frac{3}{10}$, $\frac{1}{5}$, $\frac{1}{4}$ of the whole area.



EXAMPLES V b (Oral)

- What fractions of 1 shilling are 5 pence, 7 pence, 11 pence?
- What fractions of Re 1 are 3 annas, 7 annas, 13 annas?
- What fractions of 1 foot are 1 inch, 5 inches, x inches?
- Express 3 oz., 9 oz., 17 oz. as fractions of 1 lb.
- Express 13 centimetres, 21 cm., y cm. as fractions of 1 metre.
- Express 17 cents, 41 cents, z cents as fractions of 1 rupee (Ceylon coinage).
- How many sums each of 4 annas are contained in Re 1? What fractions of Re 1 are 4 annas, 8 annas, 12 annas?
- How many lengths each of 4 inches are there in 1 yard? Hence express the following lengths as fractions of a yard: 4 inches, 8 inches, 16 inches, 20 inches, 28 inches, 32 inches.
- How many sixpences are there in £1? Hence express 18 pence, 42 pence, 66 pence, $6x$ pence as fractions of £1.
- What fractions of 1 foot are 3 inches, 4 inches, 6 inches?
- What fractions of a rupee (Ceylon coinage) are 10 cents, 30 cents, 70 cents?
20 cents, 40 cents, 60 cents?
25 cents, 50 cents, 75 cents?
- Express 9 metres, 9 decametres, 9 hectometres as fractions of 1 kilometre.

103 From the foregoing examples it will have been noticed that, when the unit is the same, there are different ways of expressing the same fraction

For instance, $\frac{3}{4}$ of 1s = 3 threepences = 9 pence, }
 $\frac{9}{12}$ of 1s = 9 pence, }

so that $\frac{3}{4} = \frac{9}{12}$

Again, $\frac{14}{10}$ of £1 = 14 shillings, }
 $\frac{7}{5}$ of £1 = 7 florins = 14 shillings, }

so that $\frac{14}{10} = \frac{7}{5}$

These are particular illustrations of the following general principle which is applicable to all fractions

104 *The value of a fraction is not altered if we multiply or divide the numerator and denominator by the same quantity*

To prove that $\frac{3}{4} = \frac{3 \times 2}{4 \times 2} = \frac{6}{8}$

By $\frac{3}{4}$ we mean 3 equal parts, 4 of which make up the unit (i),
 by $\frac{6}{8}$ 6 8 (ii)


Since 4 parts in (i) = 8 parts in (ii),
 1 part = 2
 3 parts = 6

That is, $\frac{3}{4} = \frac{6}{8}$

We have thus shewn that by *multiplying* each term of the fraction $\frac{3}{4}$ by 2 its value is unaltered

Or we may give a graphical proof as follows

To prove that $\frac{9}{12} = \frac{9 \div 3}{12 \div 3} = \frac{3}{4}$



Let the unit be represented by the straight line AB, and let it be divided into 4 equal parts at the points C, D, E, so that $\frac{3}{4}$ of AB = AE

Again let each of the parts AC, CD, DE, EB be subdivided into 3 equal parts, then the whole line AB contains 12 of these parts. Also AE contains 9 of such parts,

hence $\frac{9}{12}$ of AB = AE = $\frac{3}{4}$ of AB

That is, $\frac{9}{12} = \frac{3}{4}$

We have thus shewn that by *dividing* each term of the fraction $\frac{9}{12}$ by 3 its value is unaltered

Similar reasoning will shew the truth of the *general principle*, which may be expressed thus

$$\frac{a}{b} = \frac{ma}{mb}$$

where a , b , and m stand for any whole numbers whatever

105 Consider the fraction $\frac{90}{105}$

By the last article, $\frac{90}{105} = \frac{12}{15} = \frac{4}{5}$, dividing the terms successively by 5 and 3. Hence it appears that by removing equal factors from the terms of a fraction it may be expressed in a simpler form without altering its value

106 When a fraction has been so simplified that its numerator and denominator have no common factor it is said to be *reduced to lowest terms*

EXAMPLE 1 Reduce $\frac{70}{105}$ to its lowest terms

$$\begin{aligned}\frac{70}{105} &= \frac{\cancel{7} \times \cancel{2} \times 5}{\cancel{5} \times \cancel{3} \times 7} = \frac{\cancel{2} \times \cancel{5}}{\cancel{3} \times \cancel{7}} \\ &= \frac{2}{3}\end{aligned}$$

It is usual to strike out or 'cancel' like factors from numerator and denominator

EXAMPLE 2 Reduce $\frac{600}{1595}$ to its lowest terms

$$\begin{aligned}\text{By trial, } \frac{600}{1595} &= \frac{3 \times 2 \times 2 \times 5}{5 \times 3 \times 11} \\ &= \frac{3 \times 7 \times 2 \times 2}{5 \times 11 \times 2 \times 2} \\ &= \frac{21}{55}\end{aligned}$$

Here no common factor is at once evident, but we easily recognise the prime factors 3, 7, 5, and 11, and thus disclose the common factor 29

NOTE In working examples in fractions results must always be reduced to lowest terms

EXAMPLES V c (Oral)

- Express by the simplest fraction the share of each person when
 - 5 things are divided amongst 6, 20, 30
 - 8
- What is the share of each when 12 buns are divided between 18, 24, 31 boys?

Express as a fraction of a rupee

- The cost of 1 seer of raisins if 12 seers cost 8 rupees.
- The cost of 1 photograph if 30 cost Rs 25
- The cost of 1 egg at Rs 10 a gross
- The cost of 1 dozen oranges at Rs 8 a gross
- The cost of 1 seer of potatoes at Rs 5 for 100 seers.

8. What is the cost of (i) a mango at 12 for Re 1, (ii) an egg at 9 annas a dozen, (iii) an exercise book at Re 1 14 a score?

9 Express each of the fractions $\frac{2}{3}$, $\frac{3}{4}$, $\frac{5}{6}$ with denominator 12

10 Express each of the fractions $\frac{3}{5}$, $\frac{6}{7}$, $\frac{1}{2}$ with numerator 24

11 Read off each of the fractions $\frac{1}{10}$, $\frac{3}{12}$, $\frac{8}{12}$, $\frac{5}{12}$, $\frac{6}{12}$, $\frac{14}{11}$, $\frac{76}{10}$, $\frac{28}{10}$, $\frac{1}{11}$ in its simplest form

EXAMPLES V. d

(Examples 1-10 should be taken orally)

Read off the following fractions in their lowest terms

1 $\frac{6}{8}$, $\frac{9}{10}$, $\frac{8}{12}$, $\frac{9}{12}$, $\frac{10}{10}$, $\frac{1}{10}$ 2. $\frac{10}{12}$, $\frac{10}{10}$, $\frac{1}{12}$, $\frac{15}{12}$, $\frac{5}{12}$, $\frac{15}{12}$

3 $\frac{6}{10}$, $\frac{10}{12}$, $\frac{2}{12}$, $\frac{4}{10}$, $\frac{6}{10}$, $\frac{2}{4}$ 4. $\frac{20}{10}$, $\frac{20}{10}$, $\frac{1}{12}$, $\frac{14}{12}$, $\frac{20}{12}$, $\frac{6}{12}$

5 $\frac{2}{12}$ 6 $\frac{10}{12}$ 7 $\frac{3}{12}$ 8 $\frac{6}{12}$ 9 $\frac{7}{12}$

10 By expressing 2 feet and 24 inches as fractions of 1 yard, show that $\frac{2}{3} = \frac{4}{6}$

Reduce the following fractions to their lowest terms

11 $\frac{10}{12}$ 12 $\frac{11}{12}$ 13 $\frac{28}{36}$ 14 $\frac{22}{36}$ 15 $\frac{46}{64}$

16 $\frac{21}{36}$ 17 $\frac{17}{36}$ 18 $\frac{84}{108}$ 19 $\frac{17}{24}$ 20 $\frac{26}{36}$

21 By expressing 7 shillings and 84 pence as fractions of £1, show that $\frac{7}{10} = \frac{84}{120}$

22 Show *graphically*, after the manner of Art 104, that

(i) $\frac{6}{10} = \frac{3}{5}$, (ii) $\frac{1}{12} = \frac{1}{12}$, (iii) $\frac{1}{10} = \frac{1}{10}$


23 Show by first principles, following the argument of Art 104, that

(i) $\frac{1}{1} = \frac{1}{1}$, (ii) $\frac{x}{y} = \frac{mx}{my}$

24 Use the adjoining diagram to show that

(i) $\frac{1}{10} = \frac{1}{10}$, (ii) $\frac{1}{10} = \frac{1}{10}$,

(iii) $\frac{1}{10} = \frac{1}{10}$, (iv) $\frac{1}{10} = \frac{1}{10}$



25 Reduce the following fractions to their lowest terms

(i) $\frac{x \times a \times y}{y \times x \times b}$ (ii) $\frac{abc}{xca}$ (iii) $\frac{4 \times a^2 \times b^2}{6 \times b^2 \times a}$ (iv) $\frac{12max^2}{18a^2mx}$

107 When common factors of numerator and denominator are not easily found by inspection we must use the rule for finding their H.C.F

EXAMPLE 1 Reduce $\frac{247}{323}$ to its lowest terms

$$\begin{aligned}\text{Here } \frac{247}{323} &= \frac{13 \times 19}{17 \times 19} \\ &= \frac{13}{17}\end{aligned}$$

As no factors are obvious, the common factor 19 must be found by the rule for finding the H.C.F

EXAMPLE 2 Reduce $\frac{2277}{2369}$ to its lowest terms

$$\begin{aligned}\frac{2277}{2369} &= \frac{11 \times 9 \times 23}{23 \times 103} \\ &= \frac{99}{103}\end{aligned}$$

By trial the numerator is divisible by 9 and 11, neither of which will divide the denominator. Hence if the fraction admits of reduction, 23 must be a factor of the denominator. On division we obtain the other factor 103

EXAMPLES V d. (Continued)

Simplify

$$\begin{array}{lllll} 26 \quad \frac{221}{147} & 27 \quad \frac{391}{408} & 28 \quad \frac{377}{403} & 29 \quad \frac{437}{551} & 30 \quad \frac{299}{308} \\ 31. \quad \frac{1265}{1186} & 32 \quad \frac{837}{927} & 33 \quad \frac{1395}{1232} & 34. \quad \frac{572}{1287} & 35 \quad \frac{954}{1544} \end{array}$$

108 Any whole number can be expressed in a fractional form in an unlimited number of ways


$$\begin{aligned}\text{Thus} \quad 3 &= \frac{3}{1} = \frac{3 \times 4}{4} = \frac{12}{4}, \quad 3 = \frac{3}{1} = \frac{3 \times 7}{7} = \frac{21}{7}, \\ &1 = \frac{5}{5} = \frac{9}{9} = \frac{12}{12} = \frac{29}{29}, \text{ and so on}\end{aligned}$$

109 When the numerator is less than the denominator, a fraction is called a proper fraction.

Thus $\frac{2}{3}$, $\frac{3}{4}$, $\frac{5}{6}$, $\frac{9}{10}$ are proper fractions, and each is less than 1

110 When the numerator is greater than the denominator, a fraction is called an improper fraction.

Let the unit be one inch, and let the line AE be marked in inches at B, C, and D, and let each inch be divided into 5 equal parts, or *fifths* of an inch.



$$\begin{aligned}\text{Then} \quad \frac{8}{5} \text{ of an inch} &= AP = AB + BP \\ &= 1 \text{ inch} + \frac{3}{5} \text{ of an inch.}\end{aligned}$$

$$\begin{aligned}\text{And} \quad \frac{12}{5} \text{ of an inch} &= AQ = AC + CQ \\ &= 2 \text{ inches} + \frac{2}{5} \text{ of an inch.}\end{aligned}$$

Or by Art 99,

$$\begin{aligned}\frac{8}{5} &= 8 \text{ fifths of the unit} = (5+3) \text{ fifths} \\ &= 5 \text{ fifths} + 3 \text{ fifths} \\ &= 1 + \frac{3}{5}\end{aligned}$$

$$\frac{12}{5} = (10+2) \text{ fifths} = \frac{10}{5} + \frac{2}{5} = 2 + \frac{2}{5}$$

Thus an improper fraction is made up of one or more units together with a proper fraction. When expressed in this way it is called a mixed number. The plus sign is usually omitted and the above results are written $\frac{8}{5} = 1\frac{3}{5}$, $\frac{12}{5} = 2\frac{2}{5}$.

EXAMPLE 1 Express (i) $\frac{11}{6}$, (ii) $\frac{27}{8}$, (iii) $\frac{316}{17}$ as mixed numbers

$$(i) \frac{11}{6} = \frac{6+5}{6} = 1\frac{5}{6},$$

$$(ii) \frac{27}{8} = \frac{24+3}{8} = 3\frac{3}{8},$$

$$(iii) \frac{316}{17} = 18\frac{10}{17}$$

Here we divide the numerator by the denominator. In each case the quotient gives the number of units in the whole number, and the remainder (or number of parts over) gives the numerator of the proper fraction. The intermediate step of the written work may be dispensed with after a little practice.

EXAMPLE 2. Express $7\frac{3}{11}$ as an improper fraction

$$\begin{aligned}7\frac{3}{11} &= \frac{7 \times 11 + 3}{11} \\ &= \frac{77+3}{11} = \frac{80}{11}\end{aligned}$$

Here we reverse the process of Ex. 1. Since each unit contains 11 elevenths, 7 units = 77 elevenths. To this product we add 3 to obtain the numerator of the improper fraction.

EXAMPLES V e

(Examples 1 and 15 should be taken orally)

Express as mixed numbers, or integers

$$1. \frac{5}{2}, \frac{7}{3}, \frac{9}{4}, \frac{15}{5}, \frac{12}{3}, \frac{14}{3}, \frac{16}{13}, \frac{25}{11}, \frac{36}{9}, \frac{45}{10}, \frac{32}{6}$$

$$2. \frac{52}{18}, 3. \frac{52}{19}, 4. \frac{128}{15}, 5. \frac{73}{17}, 6. \frac{96}{19}, 7. \frac{90}{12}$$

$$8. \frac{282}{30}, 9. \frac{174}{20}, 10. \frac{172}{-3}, 11. \frac{112}{8}, 12. \frac{316}{51}, 13. \frac{339}{21}$$

$$14. \text{ Explain why (i) } \frac{17}{10} = 1 + \frac{7}{10}, (ii) \frac{29}{10} = 2\frac{9}{10},$$

and in each case illustrate your answer graphically by a line ruled on squared paper

Express as improper fractions

$$15 \quad 3\frac{1}{2}, 2\frac{3}{8}, 1\frac{5}{9}, 4\frac{7}{12}, 5\frac{1}{3}, 10\frac{2}{7}, 11\frac{1}{9}, 6\frac{13}{20}, 8\frac{17}{100}$$

$$16 \quad 5\frac{11}{18} \quad 17 \quad 12\frac{9}{13} \quad 18 \quad 15\frac{1}{14} \quad 19 \quad 20\frac{5}{23} \quad 20 \quad 11\frac{13}{15}$$

$$21 \quad 40\frac{15}{18} \quad 22 \quad 18\frac{9}{10} \quad 23 \quad 27\frac{8}{11} \quad 24 \quad 53\frac{10}{13} \quad 25 \quad 29\frac{8}{7}$$

111 Comparison of Fractions Since a fraction is the result of dividing the numerator by the denominator, when two fractions have the same denominator, the greater is that which has the greater numerator. And when two fractions have the same numerator, the *greater* is that which has the *less* denominator.

Thus $\frac{7}{12}$ is greater than $\frac{5}{12}$, and $\frac{7}{8}$ is greater than $\frac{7}{12}$.

112 By Art 104, it is always possible to express a fraction in a new form by taking any number which is an exact multiple of its denominator for the new denominator.

Thus $\frac{5}{8} = \frac{5 \times 4}{8 \times 4} = \frac{5 \times 7}{8 \times 7} = \frac{5 \times 11}{8 \times 11}$, and so on.

EXAMPLE Express the fractions $\frac{3}{10}$ and $\frac{5}{14}$ with denominator 70 and find which of them is the greater.

$$\frac{3}{10} = \frac{3 \times 7}{10 \times 7} = \frac{21}{70},$$

$$\frac{5}{14} = \frac{5 \times 5}{14 \times 5} = \frac{25}{70}$$

The multipliers 7 and 5 are found by dividing the new denominator 70 by the denominators 10 and 14 in turn. As the fractions now have the same denominator

the greater of the two is that with the greater numerator.

Thus $\frac{5}{14}$ is greater than $\frac{3}{10}$.

113 If it is required to compare two or more fractions with different denominators, it is usually best to replace them by equivalent fractions with the same denominator for all. The work will be simplified if we choose for the common denominator the L C M of the denominators of the given fractions.

EXAMPLE Arrange the fractions $\frac{2}{15}$, $\frac{3}{10}$, $\frac{5}{21}$ in order of magnitude.

$$\frac{2}{15} = \frac{2 \times 14}{15 \times 14} = \frac{28}{210}, \quad (1)$$

$$\frac{3}{10} = \frac{3 \times 21}{10 \times 21} = \frac{63}{210}, \quad (3)$$

$$\frac{5}{21} = \frac{5 \times 10}{21 \times 10} = \frac{50}{210} \quad (2)$$

$$\begin{array}{r} 5 \overline{) 15, 10, 21} \\ \underline{15} \\ 0 \\ \underline{10} \\ 0 \\ \underline{21} \\ 0 \end{array}$$

L C M of 15, 10, 21 = $5 \times 2 \times 21 = 210$

The factors 14, 21, and 10 are obtained by dividing 210 by the denominators of the given fractions in turn. By comparing the numerators we see that $\frac{28}{210}$ is the least and $\frac{63}{210}$ the greatest of the given fractions.

Thus $\frac{2}{15}$, $\frac{5}{21}$, $\frac{3}{10}$ are the original fractions when arranged in ascending order.

NOTE The L C M of the denominators of a series of fractions is called their least common denominator (L C D). It is usually best to keep the L C D in factors, then the multipliers required to reduce the given fractions to their L C D are found by *mentally* crossing out the factors of the given denominators. Thus in the above example,

$$5 \times 2 \times 3 \times 7 = 14, \quad 5 \times 2 \times 3 \times 7 = 21, \quad 5 \times 2 \times 3 \times 7 = 10$$

EXAMPLES V f.

(Examples 1-6 may be taken orally)

Express the following pairs of fractions with their L C D

$$1 \quad \frac{1}{2}, \frac{1}{3}, \frac{1}{3}, \frac{1}{6}, \frac{1}{2}, \frac{1}{4}, \frac{2}{5}, \frac{1}{10}, \frac{5}{6}, \frac{1}{12}, \frac{7}{24}, \frac{3}{8}$$

$$2 \quad \frac{3}{4}, \frac{7}{12}, \frac{3}{4}, \frac{1}{6}, \frac{2}{5}, \frac{3}{10}, \frac{1}{6}, \frac{2}{9}, \frac{1}{12}, \frac{1}{12}, \frac{1}{4}, \frac{1}{11}$$

In the following pairs of fractions which is the greater?

$$3 \quad \frac{3}{5}, \frac{4}{6}, \frac{4}{7}, \frac{5}{7}, \frac{4}{7}, \frac{4}{9}, \frac{1}{5}, \frac{1}{6}, \frac{3}{11}, \frac{6}{11}, \frac{8}{21}, \frac{8}{23}$$

$$4 \quad \frac{3}{4}, \frac{7}{12}, \frac{7}{8}, \frac{9}{10}, \frac{3}{7}, \frac{11}{14}, \frac{5}{6}, \frac{7}{9}, \frac{9}{24}, \frac{5}{8}, \frac{10}{12}, \frac{25}{30}$$

Read off the following sets of fractions expressed with their L C D

$$5 \quad \frac{1}{2}, \frac{2}{3}, \frac{1}{6}, \frac{1}{2}, \frac{1}{4}, \frac{1}{3}, \frac{2}{5}, \frac{3}{10}, \frac{1}{2}, \frac{3}{4}, \frac{1}{8}, \frac{5}{12}$$

$$6 \quad \frac{2}{3}, \frac{3}{10}, \frac{7}{30}, \frac{4}{15}, \frac{2}{5}, \frac{7}{30}, \frac{5}{7}, \frac{2}{3}, \frac{3}{14}, \frac{7}{18}, \frac{5}{12}, \frac{11}{24}$$

Arrange in ascending order of magnitude

$$7 \quad \frac{1}{2}, \frac{4}{7}, \frac{2}{3} \quad 8 \quad \frac{7}{18}, \frac{5}{12}, \frac{1}{3} \quad 9 \quad \frac{1}{5}, \frac{1}{4}, \frac{1}{10}, \frac{1}{2}$$

In the following pairs of fractions which is the greater, and by how much?

$$10 \quad \frac{40}{56}, \frac{56}{72} \quad 11. \quad \frac{15}{35}, \frac{33}{48} \quad 12 \quad \frac{7}{30}, \frac{13}{48} \quad 13 \quad \frac{24}{26}, \frac{97}{100}$$

Addition and Subtraction of Fractions

114 When the fractions are of the same kind (*i.e.* all *ninths*, or all *elevenths*, and so on), we have only to take the sum or difference of the numerators, retaining the common denominator

For just as $5 \text{ feet} + 2 \text{ feet} = 7 \text{ feet},$

$$\text{so } \frac{5}{9} + \frac{2}{9} = 5 \text{ ninths} + 2 \text{ ninths} = 7 \text{ ninths},$$

$$\text{and } \frac{5}{9} - \frac{2}{9} = 5 \text{ ninths} - 2 \text{ ninths} = 3 \text{ ninths}$$

$$\text{Again } \frac{16}{25} + \frac{7}{25} + \frac{3}{25} = \frac{16+7+3}{25} = \frac{26}{25} = 1\frac{1}{25}$$


$$\text{And } \frac{16}{25} + \frac{7}{25} - \frac{3}{25} = \frac{16+7-3}{25} = \frac{20}{25} = \frac{4}{5}$$

NOTE Results should be brought to their *lowest terms*, and improper fractions should be expressed as mixed numbers

115 When the fractions have different denominators they must first be expressed with a *common* denominator, and the work will be simplified by taking the *least* common denominator

$$\begin{aligned}\text{For instance} \quad \frac{2}{3} + \frac{1}{5} &= \frac{10}{15} + \frac{3}{15} = \frac{13}{15} \\ \frac{2}{3} - \frac{1}{5} &= \frac{10}{15} - \frac{3}{15} = \frac{7}{15}\end{aligned}$$

This may be illustrated graphically as follows



Take the line AB as the unit, and suppose it divided into *thirds* and also into *fifths*, as shewn in the diagram

Place the letters X and Y, so that AX may represent $\frac{2}{3}$ of AB, and AY $\frac{1}{5}$ of AB

Now subdivide AB into 15 equal parts, and take XZ and XZ' each equal to AY on opposite sides of X

Then AX contains 10 *fifteenths* of AB,

and AY 3 *fifteenths*

$$\text{Now} \quad AX + AY = AX + XZ = AZ,$$

$$\text{that is,} \quad \frac{2}{3} + \frac{1}{5} = 10 \text{ fifteenths} + 3 \text{ fifteenths} = 13 \text{ fifteenths}$$

$$\text{Similarly} \quad AX - AY = AX - XZ' = AZ',$$

$$\text{that is,} \quad \frac{2}{3} - \frac{1}{5} = 10 \text{ fifteenths} - 3 \text{ fifteenths} = 7 \text{ fifteenths}$$

EXAMPLES V. g

(Examples 1-32 should be taken orally)

Find the value of

- | | | | |
|---|--|--|--|
| 1. $\frac{2}{7} + \frac{2}{7}$ | 2. $\frac{3}{8} + \frac{1}{8}$ | 3. $\frac{1}{4} + \frac{3}{4}$ | 4. $\frac{3}{8} + \frac{5}{8}$ |
| 5. $\frac{1}{3} + \frac{1}{3}$ | 6. $\frac{1}{3} + \frac{1}{5}$ | 7. $\frac{1}{3} + \frac{1}{4}$ | 8. $\frac{1}{4} + \frac{1}{5}$ |
| 9. $\frac{1}{3} + \frac{1}{8}$ | 10. $\frac{1}{8} + \frac{3}{4}$ | 11. $\frac{3}{8} + \frac{1}{10}$ | 12. $\frac{3}{4} + \frac{2}{5}$ |
| 13. $\frac{3}{8} + \frac{5}{16}$ | 14. $\frac{1}{9} + \frac{1}{8}$ | 15. $\frac{5}{8} - \frac{1}{8}$ | 16. $\frac{1}{15} - \frac{4}{15}$ |
| 17. $\frac{13}{10} - \frac{3}{10}$ | 18. $\frac{2}{3} - \frac{1}{8}$ | 19. $\frac{5}{18} - \frac{2}{9}$ | 20. $\frac{3}{8} - \frac{2}{27}$ |
| 21. $\frac{16}{15} - \frac{7}{5}$ | 22. $\frac{3}{10} + \frac{4}{15}$ | 23. $\frac{7}{18} + \frac{5}{12}$ | 24. $\frac{5}{15} + \frac{4}{20}$ |
| 25. $\frac{7}{12} - \frac{11}{24}$ | 26. $\frac{3}{5} - \frac{1}{4}$ | 27. $\frac{2}{3} - \frac{1}{8}$ | 28. $\frac{1}{4} - \frac{1}{6}$ |
| 29. $\frac{1}{2} + \frac{1}{3} + \frac{1}{6}$ | 30. $\frac{1}{2} + \frac{1}{5} + \frac{1}{10}$ | 31. $\frac{1}{3} + \frac{3}{4} - \frac{5}{12}$ | 32. $\frac{5}{18} + \frac{2}{9} - \frac{1}{2}$ |



33 Use the above diagram to prove that

$$(i) \frac{2}{3} + \frac{1}{4} = \frac{11}{12}$$

$$(ii) \frac{5}{12} - \frac{1}{4} = \frac{1}{3}$$

$$(iii) \frac{1}{2} + \frac{1}{3} = \frac{5}{6}$$

34 Construct a diagram to illustrate graphically the following equivalents

$$(i) \frac{2}{5} + \frac{1}{3} = \frac{11}{15}$$

$$(ii) \frac{1}{3} + \frac{2}{15} = \frac{1}{3}$$

$$(iii) \frac{2}{5} + \frac{4}{15} = \frac{2}{3}$$

Find the value of

35 $\frac{a}{4} + \frac{a}{5}$

36 $\frac{5m}{6} + \frac{m}{12}$

37 $\frac{p}{6} - \frac{p}{9}$

38. $\frac{1}{a} + \frac{1}{b}$

39 $\frac{2}{3a} - \frac{1}{2a}$

40 $\frac{2}{m} + \frac{3}{n}$

Verify these results by substituting $a=3$, $b=4$, $p=5$, $m=1$, $n=7$

EXAMPLE. Find the sum of $\frac{2}{3}$, $\frac{5}{12}$, $\frac{11}{20}$

The L.C.D. of 3, 12, 20 = $3 \times 4 \times 5 = 60$

$$\text{the required sum} = \frac{40 + 25 + 33}{60}$$

$$= \frac{98}{60}$$

$$= \frac{49}{30}$$

$$= 1\frac{19}{30}$$

$$\frac{2}{3} = \frac{2 \times 20}{3 \times 20} = \frac{40}{60}$$

$$\frac{5}{12} = \frac{5 \times 5}{12 \times 5} = \frac{25}{60}$$

$$\frac{11}{20} = \frac{11 \times 3}{20 \times 3} = \frac{33}{60}$$

After a little practice the work given in smaller type may be omitted

NOTE. If any of the given fractions are not in their lowest terms they should be reduced before finding the L.C.D.

EXAMPLES V g (Continued)

Find the value of

41. $\frac{8}{11} + \frac{2}{7} - \frac{1}{3}$

42. $\frac{7}{7} + \frac{2}{8} + \frac{2}{32}$

43. $\frac{4}{11} + \frac{5}{6} + \frac{3}{14}$

44. $\frac{7}{12} + \frac{11}{20} + \frac{13}{12}$

45. $\frac{4}{4} + \frac{2}{6} + \frac{5}{18}$

46. $\frac{6}{8} + \frac{20}{24} + \frac{1}{12}$

47. $\frac{1}{36} + \frac{7}{81} - \frac{1}{18}$

48. $\frac{12}{35} - \frac{4}{21} + \frac{7}{15}$

49. $\frac{11}{12} - \frac{5}{36} - \frac{2}{3}$

50 I inherit $\frac{2}{7}$ of a business, and then purchase another $\frac{1}{4}$ of it
What part of the business must I now acquire if I wish to possess the whole?

Exercise

116 In adding a series of fractions, some of which are mixed numbers, it is convenient to add the integral and fractional parts separately. Any improper fractions should first be expressed as mixed numbers.

EXAMPLE 1 Find the value of $3\frac{5}{8} + 1\frac{2}{9} + \frac{31}{12} + \frac{7}{30}$

The required sum $= 3\frac{5}{8} + 1\frac{2}{9} + 2\frac{7}{12} + \frac{7}{30}$

$$= 3 + 1 + 2 + \frac{5}{8} + \frac{2}{9} + \frac{7}{12} + \frac{7}{30}$$

$$= 6 + \frac{150 + 40 + 105 + 42}{180}$$

$$= 6 + \frac{337}{180} = 6 + 1\frac{157}{180}$$

$$= 7\frac{157}{180}$$

First write

$$\frac{31}{12} = 2\frac{7}{12}$$

Next collect the integral parts and the fractional separately.

The L.C.D. = 180

EXAMPLE 2. Find the value of $5\frac{9}{8} - 2\frac{1}{5}$

The L.C.D. = $7 \times 4 \times 5 = 140$ The integral and fractional parts are taken separately

$$\text{Thus } 5\frac{9}{8} - 2\frac{1}{5} = 5 - 2 + \frac{9}{8} - \frac{1}{5} = 3 + \frac{45 - 4}{140}$$

$$= 3\frac{41}{140}$$

EXAMPLES V h.

Find the sum of

1. $3\frac{2}{5}, 1\frac{1}{8}, \frac{4}{15}$

2. $2\frac{1}{8}, 4\frac{3}{10}, \frac{7}{10}$

3. $6\frac{3}{5}, 4\frac{2}{7}, 1\frac{3}{10}$

4. $\frac{11}{15}, 8\frac{4}{5}, \frac{33}{20}$

5. $4\frac{5}{8}, 2\frac{1}{10}, 3\frac{3}{4}$

6. $\frac{40}{30}, \frac{32}{15}, \frac{7}{6}$

Find the difference between

7. $2\frac{3}{5}$ and $1\frac{1}{5}$

8. $2\frac{5}{11}$ and $1\frac{1}{7}$

9. $6\frac{7}{8}$ and $2\frac{3}{4}$

10. $1\frac{4}{9}$ and $\frac{1}{5}$

11. $\frac{13}{15}$ and $\frac{7}{10}$

12. $\frac{11}{12}$ and $\frac{13}{10}$

Find the value of

13. $2\frac{3}{5} + 3\frac{9}{10} + 5\frac{7}{12} + 4$

14. $5\frac{6}{7} + 1\frac{1}{15} + 3\frac{3}{8} + 2\frac{10}{11}$

15. $\frac{7}{48} + 3\frac{5}{12} + 2\frac{13}{10} + 5\frac{7}{24}$

16. $6\frac{1}{10} + \frac{4}{15} + 3\frac{7}{24} + 1\frac{10}{33}$

17. $\frac{10}{30} + \frac{7}{60} + \frac{57}{62} + \frac{11}{20}$

18. $\frac{9}{77} + 2\frac{7}{33} + \frac{48}{63} + 7\frac{10}{11}$

19. $\frac{7}{10} - \frac{4}{35} + \frac{1}{6}$

20. $5\frac{2}{11} - 2\frac{3}{8} - \frac{1}{24}$

21. $8\frac{2}{5} - 5\frac{7}{8} - 3\frac{3}{11}$

22. $2\frac{5}{77} - 1\frac{2}{55} - \frac{1}{35}$

23. $3 + \frac{7}{10} + \frac{8}{100} + \frac{9}{1000}$

24. $5 + \frac{1}{10} + \frac{3}{10^2} + \frac{7}{10^3}$

117 In the following examples some modification of the work will be required before subtraction can be performed

EXAMPLE 1 Find the value of (i) $1 - \frac{5}{12}$, (ii) $3 - \frac{7}{10}$

$$(i) 1 - \frac{5}{12} = \frac{12}{12} - \frac{5}{12} = \frac{7}{12},$$

In (i) the unit is replaced by $\frac{12}{12}$

$$(ii) 3 - \frac{7}{10} = 2 + \frac{10}{10} - \frac{7}{10} \\ = 2\frac{3}{10}$$

In (ii) we take 1 unit out of the 3 units and replace it by the equivalent fraction $\frac{10}{10}$

EXAMPLE 2 Subtract $1\frac{11}{4}$ from $4\frac{2}{9}$

$$\text{The L C D} = 3 \times 3 \times 8 = 72$$

$$4\frac{2}{9} - 1\frac{11}{4} = 4 - 1 + \frac{2}{9} - \frac{11}{4}$$

$$= 3 + \frac{16 - 33}{36}$$

$$= 2 + \frac{72 + 16 - 33}{36}$$

$$= 2\frac{55}{36}$$

Here, at the second step, as we cannot subtract 33 from 16, one of the three units is replaced by the equivalent fraction $\frac{72}{36}$

NOTE Before subtraction improper fractions should be replaced by mixed numbers

EXAMPLES V k.

(Examples 1-25 should be taken orally)

Find the value of

- | | | | | | | | | | |
|-----|-------------------------------|-----|---------------------------------|-----|--------------------------------|-----|---------------------------------|---|--------------------|
| 1 | $1 - \frac{2}{5}$ | 2. | $1 - \frac{3}{8}$ | 3 | $1 - \frac{5}{8}$ | 4. | $1 - \frac{1}{12}$ | 5 | $1 - \frac{5}{20}$ |
| 6 | $2 - \frac{1}{3}$ | 7 | $2 - \frac{5}{8}$ | 8 | $3 - \frac{1}{10}$ | 9 | $2 - \frac{3}{12}$ | | |
| 10 | $4 - \frac{2}{7}$ | 11. | $6 - 3\frac{1}{8}$ | 12. | $5 - 2\frac{5}{7}$ | 13 | $9 - \frac{6}{8}$ | | |
| 14. | $10 - 4\frac{1}{9}$ | 15 | $2 - 1\frac{1}{12}$ | 16 | $3 - 2\frac{1}{3}$ | 17 | $2\frac{1}{2} - \frac{1}{4}$ | | |
| 18 | $1\frac{5}{9} - \frac{7}{9}$ | 19 | $2\frac{1}{10} - 1\frac{5}{10}$ | 20 | $5\frac{13}{18} - \frac{3}{8}$ | 21. | $7\frac{5}{10} - \frac{1}{2}$ | | |
| 22. | $8\frac{7}{14} - \frac{3}{7}$ | 23 | $9\frac{1}{12} - \frac{3}{4}$ | 24. | $5\frac{1}{8} - \frac{7}{16}$ | 25 | $10\frac{1}{2} - \frac{19}{30}$ | | |

Simplify

$$26 \quad 9\frac{3}{11} - 2\frac{9}{22}$$

$$27 \quad 8\frac{3}{7} - 2\frac{7}{9}$$

$$28 \quad 5\frac{7}{8} - \frac{27}{36}$$

$$29 \quad \frac{47}{20} - \frac{57}{40}$$

$$30 \quad 19\frac{5}{6} - 15\frac{2}{3}$$

$$31 \quad 21\frac{4}{108} - 20\frac{5}{90}$$

$$32 \quad \frac{346}{23} - \frac{20}{21}$$

$$33 \quad 7\frac{1}{48} - \frac{503}{72}$$

34. Read off the integers nearest to the following mixed numbers, and in each case state by how much the nearest integer differs from the mixed number

$$5\frac{1}{4}, \quad 5\frac{3}{8}, \quad 3\frac{3}{8}, \quad 3\frac{5}{8}, \quad 8\frac{4}{10}, \quad 8\frac{6}{10}, \quad 1\frac{7}{12}, \quad 1\frac{5}{12},$$

$$7\frac{7}{8}, \quad 7\frac{9}{8}, \quad 11\frac{4}{100}, \quad 11\frac{51}{100}$$

35. What is the excess of $3\frac{1}{8}$ over $2\frac{1}{4}$?
36. What must be added to $3\frac{1}{11}$ to make the total 5?
37. By how much does $\frac{3}{8} + \frac{7}{12}$ fall short of unity?
38. By how much does 3 exceed $2\frac{2}{9} - \frac{5}{8}$?
39. Which is the greater $3\frac{1}{8} - 1\frac{1}{8}$ or $2 - \frac{1}{12}$, and by how much?
40. How many annas must be added to Re $\frac{1}{4} +$ Re $\frac{3}{8}$ to make up Re 1?
41. Add to $2\frac{1}{2} - \frac{3}{6} + \frac{9}{10}$ the smallest fraction which will make the result a whole number
42. Subtract $1\frac{1}{3} - \frac{5}{7}$ from 10. How much does the result differ from the nearest integer?
43. What fractions are represented by x in the following statements?

$$(i) \quad 6\frac{2}{9} - x = 1\frac{7}{8}, \quad (ii) \quad x + 1\frac{1}{8} - \frac{7}{120} = 1\frac{3}{5}$$

118 We conclude this section with a few harder examples of Addition and Subtraction. The terms may be taken in any order, and as before the integral and fractional parts should be dealt with separately. Moreover labour may often be saved by grouping together two or more fractions which easily combine to give a simple LCD. In this case care should be taken to adjust the signs when enclosing two or more terms in brackets, or combining them with a single vinculum

EXAMPLE 1 Simplify $7 - 1\frac{3}{4} - 4\frac{7}{8}$

$$\begin{aligned} \text{The expression} &= 2 - \frac{3}{4} - \frac{7}{8} \\ &= 2 - \left(\frac{3}{4} + \frac{7}{8}\right) \\ &= 2 - \frac{6+7}{8} \\ &= 2 - 1\frac{5}{8} \\ &= \frac{3}{8} \end{aligned}$$

Or thus

$$\begin{aligned} \text{The expression} &= \left(2 - \frac{3}{4}\right) - \frac{7}{8} \\ &= 1\frac{1}{4} - \frac{7}{8} \\ &= \frac{10}{8} - \frac{7}{8} \\ &= \frac{3}{8} \end{aligned}$$

EXAMPLE 2. Simplify $8\frac{1}{8} + \frac{4}{80} - 3\frac{7}{10} - 2\frac{7}{20}$

The expression $= 3 + \frac{1}{8} - \frac{7}{10} + \frac{4}{80} - \frac{7}{20}$

$$= 3 + \frac{5}{10} + \frac{8-21}{13 \times 3 \times 2}$$

$$= 3 + \frac{1}{5} - \frac{1}{5}$$

$$= 3$$

In the first line of work, after collecting the whole numbers, the first and third fractions have been brought together and the second and fourth

EXAMPLES V 1

Simplify the following expressions

1 $\frac{7}{8} - \frac{1}{5} + \frac{1}{16}$

2 $\frac{7}{8} - (\frac{1}{2} + \frac{3}{16})$

3 $14 - 1\frac{1}{4} + 6\frac{5}{8}$

4 $14 - (1\frac{1}{4} + 6\frac{5}{8})$

5 $11 - 3\frac{2}{3} - 2\frac{2}{3}$

6 $11 - (3\frac{2}{3} - 2\frac{2}{3})$

7 $\frac{7}{11} + \frac{5}{22} - \frac{1}{11} - \frac{3}{10}$

8 $\frac{5}{13} + \frac{3}{20} - \frac{1}{7} - \frac{4}{21}$

9 $5\frac{1}{8} - 1\frac{2}{8} - 2\frac{7}{8} - \frac{3}{8}$

10 $3\frac{7}{8} - \frac{3}{8} + 2\frac{2}{21} - 5\frac{3}{8}$

[In Examples 11 and 12, group together first and third terms and second and fourth]

11. $3\frac{10}{11} + \frac{1}{5} - 1\frac{9}{22} - 4\frac{9}{10}$

12 $12\frac{1}{2} - 5\frac{1}{2} + 1\frac{3}{8} - \frac{1}{8}$

13 $3\frac{8}{5} - 10\frac{1}{5} + 5\frac{2}{5} + 2\frac{1}{5}$

14. $9\frac{5}{8} - 3\frac{5}{8} + 5\frac{7}{8} - 10\frac{9}{8}$

15 $6\frac{2}{3} - 3\frac{2}{3} + \frac{2}{3} - 1\frac{1}{3}$

16 $3\frac{1}{4} - \frac{1}{9} + 6\frac{3}{8} + \frac{1}{2} - 1\frac{5}{2} + \frac{1}{3}$

17 Subtract $\frac{4}{7} - \frac{8}{21}$ from the sum of $\frac{2}{4}$, $\frac{6}{7}$ and $\frac{7}{12}$

18 From $8\frac{5}{8} - 3\frac{2}{8}$ take the difference between $10\frac{9}{4}$ and $5\frac{1}{8}$

[Write the expression in the form $8\frac{5}{8} - 3\frac{2}{8} - (10\frac{9}{4} - 5\frac{1}{8})$, remove brackets, and group the terms suitably]

19 By how much does $2\frac{2}{5} - \frac{4}{5}$ exceed the difference between $1\frac{6}{10}$ and $\frac{1}{5}$?

20 If I receive Rs $2\frac{3}{10}$ and Re $1\frac{7}{8}$ and then spend Rs $3\frac{1}{8}$ and Re $\frac{1}{2}$, what have I left?

21 From a purse containing £10 a man pays sums equivalent to £2 $\frac{1}{8}$, £4 $\frac{3}{10}$, £1 $\frac{1}{20}$. How much has he left?

22 A, B, and C have to collect a certain sum for a charity, if they collect $\frac{5}{24}$, $\frac{3}{10}$, and $\frac{1}{7}$ of the whole sum respectively, what fraction of the whole has still to be collected? If the whole sum is Rs 240, what are the four separate sums?

23 A owes B the following sums of money 1s $3\frac{1}{4}d$, 2s $6\frac{1}{2}d$, $6\frac{1}{2}d$ and $3\frac{1}{2}d$. A has only shillings in his pocket, and B has only pence. How can they *most nearly* settle the matter?

24. The three joints of a fishing rod measure $40\frac{5}{8}$ inches, $40\frac{3}{8}$ inches, and $38\frac{1}{4}$ inches, and when the rod is put together $5\frac{1}{2}$ inches are lost by overlapping of the joints. Express the total length as nearly as possible in feet and an exact number of inches.

25 A man left $\frac{1}{3}$ of his property to his eldest son, $\frac{1}{4}$ to his second son, and $\frac{1}{6}$ to his third, while legal and other expenses absorbed $\frac{2}{15}$. The residue was left to a charity, which thus obtained Rs 1200. What was the whole amount of the property?

26 In a South American town of 350,000 inhabitants $\frac{2}{5}$ of the population are of Spanish origin, $\frac{1}{5}$ of it are Italians, $\frac{1}{10}$ British, $\frac{1}{15}$ German, and $\frac{1}{10}$ are French. The rest are returned as "various". How many persons approximately are there in this last class?

27 Prove that

$$(i) \frac{a+b}{a} + \frac{a+b}{b} - 2 = \frac{a^2+b^2}{ab} \quad (ii) \frac{a-b}{a^2b^2} - \frac{1}{ab^2} + \frac{1}{a^2b} = 0$$

And in each case verify your result by substituting $a=2$ and $b=3$

Multiplication and Division by an Integer

119 **Multiplication** Just as in multiplying 2 feet by 4, we take each foot four times, so in multiplying 2 fifteenths by 4 we take each fifteenth four times

So that
$$\frac{2}{15} \times 4 = \frac{2 \times 4}{15} = \frac{8}{15}$$

Similarly
$$\frac{a}{b} \times m = \frac{a \times m}{b} = \frac{ma}{b}$$

Hence to multiply a fraction by an integer we have only to multiply its numerator by that integer.

EXAMPLES (i) $\frac{3}{11} \times 3 = \frac{3 \times 3}{11} = \frac{9}{11}$

(ii) $\frac{5}{16} \times 6 = \frac{5 \times 6}{16} = \frac{15}{8} = 1\frac{7}{8}$

(iii) $\frac{5}{8} \times 16 = \frac{5 \times 16}{8} = 5 \times 2 = 10$


(iv) $\frac{2}{15} \times 5 = \frac{2 \times 5}{15} = \frac{2}{3}$

From (iv) it is seen that *when the multiplier is a factor of the denominator, the result of multiplication may be obtained by dividing the denominator by the integer*

Thus in $\frac{2}{15} \times 5 = \frac{2}{3}$, instead of taking each fifteenth five times, we may convert each *fifteenth* into a part *five times as great*, namely into a *third*. Thus *2 fifteenths* $\times 5 = 2$ *thirds*

Graphical illustration. Here the unit is represented by the rectangle AB, of which the height and breadth are divided into 5 and 3 equal parts respectively, so that the whole contains 15 equal squares representing *fifteenths* of the unit

Hence $\frac{2}{15}$ of the unit is represented by 2 squares (shaded), and to multiply by 5 converts each of these squares into a *column* of squares, each column being one *third* of the unit rectangle



That is, $\frac{2}{15} \times 5 = \frac{2}{3}$

120 In multiplying a mixed number by an *integer*, the mixed number need not first be expressed as an improper fraction

EXAMPLE. Multiply (i) $7\frac{8}{5}$ by 2, (ii) $9\frac{11}{36}$ by 6

$$(i) 7\frac{8}{5} \times 2 = \text{twice } 7 \text{ together with twice } \frac{8}{5} = 14 + \frac{16}{5} = 14\frac{16}{5}$$

$$(ii) 9\frac{11}{36} \times 6 = 9 \times 6 + \frac{11}{36} \times 6 = 54 + \frac{11}{6} = 55\frac{5}{6}$$

121 **Division by an integer** Just as 6 *feet* divided by 3 gives 2 *feet*, so 6 *sevenths* divided by 3 gives 2 *sevenths*

that is, $\frac{6}{7} \div 3 = \frac{2}{7}$, or $\frac{6 \div 3}{7}$

Now suppose $\frac{6}{7}$ is to be divided by 5

Here since we cannot divide the *number* of sevenths, we must break up each seventh into 5 equal subdivisions of which the unit therefore contains 35, and the given fraction 30

$$\text{Then } \frac{6}{7} \div 5 = \frac{30}{35} \div 5 = \frac{6}{35}, \text{ or } \frac{6}{7 \times 5}$$


$$\text{And generally, } \frac{a}{b} \div m = \frac{a}{b \times m}$$

Hence to divide a fraction by an *integer*, we either divide the numerator (if the numerator is a multiple of the integer) or multiply the denominator by the integer

Graphical illustration. The second case only need be illustrated

To shew that $\frac{6}{7} - 5 = \frac{6}{35}$

Suppose the unit represented by a rectangle AB, whose length contains 7 equal parts (denominator), and breadth 5 equal parts (divisor). Then the unit rectangle contains 35 equal squares representing *thirty fifths*



Now $\frac{1}{7}$ of the unit is represented by 1 column of squares, namely the fig AZ

$\frac{6}{7}$ of the unit is represented by 6 columns, namely the fig AX (which contains 5 rows)

$\frac{6}{7} - 5$ is represented by one such row YX, which is seen to contain 6 squares, or 6 *thirty fifths*

That is, $\frac{6}{7} - 5 = \frac{6}{35}$

EXAMPLE 1 Divide (i) $\frac{4}{5}$ by 2, (ii) $\frac{3}{8}$ by 5

$$(i) \frac{4}{5} - 2 = \frac{4-2}{5} = \frac{2}{5} \quad (ii) \frac{3}{8} - 5 = \frac{3}{8 \times 5} = \frac{3}{40}$$

EXAMPLE 2. Find the value of $3\frac{5}{12} - 8$

$$3\frac{5}{12} - 8 = \frac{41}{12} - 8 = \frac{41}{12 \times 8} = \frac{41}{96}$$

122 When the dividend is a mixed number, and the integral part is greater than the divisor, we proceed as follows

EXAMPLE 1 Divide $13\frac{3}{8}$ by 4.

$$13\frac{3}{8} - 4 = (13 + \frac{3}{8}) - 4 = (12 + \frac{13}{8}) - 4 \\ = 3 + (\frac{13}{8} - 4) = 3 + \frac{13-32}{8} = 3 - \frac{19}{8} = 2\frac{5}{8}$$

EXAMPLE 2. Divide $301\frac{1}{5}$ by 24

$$\begin{array}{r|l} 4 & 301\frac{1}{5} \\ 6 & 75\frac{3}{10} \end{array} \quad \begin{array}{l} \text{for remainder} = 1\frac{1}{5}, \text{ and } 1\frac{1}{5} - 4 = \frac{6}{10} = \frac{3}{5} \\ 12\frac{1}{10} \quad \text{for remainder} = 3\frac{3}{10}, \text{ and } 3\frac{3}{10} - 6 = \frac{33}{10} - 6 = \frac{33-60}{10} = \frac{-27}{10} \end{array}$$

NOTE We have seen that a fraction is the result of dividing one number by another (Art 101). Hence in any case where the division is not exact, the complete quotient can be expressed as a mixed number

Thus $20 - 7 = \frac{20}{1} - 7 = \frac{20-7}{1} = \frac{13}{1}$

EXAMPLES V m.

(Examples 1-12 should be taken orally)

Multiply


1. $\frac{3}{4}$ by 2, $\frac{4}{5}$ by 2, $\frac{2}{11}$ by 3, $\frac{3}{10}$ by 5, $\frac{4}{15}$ by 5
2. $\frac{5}{12}$ by 6, $\frac{7}{18}$ by 4, $\frac{3}{13}$ by 4, $\frac{7}{20}$ by 8, $\frac{7}{12}$ by 6
3. $\frac{2}{15}$ by 3, 5, 10, 12, 30
4. $\frac{1}{24}$ by 4, 6, 8, 12, 24.
5. $\frac{1}{30}$ by 4, 9, 12, 18, 36
6. $\frac{8}{25}$ by 5, 10, 15, 50, 200
7. Find the value of $\pounds 1\frac{2}{5} \times 3$, $3\frac{1}{8}$ ft $\times 8$, $1\frac{7}{12}$ cwt $\times 6$
8. What is the cost of 25 tons of coal at $\pounds 1\frac{1}{8}$ a ton?

Divide


9. $\frac{7}{8}$ by 2, $\frac{1}{12}$ by 3, $\frac{1}{13}$ by 5, $\frac{8}{9}$ by 4, $\frac{3}{5}$ by 5
10. $\frac{2}{3}$ by 8, $\frac{1}{17}$ by 8, $\frac{1}{19}$ by 14, $\frac{1}{5}$ by 9, $\frac{7}{10}$ by 14
11. $\frac{3}{11}$ by 2, 5, 6, 15, 60
12. $\frac{4}{9}$ by 16, 24, 8, 4, 3
13. Explain carefully from first principles, following the argument of Art 119, why

$$(i) \frac{5}{12} \times 7 = \frac{35}{12} = 2\frac{11}{12}, \quad (ii) \frac{5}{12} \times 6 = \frac{5}{2} = 2\frac{1}{2}$$

And illustrate the truth of each statement from the following diagram



14. Use the adjoining diagram to shew that $\frac{5}{12} \times 3 = \frac{5}{4}$. By extending the columns standing on the shaded squares, shew that $\frac{5}{12} \times 6 = 1\frac{1}{2}$



Draw similar diagrams on squared paper to illustrate


$$(i) \frac{3}{10} \times 4 = \frac{3}{4}, \quad (ii) \frac{3}{10} \times 8 = 1\frac{1}{2}$$

15. Explain carefully why a fraction is divided by an integer by multiplying its denominator by that integer

Use the adjoining diagram to illustrate the truth of $\frac{3}{5} \div 4 = \frac{3}{20}$

And draw on your squared paper similar diagrams to illustrate

$$(i) \frac{5}{8} \div 3 = \frac{5}{24}, \quad (ii) 2\frac{5}{8} \div 3 = 1\frac{5}{12}$$



Find the value of

$$16 \quad 7\frac{3}{14} \times 7 \qquad 17 \quad 9\frac{5}{8} \times 8 \qquad 18 \quad 4\frac{5}{13} \times 36 \qquad 19 \quad 1\frac{3}{8} \times 20$$

$$20 \quad 16\frac{7}{8} - 15 \qquad 21 \quad 14\frac{5}{8} - 13 \qquad 22 \quad 9\frac{7}{8} - 16 \qquad 23 \quad 20\frac{3}{10} - 29$$

24. Write down the quotient, remainder, and *complete quotient*, when
(i) 112 is divided by 9, (ii) 127 by 17, (iii) 200 by 13

25 If £2 $\frac{5}{8}$ is divided among 7 persons what is the share of each?

26 What is the circumference of a wheel which revolves 10 times in 9 $\frac{1}{11}$ yds?

27 If 212 $\frac{1}{2}$ maunds of coal are carried in 19 trucks, what is the load carried by each?

28 Find the value of 18 lbs at 7 $\frac{5}{12}$ shillings a pound

29 Find the total length of 100 rails, each 5 $\frac{7}{10}$ metres long

30 If 31 yards of cloth cost 103 $\frac{1}{3}$ rupees, what is the cost of 1 yard?

31 Eleven posts are fixed at equal intervals in a straight line. The distance between the first and last is 141 $\frac{2}{3}$ yards. What is the distance between any pair of consecutive posts?

Given the following approximate equivalents

$$1 \text{ kilometre} = \frac{5}{8} \text{ mile}, \qquad 1 \text{ kilogram} = 2\frac{1}{5} \text{ lbs},$$

$$1 \text{ litre} = 1\frac{3}{4} \text{ pints}, \qquad 1 \text{ hectare} = 2\frac{1}{2} \text{ acres},$$

find roughly

32 How many miles there are in 16 kilometres, in 22 Km, in 100 Km

33 How many pounds in 10 kilograms, in 35 Kg, in 73 Kg

34 How many pints in 26 litres, in 42 litres, in 100 litres

35 How many acres in 2 hectares, in 100 hectares, and by how much does an area of 73 hectares differ from 182 acres?

Multiplication by a Fraction Compound Fractions

123 Fractions of Simple Quantities In finding the value or a fraction of any quantity we treat the quantity just as we treat the *unit*, when we form the given fraction. That is to say, we divide the quantity into the number of equal parts indicated by the denominator, and of these we take the number indicated by the numerator

EXAMPLE Find the value of (i) $\frac{7}{9}$ of £45, (ii) $\frac{7}{8}$ of 3 inches

$$(i) \text{ One ninth of } £45 = £45 \div 9 = £5,$$

$$7 \text{ ninths} = £5 \times 7 = £35$$

$$\text{Or} \quad \frac{7}{9} \text{ of } £45 = £45 \times \frac{7}{9} = £35$$


$$(ii) \quad \frac{1}{8} \text{ of } 3 \text{ inches} = (3 - 8) \text{ inches} = \frac{3}{8} \text{ inch};$$

$$\frac{7}{8} = \frac{7 \times 1}{8} \text{ inches} = 1\frac{7}{8} \text{ inches}$$

$$\text{Similarly} \quad \frac{a}{b} \text{ of } m = \frac{m \times a}{b}$$

Graphical illustration. To prove that $\frac{7}{8}$ of 3 inches = $1\frac{7}{8}$ inches

Take a line AB 3 inches long. Divide AB into 8 equal parts, and also divide each inch into 8 equal parts. (The former of these subdivisions are shewn by the figures below the line, while the figures above the line shew the subdivisions of the second inch.)



Then AB must contain 24 eighths of 1 inch,

each eighth of AB contains 3 eighths of 1 inch

Accordingly, AP, representing 5 eighths of AB, contains 15 eighths of 1 inch, or, as is seen from the diagram, $1\frac{7}{8}$ inch

That is, $\frac{7}{8}$ of 3 inches = $1\frac{7}{8}$ inch

EXAMPLES V. n.

(Examples 1-6 should be taken orally)


Read off the values of

1. $\frac{1}{4}$ of Rs 20, $\frac{3}{4}$ of Rs 20, $\frac{1}{3}$ of Rs 15, $\frac{4}{5}$ of Rs 15
2. $\frac{1}{8}$ of 18 cwt; $\frac{7}{8}$ of 18 maunds, $\frac{1}{10}$ of 50 Km, $\frac{7}{10}$ of 50 Km
3. $\frac{1}{4}$ of 5 yds, $\frac{3}{4}$ of 5 yds, $\frac{1}{2}$ of £8, $\frac{4}{5}$ of £8
4. $\frac{1}{10}$ of Rs 15, $\frac{3}{10}$ of Rs 15, $\frac{7}{10}$ of Rs 15 (Ceylon coinage)
5. $\frac{1}{12}$ of 20 inches, $\frac{7}{12}$ of 20 in, $\frac{1}{12}$ of 20 in, $\frac{11}{12}$ of 3 in
6. $1\frac{1}{2}$ of Rs 4, $2\frac{1}{3}$ of 6 maunds, $1\frac{1}{4}$ of 10 Km, $1\frac{2}{3}$ of 12 ft

7 Draw a line 3 inches long Divide it into 4 equal parts, and also each inch into 4 equal parts Hence show that

$$\frac{1}{4} \text{ of } 3 = \frac{3}{4} \text{ of } 1$$

Shew how the same conclusion may be drawn from the adjoining diagram [Let each column represent the unit.]



8 Draw on squared paper rectangular diagrams (as in Ex. 7) to illustrate the following

$$(i) \frac{2}{3} \text{ of } 5 = \frac{10}{3} \quad (ii) \frac{3}{8} \text{ of } 4 = \frac{12}{8}$$

Find the value of

$$9 \quad \frac{1}{10} \text{ of } 244 \quad 10 \quad 4\frac{3}{4} \text{ of } 21 \quad 11. \quad 6\frac{5}{8} \text{ of } 100 \quad 12 \quad 8\frac{7}{8} \text{ of } 40$$

$$13 \quad \text{Simplify (i) } \frac{m}{n} \text{ of } x, (ii) \frac{m}{n} \text{ of } nx, (iii) \frac{a}{bc} \text{ of } ac$$

14. I am entitled to $\frac{7}{18}$ of the proceeds of a business making an average annual profit of Rs 9325 What is my income from this source?

15 A man leaves $\frac{5}{8}$ of his estate to his son and the rest to his daughter The estate is worth £5650 What is the daughter's share worth?

16 A railway 896 kilometres in length is under construction When $\frac{11}{18}$ of the distance is in running order, how many kilometres remain to complete the work?

17 A firm's capital consists of 12 shares, of which I possess 7 Out of this property I give my son Rs 25,000 If the whole capital is worth Rs 3,00,000, how much remains to me?

18 A steamer whose bunkers carry 1620 tons of coal, burns $\frac{13}{18}$ of this amount on a passage For how many more days could she run, burning 90 tons a day?

19 A firm's profits for the year are £10,043 Of this sum the senior partner takes $\frac{4}{11}$, the second $\frac{3}{11}$, and the third $\frac{2}{11}$ The rest is added to the reserve fund How much does each partner get, and how much goes to the reserve?

20 On discharging a cargo of 12,000 West Indian oranges, it was found that $\frac{3}{8}$ had gone bad on the passage The rest made a profit of 2 rupees per hundred oranges What profit was made on the part of the cargo sold?

124 Multiplication by a Fraction We have now to ascertain in what sense we are to understand *multiplication by a fraction*

When we multiply £5 by 4, we give to each unit in the multiplier (4) the value of the multiplicand (£5). Thus $£5 \times 4$ may be expressed by the words 4 of £5. In this sense we may interpret £5 multiplied by $\frac{4}{5}$, or $£5 \times \frac{4}{5}$, as meaning $\frac{4}{5}$ of £5.

And generally we accept $m \times \frac{a}{b}$ as meaning $\frac{a}{b}$ of m .

Thus (i) $728 \text{ miles} \times \frac{11}{10} = \frac{11}{10}$ of 728 miles $= \frac{728 \times 11}{10} = 800\frac{1}{5}$ miles

(ii) $68 \text{ tons} \times 4\frac{2}{3} = 4\frac{2}{3}$ of 68 tons $= \frac{68 \times 14}{3} = 291\frac{2}{3}$ tons

125 A Fraction of a Fraction To find the value of $\frac{4}{5}$ of a unit we divide the unit by 5 and multiply the result by 4.

Similarly, to find the value of $\frac{4}{5}$ of $\frac{2}{3}$, we divide $\frac{2}{3}$ by 5, and multiply the result by 4.

The first operation gives $\frac{2}{3 \times 5}$, and the second gives $\frac{2 \times 4}{3 \times 5}$.

Now we have seen that multiplying any quantity by $\frac{4}{5}$ is the same as taking $\frac{4}{5}$ of that quantity,

that is, $\frac{2}{3} \times \frac{4}{5} = \frac{4}{5}$ of $\frac{2}{3} = \frac{2 \times 4}{3 \times 5}$

Similarly $\frac{a}{b} \times \frac{m}{n} = \frac{m}{n}$ of $\frac{a}{b} = \frac{a \times m}{b \times n}$

Multiplication of Fractions Hence to multiply two fractions, we multiply the numerators together to form the numerator of the product, and multiply the denominators together to form the denominator of the product.

126 An expression like $\frac{4}{5}$ of $\frac{2}{3}$ is called a **compound fraction**, while $\frac{4}{5}$ of unity is a **simple fraction**.

The result of the last article may be obtained graphically as follows.

Let the fig ABCD be taken as the unit. It consists of 3 columns such as AEFD, each containing 5 squares. Thus the unit consists of 15 squares.

The fig AEFD represents $\frac{1}{3}$, and AGHD represents $\frac{2}{3}$ of the unit.

Now $\frac{1}{5}$ of $\frac{2}{3}$ = the row AGKL,


$\frac{4}{5}$ of $\frac{2}{3}$ = 4 of such rows

= the fig AGMN

= 8 squares

= $\frac{8}{15}$ of the unit

That is, $\frac{4}{5}$ of $\frac{2}{3} = \frac{8}{15} = \frac{2 \times 4}{3 \times 5}$



EXAMPLE 1 Multiply $\frac{20}{39}$ by $\frac{26}{45}$

$$\text{The product} = \frac{\overset{4}{\cancel{20}} \times \overset{2}{\cancel{26}}}{\overset{3}{\cancel{39}} \times \overset{5}{\cancel{45}}} = \frac{4 \times 2}{3 \times 9} = \frac{8}{27}$$

EXAMPLE 2 Find the value of $2\frac{5}{14} \times \frac{7}{8}$

$$\begin{aligned} \text{The product} &= \frac{\overset{2}{\cancel{14}}}{\underset{2}{\cancel{14}}} \times \frac{\overset{7}{\cancel{7}}}{\underset{2}{\cancel{7}}} = \frac{1}{2 \times 2} \\ &= \frac{1}{4} \end{aligned}$$

Here we first express $2\frac{5}{14}$ as an improper fraction

After removing the factors 7 and 33 from numerator and denominator the resulting numerator is 1

NOTE It is a common mistake for beginners to overlook the unit numerator and to carelessly write down the result as 2×2 , or 4

EXAMPLE 3 Find the value of $7\frac{1}{8} \times \frac{5}{76}$ of $2\frac{2}{15}$

$$\begin{aligned} \text{The product} &= \frac{\overset{5}{\cancel{57}}}{\overset{8}{\cancel{8}} \times \overset{4}{\cancel{4}}} \times \frac{\overset{5}{\cancel{5}}}{\overset{19}{\cancel{19}} \times \overset{2}{\cancel{2}}} \times \frac{\overset{2}{\cancel{2}}}{\overset{3}{\cancel{3}} \times \overset{5}{\cancel{5}}} \\ &= 1 \end{aligned}$$

Here we first replace 'of' by the sign \times , 19 divides 57 and 76, leaving quotients 3 and 4, the 3 and 5 in numerator cancel with 15 in the denominator, and the 8 and 4 in denominator cancel with 32 in numerator. The only factors in numerator and denominator now left are units, which are not expressed. Thus the product is 1

NOTE When all the factors of numerator and denominator cancel each other, it is a common mistake with beginners to give the result as 0. If the unit factors were expressed, the result would be $\frac{1 \times 1 \times 1}{1 \times 1 \times 1}$, which of course cannot be zero. A little reflection will show that the result of such a multiplication can never be zero

127 When the product of two numbers is unity each is called the reciprocal of the other

Thus $\frac{3}{8}$ and $\frac{8}{3}$ are reciprocals, for $\frac{3}{8} \times \frac{8}{3} = 1$,

$$6\frac{3}{4} \text{ and } \frac{4}{7}, \text{ for } 6\frac{3}{4} \times \frac{4}{7} = 1$$

To obtain the reciprocal of any fraction we have simply to make numerator and denominator change places.

EXAMPLES V. p

(Examples 1-11 should be taken orally)

Read off the values of the following

- 1 Rs $25 \times \frac{7}{10}$, 56 feet $\times \frac{5}{7}$, 40 maunds $\times 2\frac{3}{4}$, 21 litres $\times 1\frac{5}{8}$




FIG 1




FIG 2.

2. Taking in turn the whole line in Fig 1 and the whole rectangle in Fig 2, to represent the unit, point out in each figure what represents

- (i) $\frac{1}{5}$, (ii) $\frac{1}{4}$, (iii) $\frac{1}{5}$ of $\frac{1}{4}$, (iv) $\frac{1}{4}$ of $\frac{1}{5}$,
(v) $\frac{2}{5}$ of $\frac{1}{4}$, (vi) $\frac{3}{4}$ of $\frac{1}{5}$, (vii) $\frac{2}{3}$ of $\frac{3}{4}$

Read off the following products in their lowest terms

- 3 $\frac{1}{5}$ of $\frac{2}{3}$, $\frac{2}{3}$ of $\frac{1}{5}$, $\frac{3}{4}$ of $\frac{1}{6}$, $\frac{1}{8} \times \frac{4}{9}$, $\frac{2}{3} \times \frac{3}{5}$
4 $\frac{5}{8} \times \frac{3}{5}$, $\frac{4}{5}$ of $\frac{10}{15}$, $\frac{7}{9} \times \frac{5}{12}$, $\frac{5}{8}$ of $\frac{11}{12}$, $\frac{6}{7}$ of $\frac{12}{14}$
5 $1\frac{4}{7}$ of $\frac{1}{11}$, $\frac{11}{18} \times \frac{2}{5}$, $\frac{11}{11}$ of $\frac{7}{8}$, $3\frac{2}{11} \times \frac{1}{36}$, $5\frac{4}{8}$ of $\frac{10}{10}$

Read off the values of the following

- 6 $\frac{1}{2}$ of $\frac{3}{4}$ of Rs 24, $\frac{1}{3}$ of $\frac{4}{5}$ of 30 cwt, $\frac{5}{6}$ of $\frac{1}{2}$ of 72 miles
7 $10 \text{ yards} \times \frac{7}{4} \times 2\frac{2}{3}$, $10\frac{1}{2} \text{ maunds} \times \frac{2}{3} \times 5$, $12\frac{1}{2} \text{ feet} \times \frac{4}{5} \times \frac{3}{4}$.

Read off the reciprocals of

- 8 $\frac{11}{12}$, $1\frac{2}{3}$, $\frac{1}{6}$, 5, $2\frac{1}{8}$, $\frac{1}{12}$, $2\frac{3}{11}$, $1\frac{4}{5}$
9 Multiply $\frac{48}{63}$ by the reciprocals of 2, 3, 4, 8, 12.
10 Multiply the reciprocals of $\frac{1}{7}$, $\frac{1}{8}$, $\frac{1}{9}$, $\frac{1}{12}$ by $\frac{1}{30}$

Read off in their simplest form the values of

11. $\frac{a}{b}$ of $\frac{x}{y}$; $\frac{mc}{a} \times \frac{1}{m}$; $\frac{a}{bx}$ of $\frac{x}{b}$, $\frac{a}{b} \times \frac{b}{c} \times \frac{c}{a}$

12 Draw on squared paper a rectangular diagram to illustrate the following

- (i) $\frac{1}{6}$ of $\frac{3}{4} = \frac{3}{20}$ (ii) $\frac{1}{5}$ of $\frac{3}{4} = \frac{3}{4}$ of $\frac{1}{5}$ (iii) $\frac{4}{8}$ of $\frac{3}{4} = \frac{3}{2}$

Illustrate the following identities by means of diagrams drawn on squared paper

$$13 \quad (i) \frac{2}{3} \times \frac{4}{5} = \frac{8}{15} \quad (ii) \frac{2}{3} \times \frac{3}{5} = \frac{2}{5} \quad (iii) \frac{1}{3} + \frac{1}{5} = \frac{8}{15}$$

$$14 \quad (i) \frac{5}{8} \times \frac{3}{4} = \frac{15}{32} \quad (ii) \frac{5}{8} = \frac{20}{32} \quad (iii) \frac{3}{4} - \frac{1}{8} = \frac{5}{8}$$

$$15 \quad (i) \frac{5}{7} \times \frac{3}{4} = \frac{15}{28} \quad (ii) \frac{2}{7} \text{ of } 1\frac{3}{4} = \frac{1}{2} \quad (iii) \frac{3}{4} \times \frac{4}{3} = 1$$

16 Prove from first principles (following the reasoning of Art 125) that $\frac{2}{11}$ of $6\frac{1}{6} = 1\frac{2}{3}$

Find the value of

$$17 \quad 6\frac{2}{3} \text{ of } 1\frac{1}{11} \quad 18 \quad 2\frac{1}{10} \times 4\frac{1}{7} \quad 19 \quad 1\frac{2}{3} \text{ of } 1\frac{1}{20}$$

$$20 \quad 2\frac{3}{4} \times 9\frac{9}{5} \quad 21 \quad \frac{3}{8} \times \frac{1}{2} \times \frac{3}{5} \times \frac{5}{4} \quad 22 \quad 1\frac{1}{5} \times \frac{3}{8} \text{ of } 2\frac{2}{5}$$

$$23 \quad \frac{5}{9} \text{ of } 4\frac{1}{10} \times \frac{1}{6} \quad 24 \quad 2\frac{5}{8} \times \frac{4}{15} \times 1\frac{1}{3}$$

$$25 \quad 7\frac{1}{8} \text{ of } \frac{5}{7} \text{ of } 4\frac{4}{15} \quad 26 \quad \frac{4}{11} \text{ of } 4\frac{1}{8} \text{ of } £15$$

$$27 \quad 55\frac{2}{3} \text{ miles} \times 1\frac{7}{8} \times 1\frac{1}{5} \quad 28 \quad 14\frac{2}{7} \text{ maunds} \times 2\frac{1}{10} \times 3 \times 2\frac{2}{5}$$

$$29 \quad \frac{a}{xc} \times \frac{3cy}{ab} \times \frac{x}{12} \quad 30 \quad \frac{5m^2}{n} \times \frac{n}{m} \times \frac{1}{15}$$

31 Given that 1 kilometre = $\frac{5}{8}$ mile (nearly), find roughly the number of miles in (i) $17\frac{1}{3}$ Km, (ii) $27\frac{1}{5}$ Km, (iii) $102\frac{2}{5}$ Km

32 Taking $2\frac{1}{2}$ lbs as a rough equivalent of 1 kilogram, estimate the number of pounds in (i) $12\frac{1}{2}$ Kg, (ii) $18\frac{1}{4}$ Kg, (iii) $\frac{7}{10}$ of a quintal (100 kilograms)

Find the value of

$$33 \quad 4\frac{1}{10} \text{ tons of coal at } 18\frac{1}{3} \text{ shillings per ton.}$$

$$34 \quad 4\frac{1}{8} \text{ yards of cloth at Rs } 3 \text{ } 5 \text{ a } 4 \text{ p per yard}$$

$$35 \quad 14\frac{2}{3} \text{ maunds of copper at Rs. } 55 \text{ } 8 \text{ a. per maund}$$

36 A Captain's regimental pay (Royal Artillery) is $\frac{2}{3}$ of a Major's pay, and a Major's is $\frac{5}{6}$ of a Colonel's. A Colonel draws 18 shillings a day. What does a Captain draw?

37 A's age is $\frac{5}{4}$ of B's, and B's age is $\frac{4}{3}$ of C's, while M's age is equal to the united ages of A, B, and C. If C is 15, how old are A and M?

38 The value of an estate is gradually declining in such a way that at the end of each year it is worth only $\frac{5}{6}$ of its value at the beginning. It was worth Rs 1,20,000 in January 1905. What was it worth in December 1906?

39 The length and breadth of a room appear on measurement with a foot rule to be 24 feet and 20 feet respectively, but it is found that each foot of the rule is $\frac{1}{12}$ foot too short. What are the real dimensions of the room? Had the foot-rule been too *long* by the same amount, what would the dimensions have appeared to be?

40 If $\frac{7}{12}$ of a stick is cut off, and then $\frac{3}{18}$ of the remainder, what fraction of the whole is left?

41 To reach a certain town a man travels $\frac{1}{6}$ of the distance by train, $\frac{3}{4}$ of the remainder by coach, and the rest on foot. What fraction of the whole distance does he walk?

42 A sum of £2. 8s is divided among four persons, the first having $\frac{1}{4}$, the second $\frac{4}{7}$ of the remainder, and the third $\frac{2}{5}$ of the sum still remaining. Find the share of the fourth.

Division by a Fraction.

128 When a quantity a is divided by the quantity b , the quotient is defined to be that which when multiplied by b produces a . This operation of division is denoted by $a \div b$, $\frac{a}{b}$ or a/b , where a is the dividend, and b the divisor.

Division is thus the inverse of multiplication, and

$$(a \div b) \times b = a$$

This statement may also be expressed verbally as follows

$$\text{quotient} \times \text{divisor} = \text{dividend}$$

129 To divide any quantity P (integral or fractional) by $\frac{2}{3}$

$$\begin{aligned} \text{We have} \quad \text{quotient} \times \frac{2}{3} &= \text{dividend} \\ &= P \end{aligned}$$

Multiplying both sides by $\frac{3}{2}$,

$$\text{quotient} \times \frac{2}{3} \times \frac{3}{2} = P \times \frac{3}{2},$$

$$\text{but } \frac{2}{3} \times \frac{3}{2} = 1,$$

$$\therefore \text{quotient} = P \times \frac{3}{2},$$

$$\text{that is, } P \div \frac{2}{3} = P \times \frac{3}{2}$$

Also $\frac{3}{2}$ is the reciprocal of the given divisor $\frac{2}{3}$, hence to divide by a fraction, multiply by its reciprocal.

We may arrive at the same rule another way. Suppose, as before, it is required to divide P by $\frac{2}{3}$.

Now since $\frac{2}{3}$ is *one-third* of 2, if we were to divide by 2, our divisor would be 3 times too great, and consequently our quotient 3 times too small. Hence to get the correct quotient we *divide by the numerator 2 and multiply by the denominator 3*.

That is,
$$P \div \frac{2}{3} = P \times \frac{3}{2}$$

And generally,
$$P \div \frac{m}{n} = P \times \frac{n}{m}$$

EXAMPLE. Divide (i) $\frac{5}{18}$ by $\frac{2}{7}$, (ii) 16 by $3\frac{3}{7}$

$$(i) \frac{5}{18} \div \frac{2}{7} = \frac{5}{18} \times \frac{7}{2}, \\ = \frac{5}{8}$$


$$(ii) 16 \div 3\frac{3}{7} = 16 \div \frac{24}{7} \\ = 16 \times \frac{7}{24} = \frac{14}{3} = 4\frac{2}{3}$$

NOTE. Since $1 \div \frac{a}{b} = 1 \times \frac{b}{a} = \frac{b}{a}$, we see that when unity is divided by a fraction the quotient is the *reciprocal* of that fraction.

EXAMPLES V. a

(Examples 1-10 should be taken orally.)

1. In the adjoining diagram each of the rectangles AB, BC represents the unit. Use the diagram to illustrate



(i) $2 - \frac{1}{2} = 4$ (ii) $2 - \frac{1}{4} = 8$ (iii) $2 - \frac{1}{3} = 6$

(iv) $2 - \frac{1}{12} = 24$ (v) $2 - \frac{2}{3} = 3$ (vi) $1\frac{1}{2} - \frac{1}{2} = 3$

Read off the quotients in the following divisions

2. $\frac{2}{3} - \frac{1}{3}$, $\frac{3}{8} - \frac{2}{8}$, $1 - \frac{2}{8}$, $2 - \frac{2}{8}$, $\frac{2}{3} - \frac{2}{8}$

3. $3 - \frac{1}{3}$, $3 - \frac{1}{8}$, $3 - \frac{2}{3}$, $\frac{5}{8} - \frac{5}{8}$, $5 - \frac{5}{8}$

4. $1\frac{1}{2} \div \frac{1}{2}$, $2\frac{3}{4} - \frac{3}{4}$, $1\frac{5}{8} - 1\frac{1}{2}$, $4\frac{1}{2} - \frac{9}{4}$, $3\frac{1}{2} - 2\frac{1}{3}$

5. How often is 2 p contained in 7 a. 6 p?

6. How many times does $7\frac{1}{2}$ ft. contain 6 inches?

7 How often does 33 tons contain $1\frac{1}{3}$ tons?

8 The circumference of a wheel is $2\frac{2}{3}$ metres in length, how many times will it revolve in running 30 metres?

9 How many carts, each containing $3\frac{3}{8}$ maunds, will be required to carry 27 maunds?

10 How many strips of cloth, $\frac{3}{8}$ yd in length, can be cut from 15 yds? And how many $2\frac{1}{4}$ yds long from 21 yds?

11 Illustrate the following results by means of divided lines or rectangles drawn on squared paper

$$(i) \frac{2}{3} - \frac{1}{6} = \frac{1}{2} \quad (ii) 4 - 1\frac{1}{3} = 3 \quad (iii) \frac{2}{3} - \frac{3}{4} = \frac{5}{12} \quad (iv) 2\frac{1}{2} - 1\frac{1}{3} = 1\frac{2}{3}$$

12 Following the argument of Art 129, prove that

$$a - \frac{x}{y} = a \times \frac{y}{x}$$

Find the value of

$$13 \quad 21 - 1\frac{5}{6} \quad 14 \quad 3\frac{3}{8} - 2\frac{1}{8} \quad 15 \quad 4\frac{3}{4} - 7\frac{1}{8} \quad 16 \quad 1\frac{1}{8} - 1\frac{1}{16}$$

$$17 \quad \frac{2}{3} - \frac{4}{9} \quad 18 \quad 14\frac{1}{2} - 3\frac{3}{4} \quad 19 \quad 85 - 6\frac{1}{2} \quad 20 \quad 4\frac{3}{8} - 1\frac{2}{3}$$

$$21 \quad ma - \frac{a}{b} \quad 22 \quad \frac{x}{y} - \frac{m}{n} \quad 23 \quad \frac{mx}{y} - nx \quad 24 \quad \frac{ax}{b} - \frac{x}{mb}$$

25 By what fraction must $4\frac{7}{8}$ be multiplied to give the product $4\frac{1}{2}$?

26 By what mixed number must $4\frac{7}{11}$ be divided to give the quotient $1\frac{1}{3}$?

27 How many times is $4\frac{1}{2}$ of $\frac{4}{11}$ contained in 15?

28 Divide $10\frac{2}{3}$ by the product of $2\frac{1}{2}$ and $2\frac{1}{4}$

Given the following approximate equivalents

$$1 \text{ kilometre} = \frac{5}{8} \text{ mile,} \quad 1 \text{ metre} = 39\frac{3}{8} \text{ inches,}$$

$$1 \text{ kilogram} = 2\frac{1}{8} \text{ lbs,} \quad 1 \text{ litre} = 1\frac{3}{4} \text{ pints,}$$

find roughly the value of

29. (i) 1 mile in Km (ii) 1 mile in metres
(iii) 100 miles in Km (iv) 1 yard in metres
(v) 1 inch in centimetres (vi) 147 feet in metres

30. (i) 1 lb in Kg (ii) 1 cwt in Kg
(iii) 1 pint in litres (iv) 1 gallon in litres
(v) 55 Kg in lbs. (vi) 1 kilolitre in gallons

And (vii) find the number of grains in 1 gram, having given 1 lb = 7000 grains

Combined Processes Complex Fractions

130 When several fractions are connected by the signs +, -, ×, ÷, some care is needed as to the order of operations. To avoid confusion it is agreed that

(i) *Operations of multiplication and division must be performed in order from left to right*

(ii) *All operations of multiplication and division must be performed before those of addition and subtraction*

NOTE. In all cases an expression within brackets must be regarded as a single quantity. A sign preceding a bracket operates upon the enclosed expression taken as a whole.

EXAMPLE 1 *Simplify the following expressions*

$$(i) \frac{2}{5} \times \frac{6}{7} - 1\frac{1}{3}, \quad (ii) \frac{2}{5} - \frac{6}{7} \times 1\frac{1}{3}, \quad (iii) \frac{2}{5} - \frac{6}{7} \text{ of } 1\frac{1}{3}$$

$$(i) \frac{2}{5} \times \frac{6}{7} - 1\frac{1}{3} = \frac{2}{5} \times \frac{6}{7} \times \frac{3}{4} = \frac{9}{35},$$

$$(ii) \frac{2}{5} - \frac{6}{7} \times 1\frac{1}{3} = \frac{2}{5} - \frac{6}{7} \times \frac{4}{3} = \frac{2}{5} - \frac{8}{7},$$

(iii) Here the sign "of" connects the fractions $\frac{6}{7}$ and $1\frac{1}{3}$, and the expression $\frac{6}{7}$ of $1\frac{1}{3}$ must be regarded as a single quantity

$$\text{Thus} \quad \frac{2}{5} - \frac{6}{7} \text{ of } 1\frac{1}{3} = \frac{2}{5} - \left(\frac{6}{7} \times \frac{4}{3}\right) = \frac{2}{5} - \frac{8}{7} = \frac{2}{5} \times \frac{7}{8} = \frac{7}{20}$$

In cases like this the use of brackets is recommended. The sign 'of' between two quantities invariably has the same effect as if they were enclosed in brackets

EXAMPLE 2 *Simplify $1\frac{1}{20}$ of $\frac{7}{11} - 2\frac{1}{15} + 1\frac{1}{10} - \frac{8}{11}$*

Here the expression must be regarded as consisting of three terms separated by the signs - and +, each term being first reduced by itself

Using brackets we have

$$\begin{aligned} \text{the expression} &= \left(\frac{1}{20} \times \frac{7}{11}\right) - 2\frac{1}{15} + \left(\frac{1}{10} \times \frac{1}{10}\right) - \frac{8}{11} \\ &= \frac{1}{20} - 2\frac{1}{15} + \frac{1}{100} - \frac{8}{11} = 1\frac{1}{20} + 3\frac{3}{5} - 2\frac{1}{15} \\ &= \frac{23+33-44}{60} = 1\frac{10+39-44}{60} \\ &= 1\frac{55}{60} = 1\frac{11}{12} \end{aligned}$$

EXAMPLES V r

Simplify the following expressions

- | | | |
|--|---|---|
| 1. $3\frac{1}{2} \times \frac{2}{5} - \frac{1}{3}$ | 2. $3\frac{1}{2} - \frac{2}{5} \times \frac{1}{3}$ | 3. $3\frac{1}{2} - \frac{2}{5}$ of $\frac{1}{3}$ |
| 4. $3\frac{1}{2} + \frac{2}{5} - \frac{1}{3}$ | 5. $3\frac{1}{2} - \frac{2}{5} + \frac{1}{3}$ | 6. $3\frac{1}{2} + \frac{2}{5}$ of $\frac{1}{3}$. |
| 7. $3\frac{1}{2} - (\frac{2}{5} + \frac{1}{3})$ | 8. $3\frac{1}{2}$ of $(\frac{2}{5} + \frac{1}{3})$ | 9. $3\frac{1}{2} \times \frac{2}{5} + \frac{1}{3}$ |
| 10. $4\frac{4}{5} - \frac{1}{5}$ of $\frac{1}{2}$ | 11. $4\frac{4}{5}$ of $\frac{3}{5} - \frac{1}{2}$ | 12. $4\frac{4}{5} - \frac{3}{5} - \frac{1}{2}$ |
| 13. $4\frac{4}{5} - \frac{3}{5} - \frac{1}{2}$ | 14. $(4\frac{4}{5} + \frac{3}{5}) \times \frac{1}{2}$ | 15. $4\frac{4}{5} + (\frac{3}{5} \times \frac{1}{2})$ |
| 16. $(\frac{1}{5} + \frac{3}{8}) \times (\frac{1}{3} + \frac{3}{11})$ | 17. $\frac{1}{5} + \frac{3}{8} \times \frac{1}{3} + \frac{3}{11}$ | |
| 18. $\frac{1}{5} + \frac{3}{8} - \frac{3}{11} + \frac{1}{3}$ | 19. $(\frac{1}{5} + \frac{3}{8}) - (\frac{3}{11} + \frac{1}{3})$ | |
| 20. $(\frac{7}{18} - \frac{5}{27}) - 6\frac{1}{9}$ | 21. $(\frac{7}{9} + \frac{1}{9})$ of $(8\frac{1}{17} - 5\frac{3}{4})$ | |
| 22. $(5\frac{7}{10} - 1\frac{4}{10}) - (6\frac{2}{10} - 4\frac{5}{10})$ | 23. $(3\frac{1}{4} \times 4\frac{1}{3}) - (2\frac{1}{2} - \frac{1}{3}) \times (3\frac{1}{2} - \frac{1}{4})$ | |
| 24. $(\frac{1}{4} + \frac{3}{5})(\frac{5}{8} - \frac{5}{7}) - (\frac{7}{8} - \frac{7}{9})$ | 25. $(\frac{2}{10} + \frac{1}{3}) - (3 - \frac{1}{3}) \times (\frac{1}{3} + \frac{1}{5})$ | |

Find the value of

- | | |
|--|---|
| 26. $\frac{4}{5} + \frac{5}{8}$ of $1\frac{6}{15} + \frac{9}{17}$ of $3\frac{4}{5}$ | 27. $\frac{5}{13}$ of $1\frac{1}{2} + 2\frac{3}{10} - \frac{7}{18}$ of $1\frac{1}{35}$. |
| 28. $5\frac{1}{3}$ of $4\frac{1}{2} - 3\frac{1}{4} - \frac{5}{10} - 1\frac{3}{5}$ | 29. $2\frac{1}{3} + \frac{4}{5}$ of $3\frac{1}{3}$ of $\frac{3}{4} - 2\frac{1}{2} + \frac{5}{11}$. |
| 30. $\frac{2}{105} + \frac{4}{35}$ of $1\frac{3}{4} - \frac{7}{11}$ of $3\frac{2}{3} - 8\frac{1}{6}$ | |
| 31. Divide $(2\frac{1}{4} - 1\frac{3}{8})(4\frac{1}{2} + 3\frac{1}{10})$ by $2\frac{3}{10} - 1\frac{1}{24}$ | |
| 32. Find the difference between $2\frac{1}{9} + 6\frac{1}{4}$ of $1\frac{3}{5}$ and $2\frac{1}{2} \times 3\frac{2}{5} - 1\frac{2}{15}$ | |
| 33. Subtract $2\frac{1}{7}$ of $9\frac{1}{2} - 5\frac{1}{14}$ from $7\frac{1}{2}$ of $(9\frac{1}{2} - 5\frac{1}{14})$ | |

If $a=2$, $b=3$, $c=4$, find the value of

- | | | |
|---|---|---|
| 34. $\frac{1}{a+b+c}$ | 35. $\frac{1}{a} + \frac{1}{b} + \frac{1}{c}$ | 36. $\frac{a}{b} \times \frac{b}{c} \times \frac{c}{a}$ |
| 37. $\frac{a}{b} + \frac{b}{c} + \frac{c}{a}$ | 38. $\frac{(a+b)(b+c)(c+a)}{a+b+c}$ | 39. $\frac{(a^2+1)(b^2+1)}{c^2-1}$ |

EXAMPLES V s

(Examples 1-15 may be taken orally)

1. Read off in the simplest form the values of the following fractions

$$\frac{1}{\frac{1}{2}}, \frac{1}{\frac{2}{3}}, \frac{2}{\frac{3}{4}}, \frac{3}{\frac{4}{5}}, \frac{1}{\frac{5}{6}}, \frac{2}{\frac{6}{7}}, \frac{3}{\frac{7}{8}}, \frac{1}{\frac{8}{9}}, \frac{1}{\frac{9}{10}}$$

Simplify

$$\begin{array}{llll} 2. \frac{1}{1\frac{1}{2}} & 3. \frac{2}{2\frac{1}{2}} & 4. \frac{1\frac{1}{2}}{3} & 5. \frac{1\frac{2}{3}}{1\frac{5}{6}} \\ 6. \frac{3\frac{1}{2}}{4\frac{1}{2}} & 7. \frac{1}{\frac{1}{2}} & 8. \frac{1}{\frac{5}{6}} & 9. \frac{2}{\frac{3}{8}} \\ 10. \frac{1\frac{1}{3}}{1\frac{1}{2}} & 11. \frac{3\frac{1}{2}}{2} & 12. \frac{\frac{1}{2} - \frac{1}{3}}{\frac{1}{2} + \frac{1}{3}} & 13. \frac{\frac{3}{4} - \frac{1}{2}}{\frac{1}{4}} \\ 14. \frac{\frac{1}{2} - \frac{1}{6}}{\frac{1}{3} + \frac{1}{6}} & 15. \frac{1\frac{1}{2} + 1\frac{1}{4}}{2\frac{1}{2} + \frac{1}{4}} \end{array}$$

Find the value of

$$\begin{array}{llll} 16. \frac{\frac{3}{8}}{\frac{1}{4} + \frac{1}{8}} & 17. \frac{\frac{3}{7} - \frac{1}{5}}{\frac{4}{7} + \frac{1}{5}} & 18. \frac{2\frac{1}{4} + \frac{1}{8}}{3\frac{1}{8} - \frac{3}{4}} & 19. \frac{\frac{4}{5} - \frac{3}{4}}{\frac{3}{5} + \frac{1}{4}} \\ 20. \frac{21\frac{3}{4}}{15\frac{5}{8}} & 21. \frac{7\frac{1}{2}}{4\frac{6}{8}} & 22. \frac{3\frac{1}{2} - 1\frac{7}{8}}{3\frac{1}{4} \times 2\frac{1}{2}} & 23. \frac{\frac{6}{7} \text{ of } 1\frac{1}{10}}{10\frac{1}{5} - 2\frac{7}{10}} \\ 24. \frac{1\frac{1}{4} \times 4\frac{4}{5}}{8\frac{3}{4} - \frac{5}{8}} & 25. \frac{\frac{9}{10} \text{ of } 8\frac{1}{4}}{3\frac{1}{4} - 1\frac{1}{10}} & 26. \frac{1\frac{1}{2}}{22\frac{1}{2}} - \frac{21\frac{1}{3}}{1\frac{1}{3}} & 27. \frac{1\frac{1}{4} - 1\frac{1}{2}}{\frac{1}{15} + (1 - \frac{1}{10})} \\ 28. \frac{\frac{1}{2} + \frac{3}{4} + \frac{5}{6}}{\frac{2}{3} + \frac{1}{4} + 1\frac{1}{6}} & 29. \frac{3}{14} \text{ of } \frac{4\frac{5}{6}}{6\frac{1}{6}} - \frac{11\frac{5}{7}}{6\frac{3}{11}} & 30. \frac{\frac{7}{16} - \frac{3}{4} \text{ of } 2\frac{1}{2}}{\frac{7}{16} - \frac{5}{8} \text{ of } 7\frac{1}{2}} \\ 31. \frac{3\frac{1}{2} - \frac{5}{8} + \frac{1}{5}}{2\frac{2}{3} + 1\frac{3}{5}} + \frac{1\frac{1}{5}}{11\frac{1}{5} - 2\frac{1}{3}} & 32. \frac{2\frac{2}{3} + 4\frac{4}{7} - 3\frac{3}{5}}{\frac{1}{3} + \frac{1}{5} + \frac{1}{7}} - \left(3 - \frac{1}{3\frac{1}{3}}\right) \end{array}$$

Fractional Equations

132. The principles of fractions will now be applied to solving certain types of equations of special use in Arithmetic.

EXAMPLE 1 Find the value of x which satisfies

$$(i) \frac{x}{7} = 1\frac{3}{5} \quad (ii) \frac{4}{3} = \frac{5x}{6} \quad (iii) \frac{14}{3x} = 1\frac{2}{5}$$

Our object is to detach the unknown quantity x from the fraction in which it occurs. This we may do by Axioms 3 and 4 of Art 62

(i) In $\frac{x}{7} = 1\frac{3}{5}$, we multiply both sides by 7,

this gives $\frac{x}{7} \times 7 = 1\frac{3}{5} \times 7$,

or $x = 7\frac{21}{5} = 11\frac{1}{5}$

(ii) In $\frac{4}{3} = \frac{5x}{6}$, we divide both sides by 5,

this gives $\frac{4}{15} = \frac{x}{6}$

If now we multiply both sides by 6,

we have $\frac{4 \times 6}{15} = x$, or $x = \frac{8}{5} = 1\frac{3}{5}$

These steps may easily be taken together and performed mentally

(iii) In $\frac{14}{3x} = 1\frac{2}{5}$, we multiply both sides by $3x$,

this gives $14 = \frac{7}{5} \times 3x$

Then in one step divide both sides by 7×3 , and multiply by 5,
and we have $x = \frac{10}{3} = 3\frac{1}{3}$

EXAMPLE 2 Solve the equation $\frac{3x-4}{5} + \frac{5x}{2} = 1\frac{4}{5}$

First clear the equation of fractions To do this, multiply both sides by 30, namely the L C D Then we have

$$\left(\frac{3x-4}{5} \times 30\right) + \left(\frac{5x}{2} \times 30\right) = 1\frac{4}{5} \times 30,$$

or $(3x-4) \times 6 + 5x \times 15 = 19 \times 2$,

that is, $18x - 24 + 75x = 38$,

hence $93x = 62$,

$$x = \frac{62}{93} = \frac{2}{3}$$

EXAMPLES V t

(Examples 1-6 should be taken orally)

Read off the values of x which satisfy the following statements

1 (i) $5x=20$, (ii) $5x=45$, (iii) $5x=4$, (iv) $5x=12$.

2 (i) $35=7x$, (ii) $7x=5$, (iii) $9=7x$, (iv) $7x=34$

3 (i) $\frac{x}{6}=3$, (ii) $\frac{x}{3}=8$, (iii) $4=\frac{x}{5}$, (iv) $7=\frac{x}{11}$

4. (i) $\frac{x}{3}=\frac{1}{2}$, (ii) $\frac{x}{4}=\frac{1}{3}$, (iii) $\frac{x}{4}=\frac{1}{16}$, (iv) $\frac{1}{20}=\frac{x}{5}$

5 (i) $3x=\frac{3}{4}$, (ii) $3x=\frac{1}{4}$, (iii) $\frac{2}{5}=3x$, (iv) $3x=1\frac{1}{2}$

6. (i) $5x=1\frac{3}{5}$, (ii) $7x=1\frac{3}{4}$, (iii) $7x=2\frac{4}{5}$, (iv) $3\frac{1}{5}=4x$

Find the value of x in each of the following equations

7. (i) $\frac{x}{14} = \frac{3}{7}$, (ii) $\frac{4}{5} = \frac{2x}{3}$, (iii) $\frac{3x}{5} = 1$; (iv) $3 = \frac{7x}{4}$
 8. (i) $\frac{6}{7} = \frac{3x}{2}$, (ii) $\frac{2x}{15} = \frac{8}{45}$, (iii) $\frac{5x}{3} = 2\frac{1}{2}$, (iv) $\frac{7}{15} = \frac{8x}{3}$
 9. (i) $\frac{5}{x} = 2$, (ii) $\frac{3}{x} = \frac{2}{5}$, (iii) $\frac{7}{x} = 3\frac{1}{2}$, (iv) $4\frac{1}{2} = \frac{3}{x}$
 10. (i) $\frac{5}{2x} = \frac{10}{3}$, (ii) $\frac{4}{3x} = \frac{16}{27}$, (iii) $\frac{4}{7} = \frac{8}{21x}$; (iv) $\frac{5}{27} = \frac{1}{3x}$

Solve the following equations

11. $\frac{x}{2} + \frac{x}{3} = 5$ 12. $\frac{x}{3} - \frac{x}{4} = 1$
 13. $x = \frac{x}{4} + 6$ 14. $x - 5 = \frac{3}{4}x$
 15. $2 - \frac{x}{5} = 4\frac{2}{5} - x$ 16. $\frac{1}{2}(7-x) = 2x - 4$
 17. $\frac{2x+3}{5} = 3$ 18. $\frac{x+1}{3} + \frac{x-1}{2} = 4$
 19. $\frac{3x-11}{4} = \frac{x}{2} - 1$ 20. $\frac{1}{3}(8x-1) + 2x = 2$

21. What number increased by one third of itself gives 20?

22. What number falls short of 20 by one fourth of itself?

23. Find the number one third of which exceeds its fifth part by 2

24. From the condition $\frac{2}{3}$ of $\frac{4}{7}$ of $x = 1\frac{1}{2}$, find x

25. Find x from the condition $x \times \frac{3}{7} = 2\frac{4}{5}$ of $\frac{5}{8}$

26. Divide 50 into two parts such that one may be $\frac{3}{7}$ of the other

27. The sum of two numbers is 28, their difference is 6. Find them

28. A and B have 20 rupees between them. If A gives one third of his share to B, then B will have as much as A had to start with. Find their original shares

29. If $\frac{m}{n} = \frac{p}{x}$, find x when $m=7$, $n=2$, $p=21$

30. If $a=6$, $b=4$, $c=7$, find the value of x when

$$(i) \frac{3x}{2} = \frac{abc}{14}, \quad (ii) \frac{ab^2x}{8} = c, \quad (iii) \frac{x}{c} = a + b + c$$

CHAPTER VI

FRACTIONS CONTINUED COMPOUND QUANTITIES

133 Fractions of Concrete Quantities The method of finding the value of a fraction of a concrete quantity will be seen from the following examples

EXAMPLE 1 Find the value of (i) $\frac{3}{16}$ of £7, (ii) $2\frac{3}{8}$ of 5 tons

$$(i) \quad \begin{array}{r} \text{£} \quad \text{s} \quad \text{d} \\ 16 \left\{ \begin{array}{l} 4 \overline{) 7 \quad 0 \quad 0} \\ 1 \quad 15 \quad 0 \\ \hline 8 \quad 9 \\ 3 \\ \hline 1 \quad 6 \quad 3 \end{array} \right. \end{array}$$

Here the unit is £7, and by the definition of a fraction we have to divide this into 16 equal parts and take 3 of them

Or we may proceed as follows

$$\frac{3}{16} \text{ of } £7 = £7 \times \frac{3}{16} = £\frac{21}{16} = £1\frac{5}{16},$$

$$£\frac{5}{16} = \frac{5 \times \frac{5}{8}}{\frac{16}{8}} = \frac{25}{4} \text{ s} = 6\frac{1}{4} \text{ s}$$

Thus $\frac{3}{16}$ of £7 = £1 6s 3d

(ii) Adopting the second method, we have

$$2\frac{3}{8} \text{ of 5 tons} = 5 \text{ tons} \times 2\frac{3}{8} = 10 \text{ tons} + 5 \text{ tons} \times \frac{3}{8}$$

$$5 \text{ tons} \times \frac{3}{8} = 5 \times 20 \times \frac{3}{28} \text{ cwt} = \frac{75}{7} \text{ cwt} = 10\frac{5}{7} \text{ cwt}$$

$$\frac{5}{7} \text{ cwt} = \frac{5 \times 4}{7} \text{ qrs} = \frac{20}{7} \text{ qrs} = 2\frac{6}{7} \text{ qrs}$$

$$\frac{6}{7} \text{ qr} = \frac{6 \times \frac{4}{7}}{\frac{7}{7}} \text{ lbs} = 24 \text{ lbs}$$

Thus $\frac{3}{8}$ of 5 tons = 10 tons 10 cwt 2 qrs 24 lbs

EXAMPLE 2 Find the value of $3\frac{5}{8}$ of Rs 3 13 a 3 p

$$3\frac{5}{8} \text{ of Rs 3 13 a 3 p} = \text{Rs 3 13 a 3 p} \times 3\frac{5}{8}$$

Hence we have to multiply Rs 3 13 a 3 p by 3 and by $\frac{5}{8}$, and add the results

First method

Rs	a	p	
8 3	13	3	
	7	$7\frac{7}{8}$	= $\frac{1}{8}$ of the multiplicand
		5	
	2	6	$3\frac{1}{8}$ = $\frac{5}{8}$ of the multiplicand
	11	7	= the multiplicand $\times 3$
	13	14	$0\frac{3}{8}$ = $3\frac{5}{8}$ of the multiplicand

Second method When the proper fraction in the multiplier can be split up into the sum of two or more fractions with *unit numerators* the following arrangement is the most convenient

$$\text{Here } \frac{5}{8} = \frac{4+1}{8} = \frac{4}{8} + \frac{1}{8} = \frac{1}{2} + \frac{1}{8}$$

	Rs	a	p	
	3	13	3	
			3	
$\frac{1}{2}$	11	7	9	
$\frac{1}{8}$	1	14	$7\frac{1}{8}$	= $\frac{1}{2}$ of the multiplicand
			7	$7\frac{7}{8}$ = $\frac{1}{8}$ of the multiplicand
	13	14	$0\frac{3}{8}$	

Since $\frac{1}{8} = \frac{1}{4}$ of $\frac{1}{2}$, the simplest way of taking $\frac{1}{8}$ of the multiplicand is to take $\frac{1}{4}$ of the result in the previous line

EXAMPLE 3 Divide 4 tons 13 cwt 3 qrs by $\frac{8}{47}$

$$4 \text{ tons } 16 \text{ cwt } 3 \text{ qrs} - \frac{8}{47} = 4 \text{ tons } 16 \text{ cwt } 3 \text{ qrs} \times \frac{47}{8}$$

Now $\frac{47}{8} = 5\frac{7}{8} = 6 - \frac{1}{8}$, hence we may multiply 4 tons 16 cwt 3 qrs by 6 and subtract $\frac{1}{8}$ of 4 tons 16 cwt 3 qrs from the result

	tons	cwt.	qrs	
	4	16	3	
			6	
	29	0	2	
subtract $\frac{1}{8}$	12	$0\frac{3}{8}$	$= \frac{1}{8}$ of 4 tons 16 cwt 3 qrs	
	28	8	$1\frac{5}{8}$	

NOTE. When the divisor is a mixed number it must first be written in the form of an improper fraction

EXAMPLE 4 Find the value of

$\frac{3}{11}$ of 16s 6d + $1\frac{4}{5}$ of 7s 6d + $\frac{5}{7}$ of 1 guinea

Here it will be best to bring all the sums of money to the same denomination, the most convenient unit is sixpence

$$\begin{aligned}\text{The required value} &= \left(\frac{3}{11} \times 32 + \frac{9}{5} \times 15 + \frac{5}{7} \times 42\right) \text{ sixpences} \\ &= (9 + 27 + 30) \text{ sixpences} \\ &= 66 \text{ sixpences} = \text{£}1 \text{ } 13\text{s}\end{aligned}$$

EXAMPLES VI a

(Examples 1-4 may be taken orally)

Express in shillings and pence the following fractions of £1

1 $\text{£}\frac{1}{3}$, $\text{£}\frac{1}{6}$, $\text{£}\frac{1}{8}$, $\text{£}\frac{1}{12}$, $\text{£}\frac{1}{16}$, $\text{£}\frac{3}{8}$, $\text{£}\frac{5}{8}$, $\text{£}\frac{7}{8}$

Find the value of

2 $\frac{1}{4}$ of 2 a 6 p, $\frac{1}{2}$ of 7 a. 6 p, $\frac{1}{3}$ of 5 a, $\frac{2}{3}$ of £1, $\frac{5}{8}$ of £1

Find the value of

3 $\frac{1}{9}$ of 1 yd, $\frac{5}{8}$ of 1 yd, $\frac{1}{12}$ of 1 md 8 srs, $\frac{3}{8}$ of 1 maund

4 $\frac{1}{5}$ of 2 srs 2 pwa, $\frac{1}{7}$ of 3 qts 1 pt, $\frac{1}{14}$ of 1 md 9 srs

Find the value of

5 $\frac{5}{9}$ of 2 a. 3 p 6 $\frac{6}{11}$ of 18s 4d 7 $\frac{7}{12}$ of Rs 2. 5 a

8 $\frac{3}{28}$ of Rs 4 13 a 9 $\frac{12}{35}$ of Rs 6 4 a 10 $\frac{7}{18}$ of £4 1s 4d

11 $\frac{2}{15}$ of Rs 4 6 a 12 $3\frac{4}{5}$ of 6 tons 13 $\frac{6}{17}$ of 5 guineas

14 $1\frac{7}{8}$ of 8 yds 15 $1\frac{1}{8}$ of Rs 12 16 $2\frac{5}{12}$ of 18 maunds

17 $5\frac{1}{4}$ of Rs 11 7 a 8 p 18 $2\frac{5}{8}$ of Rs. 3 7 a 4 p

19 1 ton 7 cwt 3 qrs $\times 5\frac{3}{4}$ 20 £4 3s 8d $- 1\frac{6}{9}$

21 $3\frac{7}{8}$ of Rs 9 6 a 8 p 22 1 ac 3 r 8 p $- 1\frac{4}{11}$

23 $5\frac{7}{12}$ of Rs 24 11 a 24 2 mds 30 srs 4 chks $- 1\frac{4}{5}$

Find the value of

25 $\frac{3}{7}$ of 3 a 6 p + $\frac{7}{12}$ of 5 a 6 p 26 $\frac{2}{9}$ of 3 guineas + $\frac{4}{11}$ of 16s 6d

27 $1\frac{2}{3}$ of 7 ft 6 in $- \frac{5}{8}$ of 5 yds 1 ft.

28 $\frac{1}{8}$ of 1 m $- \frac{5}{11}$ of 1 fur 29 $3\frac{1}{8}$ of 5 a. 3 p + $2\frac{1}{2}$ of 4 a 7 p

30 $1\frac{5}{11}$ of 3 fur + $\frac{3}{7}$ of 11 yds 1 ft

31 $\frac{5}{14}$ of 1 cwt + $\frac{3}{13}$ of 1 qr 24 lbs + $2\frac{2}{3}$ of 12 lbs

32 $4\frac{1}{8}$ of $\frac{4}{11}$ of Re 1 5 a 4 p + $\frac{1}{11}$ of Rs 2. 10 a. + $\frac{6}{11}$ of Re 1 13 a. 4 p

33 $1\frac{2}{5}$ of $\frac{1}{14}$ of 10s $- \frac{3}{8}$ of $1\frac{1}{4}$ of 1 florin + $\frac{3}{11}$ of £1 18s 6d

134 To express one concrete quantity as the fraction of another of the same kind If we have to find how many times one concrete quantity contains another of the same kind we divide the first by the second, and by the principles of quotition (Art 17) the result is an abstract number Similarly in the present case we divide the first quantity by the second, after expressing them in terms of the same unit, the result is an abstract fraction

EXAMPLE 1 Express 2a 1p as a fraction of 6a 8p

Express both sums in pies, then

$$\text{the required fraction} = \frac{2a \ 1p}{6a \ 8p} = \frac{5}{16}$$

EXAMPLE 2 Express

4 mds 20 srs as a fraction of 9 mds 18 srs

The most convenient common unit is the seer

$$\begin{aligned} \text{The required fraction} &= \frac{4 \text{ mds } 20 \text{ srs}}{9 \text{ mds } 18 \text{ srs}} = \frac{180 \text{ srs}}{375 \text{ srs}} \\ &= \frac{120}{250} = \frac{24}{50} = \frac{12}{25} \end{aligned}$$

EXAMPLE 3 What fraction is £2 12s 6d of £3 3s 4d ?

$$\begin{aligned} \text{The required fraction} &= \frac{£2 \ 12s \ 6d}{£3 \ 3s \ 4d} = \frac{£2 \frac{5}{8}}{£3 \frac{1}{3}} \\ &= 2\frac{5}{8} - 3\frac{1}{3} = \frac{21}{8} \times \frac{3}{16} = \frac{63}{128} \end{aligned}$$

NOTE There will often be a saving of labour if the highest possible denomination can be readily chosen as a common unit

135 Ratio is the relation which one quantity bears to another of the same kind, the comparison being made by considering what multiple, part, or parts the first is of the second Thus the ratio of one quantity to another is measured by the fraction which the first is of the second

Thus, from the preceding examples,

$$\text{the ratio of } 2a \ 1p \text{ to } 6a \ 8p = \frac{2a \ 1p}{6a \ 8p} = \frac{5}{16},$$

$$\text{the ratio of } £2 \ 12s \ 6d \text{ to } £3 \ 3s \ 4d = \frac{£2 \ 12s \ 6d}{£3 \ 3s \ 4d} = \frac{63}{128}$$

136 The ratio of two quantities A and B, of the same kind, is usually written $A : B$ Thus $\frac{A}{B}$ and $A : B$ have the same meaning

Since a ratio expresses the number of times (whole or fractional) that one quantity contains another, every ratio is an abstract number, either whole or fractional

Thus from Art 135 (where for convenience we worked in pies), the ratio of 2a 1p to 6a 8p = $\frac{5}{16}$ (not $\frac{5}{16}$ of a pie)

EXAMPLE Find the ratio of 3 qrs 7 lbs to 2 cwt 1 qr 8 lbs

We may conveniently express each quantity in quarters,

$$\begin{aligned}\text{then the required ratio} &= \frac{3 \text{ qrs } 7 \text{ lbs}}{2 \text{ cwt } 1 \text{ qr } 8 \text{ lbs}} = \frac{3\frac{1}{4} \text{ qrs}}{9\frac{2}{7} \text{ qrs.}} \\ &= \frac{13}{4} \div \frac{65}{7} = \frac{13}{4} \times \frac{7}{65} = \frac{7}{20}\end{aligned}$$

Thus the ratio is 7 20

137 Four quantities are said to be **directly proportional** when the ratio of the first to the second is equal to that of the third to the fourth

Thus a, b, c, d are in direct proportion if

$$\frac{a}{b} = \frac{c}{d}, \text{ or } a : b = c : d$$

The word 'direct' is usually omitted

EXAMPLE The quantities 3 a 6 p, 10 a, 2 yds 1 ft, 6 yds 2 ft. are proportional, for

$$\text{the ratio of 3 a 6 p to 10 a} = \frac{3\frac{1}{2}}{10} = \frac{7}{20},$$

$$\text{and the ratio of 2 yds 1 ft to 6 yds 2 ft} = \frac{2\frac{1}{2}}{6\frac{2}{3}} = \frac{7}{20}$$

Ratio and Proportion will be more fully discussed in a later chapter

EXAMPLES VI b

(Examples 1-5 may be taken orally)

Express as fractions of £1

1 4s, 2s 6d, 7s 6d, 12s 6d, 17s 6d

2 3s 4d, 6s 8d, 13s 4d, 1s 3d, 1s 8d

3 8s 9d, 3s 6d, 5s 8d, 11s 3d, 18s 4d.

Express as fractions of Re 1

4. 4a, 5a. 4p, 6a, 2a. 8p, 10a 8p

Express as fractions of 1 yard

5 2 ft, 1 ft 6 in, 6 in, 10 in, 2 ft. 3 in

Express in lowest terms

6. 7a 4p as a fraction of Rs 2

7 £3 15s £11 5s

Express in lowest terms

- 8 5a 6p as a fraction of Rs 3
 9 15s 9d £4 4s
 10 13 lbs 3 qrs 7 lbs
 11 5 mds 24 srs 7 mds
 12 7a 10½p Rs 7
 13 £2 16s 5 guineas
 14 7½p 13a 9p
 15 297 yds 1 mile
 16 8½d 1s 0¾d
 17 5½ mds 9 mds 36 srs
 18 $\frac{2a \ 11p}{5a \ 3p}$ 19 $\frac{£3 \ 6s}{£7 \ 3s}$ 20 $\frac{14 \ srs}{3 \ mds \ 20 \ srs}$ 21. $\frac{242 \ yds}{1 \ mi \ 3 \ fur}$

22 What fraction of Re 1 15a is Re 1 7a 3p ?

23 Express 3 tons 12 cwt 2 qrs as a fraction of 2 tons

24 Reduce 4 m 76 cm to the fraction of 5 m 44 cm

25 What fraction is 2 Km 508 m of 3 Km 36 m ?

26 Express 35 sq yds 8 sq ft as a fraction of 68 sq yds

27 Reduce $\frac{3}{5}$ of £1 17s 6d to the fraction of $\frac{4}{9}$ of £6 15s

Express as fractions in their lowest terms the following ratios

28 Re 1 8a to Re 6 12a 29 £12 10s to £18 15s

30 15¼ oz. to 1 lb 14 oz. 31 1 mi 484 yds to 2 mi

32 Shew that 4d, 5¾d, 5 yds 1 ft, 7 yds 2 ft are proportionals

33 If x lbs, 1 qr, 5a 3p, Rs 4 9a. 6p are in proportion, find x

34 A has a yearly salary of Rs 2000 and spends $\frac{7}{8}$ of it, B is paid at the rate of Rs 120 a month and spends $\frac{5}{8}$ of what he earns. What is the ratio of their savings at the end of the year ?

35 If $\frac{1}{17}$ of a guinea be taken from $\frac{1}{17}$ of $\frac{5}{9}$ of £15, what fraction of £3 9s will remain ?

138 Ratios as Percentages Since a ratio can always be expressed as a fraction, when two or more ratios have to be compared the equivalent fractions must be reduced to a common denominator (Art 111) In all such cases the common denominator most convenient as a general standard of comparison is 100

A fraction expressed with 100 as its denominator is called a **percentage**, and the numerator of the fraction is called the **rate per cent**

Suppose, for example, that a merchant at the end of a year's business has gained Rs 2500 with a capital of Rs 50000. His gain is $\frac{2500}{50000}$, or $\frac{5}{100}$ of his capital, and he is said to have gained 5 per cent. Here 5 is called the *rate per cent*, and the fraction $\frac{5}{100}$ is called a *percentage*.

The abbreviations 5 p.c., or 5% are used for the words "5 per cent"

EXAMPLE 1 Express (i) the ratio 7 15 as a percentage,
(ii) $62\frac{1}{2}$ per cent. as a fraction in its lowest terms

(i) Here we have to find a fraction equal to $\frac{7}{15}$, having 100 as its denominator, and the required *rate* as its numerator

Let x = the rate per cent,

then $\frac{x}{100} = \frac{7}{15}$, whence $x = 46\frac{2}{3}$,

thus the *rate per cent* is $46\frac{2}{3}$, and 7 15 is equivalent to a *percentage* $\frac{46\frac{2}{3}}{100}$

(ii) $62\frac{1}{2}$ per cent = $\frac{62\frac{1}{2}}{100} = \frac{125}{200} = \frac{5}{8}$

EXAMPLE 2 There are two mixtures of wine and water, $\frac{5}{8}$ of the first and $\frac{7}{15}$ of the second is wine. Which is the stronger mixture, and by how much per cent?

By Ex 1, $\frac{5}{8}$ is equivalent to $62\frac{1}{2}\%$,

and $\frac{7}{15}$ $46\frac{2}{3}\%$

Thus the first is the stronger

Also $62\frac{1}{2}\% - 46\frac{2}{3}\% = 15\frac{5}{8}\%$, hence the first mixture contains $15\frac{5}{8}\%$ per cent more wine than the second.

NOTE Another way of stating this result is as follows: if we consider 100 equal *parts* (gallons, pints, or litres) of each mixture, there are $62\frac{1}{2}$ parts of wine in the first, and $46\frac{2}{3}$ parts of wine in the second

EXAMPLE 3 A Division of 7650 men receives reinforcements that bring its strength to 8262, by how much per cent has it been increased?

On an original strength of 7650 the gain is 612, thus a percentage is required equal to the fraction $\frac{612}{7650}$

Let x = the rate per cent;

then $\frac{x}{100} = \frac{612}{7650}$, whence $x = \frac{612}{7650} \times 100 = 8$

Thus the increase is 8%

EXAMPLE 4 In a school 56 p c of the boys learn Science, and the remaining boys are 220 in number. Find the number of boys in the school.

If x be the number required, 44% do not learn Science,

$$\frac{44}{100}x = 220, \text{ whence } x = 500$$

EXAMPLES VI. c

(Examples 1-4 should be taken orally)

1 Give the percentages equivalent to the following fractions

(i) $\frac{1}{20}$, (ii) $\frac{3}{40}$, (iii) $\frac{2}{5}$, (iv) $\frac{1}{8}$, (v) $\frac{27}{200}$

2 Give, in lowest terms, the fractions equivalent to

(i) 20 p c, (ii) 25 p c, (iii) $2\frac{1}{2}$ p c, (iv) $3\frac{1}{5}$ p c, (v) $16\frac{2}{3}$ p c

3 How much per cent is

(i) 11 of 25, (ii) 7 of 20, (iii) 4 a of Re 1, (iv) 17s 6d of £1

4 Give the values of

(i) 5% of Rs. 40, (ii) 4% of Rs 50,
(iii) 3% of Rs. 50, (iv) $2\frac{1}{2}$ % of Rs 80

5 How much per cent is

(i) £3 2s 6d of £12 10s, (ii) 4 srs 3 pwa of 28 srs. 2 pwa

6 How much is $37\frac{1}{2}$ p c of Rs 106 10a 8p

7 In an orchard which contains 350 trees, 6 p c are cherry trees, how many trees of other kinds are there?

8 A tradesman's profits are $13\frac{1}{2}$ p c of his capital if his capital is Rs 5000, what profit does he make?

9 When the income tax is 1s in the £, how much per cent does this represent of a man's income?

10 How much per cent does a man save out of an income of Rs 7500 of which he spends Rs 5100?

11 The population of a town increased from 23,000 to 24,380, what was the rate per cent. of increase?

12 How many inhabitants are there in a town if 35 per cent of its population amounts to 1603 persons?

13 Find the sum of which Rs 142 is 4 per cent.

14 My rates and taxes amount to £81, this being $7\frac{1}{2}$ p c of my whole income. Find my whole income

15 An agent employed to sell a house charged Rs 930 12a as commission, this being at the rate of $6\frac{1}{4}$ p c. What price did he obtain for the house?

16 An expeditionary force, having lost $6\frac{2}{3}$ p c of its numbers by casualties and disease, has 13,132 men left fit for service Find its original strength

17 The expenses of a hospital are £4837 10s , find the income if there is a deficit amounting to $7\frac{1}{2}$ p c of the income

18 At the end of each year a firm adds to its capital a sum equal to $6\frac{1}{4}$ p c of its capital at the beginning of the year If the capital now stands at Rs 81770, what was it a year ago?

19 In a school 45 p c are English, 20 p c are Scotch, 13 p c are Irish, and there are 44 Welsh boys, how many boys are there altogether?

20 A tradesman in selling off at a reduction receives Re 1 11s 6p for an article marked Re 1 15s 3p how much per cent is taken off the marked price?

Aliquot Parts

139 Any part which is contained in a quantity an exact (or integral) number of times is said to be an aliquot part of that quantity, and may be expressed as a fraction of it with *unit numerator*

Thus 5s 4p is an aliquot part of Re 1, being $\frac{1}{3}$ of Re 1
 2s 6d 17s 6d, $\frac{1}{7}$ of 17s 6d
 5srs 1md, $\frac{1}{8}$ of 1md

EXAMPLES VI d (Oral)

Read off as aliquot parts of £1

1 2s	2 5s	3 2s 6d	4 6s 8d
5 3s 4d	6 1s 8d	7 1s 3d	8 1s 4d

[The above results should be carefully noted and remembered]

Express as aliquot parts of 5s

9 1s 3p	10 1s 8p	11 10p	12 $7\frac{1}{2}$ p
---------	----------	--------	---------------------

Express as aliquot parts of 7s 6d

13 2s 6d	14 3s 9d	15 10d	16 6d
----------	----------	--------	-------

Read off as aliquot parts of 2s. 6p

17 $7\frac{1}{2}$ p	18 10p	19 1s. 3p	20 $2\frac{1}{2}$ p
---------------------	--------	-----------	---------------------

Read off as aliquot parts of 1 maund

21 4 srs	22 20 srs	23 8 srs	24 8 chks
----------	-----------	----------	-----------

Multiplication by Aliquot Parts Practice.

140 Compound multiplication may often be conveniently performed by means of aliquot parts. The method, known as Practice, will be illustrated by examples

EXAMPLE 1 Find the cost of 89 things at Rs 5 5 a 4 p each

Since 5 a 4 p = Re $\frac{1}{3}$, the cost of each thing = Rs 5 + Re $\frac{1}{3}$

The work of multiplication may be arranged thus

	Rs	a	p	
	89	0	0	= cost of 89 at Re 1 each
			5	
5 a 4 p = $\frac{1}{3}$ of Re 1	445	0	0	= cost of 89 at Rs 5 each
	29	10	8	= at 5 a 4 p each
	<u>474</u>	10	8	= cost of 89 at Rs 5 5 a 4 p each

It will be seen that the cost at 5 a 4 p each is found by dividing Rs 89 (that is, the cost at Re 1 each) by 3

EXAMPLE 2 Find the cost of 139 things at Rs 5 14 a each

Here the cost = Rs 6 less 2 a, or Rs 6 - Re $\frac{1}{3}$

Hence, arranging the work as before, we have

	Rs	a	p	
	139	0	0	= cost of 139 at Re 1 each
			6	
less 2 a., or $\frac{1}{3}$ of Re 1	834	0	0	= cost of 139 at Rs 6 each.
	17	6	0	= 2 a each
By subtraction	<u>816</u>	10	0	= cost of 139 at Rs 5 14 a each

EXAMPLE 3 Find the cost of 75 things at £3 13s 9d each

Since £3 13s 9d = £3 + 10s + 2s 6d + 1s 3d, the value of 75 things at the given price is equal to the sum of their values at £3, 10s, 2s 6d, and 1s 3d. Practice furnishes a convenient arrangement for finding these separate values and their sum

	£	s	d	
	75	0	0	= cost of 75 at £1 each
			3	
10s = $\frac{1}{10}$ of £1	225	0	0	= cost of 75 at £3 each
2s 6d = $\frac{1}{4}$ of 10s	37	10	0	= 10s each
1s 3d = $\frac{1}{2}$ of 2s 6d	9	7	6	= 2s 6d each
	4	13	9	= 1s 3d each
	<u>276</u>	11	3	= cost of 75 at £3 13s 9d each

It will be seen that the process consists in separating the given price into parts each of which (after the first) is an aliquot part of one of the preceding parts. Then to find the cost of 75 things at £3 each we multiply the £75 (which is the cost of 75 things at £1 each) by 3. Next to find the cost at 10s we divide the cost at £1 by 2. To find the cost at 2s. 6d we divide the cost at 10s by 4. Lastly, the cost at 1s 3d is $\frac{1}{2}$ of the cost at 2s 6d. By adding these separate results we obtain the cost at £3 13s 9d.

141 The repeated steps of division shewn in the last example will often give rise to inconvenient fractions of a penny in the successive lines of work. Such cases are best dealt with *decimally*, as explained in Chapter XI. Our object here is merely to afford exercise in the manipulation of aliquot parts, and we therefore confine ourselves to examples in which the above-named difficulty does not occur.

EXAMPLES VI e

Read off the cost of the following numbers of articles

- | | | |
|-----------------|------------------|-----------------|
| 1. 810 at 5a 4p | 2. 360 at 2a. 8p | 3. 252 at 1a 4p |
| 4. 640 at 1s 3d | 5. 450 at 1s 4d | 6. 288 at 1s 8d |

Find the cost of the following numbers of articles, adding or subtracting only *one* aliquot part in each case

- | | |
|------------------------|-----------------------|
| 7. 4340 at Rs 2. 4a. | 8. 3791 at Re 1 5a 4p |
| 9. 985 at £3 2s 6d | 10. 488 at £4 1s 3d |
| 11. 480 at Re 1 12a | 12. 408 at Rs 2. 14a |
| 13. 112 at Rs 7 2a. 8p | 14. 132 at 10a 8p |

Using only two aliquot parts, find the value of

- | | |
|-----------------------|-----------------------|
| 15. 425 at 10a | 16. 960 at 2a 3p |
| 17. 324 at Re 1 9a 4p | 18. 357 at Rs 2 6a 8p |
| 19. 464 at £4 6s 3d | 20. 425 at £3 11s 8d |

Find the cost of the following numbers of articles

- | | |
|-----------------------|------------------------|
| 21. 714 at Re 1 6a 8p | 22. 723 at Rs. 3 11a |
| 23. 339 at Re 1 9a 4p | 24. 355 at Rs 3 13a 4p |
| 25. 632 at 12s 8½d | 26. 6113 at 8s 1½d |
| 27. 427 at Rs 6 6a 9p | 28. 288 at Rs 3 12a 3p |
| 29. 6184 at £5 7s 3d | 30. 1260 at £1 8s 11½d |

MISCELLANEOUS EXAMPLES II

1 Shew that there are twice as many pies in Rs 20 6a 4p as there are chataks in 3 mds 2srs 6chks

2 How many lengths of rope, each 3 m 54 cm in length, can be cut from a coil containing 53 m 10 cm ?

3 What is the smallest sum of money which will exactly contain each of the following sums

1a. 3p, 1a. 4p, 2a 2p, 1a 8p, 3a 6p ?

4 Reduce to lowest terms (i) $\frac{10r}{80}$, (ii) $\frac{271}{420}$, (iii) $\frac{69a}{184}$

5 A book case 2 m 45 cm in length stands against a wall 5 m 75 cm long. If it is placed in the middle, how much of the wall is left on each side ?

6 A grocer buys a hundredweight of coffee, after mixing chicory with it he sells the whole at 1s 6d a pound for £9 15s. How much chicory did he add ?

7 Which is the greater $\frac{128}{135}$ or $8\frac{2}{3}$, and by how much ?

8 Find the sum of $2\frac{1}{4}$, $\frac{7}{8}$, $1\frac{3}{5}$, $\frac{5}{8}$, and the difference between $6\frac{1}{5}$ and $9\frac{4}{15}$

9 If 3 kilometres are as much under 2 miles as 5 kilometres are over 3 miles, what is the length of a kilometre ?

10 At a bankrupt's valuation his bullocks were put at Rs 25 a head. They afterwards sold, one half at Rs 24 7a a head, and one half at Rs 26 5a a head, and thus realised Rs 15 more than was expected. How many bullocks had he ?

11 I divide a number by 150, and multiply the result by 6, and obtain 36084. Find the number *by division* in one line

12 Explain why (i) $\frac{27}{-9} = 1\frac{5}{3}$ (ii) $\frac{24}{-3} = 4\frac{2}{3}$, in each case illustrating graphically by a line drawn on squared paper

13 Simplify (i) $\frac{2 \times 1 \times 3 \times 5}{4 \times 8 \times 5 \times 6 \times 1}$, (ii) $5\frac{1}{8} - 12\frac{4}{10}$

14 Find the least number of weeks in which an exact number of half guineas can be earned, the wages per week being 16s 4d

15 A train is travelling at the rate of 35 miles an hour. How many feet does it travel in a second ?

16 A man has a certain sum to pay to three tradesmen A , B , and C . He pays three fifths of what he had to A , two fifths of the remainder to B , and the rest, which amounts to Rs 750, to C . How much money does he pay in all?

17 Find the value of $\pounds 14\ 6s\ 10\frac{1}{2}d \times 1746$

18 Express the fractions $\frac{5}{10}$, $\frac{10}{31}$, $\frac{2}{11}$ with the same numerator, and then arrange them in ascending order of magnitude

19 If in $5\frac{5}{12}$ hours a train travels $230\frac{3}{4}$ miles what is its rate per hour?

20 A train is running at 54 miles an hour. If the telegraph posts are 66 yards apart, what is the greatest number, and what is the least number, of posts a traveller could count in a minute? Explain the two cases.

21 What is the average height of 3 boys whose respective heights are 1 m 72 cm, 1 m 61 cm, 1 m 47 cm?

22 The H.C.F. of two numbers is 65, and L.C.M. is 9100. If one of the numbers is 260, what is the other?

23 From $15\frac{1}{2}$ take the sum of $2\frac{3}{8}$, $3\frac{9}{10}$, $5\frac{5}{12}$

24 Prove by a diagram, taking a straight line as the unit, that $\frac{2}{5} = \frac{4}{10}$. What general principle does this illustrate?

25 A carpenter cuts off $\frac{9}{16}$ of a plank, and then $\frac{5}{14}$ of the remainder, what fraction of the whole is left?

26 By separation into prime factors find which of the numbers (i) 2371600, (ii) 66825, (iii) 571536 are perfect squares. Find the H.C.F. and L.C.M. of their square roots.

27 Complete the division sum given below, by finding the numbers omitted in the first and second lines

$$\begin{array}{r} 5 \overline{) } \\ 9 \text{ rem } 2 \\ 1260 \text{ rem } 6 \end{array}$$

28 If Rs 3150 will buy 50 maunds of tea, how much would be gained by selling the whole at 64 Rs 40 cents per maund?

29 A man in a train notices that he can just count 21 telegraph posts in one minute. If they are known to be 44 yards apart, at what speed is the train travelling?

30 Add together $3\frac{1}{7}$, $\frac{4}{8}$, 7, divide the result by $\frac{3}{8}$, and find how much must be added to the quotient to make 100

- 31 What fraction multiplied by $3\frac{1}{2}$ of $\frac{4}{5}$ produces $2\frac{2}{3}$ of $\frac{4}{13}$?
- 32 Find the three numbers between 2500 and 3000 which are divisible by all the numbers 21, 24, and 28
- 33 Assuming 1 kilometre = $\frac{5}{8}$ mile, shew that 100 yards is very nearly equal to 91 metres
- 34 Find the size of the largest square slab which could be used in paving a courtyard 72 ft long and 57 ft broad
- 35 Separate 249984 into prime factors, and shew that it is the continued product of three consecutive numbers
- 36 Out of £12 I pay bills amounting to £2 $\frac{5}{8}$, £4 $\frac{9}{10}$, £1 $\frac{17}{20}$, £4 $\frac{2}{5}$, how much have I left?

37. Simplify, as shortly as you can
- (i) $2\frac{7}{8} + 5\frac{3}{7} + 1\frac{3}{4} + 1\frac{9}{24}$, (ii) $10\frac{1}{10} - 11\frac{1}{11} + 22\frac{1}{22} - 20\frac{1}{20}$
- 38 What fractions are represented by x in the following statements?
- (i) $x + 3\frac{4}{15} = 16\frac{3}{40}$, (ii) $\frac{53}{80} - x = \frac{1}{4}$, (iii) $\frac{4}{5}$ of $\frac{3}{7} \times x = \frac{3}{14}$
- 39 Given that 35 seers are equal to 72 lbs, express 11 tons in maunds
- 40 If a crew, rowing at 32 strokes per minute, rows a mile in $8\frac{1}{4}$ min, find the distance travelled each stroke
- 41 Three persons having £1 $\frac{11}{15}$, £2 $\frac{3}{8}$, £7 $\frac{1}{3}$, subscribe respectively $\frac{5}{13}$, $\frac{1}{8}$, and $\frac{2}{13}$ of their money. What is their total subscription?
- 42 Find the least number which leaves the remainder 6 when divided by 15, 35, or 42

- 43 The cost of 4 acres of land is £121, what is the value per square yard?
- 44 Simplify (i) $2\frac{1}{5} - 1\frac{4}{5} \times 1\frac{1}{10}$, (ii) $2\frac{1}{5} - 1\frac{4}{5}$ of $1\frac{1}{10}$
- 45 Find the value of 51 things 4 of which cost Rs 33 5 a 4 p
- 46 An 18 gallon cask contains 82 $\frac{2}{7}$ litres, how many pints are there in a litre?

47 How can you tell, without working the sum, that

$$\frac{9}{10} + \frac{17}{25} + \frac{19}{30} + \frac{27}{40} \text{ is not equal to } 2?$$

Find the difference between the greatest but one and the least but one of the above fractions

48 Simplify

$$(i) (2\frac{1}{5} + 1\frac{4}{7}) - (1\frac{1}{21} - \frac{2}{7}), \quad (ii) 2\frac{1}{5} + 1\frac{4}{7} - 1\frac{1}{21} - \frac{2}{7}$$

49 Express the difference between $\frac{1}{12}$ of £1 and $\frac{1}{14}$ of a guinea as a fraction of half a crown

50 If plums weigh 50 lbs to the bushel and cost £22 per ton, what is the cost of 100 bushels to the nearest shilling?

51 A man swims 3 miles in $5\frac{1}{2}$ hours. He goes 1 ft. 4 in. by each stroke, how many strokes does he take per minute?

52 A truck of coals containing 230 maunds is sold at the pit's mouth for 5 annas a maund, and delivered at a railway station distant 60 miles for Rs 143 12a. What is the cost of carriage per maund per mile?

53 Divide the product of $7\frac{3}{4}$ and $9\frac{1}{31}$ by the difference between 9 and $6\frac{1}{5}$

54. Simplify

$$(i) \frac{1}{3} \text{ of } (\frac{3}{4} + \frac{5}{8}), \quad (ii) \frac{1}{3} \text{ of } \frac{3}{4} + \frac{5}{8}, \quad (iii) (\frac{1}{3} + \frac{3}{4}) \text{ of } \frac{5}{8}$$

55 A man takes 3 hrs 45 min in walking to a certain place and riding back. He would have gained $1\frac{1}{4}$ hr by riding both ways. How long would he take to walk both ways?

$$56 \text{ Simplify} \quad (i) \frac{4\frac{1}{2} + 2\frac{1}{5}}{3\frac{1}{3} - 1\frac{1}{5}}, \quad (ii) \frac{3\frac{3}{4} - 1\frac{1}{2}}{1\frac{7}{8} \times 1\frac{7}{8} \text{ of } 2\frac{1}{2}}$$

57 Find the value of

$$(i) 1 \text{ yd } 2 \text{ ft } 3 \text{ in } - \frac{7}{12}, \quad (ii) 9\frac{7}{8} \text{ of Rs. } 8 \text{ 7a } 4p$$

58 After spending $\frac{1}{3}$ of my money, and then $\frac{1}{4}$ of what remained, and finally $\frac{1}{5}$ of what still remained, I found I had Rs 100 left. How much had I at first?

59 Standard gold is worth £3 7s 10½d per ounce. What is the least number of ounces that can be coined into an exact number of sovereigns?

60 Find the difference between $\frac{3}{14}$ of 7 half crowns and $\frac{1}{8}$ of £3

61. Express 23 ft. 3 in. as a fraction of 100 yds, and 3 r 10 p as a fraction of $2\frac{1}{2}$ acres

62 Find the number of square yards in a rectangular piece of ground which measures $13\frac{5}{7}$ yds by $6\frac{1}{16}$ yds Into how many pieces each containing $3\frac{1}{2}$ sq ft. can the rectangle be divided?

63 At a concert Rs. 320 were taken, 50 persons took gallery tickets, 30 persons paid Rs 2 more, and 20 persons paid Rs 3 more than those who sat in the gallery. What was the price of each kind of ticket?

64. Simplify (i) $\frac{2\frac{1}{2} \text{ of } \frac{5}{4} - 1\frac{9}{10}}{1\frac{1}{2} \times 2\frac{1}{2}}$, (ii) $\frac{1\frac{2}{3} + 4\frac{1}{5} \times 1\frac{1}{11}}{5\frac{1}{3} - 7\frac{2}{8} - 9\frac{9}{16}}$

65 A dealer has six kinds of teas, averaging 2s 10d per lb. Four of them cost respectively 1s 11d, 2s 3d, 2s 6d, and 3s 4d per lb. What was the cost per lb of the 5th and 6th teas, supposing that one cost three fourths as much as the other?

66 Use the following approximate equivalents

$$\begin{array}{ll} 1 \text{ metre} = 39\frac{3}{8} \text{ inches,} & 1 \text{ kilometre} = \frac{5}{8} \text{ mile,} \\ 1 \text{ kilogram} = 2\frac{1}{8} \text{ lbs,} & 1 \text{ litre} = 1\frac{3}{4} \text{ pints,} \end{array}$$

to determine roughly

- (i) the number of metres in 84 ft,
- (ii) hundredweight in 280 Kg,
- (iii) litres in a 9-gallon cask,
- (iv) kilograms in 2 tons 4 cwt

67 Express the following ratios as fractions in their lowest terms

(i) $\frac{1 \text{ ac. } 3 \text{ r } 35 \text{ p}}{5 \text{ ac } 1 \text{ r } 15 \text{ p}}$, (ii) $\frac{\text{Rs } 4 \text{ } 13 \text{ a. } 6 \text{ p}}{\text{Rs } 5 \text{ } 7 \text{ a } 6 \text{ p}}$

68 Find, with as little work as possible, the value of

(i) $2\frac{7}{12} + 4\frac{1}{6} + \frac{7}{9} + 1\frac{3}{4} + 1\frac{1}{18}$,

(ii) $1\frac{6}{11} - 1\frac{4}{9} - 2\frac{7}{9} + 3\frac{5}{18} - 1\frac{1}{2}$

✓69 If the contents of a pint tankard will fill two tumblers, and a tea cup holds $\frac{2}{3}$ as much as a tumbler, how many tea-cups can be exactly filled from a litre? What fraction of a litre is left?

70 A train is travelling at the rate of 40 Km per hour how many miles will it go in 12 min ?

71 How many allotments of 3 ac 2 r 20 p each may be taken out of a piece of land $14\frac{1}{2}$ miles long and 7 miles wide ?

72 If £2 11s 4d is paid for 20 kilograms of biscuit, how much should be given for 1 cwt ?

73 Express $\frac{15 \text{ cwt}}{1 \text{ ton}} - \frac{\text{Rs } 7 \text{ } 8 \text{ a.}}{\text{Rs } 15}$ as a fraction in its lowest terms

74 A man travelled 520 miles by sea, rail, and coach The distance by coach was one third that by rail, the distance by rail one third that by sea The charges at sea were 2 p per mile, by rail 4 p, by coach 9 p Find the average cost per mile for the whole journey

75 An empty cask weighs 11 lbs, and when filled with water its weight is 55 Kg, find how many gallons the cask will hold. [See Ex 66]

76 If a farmer lays two tons of lime on an acre of land, how many grams is that per square metre? Express the result to the nearest integer

77 Shew that the fraction $\frac{7}{18}$ may be expressed in the form

$$\frac{1}{4} + \frac{1}{2} \text{ of } \frac{1}{4} + \frac{1}{2} \text{ of } \left(\frac{1}{2} \text{ of } \frac{1}{4}\right)$$

Use this result to find the value of

$$£33 \text{ } 2\text{s } 8\text{d} - \left(\frac{2}{3} \text{ of } 2\frac{2}{3}\right)$$

78 One train travels at an average speed of 50 kilometres an hour, and another at half a mile a minute If the second starts immediately after the first, how long will it be before it is 5 miles behind? [See Ex 66]

79 Find the average length of the year in days, hours, minutes and seconds for the nineteenth century

80 Simplify

$$\frac{\text{Rs } 8 \text{ } 6 \text{ a } 9 \text{ p}}{\text{Rs } 10 \text{ } 13 \text{ a } 3 \text{ p}} - \frac{2 \text{ mds } 27 \text{ srs } 10 \text{ chks}}{4 \text{ mds } 1 \text{ sr } 7 \text{ chks.}}$$

CHAPTER VII

THE UNITARY METHOD

142 In the present chapter we shall consider questions of which the following are typical examples

EXAMPLE 1 *If 12 yards of cloth cost 42 rupees, how much should be paid for 16 yards?*

Given that 12 yards cost 42 rupees, it follows that one yard will cost *one twelfth* as much,

that is, 1 yard costs 42 rupees $\times \frac{1}{12}$

Again, 16 yards will cost *sixteen times* as much as 1 yard costs,

16 yards cost 42 rupees $\times \frac{16}{12}$

Hence the required sum = Rs $42 \times \frac{4}{3}$ = Rs 56

EXAMPLE 2. *If 35 men can do a piece of work in 6 days, in how many days could 15 men do it?*

Given that 35 men do the work in 6 days, it follows that one man will take *thirty five times* as long,

that is, 1 man does the work in 6 days $\times 35$

Again 15 men will take *one fifteenth* of the time that 1 man takes,

15 men do the work in 6 days $\times \frac{7}{15}$

Hence the required time = 6 days $\times \frac{7}{3}$ = 14 days

143 From the above Examples it will be seen that the method depends on first finding

in (1), how much one yard of cloth costs,

in (2), how long one man takes for the work

For this reason the process is known as **Reduction to the Unit**, or the **Unitary Method**.

The middle steps in these Examples, namely those in which the reduction to the unit is performed, should be carefully noted and compared. In the first Example, the *smaller* the number of yards the *smaller* the cost, while in the second, the *smaller* the number of men the *greater* the time taken. In every example the pupil must begin by asking himself whether, on reducing to the unit, a smaller or a greater result is to be expected.

The actual arrangement of Examples should be as follows

EXAMPLE 1 *If I spend £49 1s in 18 weeks, how much should I spend in a year at the same rate?*

In 18 weeks I spend £49 1s

in 1 week £49 1s $\times \frac{1}{18}$

in 52 weeks £49 1s. $\times \frac{52}{18}$

$$\begin{aligned} \text{reqd sum} &= £49 \text{ 1s} \times \frac{52}{18} \\ &= £141 \text{ 14s} \end{aligned}$$

$$\begin{array}{r} \frac{52}{18} = \frac{26}{9} = 2 \frac{8}{9} \\ \begin{array}{r} \text{£} \quad \text{s} \\ 49 \quad 1 \\ \hline \text{Less } \frac{1}{9} \end{array} \end{array}$$

NOTES.

(1) In the first line of work it is convenient to arrange the statement so that the quantity of the same kind as the answer comes last

(ii) In the reduction of the last line it is in some cases best to express the given quantity fractionally, in others to deal with it as a compound quantity by one of the methods explained in Chapter VI. Here we adopt the latter course

EXAMPLE 2 *A train takes 3 hrs 12 min to perform a certain journey if it travels at the average speed of 35 miles an hour. How long would the same journey take at 40 miles an hour?*

At 35 miles an hour the train takes $3\frac{1}{5}$ hours

at 1 mile an hour $3\frac{1}{5}$ hours $\times 35$,

at 40 miles an hour $3\frac{1}{5}$ hours $\times \frac{35}{40}$

Hence reqd time = $(\frac{16}{5} \times \frac{7}{8})$ hours = $2\frac{4}{5}$ hours

= 2 hrs 48 min.

EXAMPLES VII. a.*(Examples 1-10 should be done orally)*

1. If 8 copies of a book cost 24 rupees, what would one copy cost?
2. If 5 men do a piece of work in 12 days, in how many days would 1 man do it?
3. If 8 sheep cost £18, how much would 1 sheep cost?
4. If 10 men dig a ditch in 9 days, how long would 1 man take at the same rate?
5. The stores in a block house would last 9 men for 9 days, how long would they last 1 man?
6. In 8 weeks my earnings are Rs 40, what are my average earnings for 1 week? What do I earn in 11 weeks?
7. For a certain sum 7 cwt. are carried 30 miles, for the same sum how far should 1 cwt. be carried? How far should 10 cwt. be carried?
8. Travelling 9 miles an hour I make a journey in 10 hours how long would the same journey take at 1 mile an hour? How long at 15 miles an hour?
9. I pay 12 rupees for 8 lbs. of coffee, how much do I pay (i) for 1 lb., (ii) for 6 lbs., (iii) for x lbs.?
10. If 2 lbs. of tea cost 15 rupees, how much does 1 lb. cost? How much do y lbs. cost?
11. How long will it take me to earn £68 if I can earn £51 in 12 weeks?
12. How many trucks would be wanted to carry 175 tons of coal at the rate of 12 trucks for 100 tons?
13. If 125 men can do a piece of work in 120 days, how many men would be sufficient to do it in 100 days?
14. In how many days would 35 horses eat a supply of corn which lasts 20 horses for 14 days?
15. If Re 1 2a will buy 3 seers of meat, what will be the cost of 16 seers?
16. A certain quantity of stores will last 77 men for 16 weeks. How many men will the same stores last for 22 weeks?
17. By travelling at an average speed of 30 kilometres an hour I take 16 hours for a journey, how many hours should I take at 24 kilometres an hour?
18. What will be the cost of 16 yards of cloth if 30 yards cost Rs 39 1a?
19. What should be paid for 28 days' work at the rate of £3 7s 6d for 12 days?

20 A cart delivers 15 tons 12 cwt. of sand in 13 loads, how much could be brought in 5 loads?

21 If I save Rs 62 7a in 37 weeks, how much should I save in 43 weeks at the same rate?

22. A train running at an average speed of 48 miles an hour performs a journey in 6 hrs 25 min, how long would the same journey take if the speed were reduced to 33 miles an hour?

23 (i) If 3 men take 5 hours to load a consignment of coal, how long would 10 men take?

(ii) If x men take p hours for this work, how long would y men take?

24 (i) At the rate of $13\frac{1}{2}$ miles in 3 hours, what distance could be covered in 8 hours?

(ii) What distance could be covered in x hours at the rate of m miles in p hours?

25 How far will a train travel in 17 minutes at the rate of 30 miles an hour? What distance would be travelled in x minutes at this speed?

26 (i) At what speed in miles per hour is a train travelling if it covers 1056 yards in a minute?

(ii) Express a speed of a yards per minute in miles per hour

27 (i) If a motor travels 90 miles in 1 hour, how many feet does it go in 1 second?

(ii) Express a speed of m miles per hour in yards per minute

28 (i) If an engine of 60 horse power will raise a certain load up the shaft of a mine in $\frac{3}{4}$ of a minute, how long would it take an engine of 36 horse power to do the same work?

(ii) An engine of x horse power does certain work in a minutes, in how many minutes would an engine of y horse power do the same work?

29 If 40 tons of provisions would last 840 men for 57 days, for how many days would the same supply last 1330 men?

30 A man makes a journey in 10 hours travelling by coach at 12 miles an hour, how much time would he save if he made the journey by train at 45 miles an hour?

31 If 95 sacks of flour weigh 2 tons 15 cwt., find the weight of 133 sacks

32 I give Rs 62. 5a 6p for 56 maunds of coal, how much should I give for 72 maunds at the same rate?

33 What will be the cost of 108 maunds of wheat, if 63 maunds are sold for Rs 950 4a

34. If 135 lbs of coffee cost £8 8s 9d, what should be given for 375 lbs?

35 A watch loses 2 hrs 13 min a week, how much does it lose in 36 hours?

36 A man's expenditure is at the rate of Rs 15 5a in 35 days, how much will he spend in a year at this rate?

37 If I save money at the rate of Rs 42 a month, I shall have enough to buy a certain house in 4 years 7 months. How soon should I be able to buy this house if I were to increase my rate of saving to Rs 70 a month?

38 Find the cost of 209 copies of a book of which 176 copies can be bought for Rs 462 10a 8p

39 The rent of 119 ac 1 r 16 p of land is £264, how much land can be rented for £105?

40 A besieged garrison of 4000 men had provisions left for 42 days, when 1760 men broke through the enemy's lines. For how long could the provisions last the remainder of the garrison?

144 EXAMPLE 1 If $\frac{6}{11}$ of a ton of gun metal is worth £90, find the value of (i) a whole ton, (ii) $\frac{1}{8}$ of one hundred weight

Since $\frac{6}{11}$ of a ton is worth £90,

$\frac{1}{11}$ of a ton £90 $\times \frac{1}{6}$,

$\frac{1}{11}$, or one, ton £90 $\times \frac{1}{6}$, viz £165

Hence 1 cwt is worth £165 $\times \frac{1}{20}$,

$\frac{1}{8}$ cwt £165 $\times \frac{1}{20} \times \frac{1}{8}$

Thus the required result = £14 $\frac{3}{8}$, or £7 3s

EXAMPLE 2 Of the annual profits of a firm the senior partner takes $\frac{3}{8}$, and the junior partner $\frac{7}{10}$ of the remainder. If Rs 3795 3a is left to carry forward to next year's account, what are the total profits?

When $\frac{3}{8}$ of the profits have been taken, there remains $\frac{5}{8}$,

the junior partner takes $\frac{7}{10}$ of $\frac{5}{8}$ of the total,

so that there is then left $\frac{3}{10}$ of $\frac{5}{8}$, or $\frac{3}{16}$ of the total

Since $\frac{3}{16}$ of profits amount to Rs 3795 3a

$\frac{1}{16}$ of profits Rs 3795 3a $\times \frac{1}{3}$,

$\frac{1}{16}$, or whole, profits Rs 3795 3a $\times \frac{16}{3}$

Thus the required sum = Rs 20241

EXAMPLES VII. b

- 1 If $\frac{3}{8}$ of a legacy is worth Rs 930, what is the whole worth?
- 2 What are the total profits of a business, when $\frac{5}{11}$ of the profits amount to £42 10s.?
- 3 What is the length of a pole which is shorter by 54 inches when $\frac{6}{7}$ of it has been cut off?
- 4 After $\frac{17}{10}$ of my journey is done, I have still 6 miles to go. How far have I gone already?
- 5 If $\frac{4}{5}$ of my income is Rs 3080, find $\frac{2}{7}$ of it.
- 6 What is the value of $\frac{3}{8}$ of an estate, when $\frac{5}{14}$ of it is worth £1065?
- 7 A creditor who has a claim upon $\frac{3}{7}$ of a bankrupt's property gets Rs 870 12s. What will another creditor get who can claim $\frac{2}{5}$?
- 8 If $\frac{5}{13}$ of an estate is worth £250, what part of the estate is worth £650?
- 9 When I have read 240 pages, I shall have got through $\frac{4}{7}$ of a book. What fraction of the book shall I have read when I have got to the end of page 350?

[In Examples 10–24 the following approximate equivalents are to be used]

1 metre	= 39 $\frac{3}{8}$ inches,	1 kilometre	= $\frac{5}{8}$ mile,
1 sq metre	= 10 $\frac{3}{4}$ sq feet,	1 hectare	= 2 $\frac{1}{2}$ acres,
1 gram	= 15 $\frac{1}{2}$ grains,	1 kilogram	= 2 $\frac{1}{8}$ lbs,
1 litre	= 1 $\frac{3}{4}$ pint = 61 cubic inches]		

- 10 To cut a road costs Rs 2400 per mile, find the approximate cost per kilometre.
- 11 If 1 kilometre of telegraph wire costs Rs 311 4s., find approximately the cost per mile?
- 12 Find the cost per lb of tea which is sold for 3s 8d per kilogram.
- 13 If sugar costs 11s 8d per cwt, quote the corresponding price per lb, and per kilogram.
- 14 What should be the price per litre of milk which costs 3s 4d a gallon?

15 How much should be given for a pint of claret which is sold at 6s 5d per litre?

16 If cloth is sold at Rs 2 3a per metre, what is the price per yard?

17 Ribbon costs 8 annas a yard, at what rate is this per metre?

18 If two glasses go to the pint, how much should be paid for a glass of milk that is sold at 7d per litre?

19 Which is the greater speed 96 kilometres an hour or a mile a minute?

20 The distance from London to Bristol is 119 miles, if the run is made in 2 hrs 20 min, express the average speed in kilometres per hour

21 The rent of land is £2 5s per acre, find roughly the rent per hectare

22 - A plot of 15 hectares is sold for £4650, find roughly the price per acre

23 How many metres of silk could be bought for Rs 30 10a if the price per yard is Rs 3 8a.

24 Calico which cost 8a 9p per metre is sold at 8a 6p a yard What gain is made on selling 48 yards?

25 A rupee weighs 1 tola, or 180 grains, find the weight in ounces (Troy) of a lac of rupees (1 oz Troy = 480 grs)

26 Find the acreage of a farm which consists of pasture and corn-land, if the pasture amounts to $\frac{7}{11}$ of the whole, and there are 216 acres of corn land

27 A battalion, after $\frac{5}{8}$ of its whole strength had been disabled, had 748 men left fit for duty In a week's time 816 men were reported fit for duty By what fraction of its full strength was the battalion still short?

28 After travelling $\frac{7}{8}$ of a journey by rail, and $\frac{1}{8}$ of it by coach, I find I have still 8 miles to walk What was the length of the whole journey?

29 Three partners own respectively $\frac{1}{3}$, $\frac{1}{4}$, $\frac{1}{5}$ of a coasting vessel, while the rest belongs to the master, what is the latter's share? If the master's share is worth Rs 5858 2a, what is the whole vessel worth?

30 A man pays $\frac{1}{10}$ of his income in rates and taxes, and $\frac{1}{12}$ in insurances, he has then left Rs 4927 9a What is his income?

CHAPTER VIII.

DECIMALS

145 Numeration. The numbers 10, 100, 1000, 10,000, , are known as **powers of ten**. 10 is itself the *first* power, 100, or 10^2 , is the *second* power, 1000, or 10^3 , is the *third* power, and so on

Similarly $\frac{1}{10}$, $\frac{1}{100}$, $\frac{1}{1000}$, , are called **inverse powers of ten**, and may be written $\frac{1}{10}$, $\frac{1}{10^2}$, $\frac{1}{10^3}$

146 We already know that the figures of any whole number express that number in *descending powers of ten* and in **units**. For instance

5893 means 5 *thousands* + 8 *hundreds* + 9 *tens* + 3 *units*,
or 5×10^3 $+ 8 \times 10^2$ $+ 9 \times 10 + 3$

If we now extend this system fractionally *beyond the units' figure*, we may express *tenths*, *hundredths*, *thousandths*, and so on. This extended notation is shewn in the following Table

	ten thousands	thousands	hundreds	tens	units	tenths	hundredths	thousandths	ten thousandths	
		5	8	9	3	4	6	7		

The above figures represent

5 *thousands* + 8 *hundreds* + 9 *tens* + 3 *units* together with
4 *tenths* + 6 *hundredths* + 7 *thousandths*

To mark the position of the *units' figure* we place a dot called the **decimal point** immediately after it. Thus the mixed number given above in words is written in figures as follows

5893.467

In the same way

2 hundreds+6 units+5 tenths+1 thousandth

is written 206 501, the two ciphers being used to indicate the absence of *tens* and *hundredths*, and to fix the position of the other figures

Similarly 0 8002 indicates *8 tenths+2 ten-thousandths*, the cipher on the left being used to mark the units' place

NOTES (i) When there is no whole number, the cipher before the decimal point is sometimes omitted. Thus 0 8002 and 8002 have the same meaning, though the first form is usually to be preferred

(ii) Ciphers appended to the *right* of any decimal do not alter its value. Thus in 3 5200, the final ciphers merely indicate absence of *thousandths* and *ten thousandths*, so that 3 5200 and 3 52 have the same value

147 A fraction (or whole number followed by a fraction) thus expressed in *tenths*, *hundredths*, *thousandths*, etc., is called a **decimal fraction** or simply a **decimal**.

In reading off a decimal fraction the digits are named in order, without specifying *tenths*, *hundredths*, etc. Thus 57 4067 is read as follows "fifty seven, *decimal* (or *point*) four, nought, six, seven."

EXAMPLES VIII. a. (Oral)

1. Read off as decimals the figures given in the following Table

	ten thousands	thousands	hundreds	tens	units	tenths	hundredths	thousandths	ten thousandths
(i)					3	4			
(ii)				2	6	7			
(iii)					8	9	1		7
(iv)		1	4	5		3			
(v)					7		8	0	0
(vi)			4		1			7	0

Read off as decimals

- 2 (i) 7 units + 5 tenths, (ii) 6 tenths + 2 hundredths
 3 4 units + 6 tenths + 8 hundredths
 4 $39 + \frac{1}{10}$ 1 tenth + 2 hundredths
 5 (i) 50 + 5 hundredths, (ii) 500 + 5 thousandths
 6 (i) 3 tenths + 4 hundredths, (ii) 30 + 4 ten thousandths
 7 (i) 9 thousandths, (ii) 8 millionths

State in words (naming *tenths*, *hundredths*, *thousandths*, etc.) the equivalents of

8	47	9	368	10	51.96
11	7.02	12	10.08	13	0.451
14	0.07	15	5.005	16	0.01
17	3.196	18	31.96	19	319.6
20	20.8	21	2.08	22	0.208
23	0.0208	24	23.23	25	0.023

26 Read off as decimals $\frac{1}{10}$, $\frac{1}{100}$, $\frac{1}{1000}$, $\frac{1}{10000}$

27 State (naming tenths, hundredths, etc.) the meanings of
 (i) 72, (ii) 0072, (iii) 7200

What effect have the ciphers in the second decimal?

What effect have the ciphers in the third decimal?

28 On a rough measurement I make the length of a line to be 8.6 inches. The true length is 8.63 inches. State in words my error.

29 Which is the greatest of these decimals .0202, .202, .2002? Which is the least?

148 Approximate Decimals It must specially be noticed that the number of digits in a decimal fraction gives no indication of its *value*. Thus 0.736 denotes a smaller quantity than 0.8,


$$\text{for } 0.736 = \frac{7}{10} + \frac{3}{100} + \frac{6}{1000} = \frac{736}{1000},$$

$$\text{while } 0.8 = \frac{8}{10} = \frac{800}{1000}$$

And however many decimal figures we might append to 0.736, the result would still be less than 0.8

149 The beginner should always consider the digits of a decimal *one by one* in order from left to right, and he should try to realize the *rapidly diminishing importance of successive digits*.

For example, suppose it is required to mark off from the line AB a part equal to 2.46 inches



Now $2.46 = 2 + \frac{4}{10} + \frac{6}{100}$. Hence measuring from A, we first take 2 inches, then along the next inch, which is divided into 10 equal parts, we take 4 *tenths*, so that we have now taken 2.4 inches. To get the remaining 6 hundredths, we should have to sub-divide the next tenth into ten equal parts, and of these take 6. We shall then have obtained a line 2.46 inches in length.

Now suppose we wanted a line 2.468 inches long. In order to get the additional 8 *thousandths*, we should have to sub-divide the next *one hundredth* of an inch into *ten* parts, and take 8 of them. But it is clear from the diagram that this would require a sub-division far more minute than is possible with ordinary instruments.

The best we can do is to count 8 *thousandths* as roughly 1 *hundredth*, and accordingly to estimate a length of 2.47 inches as an approximate substitute for 2.468 inches. This of course involves an error of 2 *thousandths*, whereas if we had simply omitted the third decimal figure, our error would have been 8 *thousandths*.

Thus 2.47 is the nearest equivalent of 2.468 that can be given with *two* decimal figures, and it is therefore said to give the value *correct to the nearest hundredth*, or *correct to the 2nd decimal place*.

If, in the above illustration, the 3rd decimal figure had been less than 5, the nearest equivalent with two decimal figures would clearly have been got by merely omitting the 3rd figure.

Thus we have

$$\begin{array}{lcl} 2.464 = 2.46 & \} & \text{correct to the 2nd decimal figure,} \\ 2.468 = 2.47 & \} & \text{or nearest hundredth} \\ 0.32125 = 0.321 & \} & \text{correct to the 3rd decimal place,} \\ 0.32172 = 0.322 & \} & \text{or nearest thousandth} \end{array}$$

EXAMPLES VIII. b (Oral)

1 I am required to measure off a line 2.147 inches long. What errors do I make in taking (i) 2.14 inches, (ii) 2.15 inches as near equivalents?

What is the equivalent of 2.147 *correct to the 2nd decimal figure*?

What figures represent 2.147 *correct to the nearest hundredth*?

2 Instead of 3.128 inches I take 3.13 inches. What error is involved? Is the approximation *correct to the nearest hundredth*?

3 Correct 4.786 to the nearest hundredth. What error is accepted in doing so?

4. Supposing that you can measure *inches, tenths, hundredths, and no further*, what figures would you take to represent the following lengths?

- (i) 3·742 inches (ii) 3 746 inches (iii) 2 087 inches
(iv) 4 063 inches (v) 0 8847 inch (vi) 6 12784 inches

5 As an approximation to 3 685, which is nearer, 3 68 or 3 69?

6 As an approximation to 3 6857, correct to the nearest hundredth, which is the closer, 3 68 or 3 69?

7 In the decimal £0 111, find in pence or the fraction of a penny, the value of each decimal figure separately

8 How will the following decimals be most nearly represented with *three* decimal figures?

- (i) 0 4768 (ii) 3 4909 (iii) 0 07923 (iv) 0 6799

9 Read off the following decimals correct to the nearest *thousandth*

- (i) 4 6872 (ii) 2 6877 (iii) 0 90884 (iv) 0 9099

10 Read off the value of 3 618293 correct to *five, four, three, two, one* decimal places, and also correct to the *nearest unit*

150 Place-Value illustrated by the Metric Table of Length. We have seen that the position of any digit in a decimal relatively to the *units' figure* fixes its *place-value*, that is, it determines whether the digit represents *tens, hundreds, thousands, etc.*, or *tenths, hundredths, thousandths, etc.* For instance, the 3rd digit to the *left* of the *units' figure* indicates *thousands*, while the 3rd digit to the *right* indicates *thousandths*. Thus the place-value of each digit throughout a decimal is *ten-times* the place value of the next digit on the right, and consequently *one-tenth* that of the next digit on the left

Now in the Metric Table of Length the successive denominations are connected in exactly the same way. Hence, taking 1 metre as unit, we may immediately express a series of metric denominations as the decimal of 1 metre, and, conversely, read off a decimal of 1 metre as a compound quantity

1000	100	10	1	$\frac{1}{10}$	$\frac{1}{100}$	$\frac{1}{1000}$
Km	Hm	Dm	metre	dm	cm	mm
	4	6			5	
7		3		8		

EXAMPLES From the above Table, we have at once

$$(i) 4 \text{ Hm } 6 \text{ m } 5 \text{ cm} = 406.05 \text{ metres}$$

$$(ii) 7030 \text{ 8 metres} = 7 \text{ Km } 3 \text{ Dm } 8 \text{ dm}$$

$$\text{Ob. } 1 \text{ metre} = 39 \text{ 370113 inches} = 39\frac{3}{4} \text{ inches (nearly)}$$

$$1 \text{ inch} = 2 \text{ 5400 centimetres}$$

EXAMPLES VIII c

(Most of the following examples should be taken orally)

Read off as decimals of a metre

$$1 \quad 8 \text{ m } 5 \text{ dm}$$

$$2 \quad 8 \text{ m } 5 \text{ cm}$$

$$3 \quad 7 \text{ m } 4 \text{ dm } 3 \text{ cm}$$

$$4. \quad 7 \text{ Dm } 4 \text{ m } 3 \text{ dm } \quad 5 \quad 7 \text{ dm } 4 \text{ cm } 3 \text{ mm } \quad 6 \quad 7 \text{ m } 4 \text{ cm } 3 \text{ mm}$$

$$7 \quad \text{Remembering that } 8 \text{ m } 1 \text{ dm } 2 \text{ cm} = 8.12 \text{ metres,}$$

is it true that

$$8 \text{ yds } 1 \text{ ft } 2 \text{ in} = 8.12 \text{ yards?}$$

Give your reason

Read off (as compound quantities) in a series of metric denominations

$$8 \quad 9.6 \text{ m}$$

$$9 \quad 90.6 \text{ m}$$

$$10 \quad 0.96 \text{ m}$$

$$11. \quad 9.06 \text{ m}$$

$$12 \quad 7.52 \text{ m}$$

$$13 \quad 0.752 \text{ m}$$

$$14. \quad 70.502 \text{ m}$$

$$15 \quad 7005.2 \text{ m}$$

Read off as decimals

$$16 \quad 10 + 2 \text{ hundredths} + 7 \text{ thousandths}$$

$$17 \quad 7 \text{ tenths} + 1 \text{ thousandth} + 4 \text{ ten thousandths}$$

$$18 \quad 21 + 3 \text{ thousandths}$$

$$19 \quad 5 + 7 \text{ ten thousandths}$$

$$20 \quad 4 + \frac{3}{10} + \frac{7}{100} + \frac{9}{1000}$$

$$21 \quad 51 + \frac{7}{10} + \frac{8}{10^2}$$

$$22 \quad \frac{1}{10} + \frac{1}{1000}$$

$$23 \quad \frac{7}{10000}$$

$$24. \quad \frac{7}{10^3}$$

$$25 \quad 4 \text{ hundred thousandths}$$

State in words the equivalents of

$$26 \quad 0.3003$$

$$27 \quad 0.0072$$

$$28 \quad 0.0702$$

$$29. \quad 0.00002$$

State in words, and also in inverse powers of 10, the equivalents of

$$30 \quad 01$$

$$31 \quad 0001$$

$$32 \quad 000001$$

$$33 \quad \text{Which is greater, one farthing or } 001 \frac{1}{4} \text{ a sovereign? Why?}$$

$$34. \quad \text{Read off as compound quantities in metric denominations}$$

$$(i) 4.036 \text{ Km} \quad (ii) 0.409 \text{ Km} \quad (iii) 7.007 \text{ Km} \quad (iv) 8.8 \text{ Km}$$

35 Using only *two decimal figures*, give the nearest equivalents of

- (i) 4 612 (ii) 0 089 (iii) 5 6832. (iv) 0 1781

36 State as decimals *correct to the nearest thousandth* the value of the following

- (i) 0 0717 (ii) 3 62812 (iii) 0 8008 (iv) 4 50691

$$(v) 4 + \frac{7}{10} + \frac{3}{100} + \frac{6}{1000} + \frac{8}{10000} \quad (vi) 7 + \frac{1}{10^2} + \frac{4}{10^3} + \frac{9}{10^4}$$

37 To how many places must the decimal of a *kilometre* be correct to give a result *true to the nearest metre*? Illustrate by an example

38 Read off as compound quantities *correct to the nearest metre*

- (i) 3 0069 Km. (ii) 9 0483 Km (iii) 0 10892 Km

39 To how many places must the decimal of a *metre* be correct to give a result *true to the nearest millimetre*?

40 Read off as compound quantities *correct to the nearest millimetre*

- (i) 0 0431 metre (ii) 4 0619 metres (iii) 0 00683 metre

151 **Multiplication and Division by Powers of Ten** It will now be understood that if each digit of a decimal is moved one place to the *left* (the decimal point remaining fixed), the place value of each digit is *increased* ten-fold

Hence, to *multiply a decimal by 10, 100, 1000,* , that is to say, by $10^1, 10^2, 10^3,$, *move each digit 1 place, 2 places, 3 places,* , to the *left*, or, what serves the same purpose, *move the decimal point so many places to the right*

EXAMPLE 1

$$\begin{array}{r} 26\ 324 \times 100 \\ = 2632\ 4. \end{array}$$

EXAMPLE 2

$$\begin{array}{r} 0\ 00268 \times 1000 \\ = 2\ 68 \end{array}$$

EXAMPLE 3 $8\ 71 \times 10^4 = 87100$

152 Similarly, if each digit of a decimal is moved one place to the *right*, the place value of each digit is *diminished* ten-fold

Hence to *divide a decimal by 10, 100, 1000,* (that is to say by $10^1, 10^2, 10^3,$), *move each digit 1 place, 2 places, 3 places,* , to the *right*, or, *move the decimal point so many places to the left*

EXAMPLE 1

$$\begin{array}{r} 916\ 4 - 100 \\ = 9\ 164. \end{array}$$

EXAMPLE 2

$$\begin{array}{r} 4\ 62 - 1000 \\ = 0\ 00462. \end{array}$$

EXAMPLE 3 $5038 - 10^3 = 5\ 038$

153 Standard Form. A decimal (such as 4 803) which has a whole number consisting of a *single digit*, is said to be in **standard form**

$$\begin{aligned}\text{Now } 4803 &= 4\,803 \times 10^2, \\ \text{and } 0\,04803 &= 4\,803 - 10^2\end{aligned}$$

Thus any decimal can be presented in standard form by using some power of 10 as a multiplier or divisor

154 As before, the above principles may be illustrated from the Metric Table of length

$$\begin{aligned}\text{EXAMPLE 1 } 4\,0816 \text{ kilometres} &= 4081\,6 \text{ metres} \\ &= 40\,816 \text{ Hm} \\ &= 408160 \text{ cm}\end{aligned}$$

$$\begin{aligned}\text{EXAMPLE 2 } 8 \text{ Km } 37 \text{ m } 6 \text{ dm, or} \\ 8 \text{ Km } 0 \text{ Hm } 3 \text{ Dm } 7 \text{ m } 6 \text{ dm} &= 8\,0376 \text{ kilometres} \\ &= 8037600 \text{ millimetres}\end{aligned}$$

$$\text{EXAMPLE 3. } 70\,9004 \text{ hectometres} = 7 \text{ Km } 9 \text{ Dm } 4 \text{ cm}$$

From these instances we see that in metric measurements all processes of *Reduction* can be performed without numerical calculation, by merely considering the place value of the different denominations

155 We add some further illustrations to shew the advantage of Tables in which successive denominations are connected by *tens* or *powers of ten*

(i) Express 51 Rs 35 cents in rupees only

Since 100 cents = 1 rupee, to bring cents to rupees divide by 100

$$\begin{aligned}\text{Now } 35 - 100 &= 35 \\ 51 \text{ Rs } 35 \text{ cents} &= \text{Rs } 51\,35\end{aligned}$$

(ii) Similarly 36 Rs 70 cents = Rs 36 70

And 36 Rs 5 cents = Rs 36 05

(iii) Conversely, Rs 82 30 = 82 Rs 30 cents

And Rs 40 05 = 40 Rs 5 cents

(iv) Since 100 links = 1 chain,

14 chains 8 links = 14 08 chains

14 chains 80 links = 14 80 chains,

7 32 chains = 7 chains 32 links,

and 7 02 chains = 7 chains 2 links

EXAMPLES VIII d

(Most of the following examples should be taken orally)

Multiply (reading off the results as decimals)

- 1 2 467 by 10, by 100, by 1000
2. 3·062 by 100, by 1000, by 10,000
- 3 41 32 by 10, by 10^2 , by 10^3
4. 0 0091 by 100, by 10^3 , by ten thousand.
- 5 0 083 by 10^4 , by 100, by one million

State the number of

- 6 Centimetres in (i) 70 31 metres, (ii) 1 05 metres, (iii) 8 2 metres
- 7 Metres in (i) 4 708 Km, (ii) 0 312 Km, (iii) 0 87 Km
- 8 Millimetres in (i) 3 024 metres, (ii) 0 7 metre, (iii) 0 08 metre
- 9 Centimetres in (i) 1 Km, (ii) 0 061 Km, (iii) 0·0607 Km
- 10 State in words the equivalent of 70 34, and explain why
 $70\ 34 - 10 = 7\ 034$

Divide (reading off the results as decimals)

- 11 409 32 by 10, by 100, by 1000
- 12 803·2 by 100, by 10^3 , by ten thousand
- 13 0 7 by 10, by 1000, by 10^4
14. 6234 by 100, by 1000, by ten thousand.
- 15 90 by 1000, by 10^4 , by one million

Express

- 16 In metres (i) 483 cm, (ii) 79 cm, (iii) 8 cm
- 17 In kilometres (i) 3081 m, (ii) 149 m, (iii) 85 m
- 18 In metres (i) 4105 mm, (ii) 9300 mm, (iii) 800 mm
- 19 In kilometres (i) 504384 cm, (ii) 73009 cm, (iii) 301 cm
- 20 Multiply $2 + \frac{3}{10} + \frac{4}{100} + \frac{5}{1000}$ by 100, reading off the product as a decimal.
21. Divide 36401 by 10000, stating the quotient as a decimal.
- 22 By what power of ten must 0 0324 be multiplied to give the result 3·24?
- 23 By what power of ten must I divide 4090·2 to get 4 0902 as the quotient?

Express in rupees

- 24 3 Rs 47 cents 25 50 Rs 40 cents 26 18 Rs 30 cents.
 27 18 Rs 3 cents 28 4817 cents 29 7020 cents

Read off in rupees and cents

- 30 21 73 rupees 31. 8 06 rupees
 32 9 04 rupees. 33 9 4 rupees
 34. Bearing in mind that

3 Rs 17 cents = 3 17 rupees,

may we conclude that £3 17s = £3 17' Give your reason

Remembering that 1 florin = 2 shillings = $\frac{1}{10}$ £ = £ 1, express as decimals of a pound

- 35 £4. 2s 36 £5 6s 37 £8 18s 38 £17 14s

Express as decimals of one metre

- 39 31 m 8 cm 40 4707 cm 41 4 708 Km
 42 6 dm 5 cm 43 5 Dm 9 dm 44 0 063 Km

Read off as decimals of a rupee

- 45 3 Rs 14 cents 46 26 Rs 4 cents
 47 18 Rs 30 cents 48 9 Rs 80 cents

49 How many cents are there in (i) 9 07 rupees, (ii) 9 7 rupees?

Express as decimals of one kilometre

- 50 5 Km 4 Dm 7 m 51 9 Km 3 Hm 2 m
 52 416 metres 53 6 m 26 cm

Read off in kilometres and metres the equivalents of

54. 4 976 Km 55 13·027 Km
 56 8 Km 4 Hm 3 Dm 57 5 Hm 28 m

58 Multiply 7 m 2 dm 3 mm by 10, and express the result in successive metric denominations, and also as the decimal of a kilometre

59 Taking an average pace to be 76·2 cm., find in metres the equivalent of 1000 paces

60 If £1 can be exchanged for 15 Rs 8 cents, find in rupees the equivalent of £100,000

61 The circumference of a bicycle wheel measures 239 cm, how many metres will it travel in making ten thousand revolutions?

62 A surveyor's chain of 22 yards is nearly equal to 20 m 12 cm Express in kilometres and metres the length of 100 chains

- 63 By what must I multiply (i) 0 5481 to give 5 481 ?
 (ii) 0 00893 to give 8 93 ?
 (iii) 0 000071 to give 7 1 ?
- 64 By what must I divide (i) 702 6 to give 7 026 ?
 (ii) 8004 71 to give 8 00471 ?
 (iii) 35 021 to give 3 5021 ?

65 Express the following decimals by their equivalents in *standard form*

- (i) 381 6 (ii) 4068 7 (iii) 0 867 (iv) 0 00425

66 Read off the following *correct to the nearest unit*

- (i) 706 8 (ii) 70 683 (iii) 8909 7 (iv) 999 9

67 Read off the value of the following in metres, *correct to the nearest metre*

- (i) 3 6858 Km (ii) 0 84927 Km (iii) 0 9098 Km.

68 Read off the following in rupees and cents, *correct to the nearest cent*

- (i) 83 524 rupees (ii) 17 0291 rupees (iii) 99 999 rupees.

69 Express in rupees and cents, *correct to the nearest five cents*

- (i) 46 837 rupees (ii) 101 0961 rupees (iii) 99 699 rupees

Decimal Numeration illustrated from Metric Square Measure, Cubic Measure, Capacity, Weight

156 Square Measure

Since

1 Dm. = 10 metres, 1 square Dm = 10^2 , or 100, sq metres,

Similarly

1 dm = $\frac{1}{10}$ metre, 1 square dm = $\frac{1}{10^2}$, or $\frac{1}{100}$, sq metre,

and so on

Thus since each denomination of length is 10 times the next lower denomination of length, therefore *each denomination of area* (expressed as the square of a length) *is 100 times the next lower denomination of area*. This is shewn in the following Table

$(1000)^2$	$(100)^2$	$(10)^2$	1	$\frac{1}{(10)^2}$	$\frac{1}{(100)^2}$	$\frac{1}{(1000)^2}$
sq Km	sq Hm	sq Dm	sq metre	sq dm	sq cm	sq mm

Thus 4364 sq metres = 43 64 sq decametres
 = 436400 sq decimetres

NOTE The symbols Km^2 , m^2 , cm^2 are sometimes used for *square kilometre*, *square metre*, *square centimetre*

157 For land measurement the unit of area is the *Are*, viz 1 *square decametre*.

Hence 1 are = $(10)^2$, or 100, square metres.

1 hectare (viz. 100 ares) = 10000 square metres
 = $(100)^2$ "

So that the hectare (Ha) is *one square hectometre*

Obs 1 square metre = 1550 0 square inches
 1 square inch = 6 4516 sq centimetres
 1 hectare = 2 4771 acres (or $2\frac{1}{2}$ acres nearly)

EXAMPLES VIII. e.

(Most of the following Examples should be taken orally)

Express in terms of *square metres*

- | | |
|------------------------|--|
| 1 482 1 sq decametres | 2 6020 sq decimetres |
| 3 0 0046 sq kilometre | 4 8701 sq centimetres |
| 5 14 68 sq hectometres | 6 4 Dm ² 5 m ² 3 dm ² |

Express in terms of *hectares*

- | | |
|---|--------------------|
| 7 416 ares | 8 50026 sq metres. |
| 9 8 Ha 14 ar | 10 14 Ha 8 ar |
| 11 6 Ha 6 ar 6 sq m | 12 7 ar 7 sq m |
| 13 How many hectares are there in a square kilometre? | |
| 14 How many square decimetres in an are? | |

158 Cubic Measure

Since

1 Dm = 10 metres, 1 *cubic* Dm = $(10)^3$, or 1000, cubic metres

Similarly

1 dm = $\frac{1}{10}$ metre, 1 *cubic* dm = $\frac{1}{(10)^3}$, or $\frac{1}{1000}$, cubic metre,
 and so on

Thus since each denomination of length is 10 times the next lower denomination of length, it follows that *each denomination of volume* (expressed as the cube of a length) is **1000 times the next lower denomination of volume**

For instance, 3648 cubic decimetres = 3 648 cubic metres
= 3648000 cubic centimetres

NOTE The cubic metre is sometimes called a stère

A cubic metre, cubic decimetre, and cubic centimetre may be denoted by the symbols m^3 , dm^3 , cm^3

159 Capacity The capacity of one cubic decimetre is called a litre

One litre being taken as the unit, the prefixes *Kilo-*, *Hecto-*, *Deca-*, *deci*, *centi-*, *milli-*, are attached with their usual meaning

Thus 1 hectolitre = 100 litres, 1 decilitre = $\frac{1}{10}$ litre,

1 kilolitre = 1000 litres, 1 centilitre = $\frac{1}{100}$ litre

Since 1 cubic metre = $(10)^3$, or 1000, cubic decimetres,

1 cubic metre contains 1000 litres, viz. one kilolitre

Obs 1 litre contains 61 024 cubic inches
or 1 759 pints

160 Weight The weight of one cubic centimetre of water (at a temperature of $4^\circ C$) is called a gram

Obs 1 gram = 15 432 grains (or $15\frac{1}{2}$ grains, roughly)

1 kilogram (or 1000 grams) = 2 2046 lbs

Since 1 litre contains 1 cubic decimetre,

viz 1000 cubic centimetres,

1 litre of water weighs 1000 grams,

viz 1 kilogram.

Since 1 cubic metre = 1000 cubic decimetres, or litres,

1 cubic metre of water weighs 1000 kilograms (or 1 tonne)

EXAMPLE 1 How many litres are there in a tank containing 5 86 cubic metres?

5 86 cu metres = 5860 cu decimetres = 5860 litres

EXAMPLE 2 *How many kilograms of water are there in a vessel containing 8270 cubic centimetres?*

8270 cu cm = 8·27 cu dm = 8·27 litres,
and since each litre of water weighs 1 Kg,
the required weight = 8·27 Kg

EXAMPLE 3 *What is the weight of a litre of mercury, if mercury weighs 13·5 times its bulk of water?*

1 litre of water weighs 1 Kg
∴ 1 litre of mercury weighs 13·5 Kg

EXAMPLES VIII. f (Oral)

Express in cubic decimetres

- | | |
|--------------------------|-------------------------|
| 1 3·421 cubic metres | 2 0·08 cubic metre |
| 3 4090 cubic centimetres | 4 0·009 cubic decametre |

Give the number of litres in vessels containing

- | | |
|------------------------|-----------------------------------|
| 5 250 cubic decimetres | 6 6·97 cubic metres |
| 7 0·046 cubic metre | 8 16200 cubic centimetres |
| 9 0·075 kilolitre | 10 One million cubic millimetres. |

Express in kilograms the weight of water in vessels containing

- | | |
|----------------------|--|
| 11 1000 litres | 12 150 cubic decimetres |
| 13 4·75 cubic metres | 14 72500 cubic centimetres |
| 15 0·025 kilolitre | 16 $2\frac{1}{2}$ millions of cubic mm |

State in kilograms the weight of the following

17 10 cubic decimetres of copper, copper being 8·8 times as heavy as water

18 1 cubic metre of elm, elm weighing 0·72 of its bulk of water

19 10 litres of sulphuric acid, this acid weighing 1·84 of its bulk of water

20 1 litre of alcohol, the weight of alcohol being 92 per cent of the weight of the same bulk of water

21. What weight of water could be held in a tank whose dimensions are as follows

Length = 5 dm, breadth = 4 dm, depth = 3 dm?

Addition and Subtraction.

161 Since the place value of every digit throughout a decimal is ten-times the place value of the next digit on the right, the four fundamental processes, viz *addition*, *subtraction*, *multiplication*, and *division* may be performed on decimals in exactly the same way, as regards numerical work, as if the figures of the decimals represented whole numbers

162. In Addition and Subtraction the decimals are to be placed so that the units' figures are in one column, and consequently the decimal points in one vertical line. By this means the *tenths* in the given decimals form one column, the *hundredths* another, and so on. And in the result the decimal point will be under those of the given decimals

EXAMPLE 1 *Add together 14 149, 2 897, and 0·768*

$$\begin{array}{r}
 \text{tenths} \\
 \text{hundredths} \\
 \text{thousandths} \\
 14\ 149 \\
 2\ 897 \\
 0\ 768 \\
 \hline
 17\ 814
 \end{array}$$

Explanation On adding the right-hand (in this case the thousandths') column the result is 24 thousandths, viz. 2 hundredths + 4 thousandths. Therefore we set down 4 in the thousandths' column, and carry 2 to the hundredths' column. Adding the latter, we have 21 hundredths, viz. 2 tenths + 1 hundredth. Therefore we set down 1 hundredth, and carry 2 to the tenths' column. Adding the tenths, we have 18 tenths, viz. 1 unit + 8 tenths. Therefore we set down

8 tenths, and carry 1 to the units' column. Thus the numerical work is exactly the same as that of adding integers

EXAMPLE 2 *Simplify*

$$30\ 48 + 3 + 206\ 321 + 0\ 0008$$

$$\begin{array}{r}
 30\ 48 \\
 3 \\
 206\ 321 \\
 0\ 0008 \\
 \hline
 239\ 8016
 \end{array}$$

EXAMPLE 3 *Find the sum of*

4·23 metres, 350 centimetres,
and 11 m 27 cm

$$\begin{array}{r}
 4\cdot23\ \text{metres} \\
 3\ 50\ \text{,,} \\
 11\cdot27\ \text{,,} \\
 \hline
 19\ 00, \text{ or } 19\ \text{metres}
 \end{array}$$

EXAMPLE 4 *From 1·21 take 0·3708*

$$\begin{array}{r}
 1\cdot2100 \\
 0\ 3708 \\
 \hline
 0\ 8392
 \end{array}$$

Here the vacant places in the upper decimal are represented by ciphers. The subtraction is performed just as if the decimals represented whole numbers, the reason for the process being analogous to that

given for Addition in Example 1

EXAMPLES VIII. g

Add together

$$1 \quad 43, 34, 17 \quad 2 \quad 7.2, 5, 38 \quad 3 \quad 6.07, 71, 433$$

$$4. \quad 8, 08, 8.08 \quad 5 \quad 031, 4.007, 2683 \quad 6 \quad 13.002, 5378, 212$$

Find the value of

$$7 \quad 36 + 0.72 + 33 \quad 8 \quad 71 + 281 + 0.09$$

$$9 \quad 0.63 + 9.072 + 300 \quad 10 \quad 144 + 7 + 0.23 + 837$$

11. Add together 27.6 cm, 62 cm, and 123.4 cm, and give the sum in metres.

12. Find the sum of 0.76 Km, 5 Km, and 1.64 Km (Answer in metres)

13. What is the total distance round a four sided plot of ground, the sides measuring 1.5 Km, 1.21 Km, 0.86 Km, and 730 metres? (Answer in kilometres)

14. I spend Rs 13.90 cents at my grocers, Rs 5.5 cents at the butcher's, buy 45 cents worth of mangoes, also a book costing 10 rupees. What is my total expenditure? And how much have I left out of 30 rupees?

Subtract

$$15 \quad 4.9 \text{ from } 7.2 \quad 16 \quad 2.4 \text{ from } 3.81 \quad 17 \quad 0.56 \text{ from } 1.85$$

$$18 \quad 0.89 \text{ from } 1.7 \quad 19 \quad 0.03 \text{ from } 3 \quad 20 \quad 0.007 \text{ from } 5.2$$

Find the difference between

$$21 \quad 0.75 \text{ and } 1 \quad 22 \quad 0.25 \text{ and } 0.031 \quad 23 \quad 0.7 \text{ and } 7.0$$

$$24 \quad 2 \text{ and } 1.006$$

25. The sides of a triangle measure 4.86 in., 5.52 in., and 3.61 in., by how much does the sum of the sides fall short of 14 inches?

26. A fishing rod is in three pieces whose lengths are 1.33 metres, 1.06 metres, and 0.9 metre, what is its total length, allowing a loss of 9 centimetres for the fitting together of the joints?

27. I cycle to a Railway Station distant 15.26 Km., travel 73.5 Km by train, then walk 740 metres to my house. by how much does my total journey fall short of 90 kilometres?

28. What error is made in taking 6 kilometres as equivalent to the sum of 4.206 Km, 0.078 Km, and 1.717 Km? What fraction is the error of the total length?

29. From 100 yards of wire I cut off lengths of 14.2 yards, 17.4 yards, and 3.5 yards. If I call the remainder 65 yards, what decimal of a yard do I neglect? Shew that the error is more than 3 inches but less than 4 inches.

30 If I take 16 3 in to represent the perimeter (i.e. the sum of the sides) of a triangle, whose sides are 4 64 in, 5 02 in, and 6 7 in, what is my error? Would 16 4 in be a nearer estimate?

Simplify the following, affixing, when necessary, a negative sign to the result

$$31 \quad 5 + 0.07 - 1.63$$

$$32 \quad 0.005 + 2.495 - 1.5$$

$$33 \quad 1.93 - 2.4$$

$$34 \quad 0.06 - 0.6$$

$$35 \quad 1.23 + 3.47 + 2.68 - 7.38$$

$$36 \quad 5.99 - (3.64 + 2.36)$$

$$37 \quad 7 - 0.7 - 0.007 - 0.0007$$

$$38 \quad 6 - (3.46 + 7.6) - 4.94$$

39 What decimal must be added to the sum of 5 7, 0 08, and 14 219 to make the total 20?

40 If $4.04 + 11.4 + 0.291 + x = 16.821$,
what decimal is represented by x ?

41. What decimal must be subtracted from 3 to give the difference 1 693?

42 What decimals, positive or negative, are represented by x in the following statements?

$$(i) \quad 5.68 - x = 2.871$$

$$(ii) \quad 7.84 - x = 10$$

$$(iii) \quad 13.02 - 6.9 - x = 5.6 + 18$$

43 Add together 3 92, 14, 0 876, 5 61, 0 0003, and 1 4037 Give the complete result, also the sum *correct to the nearest unit*

Multiplication of Decimals

163 *Multiplication by a single figure (integral or decimal)*

EXAMPLE Multiply 4 397 (i) by 8, (ii) by 80, (iii) by 800, also (iv) by 0 8, and (v) by 0 08

$$(i) \quad \begin{array}{r} 4 \ 397 \\ 8 \\ \hline 35 \ 176 \end{array}$$

$$(ii) \quad \begin{array}{r} 4 \ 397 \\ 80 \\ \hline 351 \ 76 \end{array}$$

$$(iii) \quad \begin{array}{r} 4 \ 397 \\ 800 \\ \hline 3517 \ 6 \end{array}$$

In (i) we proceed as if multiplying a whole number, setting down the *thousandths*' figure in the product under the *thousandths*' figure in the multiplicand, the *hundredths*' figure under the *hundredths*' figure, and so on. Hence the decimal point in the product falls under that of the multiplicand. The reason for the process is the same as that given for Addition (Art 162, Ex. 1)

In (ii) we multiply by 8 as in (i), and the result by 10, the last step being performed by moving every digit in the product *one place to the left*. The two steps are taken together

In (iii), to multiply by 800, we multiply by 8 and place each digit of the product *two places to the left*, taking the two steps together

$$\begin{array}{r} \text{(iv)} \quad 4 \, 397 \\ \quad \quad 0 \, 8 \\ \hline 3 \, 5176 \end{array}$$

$$\begin{array}{r} \text{(v)} \quad 4 \, 397 \\ \quad \quad 0 \, 08 \\ \hline 34176 \end{array}$$

In (iv), to multiply by 8, or 8 *tenths*, we multiply by 8, and *divide the result by 10*, the last step being performed by moving each digit of the product one place to the *right* (Art 151) The two steps are taken together

In (v), to multiply by 08, or 8 *hundredths*, we multiply by 8, and set down each digit *two* places to the right

NOTE It is convenient to notice that if the *units' figure* of the multiplier is placed underneath the last figure of the multiplicand, then in all the above cases the *first figure to be set down in the product falls immediately below the multiplying figure that produced it*

164 When we multiply 02 by 4, we multiply 2 by 4 and set down the result one place to the right of the multiplied figure,

that is $\cdot 02 \times 4 = 008$

Hence a 2nd decimal figure multiplied by a 1st decimal figure gives rise to a 3rd, or $(2+1)^{\text{th}}$, decimal figure

Similarly $\cdot 002 \times \cdot 04 = 00008$,

thus a 3rd decimal figure multiplied by a 2nd decimal figure gives rise to a 5th, or $(3+2)^{\text{th}}$ decimal figure

Generally, a decimal figure in the m^{th} place multiplied by a decimal figure in the n^{th} place gives a decimal figure in the $(m+n)^{\text{th}}$ place of the product

NOTE From this it may be seen that the number of decimal figures in a product is always equal to the sum of the numbers of decimal figures in the factors

EXAMPLES VIII h.

(Examples 1-18 may be taken orally)

Multiply

1 25 by 3

2 4.2 by 4

3 0.7 by 6

4. 0.9 by 7

5 3.5 by 8

6 0.04 by 9

7 Explain the reason for each step in the multiplication shewn in the margin (See explanation of Art 163, Ex (1))

$$\begin{array}{r} 2 \, 63 \\ \quad 7 \\ \hline 18 \, 41 \end{array}$$

8 Each volume of a book is 1 7 inches thick, what is the total thickness of 3 volumes?

9 If 1 kilogram = 2.2 lbs, what is the equivalent of 7 kilograms?

10 Each side of a square field measures 0 15 Km, what is the distance all round it (in metres)?

11 How many pints are there in 5 litres, if 1 litre contains 1 76 pints?

12 When 3 816 is multiplied by 7, the product is 26 712. Read off the products when the same decimal is multiplied (i) by 70, (ii) by 700, (iii) by 0 7

13 Given that $27\ 08 \times 9 = 243\ 72$, read off the products when 27 08 is multiplied by (i) 900, (ii) by 0 9, (iii) by 0 009

Multiply

14 1.07 (i) by 5, (ii) by 50, (iii) by 0 5

15 0 41 (i) by 8, (ii) by 800, (iii) by 0 08

16 2 15 (i) by 0 6, (ii) by 6000, (iii) by 0 006

17 If a figure in the 4th decimal place is multiplied by a figure in the 2nd decimal place, in what place of the product should the resulting figure be set down?

18 Multiply 0.0003 by 0 02, and give the result as a decimal, and also in words

Multiply

19 23 684 (i) by 700, (ii) by 0.07, (iii) by 7 million.

20 0 0375 (i) by eight thousand, (ii) by 0.08, (iii) by $\frac{8}{1000}$

21 4 06 (i) by 9×10^3 , (ii) by $\frac{9}{10^3}$, (iii) by $\frac{9}{10^4}$

22 I walk 115 metres a minute, how many kilometres do I walk in an hour?

23 Express 0 56 of a right angle in degrees

24 How many yards are there in 5000 metres, supposing that 1 metro = 3.2808 feet?

25 A manufacturer makes silk for 3 Rs 45 cents a yard, and sells it for 5 Rs 30 cents. What does he gain on an order of 800 yards?

26 Find the total length of 9 rails, each measuring 13 m 75 cm

165 Multiplication by any decimal number.

EXAMPLE. *Multiply 46 527 by 29 83*

Since the multiplier $29\ 83 = 20 + 9 + 8 + 03$, we have to multiply separately by 20, by 9, by 8, and by 03, and finally to add the partial products

The work may be arranged as follows

$$\begin{array}{r}
 46\ 527 \\
 29\ 83 \\
 \hline
 930\ 54 \\
 418\ 743 \\
 37\ 2216 \\
 1\ 39581 \\
 \hline
 1387\ 90041
 \end{array}$$

Begin the multiplication with the digit of the highest order, namely, that on the extreme left, and proceed with the multiplying digits in succession from left to right, each partial product being formed according to the principles explained in the last section

NOTES (1) If we arrange the work so that the *units' figure of the multiplier* stands under the *last figure of the multiplicand*, we see that in each partial product the *first figure set down is placed under the multiplying figure that produced it*

(2) In order to detect any large mistake (such as the misplacement of the decimal point), it is very desirable *before multiplication* to make a rough estimate of the required product, so that we may know beforehand what sort of result to expect

Here, for instance, the multiplicand is a little over 46, and the multiplier a little under 30, so that the product should be somewhere about 1380, a rough result confirming the position of the decimal point in our actual product 1387.90041

166 Multiplication Alternative Arrangement For reasons which will appear later (in connection with *contracted* work), the following arrangement of multiplication by a decimal is recommended.

EXAMPLE 1 *Multiply 46 527 by 29 83*

Instead of the actual *multiplier* take the corresponding decimal of *standard form* (Art 153), that is, move the decimal point (to the right or left, as may be necessary) so as to give *one integral digit*

Thus instead of the multiplier 29 83, take 2 983

Accordingly the decimal point in the *multiplicand* must be moved the same number of places in the *opposite direction*

Thus instead of the multiplicand 46 527, take 465 27

In this case we are *dividing* one factor by 10, and *multiplying* the other factor by 10, so that the product is left unchanged

The work then stands thus

$$\begin{array}{r}
 465 \cdot 27 \\
 \underline{2 \ 983} \\
 930 \ 54 \\
 418 \ 743 \\
 37 \cdot 2216 \\
 \underline{1 \ 39581} \\
 1387 \cdot 90041
 \end{array}$$

$$\begin{array}{r}
 46 \ 527 \times 29 \ 83 \\
 = 465 \cdot 27 \times 2 \ 983
 \end{array}$$

On comparing the work with that given on the last page, it will be seen that the partial products (and therefore also the final result) are all unaltered by this change

EXAMPLE 2 Find the product of 0·02007 and 3568 9

Here it is advantageous to take 0 02007 as the multiplier, as it contains only two *effective* digits.

Rough Estimate. The multiplier is rather more than $\cdot 02$, i.e. $\frac{2}{100}$, or $\frac{1}{50}$, the product should be about $\frac{1}{50}$ of 3569, that is, about 71

$$\begin{array}{r}
 35 \ 689 \\
 \underline{2 \ 007} \\
 71 \ 378 \\
 \underline{249823} \\
 71 \ 627823
 \end{array}$$

Move the decimal point two places *forward* in the multiplier, and consequently two places *back* in the multiplicand, that is, *multiply* and *divide* respectively by 100 Hence

$$\begin{array}{r}
 3568 \ 9 \times 0 \cdot 02007 \\
 = 35 \ 689 \times 2 \ 007
 \end{array}$$

EXAMPLES VIII. k.

Multiply

- | | | | | | |
|---|-------------|---|-------------|---|-------------|
| 1 | 2 4 by 2 1 | 2 | 5 3 by 3·2 | 3 | 6 5 by 1 4. |
| 4 | 0 35 by 3 4 | 5 | 0·06 by 5·2 | 6 | 32 by 3 1 |

7. Multiply 86 54 (i) by 2, (ii) by 3, (iii) by 07

Hence show how to multiply 86 54 by 2 37

Find the products of

- | | | | | | |
|-----|----------------|----|---------------|----|-----------------|
| 8 | 42·21 and ·25 | 9 | 1 56 and 75 | 10 | 13 and 029 |
| 11 | 1 32 and 0·019 | 12 | 0 023 and 84 | 13 | 400 and 3 012 |
| 14. | 46 5 and 0·072 | 15 | 37 5 and 0 88 | 16 | 42 01 and 20·08 |

17 Given that 1 inch = 2 54 cm, express 1 yard in centimetres, also in metres

18 Find the cost of 6 4 yards of silk at 7 Rs 50 cents a yard

19 How many annas are there in Rs 0 875?

Find the value of

- | | | | | | |
|----|---------------|-----|----------------|----|---------------|
| 20 | 10 3 × 0 243 | 21 | 8 016 × 125 | 22 | 84 × 0 023 |
| 23 | 0 0087 × 11 9 | 24. | 640 × 0 001275 | 25 | 31 05 × 24 02 |

26 Find the value of 16×2.5 , hence write down the values of 1.6×0.25 and 160×0.025

Find the area of the rectangles in which

27 Length = 6.4 m, breadth = 4.5 m [Ans in sq inches]

28 Length = 9.75 m, breadth = 8.4 m [Ans in sq metres]

29 Length = 1.45 m, breadth = 80 cm [Ans in sq metres]

30 Which has the greater area a square on a side of 10 inches, or a rectangle measuring 10.1 in by 9.9 in? State in words the difference of area

31 A rectangular piece of ground measures 2 Km 375 m long by 1 Km 800 m wide. Express these dimensions in kilometres, and then find the area

32 Find the total steam pressure on a square plate, each side of which measures 4.6 inches, at the rate of 15 lbs per square inch

33 Write down at sight the continued products

(i) $7 \times 7 \times .01$, (ii) $.07 \times .07 \times 1000$, (iii) $7 \times .07 \times .001$

34 Find the value of

(i) $100 \times 1.6 \times 0.125$, (ii) $2.5 \times 6.4 \times 16$, (iii) $12.7 \times 15 \times 40$

35 Assuming that the circumference of a circle is given (very nearly) by the formula

$$\text{circumference} = \text{diameter} \times 3.1416,$$

find (i) The circumference of a bicycle wheel, 28 inches in diameter (In your answer discard all fractions of an inch beyond tenths)

(ii) The length of a circular track whose diameter is 450 feet (In your answer give merely the nearest whole number of feet)

(iii) The length of a steel wire, which, evenly laid, goes 40 times round a winding drum 15 feet in diameter (In your answer give only the nearest whole number of feet)

Find in *grams* the weight of the following

36 36 cubic cm of silver, silver weighing 10.5 times its bulk of water (See Art 160)

37 0.28 cubic dm of mercury, mercury being 13.5 times as heavy as water

38 3.2 cubic cm of gold, gold being 19.25 times as heavy as water

Find in *kilograms* the weight of

39 5 cubic metres of earth, weighing 1.15 times its bulk of water

40 375 cubic metres of coal, which weighs 1.28 times as much as water

Find the value of

$$41 \quad 0.0875 \times 50 \times 0.8$$

$$42 \quad 1.25 \times 3.2 \times 2.375$$

$$43 \quad (0.2)^2 \times (0.5)^3 \times 200$$

$$44 \quad 1.025 \times (0.4)^2 \times 0.5$$

Division of Decimals

167 Division by a single figure (integral or decimal)

EXAMPLE 1 Divide 45.71 by 7

$$\begin{array}{r} 7 \overline{)45.71} \\ 653 \end{array}$$

Divide throughout just as if the figures of the decimal represented a whole number, placing the decimal point in the quotient under that in the dividend

Explanation

(i) 45 divided by 7 gives 6 units, and 3 units over

(ii) 3 units + 7 tenths, viz. 37 tenths, divided by 7 gives 5 tenths, and 2 tenths over

(iii) 2 tenths + 1 hundredth, viz. 21 hundredths, divided by 7 gives 3 hundredths without remainder

EXAMPLE 2 Divide 0.0072 by 9

$$\begin{array}{r} 9 \overline{)0.0072} \\ 0.0008 \end{array}$$

Here in the quotient there can be no units, no tenths, and no hundredths. Beginning the division therefore at the thousandths, we say "9 into 7 thousandths gives 0 thousandths, 9 into 72 ten thousandths gives 8 ten thousandths"

EXAMPLE 3 Divide 0.38 by 8

$$\begin{array}{r} 8 \overline{)0.3800} \\ 0.0475 \end{array}$$

Here on dividing 38 hundredths by 8, we have 4 hundredths, and 6 hundredths over

If now we add ciphers to the right of the dividend (thereby not altering its value), we are able to carry on the division until it terminates

EXAMPLE 4 Divide 4.72 by 9

$$\begin{array}{r} 9 \overline{)4.72000} \\ 0.52444 \end{array}$$

In this case the process of division can never terminate. For, following out the work as in the last example, we say

(i) 9 into 47 gives 5, and remainder 2,

(ii) 9 into 22 gives 2, and remainder 4,

(iii) 9 into 40 gives 4, and remainder 4

From this point if the process is continued, the same quotient figure and the same remainder must be continually repeated

NOTE. Results of this kind will be explained later on. Meantime the beginner may be told that no difficulty will result from this indefinite extension of the quotient. For owing to the *very rapid decrease in the place value of successive decimal figures*, figures beyond the first few places denote quantities relatively so small, that in most practical calculations they may be omitted without materially affecting the result.

EXAMPLE 5 Divide 4 3778 (i) by 0 007, (ii) by 700

Here we must multiply or divide (as may be necessary) both divisor and dividend by the same power of 10, namely that power which will give the *divisor a single integral figure*. The work will then follow the method already explained, and the quotient will be unaltered by the change.

$$(i) \quad \frac{4\,3778}{0\,007} = \frac{4377\,8}{7} = 625\,4$$

$$(ii) \quad \frac{4\,3778}{700} = \frac{0\,043778}{7} = 0\,006254$$

168 If the divisor is a whole number readily expressed in factors, we may divide by each factor in turn, using short division.

EXAMPLE Divide 25 645 by 315 correct to four decimal figures

$$315 \left\{ \begin{array}{r} 9 \overline{) 25\,645} \\ 7 \overline{) 2\,84944} \\ 5 \overline{) 0\,40706} \\ \hline 0.08141 \end{array} \right.$$

Here the divisor = $9 \times 7 \times 5$, and the result true to the 4th decimal figure (or the nearest ten thousandth) is 0 0814.

EXAMPLES VIII 1.

(Examples 1-20 may be taken orally.)

Divide

1 69 by 3

2 52 by 4

3 91 by 7

4 56 by 8

5 43 by 6

6 369 by 3

Complete the following statements

7 56-4=

8 294-7=

9 $\frac{33\,6}{8} =$

10 $\frac{0\,81}{2} =$

11 081-9=

12 $\frac{0\,4}{8} =$

13. $\frac{1}{4}$ of 5.28=

14 $7\,2 \times \frac{1}{8} =$

15 0.27-5=

16 Explain the reason for each step in the division shewn in the margin

$$\begin{array}{r} 7 \overline{) 0.245} \\ 0\,035 \end{array}$$

17 A line 35 inches long is divided into 5 equal parts how many tenths of an inch are there in each part?

18 If 9 yards of material cost Rs 6 30, what is the cost of 1 yard?

19 How far do I go in 15 minutes, if I walk 64 Km. an hour?

20 If £4 8 is to be divided equally among 8 people, how many tenths of £1 would each get? What would each share be worth in shillings?

Divide

- | | | |
|-----------------|-----------------|-------------------|
| 21. 11.22 by 6 | 22. 1 841 by 7 | 23. 0 342 by 9 |
| 24. 0 0504 by 8 | 25. 0 38 by 5 | 26. 1 71 by 4. |
| 27. 218 4 by 80 | 28. 47 7 by 90 | 29. 190 8 by 600 |
| 30. 3 75 by 0 5 | 31. 2 66 by 0 7 | 32. 0 585 by 0.09 |

33 Divide 33 by 8, hence find the values of $33-80$, and $0.33-0.8$

Find the value of

- | | | | |
|--------------------------|--------------------------------|-------------------|----------------------------------|
| 34 $\frac{1}{4}$ of 27 | 35 $\frac{237}{50}$ | 36 $7.38-0.06$ | 37 $\frac{0.0413}{0.07}$ |
| 38 $5.3-0.02$ | 39 $\frac{18027}{900}$ | 40 $0.01-0.002$ | 41 $\frac{0.003}{0.05}$ |
| 42 $\frac{1}{70}$ of 546 | 43 $5.13 \times \frac{1}{900}$ | 44. $121-4$ | 45 $\frac{2196}{400}$ |
| 46 $59-8$ | 47 $1-8$ | 48 $\frac{7}{40}$ | 49 $0.29 \times \frac{1}{0.008}$ |

50 A vessel steams 193.95 Km in a 9 hours' trial trip what is her average speed per hour?

51. A profit of \$3680 Rs 80 cents has to be divided among 80 share holders what does each receive?

52 If 400 revolutions of the driving wheel carry a bicycle 1001 yards, find the circumference of the wheel in inches Give your answer to the nearest tenth of an inch, and note the error you thus incur

53 The total length of 500 steel rails is 6.045 Km, what is the length of each rail in metres?

54. In a geometry lesson five boys independently measure the lengths of a straight line Their records are 7' 05", 6' 98", 7' 00", 6' 99", and 7' 03" Find the average of these measurements

55 A pile of metal discs is 27' 3" in height if each disc is 0.7" thick, how many are there in the pile?

Divide, giving the quotient *correct to the 4th decimal place*,

$$56 \quad 47 \text{ by } 6$$

$$57 \quad 86 \text{ by } 9$$

$$58 \quad 17 \text{ by } 7$$

$$59 \quad 1 \text{ by } 9$$

$$60 \quad 4 \text{ by } 7$$

$$61. \quad 18 \text{ by } 11$$

Divide, using the method of factors,

$$62 \quad 1554 \text{ by } 42.$$

$$63 \quad 4592 \text{ by } 56$$

$$64. \quad 1512 \text{ by } 168$$

$$65 \quad 9.046 \text{ by } 135, \text{ correct to the } 3^{\text{rd}} \text{ decimal figure.}$$

$$66 \quad 349968 \text{ by } 385, \text{ correct to the nearest thousandth}$$

Obtain the quotients of the following *to the nearest ten thousandth*

$$67 \quad 613-15$$

$$68 \quad 23-36$$

$$69 \quad 0.65-56$$

169 Division by any whole number or decimal. From what has gone before it is clear that when the divisor is any whole number or decimal, the *figures* of the quotient will be found by long division just as if both divisor and dividend were whole numbers. All that remains is to fix the position of the decimal point in the quotient

EXAMPLE 1 Divide 3 3562 by 0 097

Instead of the actual *divisor* take the corresponding decimal of *standard form*, that is, move the decimal point (to the right or left as may be necessary) so as to give *one integral digit*

To compensate for this change, move the decimal point in the dividend the same number of places *in the same direction*

$$\text{Thus} \quad \frac{3\,3562}{0\,097} = \frac{335\,62}{9\,7},$$

for we have multiplied both denominator and numerator by 100, the quotient being therefore unchanged

The new divisor 9 7 lies between 9 and 10, and the new dividend is a little over 335, so that the quotient will evidently have *two integral figures*

$$\begin{array}{r} 34\,6 = \text{Quotient} \\ 9\,7 \overline{) 335\,62} \\ \underline{291} \\ 446 \\ \underline{388} \\ 582 \\ \underline{582} \\ 0 \end{array}$$

It is convenient to write the quotient over the dividend, first placing the decimal point of the former over that of the latter. Now divide as if both divisor and dividend were whole numbers, so placing the figures of the quotient as to give *two integral digits*

$$\text{Thus} \quad 3\,3562 - 0\,097 = 335\,62 - 9\,7 = 34\,6$$

EXAMPLE 2 Divide 15 8055 by 257

Here
$$\frac{15\ 8055}{257} = \frac{0\ 158055}{2\ 57}$$

(dividing denominator and numerator by 100)

And since the new divisor lies between 2 and 3, we see by trial that the first figure in the quotient will be in the hundredths' place

FULL WORK

$$\begin{array}{r} 0.0615 = \text{Quotient} \\ 2\ 57 \overline{) 0\ 158055} \\ \underline{1542} \\ 385 \\ \underline{257} \\ 1285 \\ \underline{1285} \end{array}$$

ABRIDGED BY ITALIAN METHOD.

$$\begin{array}{r} 0.0615 = \text{Quotient} \\ 2\ 57 \overline{) 0\ 158055} \\ \underline{385} \\ 1285 \end{array}$$

$$15\ 8055 - 257 = 0.0615$$

NOTE. If the divisor is a whole number, the work may be done as follows, without first preparing the divisor and dividend

$$\begin{array}{r} 0.0615 = \text{Quotient} \\ 257 \overline{) 15\ 8055} \\ \underline{15\ 42} \\ 385 \\ \underline{257} \\ 1285 \\ \underline{1285} \end{array}$$

Here since 257 into 15 units will not go, we set down 0 as the units' figure of the quotient and place the decimal point above that of the dividend. Next, 257 into 158 tenths gives no tenths, therefore we set down 0 in the tenths' place of the quotient. Then 257 into 1580 hundredths gives 6 hun-

dredths, and from this point the work follows the ordinary course

EXAMPLES VIII. m.

Divide

1	1 95 by 1 5	2	1 98 by 1 8	3	5 52 by 2 4
4	73 1 by 43	5	59.2 by 37	6	375.2 by 67
7	0 943 by 0 41	8	3.23 by 0 19	9	3 285 by 7 3
10	25 48 by 91	11	8 547 by 0.077	12	15 812 by 23 6

Find the value of

13	40 6 - 290	14.	0.01426 - 0.031	15.	2075 - 8 3
16	$\frac{2.044}{56}$	17	$\frac{4\ 4226}{0\ 63}$	18	$\frac{0\ 3}{64}$

19 Divide 30 26 by 89, then *write down* the values of $302\ 6-8\ 9$, and $\frac{3\ 026}{890}$

20 Divide 18 53 by 10 9, then *write down* the values of $\frac{1\ 853}{109}$, and $\frac{185\ 3}{1\ 09}$.

21 The product of two quantities is 10·22, one factor is 280, what is the other? Without further numerical work write down the quotients of $1\ 022-2\ 8$, and $1022-0\ 28$

22 Find the value of x , where (i) $x = \frac{20\ 387}{703}$ (ii) $x \times 4\ 7 = 33\ 37$
(iii) $8\ 2 \times x = 310\ 8$ (iv) $x \times 2\ 8 = 4\ 8 \times 3\ 5$

23 How many persons could receive 5 Rs 65 cents from a fund of 1210 rupees, and how much would be left over?

24 How many steel rails, each 12·2 metres in length, would be wanted to lay 18 300 Km of double line?

25 If 1 yard = 91·44 cm, how many centimetres are there in 1 inch?

26 Find the value of 1 metre in terms of feet, supposing that 1700 metres = 5576 feet

27 What is the width of a sheet of paper whose length is 12·5" and area 92·5 sq in?

28 The area of a rectangular courtyard is 407·79 sq metres, and its length is 23·64 metres, find its breadth

Simplify the following

$$29 \quad \frac{7\ 2 \times 8\ 4}{5\ 6}$$

$$30 \quad \frac{5\ 6 \times 14\ 4}{0\ 63}$$

$$31 \quad \frac{0\ 085}{0\ 34 \times 1\ 25}$$

Divide, giving the quotient *correct to the 4th decimal place*

$$32 \quad 0\ 05 \text{ by } 6$$

$$33 \quad 1440\ 1 \text{ by } 18$$

$$34 \quad 2\ 71 \text{ by } 13.$$

Divide, giving the quotient *correct to the nearest ten thousandth*

$$35 \quad 0\ 08571 \text{ by } 25\ 603$$

$$36 \quad 4\ 6513 \text{ by } 596\ 8$$

$$37 \quad 28\ 294 \text{ by } 21\ 37$$

$$38 \quad 2\ 6576 \text{ by } 72\ 81$$

39 From the following equations find the value of x , retaining only 3 decimal figures in the result

$$(i) \quad x \times 79 = 500$$

$$(ii) \quad 23 \times x = 11\ 87$$

$$(iii) \quad x \times 2\ 735 = 7\ 29$$

40 Assuming that in a circle

$$\text{circumference} = \text{diameter} \times 3.1416 \text{ (nearly)},$$

find (i) the diameter of a circle whose circumference is known to be 49.6 inches [Give the result true to the nearest *tenth* of an inch]

(ii) the diameter of a wheel which makes 500 revolutions in running a mile [Give the result true to the nearest hundredth of an inch.]

41 Equal lengths of 0.42 inch are marked off along a rod 19 inches long. How many such lengths would there be, and what would be the remainder?

42 Find the remainder when 378241 is divided

(i) by 9, (ii) by 12, (iii) by 293, (iv) by 907

Decimals and Fractions

170 To convert a decimal into a common fraction The method will appear from the following examples.

EXAMPLE Find fractions equivalent to

(i) 0.237, (ii) 14.63, (iii) 0.0029

$$(i) \quad 0.237 = \frac{2}{10} + \frac{3}{100} + \frac{7}{1000} = \frac{200 + 30 + 7}{1000} \\ = \frac{237}{1000}, \text{ or } 237 \text{ thousandths}$$

Or thus $0.237 = 237 - 10^3 = \frac{237}{1000}$

$$(ii) \quad 14.63 = 1463 - 10^2 = \frac{1463}{100}$$

$$(iii) \quad 0.0029 = 29 - 10^4 = \frac{29}{10000}$$

Thus in each case the numerator is the number formed by the figures of the given decimal, and the denominator is that power of ten which corresponds to the number of decimal figures

The following equivalents should be verified and remembered.

$$\begin{array}{lll} 5 = \frac{1}{2}, & 25 = \frac{1}{4}, & 75 = \frac{3}{4}, \\ 125 = \frac{1}{8}, & 375 = \frac{3}{8}, & 625 = \frac{5}{8}, \quad 875 = \frac{7}{8} \end{array}$$

171 To convert a fraction into a decimal Here we have to express the given fraction in *tenths*, *hundredths*, *thousandths*, etc

Now a fraction may be regarded as the quotient obtained by dividing the numerator by the denominator. Thus we have merely to divide the numerator by the denominator and to express the quotient *decimally*

EXAMPLE Convert (i) $\frac{317}{10000}$, (ii) $\frac{742}{876}$, into decimals

$$(i) \frac{317}{10000} = 317 - 10^4 = 0317$$

$$(ii) \frac{742}{876} = \frac{106 \times 7}{125 \times 7} = \frac{106}{125} \\ = 106 - 125 \\ = 0.848$$

$$\begin{array}{r} 5 \overline{) 1060} \\ 5 \overline{) 212} \\ 5 \overline{) 424} \\ \hline 0.848 \end{array}$$

The above method applies to all fractions, but the division will not usually terminate

EXAMPLE Find decimals equivalent to (i) $\frac{5}{6}$, (ii) $\frac{49}{398}$

$$(i) \frac{5}{6} = 5 - 6 = 0.8333$$

$$\begin{array}{r} 6 \overline{) 5.0000} \\ \hline 0.8333 \end{array}$$

Here, after the first step of division, the remainder is 2. Now 6 into 20 gives 3, and again the remainder is 2. Thus in the quotient the figure 3 will be continually repeated, and the process will never terminate

$$(ii) \frac{49}{398} = 49 - 398 \\ = 0.123737$$

$$\begin{array}{r} 0.1237 = \text{Quotient} \\ 398 \overline{) 49.00000} \\ \underline{398} \\ 920 \\ \underline{796} \\ 1240 \\ \underline{1194} \\ 460 \\ \underline{398} \\ 620 \\ \underline{597} \\ 230 \end{array}$$

Here, after the second step of division, the remainder is 148, and the next dividend is 1480. The next two figures of the quotient are 37, when again the remainder becomes 148, and the next dividend 1480. Therefore in the quotient the figures 37 are repeated, and so on without limit.

172. Decimals in which one or more figures are continually repeated in the same order are called **recurring, repeating, or circulating decimals**, and the figures thus repeated form the **recurring period**. The recurring period is shewn by placing a dot over its first and last figures

Thus 0.8333 is written $0.8\dot{3}$,
and 0.123737 is written $0.123\dot{7}$

Observe that $0.8\dot{3} = 0.833$ correct to the nearest thousandth [Art 149]
and $0.123\dot{7} = 0.124$ " " "

173. In converting a fraction into a decimal we divide the numerator by the denominator, *affixing ciphers to the numerator as may be required*. Therefore all twos and fives contained as factors in the denominator will eventually divide out, leaving no remainder, and if there is no other factor, the quotient will terminate.

If however the denominator contains any factors other than 2 and 5 (the fraction *being in its lowest terms*), there will always be a remainder, and the resulting decimal will not terminate

NOTE. A fraction whose denominator has no other factors than *twos* and *fives* may be decimalized thus

$$(i) \frac{106}{125} = \frac{106}{5^3} = \frac{106 \times 8}{5^3 \times 2^3} = \frac{848}{10^3} = 0.848$$

$$(ii) \frac{7}{16} = \frac{7}{2^4} = \frac{7 \times 625}{2^4 \times 5^4} = \frac{4375}{10^4} = 0.4375$$

174 The notation of fractions may often be usefully combined with that of decimals

For instance, just as $38\frac{5}{10}$ denotes 3 *tens* + $8\frac{5}{10}$ *units* (or $38\frac{5}{10}$ *units*),

So $38\frac{5}{10}$ may be taken to denote 3 *tenths* + $8\frac{5}{10}$ *hundredths* (or $38\frac{5}{10}$ *hundredths*)

By this means the exact decimal value of a fraction may be represented at any stage

EXAMPLE 1 Express $\frac{7}{13}$ in *tenths*, *hundredths*, *thousandths*, and a *fraction of one thousand*

$$13 \overline{) 7.000}$$

0 538, rem^r 6 *thousandths*

Here, after three steps of division, the remainder is 6 *thousandths*,

and 6 *thousandths* - 13 = $\frac{6}{13}$ of one *thousandth*

Hence the quotient is completely represented by $0.538\frac{6}{13}$

NOTE Here $\frac{6}{13}$ affixed to the 3rd or *thousandths* figure is the equivalent of all the figures of the decimal after the 3rd. This fraction, being less than $\frac{1}{2}$, shews that the equivalent of $\frac{7}{13}$ is 0.538 true to the nearest *thousandth*

This notation sometimes saves labour in converting a decimal into a fraction

EXAMPLE 2. Convert 0.09375 into a fraction.

Since

$$375 = \frac{3}{8},$$

$$0.09375 = 0.09\frac{3}{8} = \frac{9\frac{3}{8}}{100} = \frac{75}{800} = \frac{3}{32}$$

EXAMPLES VIII n.

Express the following decimals as fractions in their lowest terms

- | | | | |
|--------|----------|---------|----------|
| 1 0 65 | 2 0 85 | 3 0 36 | 4 0 44 |
| 5 5 38 | 6 0·0125 | 7 7·275 | 8 0 1875 |

Express as decimals

- | | | | |
|--------------------|---------------------------|----------------------|-------------------------|
| 9 $\frac{23}{100}$ | 10 $3\frac{9}{1000}$ | 11 $\frac{827}{100}$ | 12 $\frac{41}{1000000}$ |
| 13 13 thousandths | 14·52 hundred thousandths | 15 73 millionths | |

Convert the following fractions into decimals

- | | | | | |
|-------------------|-------------------|--------------------|-------------------|--------------------|
| 16 $\frac{7}{40}$ | 17 $3\frac{7}{8}$ | 18 $9\frac{5}{16}$ | 19 $1\frac{2}{5}$ | 20 $\frac{1}{840}$ |
|-------------------|-------------------|--------------------|-------------------|--------------------|

21 State (without actually performing the work) which of the following fractions give rise to terminating and which to non-terminating decimals Give your reason in each case

- | | | | | |
|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| (i) $\frac{1}{3}$ | (ii) $\frac{1}{4}$ | (iii) $\frac{1}{4}$ | (iv) $\frac{3}{128}$ | (v) $\frac{5}{8}$ |
| (vi) $\frac{8}{75}$ | (vii) $\frac{41}{75}$ | (viii) $\frac{7}{75}$ | (ix) $\frac{63}{400}$ | (x) $\frac{107}{250}$ |

Express as decimals *correct to the third decimal figure*

- | | | | | |
|--------------------|--------------------|--------------------|--------------------|---------------------|
| 22. $\frac{5}{48}$ | 23 $2\frac{1}{13}$ | 24. $3\frac{4}{5}$ | 25 $\frac{11}{10}$ | 26 $7\frac{14}{23}$ |
|--------------------|--------------------|--------------------|--------------------|---------------------|

27 Represent the decimal equivalent of $\frac{6}{17}$ as nearly as possible with (i) *one figure*, (ii) *two figures*, (iii) *three figures*, (iv) *four figures*

Express the following fractions in *tenths*, *hundredths*, *thousandths*, and *the fraction of a thousandth* Hence give the decimal values *correct to the nearest thousandth*

- | | | | | |
|------------------|-------------------|--------------------|-------------------------|----------------------|
| 28 $\frac{5}{7}$ | 29 $\frac{1}{17}$ | 30 $\frac{11}{25}$ | 31 $\frac{261}{100000}$ | 32 $\frac{23}{1400}$ |
|------------------|-------------------|--------------------|-------------------------|----------------------|

Find the equivalents of the following fractions (i) as *recurring decimals*, (ii) as *three figure decimals with fractional remainders*, (iii) as nearly as possible with *three decimal figures*

- | | | | |
|-------------------------------|---|---|--|
| 33 $\frac{1}{3}, \frac{2}{3}$ | 34. $\frac{1}{7}, \frac{4}{7}, \frac{7}{7}$ | 35 $\frac{1}{11}, \frac{3}{11}, \frac{8}{11}$ | 36 $\frac{1}{7}, \frac{3}{7}, \frac{5}{7}$ |
| 37 $\frac{1}{9}, \frac{2}{9}$ | 38 $\frac{1}{4}, \frac{3}{4}$ | 39 $4\frac{2}{3}$ | 40 $2\frac{1}{3}, \frac{4}{3}$ |
| 41. $5\frac{4}{7}$ | | | |

Write down the following in their complete decimal form

- | | | | |
|--------------------|--------------------|---------------------|---------------------|
| 42 $2\frac{13}{4}$ | 43 $0\frac{32}{3}$ | 44. $3\frac{19}{3}$ | 45 $5\frac{32}{11}$ |
|--------------------|--------------------|---------------------|---------------------|

Convert into fractions by the method of Art 174, Ex. 2

- | | | | |
|-----------|-----------|------------|-------------|
| 46 0 4375 | 47 0 1875 | 48 0 03125 | 49 0 071875 |
|-----------|-----------|------------|-------------|

50 Convert into decimals at sight

- | | | | |
|---------------------|----------------------|----------------------------------|----------------------------------|
| (i) $\frac{3}{5^2}$ | (ii) $\frac{5}{2^3}$ | (iii) $\frac{7}{5^3 \times 2^2}$ | (iv) $\frac{11}{5^2 \times 2^3}$ |
|---------------------|----------------------|----------------------------------|----------------------------------|

CHAPTER IX.

DECIMAL REDUCTION OF COMPOUND QUANTITIES

DECIMALIZATION OF MONEY

175 We have already seen [Art 150] that if the Tables are constructed on the *decimal* (or centesimal) scale, all processes of Reduction from any one denomination to any other, either higher or lower, can be performed at sight without numerical work. For example

$$(i) \ 8 \text{ m } 5 \text{ cm } 7 \text{ mm.} = 8 \cdot 057 \text{ metres}$$

$$(ii) \ 4 \text{ Rs. } 37 \text{ cents} = 4 \cdot 37 \text{ rupees}$$

Conversely,

$$(iii) \ 0 \cdot 03809 \text{ kilometres} = 38 \text{ m } 0 \text{ dm } 9 \text{ cm}$$

$$(iv) \ 18 \cdot 06 \text{ rupees} = 18 \text{ Rs } 6 \text{ cents.}$$

In all other Tables these processes must be worked by methods of successive division or multiplication

EXAMPLE 1 Reduce £3 5s $4\frac{1}{2}d$ to pounds, expressing the result *decimally*

$$\begin{array}{r|l} 12 & 4 \ 5 \text{ pence} \\ 20 & \underline{5 \ 375} \text{ shillings} \\ & \underline{3 \ 26875} \text{ pounds} \end{array}$$

Set down $4\frac{1}{2}d$ as 4 5 pence, and divide by 12, this gives $4\frac{1}{2}d$ as the decimal of a shilling

Bring down the 5 shillings, and divide by 20, this gives 5s $4\frac{1}{2}d$ as the decimal of a pound. Finally bring down the £3

$$\begin{aligned} \text{Hence} \quad & \text{£3 } 5s \ 4\frac{1}{2}d = \text{£}3 \cdot 26875 \\ & \text{or } 3 \cdot 26875 \text{ of £1} \end{aligned}$$

EXAMPLE 2. Express Rs 5 13 a 2 p in rupees, (i) correct to the fifth decimal figure, (ii) correct to the nearest thousandth of a rupee

$$\begin{array}{r|l} 16 & \underline{13 \ 166666} \text{ annas} \\ & \underline{5 \ 8229166} \text{ rupees} \end{array}$$

The work proceeds as before, but neither decimal terminates

$$\begin{aligned} \text{Thus Rs } 5 \ 13 \text{ a } 2 \text{ p} &= \text{Rs } 5 \cdot 82292, \text{ correct to the 5}^{\text{th}} \text{ decimal figure} \\ &= \text{Rs } 5 \cdot 823, \text{ correct to the nearest thousandth} \end{aligned}$$

EXAMPLE 3 Reduce 5 big 2 cot 14 chh (i) to the decimal of 1 bigha, (ii) to the decimal of $8\frac{1}{4}$ bighas

$$(i) \begin{array}{r} 16 \overline{) 14\ 000} \text{ chataks} \\ 20 \overline{) 2\ 875} \text{ cottaks} \\ \hline 5\ 14375 \text{ bighas} \end{array}$$

$$(ii) \begin{array}{r} 5\ 14375 - 8\frac{1}{4} \\ \hline 33 \left\{ \begin{array}{l} 3 \overline{) 20\ 57500} \\ 11 \overline{) 6\ 87533} \\ \hline 0\ 623484 \end{array} \right. \end{array}$$

Hence

$$(i) 5 \text{ big } 2 \text{ cot } 14 \text{ chh} = 5\ 14375 \text{ of } 1 \text{ bigha}$$

$$(ii) \text{ reqd decimal of } 8\frac{1}{4} \text{ bighas} = \frac{5\ 14375}{8\frac{1}{4}} = 0\ 6235, \text{ correct to the nearest ten thousandth}$$

EXAMPLES IX a

Express as decimals of 1 rupee

1 6p	2 3p	3 9p	4 $4\frac{1}{2}$ p
5 $10\frac{1}{2}$ p	6 8p	7 $7\frac{1}{2}$ p	8 1p

Express as decimals of £

9 5s	10 15s	11 2s 6d	12 4s 6d
13 12s 6d	14 7s 6d	15 11s 6d	16 1s 3d
17 £5 6s 6d	18 £7 8s 6d	19 £8 14s 6d	

Reduce to rupees, expressing the result decimally

20 Rs 4 11a 6p	21 Rs 3 15a 6p	22 Re 1 6a 3p
23 8a 9p	24 Rs 8 7a 9p	25 Rs 5 8a $1\frac{1}{2}$ p

Express as decimals of £1, correct to the nearest thousandth

26 £11 13s $10\frac{1}{2}$ d	27 16s $7\frac{1}{2}$ d	28 £8 15s 4d
------------------------------	-------------------------	--------------

Express as decimals of £1, correct to the 4th decimal figure

29 £2 10s $8\frac{1}{4}$ d	30 £5 7s $5\frac{1}{2}$ d	31 3s $4\frac{1}{4}$ d
----------------------------	---------------------------	------------------------

32 Express 5 mds 13 srs 12 chks as the decimal of 1 maund

33 Reduce 4 big 5 cot 14 chh to sq bighas and the decimal of a bigha

34 What decimal is 5 yds 1 ft 6 in of a mile?

35 Express 2 tons 3 cwt 7 lbs as the decimal of 5 tons

36 What decimal is Rs 19 9a 9p of Rs 25?

176 *Conversely*, Reduction from a higher to a lower denomination requires successive *multiplication*

EXAMPLE 1 *Express Rs 8 715 in Rs, a, p, (i) exactly, (ii) correct to the nearest pice*

$$\begin{array}{r} 8\ 715 \text{ rupees} \\ \underline{16} \\ 11\ 440 \text{ annas} \\ \underline{12} \\ 5\ 28 \text{ pices} \end{array}$$

Here we reserve the Rs 8 for the answer, and multiply the *decimal only* by 16, to bring it to *annas*. Next we reserve the 11 annas for the answer, and multiply the *decimal only* by 12 to bring it to *pices*.

Thus, Rs 8 715 = Rs 8 11 a. 5 28 p, or Rs. 8 11 a 6 p, to the nearest pice

EXAMPLE 2 *Find in compound quantities the value of*

(i) 1 788 of 5 yards,

$$\begin{array}{r} (i) \quad 1\ 788 \\ \underline{5} \\ 8\ 940 \text{ yards} \\ \underline{3} \\ 2\ 82 \text{ feet} \\ \underline{12} \\ 9\ 84 \text{ inches} \end{array}$$

1 788 of 5 yards
= 8 yds 2 ft 9 84 in (exactly),
or 8 yds 2 ft 10 in, to the nearest inch

(ii) 0.28125 of 7 maunds

$$\begin{array}{r} (ii) \quad 0.28125 \\ \underline{7} \\ 1\ 90875 \text{ maunds} \\ \underline{40} \\ 38\ 75 \text{ seers} \\ \underline{16} \\ 12\ 00 \text{ chataks} \\ 0\ 28125 \text{ of 7 maunds} \\ = \underline{1\ mcl\ 38\ srs\ 12\ chks} \end{array}$$

177 We reserve for Chapter XI discussion of the following processes

(i) *To find the value of a decimal of a compound quantity, e.g. to find 3.27 of Rs 5 4 a 6 p*

(ii) *To express one compound quantity as the decimal of another compound quantity, e.g. to express 2 tons 7 cwt as the decimal of 7 tons 3 cwt 2 qrs*

178 **Approximate results** It is important to notice that £.001 (or $\frac{1}{1000}$) is a little less than one farthing (or $\frac{1}{960}$). Hence any decimal of £1 corrected to the nearest *thousandth* (or 3rd decimal place) must yield a result *within one farthing of the true value*

For example £3.40682 = £3.407 nearly, the error being less than £.001, and therefore less than 1 farthing. Hence to reduce £3.40682 to £ s d and the nearest farthing, it is sufficient to work with £3.407 (by the method of Art 176, Ex 1)

179 Again, in order to reduce a decimal of 1 ton to pounds, we multiply by 2240, and this number being less than 10000 or 10^4 , we see that if a decimal of 1 ton is correct to the 4th decimal figure, it will yield a result *true to the nearest pound*

Thus 4 0316824 of 1 ton } give results which differ by less
and 4 0317 of 1 ton } than 1 lb

EXAMPLES IX. b

(Examples 1-12 may be taken orally)

Find the number of shillings in

1 £0 3	2 £0 7	3 £0 9	4 £0 05
5 £0 55	6 £0 65	7 £0 80	8 £0 95

Find the number of pence in

9 0 75a	10 0 125a	11 0 625a	12. 0 875a
---------	-----------	-----------	------------

Reduce to Rs a p, giving the exact results

13 Rs 3 21575	14 Rs 5 1875	15 9 875 of Re 1
16 Rs 2 078125	17 Rs 11 5625	18 0 40625 of Re 1

Find, *correct to the nearest penny* the value of

19 £4 63	20 £5 72	21. 14 823 of £1
----------	----------	------------------

Find, *correct to the nearest farthing*, the value of

22 £9 89	23 £0 634	24. 11 047 of £1
----------	-----------	------------------

Find in Rs a p the value of the following, giving the exact results

25 0 28125 of Rs 2	26 1 578125 of Rs 4
27 3 11875 of Rs 5	28 0 53125 of Rs 10

Find the value of

29 7 304 of Rs 8, <i>correct to the nearest pie.</i>
30 0 78 of Rs 9, <i>correct to the nearest pie</i>

Reduce

31 £3 15s 4½d to the decimal of £4, <i>correct to the 4th figure</i>
32 £7 9s 4d to the decimal of £8,
33 £15 17s 8d to the decimal of £40,
34 £11 7s 9¾d to the decimal of £125,

Find in compound quantities the value of

- 35 1 8875 maunds 36 6 475 sq bighas 37 0 895 of a day
 38 2 03125 miles (in miles and yds) 39 0 0425 of 10 maunds
 40 0·9375 of 7 tons 41 9 9375 of 3 guineas
 42 What decimal of a rupee (correct to the 4th place) is 12 a 9 p ?
 43 What decimal of $2\frac{1}{2}$ acres is 3 r 10 p ?
 44 Express 9 wks 5 days 6 hrs as the decimal of 5 years

Discarding unnecessary decimal figures, find, *correct to the nearest farthing*, the value of

- 45 £4 324814 46 £3 07179 47 £0·70996
 48 £0 090872 49 £7 7 50 £0 758

51 To how many places must a decimal of 1 metre be correct to give a result *true to the nearest millimetre* ?

52 To how many places must a decimal of 1 kilometre be correct to give a result true (i) *to the nearest metre*, (ii) *to the nearest centimetre* ?

53 Prove that a decimal of 1 mile correct to the 4th place will give a result *true to the nearest foot*

54 To how many places must a decimal of 1 sq bigha be correct in order to give a result *true to the nearest square chatak* ?

Discarding unnecessary decimal figures, find the value of

- 55 4 23784 of 1 metre, in millimetres, *to the nearest mm*
 56 7 09978 of 1 kilometre, in metres, *to the nearest metre*.
 57 0·017492 of 1 maund, in chataks, *to the nearest chatak*
 58 0·218971 of 1 mile in yards, *to the nearest yard*
 59 4 72082 sq bighas in chataks *to the nearest unit*
 60 0 172 of 1 mile in yards and feet, *to the nearest foot*

180 **Decimalization of money at sight** The words *to decimalize* in this section will mean *to express decimally in terms of* £1

The *one-thousandth* part of £1 (or £ 001) will be called a mil.

Observe that £1 = 950 farthings = 1000 mils,

hence

24 farthings = 25 mils

181 To decimalize any number of shillings (less than 20)

Since 1 shilling = $\pounds \frac{1}{20} = \pounds 0.05$,

13 shillings = $\pounds 0.05 \times 13 = \pounds 0.65$,

and 18 shillings = $\pounds 0.05 \times 18 = \pounds 0.90$

Thus to decimalize shillings, we multiply the number of shillings by 5, and prefix the decimal point

182 To decimalize any number of farthings (less than 48)

Since 24 farthings = 25 mils = $\pounds 0.025$,

1 farthing = $\pounds 0.01 \frac{1}{4}$,

so that 9 farthings = $\pounds 0.09 \frac{9}{4}$

Similarly 21 farthings = $\pounds 0.21 \frac{3}{4}$,

and 38 farthings = $\pounds 0.38 \frac{3}{4} = \pounds 0.39 \frac{1}{4}$

In each case the decimal equivalent may be carried to any number of figures by decimalizing the terminal fractions

EXAMPLE 1 Decimalize 12s $4 \frac{1}{2}d$

Here 12s = $\pounds 60$

$4 \frac{1}{2}d = 18f = \pounds 0.18 \frac{3}{4}$ }

12s $4 \frac{1}{2}d = \pounds 61.8 \frac{3}{4} = \pounds 61.875$

This process should be performed *mentally* at one step

NOTE By observing whether the terminal fraction is greater or less than $\frac{1}{2}$, the decimal may be at once written down correct to the *third* figure

For example, $\pounds 61.8 \frac{3}{4} = \pounds 61.9$, correct to the 3rd decimal place

183 In the same way we may decimalize in terms of Re 1

8a = Re 0.50 4a = Re 0.25 12a = Re 0.75 6a = Re 0.375

2a = Re 0.125 1a = Re 0.0625 3a = Re 0.1875 5a = Re 0.3125

7a = Re 0.4375 11a = Re 0.6875 13a = Re 0.8125 15a = Re 0.9375

1p = Re $0.005 \frac{5}{4} = \text{Re } 0.001 \frac{1}{4} \times 5$

7p = Re $0.001 \frac{1}{4} \times 5 \times 7 = \text{Re } 0.036$ approximately

Thus 8a 8p = Re 0.50 + Re 0.042 = Re 0.542 approximately

7a 6p = Re 0.4375 + Re 0.031 = Re 0.469 approximately

EXAMPLES IX. c

Read off as decimals of £1

1	5s	2	8s	3	17s	4	12s
5	11s 6d	6	9s 6d	7	16s 6d	8	1s 6d

State as decimals of Re 1 as far as thousandths and fractions of a thousandth

9	1a 3p	10	2a 6p	11	3a 9p	12	5a 3p
13	7a 6p	14	8a 3p	15	10a 9p	16	11a 6p

Decimalize at sight (i) as far as thousandths and fractions of a thousandth, (ii) correct to the nearest thousandth

17	£2 7s 1d	18	£3 11s 4d	19	£7 14s 5d
20	£4 8s 7d	21	£5 18s 6 $\frac{1}{2}$ d	22	£18 0s 9 $\frac{3}{4}$ d

State decimally the equivalents (correct to three decimal places) of

23	Rs 2 8a 9p	24	Rs 5 10a 3p	25	Rs 9 14a 6p
26	Rs 16 1a 6p	27	Rs 12 3a 1 $\frac{1}{2}$ p	28	Rs 22 4a 4 $\frac{1}{2}$ p
29	Rs 11 9a 9p	30	Rs 17 5a 3p	31	Rs 29 7a 7 $\frac{1}{2}$ p

Decimalize at sight, correct to five decimal places

32	4s. 1d	33	£3 14s 2d	34	9s 0 $\frac{1}{2}$ d
35	£1 3s 3 $\frac{1}{2}$ d	36	7s 5 $\frac{1}{4}$ d	37	11s 2 $\frac{1}{2}$ d
38	£8 10s 4 $\frac{1}{4}$ d	39	18s 10 $\frac{1}{4}$ d	40	£3 14s 2 $\frac{3}{4}$ d
41	16s 6 $\frac{1}{4}$ d	42	£2 14s 8d	43	12s 11 $\frac{1}{4}$ d

184 Converse Process *To read off a decimal of £1 as shillings, pence, and farthings*

We have seen that any decimal of a pound corrected to the 3rd decimal place gives a result within a *mil*, and therefore within a *farthing*, of the true value [See Art 178] Hence for practical purposes we need retain no decimal figure beyond the third, this figure being duly *corrected*

185 In a decimal of £1 the first two decimal figures taken together denote *hundredths* Now 1s = 5 *hundredths* of £1, therefore the number of *shillings* is found by dividing the first two decimal figures by 5

Thus £ 75 = ($\frac{1}{5}$ of 75) shillings = 15s

£ 8 = ($\frac{1}{5}$ of 80) shillings = 16s

£ 371 = 7 shillings + a remainder

The last example may be written

$$\begin{aligned}\pounds 371 &= \pounds 35 + \pounds 021 \\ &= 7s + 21 \text{ mils}\end{aligned}$$

If then we treat each mil as roughly equivalent to 1 farthing, we get 21 farthings, or $5\frac{1}{4}d$. This result is evidently a little *too great*

186 In counting mils as farthings the error increases with the number of mils so treated, at the rate of 1 in every 25 mils or roughly $\frac{1}{2}$ in every twelve mils. Hence a result true to the nearest farthing may be obtained thus

Count as farthings any number of mils ranging
from **1** to **12**, without correction (the error being less than $\frac{1}{2}f$),
from **13** to **36**, subtract 1 (the error being between $\frac{1}{2}f$ and $1\frac{1}{2}f$),
from **37** to **48**, subtract 2 (the error being between $1\frac{1}{2}f$ and $2f$)

Thus $\pounds 009 = 9$ farthings (no correction) $= 2\frac{1}{4}d$,

$\pounds 032 = 32$ farthings (less 1) $= 7\frac{1}{4}d$,

$\pounds 044 = 44$ farthings (less 2) $= 10\frac{1}{2}d$

EXAMPLE 1 Evaluate $\pounds 0 372$ to the nearest farthing

The mental process is performed thus

5 into 37 gives 7 (set down 7s), remainder 22 mils

4 into 21 (22 less 1) gives $5\frac{1}{4}$

$\pounds 0 372 = 7s \ 5\frac{1}{4}d$, to the nearest farthing

This process is known as the **Five and-Four Rule**

187 To express a decimal of Re 1 as annas and pies

If we call Re 0 01 one cent, we have

1 p = Re 0 0052 = 1 half-cent, 2 p = Re 0 0104 = 2 half cents,

3 p = Re 0 0156 = 3 half-cents, 6 p = Re 0 03125 = 6 half-cents,

and so on up to 12 half-cents, the number of half-cents equalling the number of pies (correct to a pie)

Thus Re 0 168 = $125 + \cdot 043 = 2a \ 8p$

Re 0 8612 = $8125 + 0487 = 13a \ 9p$

EXAMPLES IX d.

Read off in £ s d correct to the nearest farthing

1	£0 475	2	£0 825	3	£0 307
4	£0 559	5	0 661 of £1	6	£0 460
7	£0 089	8	0 192 of £1	9	0 497 of £1
10	£3·098	11	£11 111	12	£7 509
13	£4 3	14	£4 03	15	£4 003

Evaluate at sight to the nearest penny, by first correcting to the 3rd decimal place

16	£9 42791	17	£0·0299	18	£4 82529
19	£4 63219	20	£7 4168	21	£0 919
22	£2 3618	23	0 371 of £1	24	£2 09

25 Prove that $\frac{1}{4}d$ is equivalent to $£ 001 \times (1 + \frac{1}{4})$

26 Express the difference between one *farthing* and one *mil* as the decimal of £1 correct to six decimal places

27 Explain each step in the following work

$$\begin{aligned}
 17s \ 11\frac{1}{2}d &= 8 \text{ florins} + 3 \text{ sixpences} + 22 \text{ farthings} \\
 &= £ 8 \quad + £ 075 + £ (022 + 001 + \frac{2}{4}) \\
 &= £ 898 \text{ to the nearest thousandth}
 \end{aligned}$$

Evaluate to the nearest pie

28	Re 0·019	29	Rs 4 8389	30	Re 1 23456
31	Rs 7 319	32	Re 0 09	33	Rs 17·284

34 Shew that Re 0 12345 may be regarded as Re 0 125, thus equivalent to 2a.

35 Prove that 1 p equals $\text{Re } 0 001\frac{1}{4} \times 5$

36 Regarding Re 0·01 as one cent, shew that, up to 12 half cents, the number of half cents equals the number of pies

37 Express the difference between 12 half cents and 12 pies as a fraction of a pie

38 Find the value of 2 624 of Rs 5 as the decimal of Re 1, and read off the result in Rs. a. p

39 Express as a decimal $\frac{7}{100}$ of Rs 463, and read off the result in Rs a p to the nearest pie

40 Find 4 per cent of £632 to the nearest penny

CHAPTER X

DECIMAL APPROXIMATIONS LIMITS OF ERROR. SIGNIFICANT FIGURES CONTRACTED METHODS

188 WE have already seen [Art 149] how to modify a decimal so as to represent its value as correctly as possible with *one, two, three*, decimal figures, in other words to give an approximation true to the nearest *tenth, hundredth, thousandth*, The method may be re-stated thus

Consider the decimals 1462 and 1468, which both lie between 146 and 147

Now 1462, being *below* 1465 (or $146\frac{1}{2}$), is
nearer to 146 than to 147,

while 1468, being *above* 1465 (or $146\frac{1}{2}$), is
nearer to 147 than to 146

Thus if 1462 and 1468 are to be represented as nearly as possible with *three* decimal figures only,

for 1462 we must take 146,

for 1468 we must take 147

the error, in excess or defect, being in each case less than 0005, or $000\frac{1}{2}$, or $\frac{1}{2}$ of one thousandth. The decimals thus modified are said to be correct to the 3rd decimal place, or true to the nearest thousandth

189 *Conversely*, if the value of a decimal is given *correct to a specified decimal place*, all we know is that its real value lies between two definite limits

For example, 147 (correct to the 3rd place) may represent *any* decimal whatever, greater than $146\frac{1}{2}$ and less than $147\frac{1}{2}$, that is, any decimal between 1465 and 1475. In other words, the limits between which the unmodified decimal must lie may be expressed by 147 ± 0005 . A decimal such as 147 true to the 3rd place, is sometimes written $147 \pm$

NOTE The phrases “true *within* one thousandth” and “true *to the nearest* thousandth” are not identical, the latter being the closer approximation. In the first case the error is less than ± 001 , in the second less than $\pm 000\frac{1}{2}$

190 Significant Figures The meaning of the term *significant figures* is best explained by examples

(i) The approximate distance of the earth from the sun may be given as 93,000,000 miles, meaning 93 millions *correct to the nearest million*

Here the unit of measurement may be considered as *one million miles*, and the distance is stated to be 93 such units, *correct to the nearest unit*. In this case the figures 93, which give the number of units, are said to be **significant**, while the six ciphers, which point out the *magnitude* of the unit, are said to be **non-significant**

(ii) Again, suppose it is said that the distance from Southampton to Cape Town is 6100 miles

If this statement is to be understood in *round numbers* as 61 hundreds, correct to the nearest hundred, then *one hundred miles* is the assumed unit of measurement, so that the figures 61 are significant, and the two ciphers non-significant

If however it is implied that a definite course has been measured or calculated to the nearest mile, all the figures 6100 become significant

(iii) It is given that 1 millimetre = 0.039 inch, correct to the third decimal place.

This implies that 1 millimetre = 39 thousandths of an inch correct to the nearest thousandth. So that here the assumed unit is *one-thousandth of an inch*, the significant figures are 39, and the ciphers at the beginning are non-significant

(iv) Distinguish between the following approximate equivalents.

$$1 \text{ inch} = 25.4 \text{ millimetres,}$$

$$1 \text{ inch} = 25.400 \text{ millimetres}$$

The first statement merely gives the equivalent of 1 inch correct to the nearest *tenth* of a millimetre, the second statement implies definite calculation correct to the nearest *thousandth*. Thus

$$1 \text{ inch} = 25.4 \text{ tenths of 1 mm, to the nearest tenth,}$$

$$1 \text{ inch} = 25.400 \text{ thousandths of 1 mm, to the nearest thousandth}$$

So that in the second approximation the two ciphers on the right are significant

To sum up **Significant figures** are those which in any approximate result or measurement tell the *number* of units, correct to the nearest such unit. Thus ciphers at the *end* of a whole number or decimal may or may not be significant according to the degree of accuracy implied

Ciphers are non-significant when they merely point out the *magnitude* of the assumed unit, *by fixing the place-value of the significant figures*. Thus ciphers at the beginning of a decimal are necessarily non-significant.

191 Relative Errors In all approximate work it matters less whether the actual (or *absolute*) error is large or small, than whether it amounts to a *large or small fraction* of the quantity we are estimating. Suppose, for instance, in judging a distance of 40 yards we are wrong by 4 yards, while in judging a distance of 100 yards we are wrong by 5 yards. The absolute error in the latter case is greater than in the former, but it is really of less importance. For in the second case the error is only at the rate of *one in twenty*, or $\frac{1}{20}$ of the whole distance, while in the first case it is at the rate of *one in ten*, or $\frac{1}{10}$ of the distance to be judged. Errors thus measured as fractions of the true value are called **relative errors**.

Thus
$$\text{relative error} = \frac{\text{absolute error}}{\text{true value}}$$

NOTE In applying this principle, if (as is usually the case) the *true value* cannot be found, we must use the nearest ascertainable value for the denominator.

192 Approximate results represented by the same significant figures are subject to the same relative errors

For instance

- | | | |
|---------------|----------------------|------------------------|
| (i) 24800 | denotes 248 hundreds | to the nearest hundred |
| (ii) 2 48 | 248 hundredths | hundredth |
| (iii) .000248 | 248 millionths | millionth |

Here the *absolute errors* (in excess or defect) are respectively less than

$$(i) \frac{1}{2} \text{ hundred}, \quad (ii) \frac{1}{2} \text{ hundredth}, \quad (iii) \frac{1}{2} \text{ millionth}.$$

So that the *relative errors* are respectively less than

$$(i) \frac{\frac{1}{2} \text{ hundred}}{248 \text{ hundreds}}, \quad (ii) \frac{\frac{1}{2} \text{ hundredth}}{248 \text{ hundredths}}, \quad (iii) \frac{\frac{1}{2} \text{ millionth}}{248 \text{ millionths}}$$

Each of these evidently = $\frac{0.5}{248}$

193 Percentage Errors It is often convenient to express *relative errors* as *percentages*, thus exhibiting the absolute error as a percentage of the whole quantity to be represented

EXAMPLE. In expressing a length of 81 472 Km as nearly as possible with three significant digits, find (i) the absolute error, (ii) the relative error, (iii) the percentage error

81 472 Km, corrected to three significant digits = 81 5 Km

$$(i) \text{ Absolute error} = (81\ 5 - 81\ 472) \text{ Km} = 0\cdot028 \text{ Km}$$

$$(ii) \text{ Relative error} = \frac{0\ 028}{81\ 472} = \frac{28}{81472}, \text{ or } 0\ 00034$$

(iii) Let x denote the required rate per cent

$$\text{Then } \frac{x}{100} = 0\cdot00034 \quad ,$$

$x = 0\ 034$, correct to two significant digits.

Thus the *percentage error* = $0\cdot034\%$ of the whole length

194 The following method of roughly estimating the accuracy of a result from the number of significant digits is sometimes useful

Any number consisting of three significant figures is *greater than* 100. Hence a result true to *three significant digits* has a relative error *less than* $\frac{0\ 5}{100}$, and still less than $\frac{1}{100}$

Thus a result true to *three significant figures* must be true within *one hundredth* of the real value

Similarly a result true to *four significant figures* must be true within *one-thousandth* of the real value. And so on

NOTE It is clear that the actual limit of error may be much narrower than that indicated by this means. The method however shews that the real accuracy of a result is to be judged not so much by the number of *decimal places* to which it is carried, for this merely fixes the *absolute error*, but by the number of *significant figures* known to be correct, for this limits the *relative error*

EXAMPLES X. a.

(Examples 1-37 should be taken orally)

Read off the following numbers correct to the nearest *thousand*, and name the significant figures in your answers

1 78912.

2. 481390

3 369841

Read off the following decimals correct to the nearest *thousandth*, and name the significant figures in your answers

4. 2.76428

5 0.012638

6 3.40081

7 7.417

8 7.471

9. 0.409

10 19 ten thousandths.

11 901 millionths

12. 9.999 $\frac{5}{8}$

Read off the following quantities correct to *three significant figures*

13 6.2684

14. 81.492.

15. 704.856

16 0.68214

17 0.09188

18 0.0040275

19 4.7

20 8.61

21. 0.018

22. 37295

23 70077

24. 462130

Name the significant digits in the following

25 Liverpool to Quebec, 2630 miles, to the nearest 10 miles

26. London to Lisbon, 1120 miles, to the nearest mile

27 Length of Equator, 24,900 miles, to the nearest 100 miles

28 One cubic inch of water weighs 0.016 Kg, correct to 1 gram

29 Atmospheric pressure per square inch = weight of 0.760 metro of mercury, correct to 1 millimetre

30 Illustrate by three instances (one integral and two decimal) how you distinguish *significant* from *non significant* figures

The following figures denote quantities correct to the *second decimal place* between what limits must the actual quantities lie?

31 £3.47

32 41.63 tons

33 3.60 miles

34. 0.07 metre

The following represent quantities *correct to four significant figures* between what limits must the actual quantities lie?

35 (i) Rs 40.76, (ii) Re 0.4076, (iii) Rs 4076, (iv) Rs 407600

36 (i) 9.347 Km, (ii) 93.47 Hm, (iii) 9347 metres, (iv) 934700 cm

37 Sums of money are approximately represented by 74.20 rupees, 7420 rupees, 74200 rupees respectively. Between what limits must the actual sums lie, if the above figures are true (i) to *three significant digits*, (ii) to *four significant digits*?

In expressing the following quantities as nearly as possible with *three* significant digits, find in each case the resulting *absolute* error, the *relative* error, and the *percentage* error

- 38 (i) £37 482, (ii) £374 82, (iii) £0 37482
- 39 (i) 912 48 miles, (ii) 9 1248 miles, (iii) 0 0091248 of 1 mile.
- 40 The population of Liverpool in 1905, viz 723,471
- 41 The area of Kent, viz 989,890 acres
- 42 The National Debt in 1903, viz £770,778,000
- 43 The length of a nautical mile, viz 6087 23 feet
- 44 The equivalent of 1 kilogram in grains, viz 15432 35 grains

Contracted Addition and Subtraction

195 In adding or subtracting decimals so as to obtain a result true to a certain number of decimal figures, it is usually enough to retain in each line no more than two decimal figures beyond the number specified.

EXAMPLE Find, correct to three decimal places, the sum of $\frac{11}{12}$, 3 624, 10·0151923, and 832 millionths

$$\begin{array}{r}
 \frac{11}{12} = 916 \quad | \quad 66 \\
 3\ 624 = 3\ 624 \quad | \quad 24 \\
 10\ 015 \quad | \quad 19 \\
 832\ \text{millionths} = 000 \quad | \quad 83 \\
 \hline
 14\ 556 \quad | \quad 92
 \end{array}$$

result correct to three places

$$= \underline{14\ 557}$$

Here we first draw a vertical line after the third decimal figure to indicate that every figure to the left of this is to be "correct" To secure this, two more figures are retained in each line

NOTE No absolute rule can be given to secure the correct carrying figures, the number of extra columns to be retained depending mainly on the number of lines to be added To add correctly to 3 places, it is generally enough to keep *four* decimal figures, if the 4th figure in each decimal is *corrected* before adding For the errors so introduced are likely to be some in excess and some in defect, and consequently tend to cancel one another on addition The sum given above would then stand as in the margin, the sign - being attached when the decimal is *above*, and + when *below* the real value

$$\begin{array}{r}
 916 \quad | \quad 7- \\
 3\ 624 \quad | \quad 2+ \\
 10\ 015 \quad | \quad 2- \\
 000 \quad | \quad 8+ \\
 \hline
 14\ 557
 \end{array}$$

EXAMPLES X. b

Add together the following, giving results *true to the second decimal figure*

1. $41\cdot0462$, $0\ 00178$, and $21\ 892$.

2. $1\ 35642$, $0\ 0402$, and $4\ 5019$

3. $5\ 0819$, $1\ \bar{6}$, and $0\cdot0\bar{3}$

Find the value of the following, giving the results as decimals *true to the nearest thousandth*

4. $716\text{ millionths} + \frac{1}{10000} + 0\ 00008$

5. $\frac{2}{7} + \frac{5}{8} + 3\cdot25614$

6. $0\ 3 + \frac{2}{125} + 3\ 652 + 99\text{ hundred thousandths}$

Express as whole numbers or decimals *correct to three significant digits*

7. $26\ 0981 + 306\ 9 + 0\cdot009$

8. $41\ 682 - 0\ 1009$

9. $37\cdot261 + 982\ 8 - 10\cdot9$

10. $\frac{4}{15} + \frac{6}{17} + \frac{5}{13}$

Without adding (or writing down) unnecessary figures, find the sum of the following, *correct to the nearest hundred thousand*

11. $4,682,531$, $806,908$, $17,492,714$, and $93,602$

12. $971,462$, $8,792,031$, $92,807$, and $17,827,543$

13. The national income for the year 1903 1904 was made up as follows

Customs and Excise £65,409,431, Property and Income tax £30,814,016, Estate, House duty, and Land tax £15,659,703, Post and Telegraph Service £28,458,376, Stamps, Fees, Patents, etc £8,474,371, Crown lands £460,838, Suez Canal Dividends £936,151, Miscellaneous £675,427

Obtain the total, correct to the nearest £100,000

14. Find the value of x^2 , x^3 , and x^4 , when $x=0\ 08$

Hence find, *correct to three decimal places*, the value of

(i) $x+x^2+x^3$, (ii) $x+x^2+x^3+x^4$,

and explain why the results are the same

15. Express each of the following fractions as a decimal

$$\frac{1}{5}, \frac{1}{5^2}, \frac{1}{5^3}, \frac{1}{5^4}, \text{ and } \frac{1}{5^5},$$

and find their sum *true to the second decimal figure*

Shew that the exact value of the sum differs from $\frac{1}{4}$ by less than 0·0001

16 Working in decimals, find, *correct to the nearest Re 1*, the sum of the following

Rs 350 14 a, Rs 23 681, Rs 8 5 a 4 p, and Rs 663·94

17 Find within *one thousandth of the total distance* the sum of

361 $\frac{1}{2}$ Km, 28 Km 795 m, 0 63 Km, and 1764 metres

18 Express each of the following quantities as a decimal of £1 *correct to four decimal figures*

£3 14s 7d, £ $\frac{1}{2}\frac{9}{16}$, and £12 7 $\frac{1}{2}$

Find their sum, and read off the result *correct to the nearest farthing*

Explain why correctness to four decimal figures in each line of work is *necessary and sufficient* to give the sum to the nearest farthing

Using decimals, add together the following, and read off the results to the nearest pie

19 Rs 2 43, Rs 7 1492, and Re 0 421

20 Rs 5 4862, Rs 3 10 a, and Re. $\frac{8}{9}$

Contracted Multiplication of Decimals

196 The object of this process is to multiply two decimals together so as to get the product true to any specified number of decimal figures without calculating the superfluous figures which would follow if the work were done at full length

Begin, as recommended in full multiplication, by making a *rough estimate* of the required result, so that any large error, such as might arise from misplacement of the decimal point, may be readily detected

Next choose as multiplier that decimal which has fewest *effective digits* [see Art 166, Ex 2]

Then move the decimal point in the multiplier (if necessary) so as to bring it to *standard form* (i.e. to give it *one* integral figure,) and make the compensating change in the multiplicand

The rest of the process will be explained by examples.

EXAMPLE 1 Multiply 60·9185 by 0 473, giving the product correct to two decimal figures

(*Rough Estimate* The product should be less than 61×5 , say, somewhat less than 30)

Here $60\ 9185 \times 0\ 473 = 6\ 09185 \times 4\ 73$

As the final product is to be true to *two* decimal figures, correctness to *three* decimal figures must be secured in each partial product On

the left we give the work in full, printing in italics those digits which are not required in order to obtain a result true to the 2nd decimal place

(i) FULL WORK.

6 09	185
	4 73
24 36	740
4 26	4295
18	27555
28 81	44505

(ii) CONTRACTED WORK.

6 09	1 85
	4 73
24 36	7
4 26	4
18	3
28 81	4

First step In (i), on multiplying by 4, the superfluous figures 40 arise from the figures 85 of the multiplicand. Hence in (ii), to get a result true to two decimal places, we begin by erasing from the multiplicand all decimal figures *beyond the third* (placing the unit digit of the multiplier under the last figure retained)

We now multiply by the 4, but we carry 3 to the first figure set down, just as we should have done if the fourth decimal figure (8) had not been erased

Second step Before multiplying by the 7, we reject from the multiplicand the last figure remaining on the right (viz 1), using it however to supply the carrying figure to the first figure set down

Third step Again reject from the multiplicand the last figure on the right (viz. 9), and multiply by the 3, carrying as before to the first figure set down (In this case, since 3 times 9 gives a number nearer 30 than 20, we carry 3 to the first figure)

Proceeding thus, it is clear that the first figure set down in each line of work must stand in the 3rd decimal place, i.e. immediately to the right of the vertical line, which has been drawn as before to indicate that all figures to the left of it are to be correct

We now add the partial products, as explained in Art 194

Thus the product = 28 81, correct to two decimal figures

NOTE At each stage care must be taken that the multiplication is begun at the proper figure of the multiplicand. This may be tested by the law explained in Art 164 viz that a figure in the m^{th} decimal place multiplied by a figure in the n^{th} decimal place produces a figure in the $(m+n)^{\text{th}}$ place

For instance in the last example, where each line of work is to have three decimal figures

the 3rd dec^l fig in line 1 is due to a 3rd dec^l fig \times a units fig

the 3rd dec^l fig in line 2 „ „ 2nd dec^l fig \times a 1st dec^l fig

the 3rd dec^l fig in line 3 „ „ 1st dec^l fig \times a 2nd dec^l fig

EXAMPLE 2 Multiply 0·00926347 by 280 435, the product to be correct to the nearest thousandth

(*Rough Estimate* The product should be a little less than 0·01 of 280, or 2·8)

Here $0\cdot00926347 \times 280\ 435 = 0\ 926347 \times 2\ 80435$

$$\begin{array}{r}
 0\ 926\ 3\ 47 \\
 \hline
 2\ 80435 \\
 1\ 852\ 7 \\
 741\ 0 \\
 003\ 7 \\
 000\ 3 \\
 \hline
 2\ 598\ \sim
 \end{array}$$

Since the product is to be true to *three* decimal figures, retain *four* decimal figures in the new multiplicand

On reaching the 0 in the multiplier, remember to reject the 6 in the multiplicand, and before multiplying by 4, reject the next figure 2 of the multiplicand.

The process is continued till all the figures in the multiplicand are in turn rejected, but after rejecting the last digit 9, we still multiply it by 3, for this supplies a carrying figure (3) to the fourth decimal column

Observe that the last figure of the multiplier is not in this case used, since it would contribute nothing to the first four decimal places

The fourth column is added merely to correct the third. The sum in this case is 17, and this being nearer to 20 than to 10, we carry 2 to the third column.

197 The approximate multiplication of *recurring* decimals introduces no new principle, since the decimals may be extended to as many figures as the conditions of the question require

For example, if it were required to multiply 0 0128 by 236, we should write the product in the form

$$1\ 282828 \times 2\ 36,$$

and then proceed as before.

EXAMPLES X c

Find the following products, correct to *two* decimal figures

1 $5\ 62 \times 3\ 27$

2 $0\ 7028 \times 4\ 73$

3 $9\ 4357 \times 5\ 25$

4. $0\ 03175 \times 4\ 116$

5 $50\ 281 \times 0\ 317$

6 $702\ 84 \times 0\ 0541$

7 $78\ 95 \times 0\ 0909$

8 $23\ 76 \times 0\ 35782$

9 $86\ 43 \times 0\ 028947$

Find, correct to the *nearest unit*, the product of

10 $46\ 207$ and $8\ 136$

11 $709\ 28$ and $0\ 0428$

12 $0\ 09602$ and $86\ 31$

13 $4004\ 04$ and $0\ 0606$

Multiply out the following, correct to the *third* decimal place

14. $0\ 00561023 \times 597\ 001$

15 $(1\ 41421)^2$

16 $42\ 37 \times 0\ 240089$

17 $(1\ 73205)^2$

Find the value, correct to *three significant digits*, of

$$18 \quad 80 \ 6251 \times 0 \ 6317$$

$$19 \quad 0 \cdot 0020476 \times 24 \ 06$$

$$20 \quad 41 \ 0208 \times 0 \ 7305$$

$$21 \quad 5961 \ 59 \times 0 \ 030807$$

Multiply out the following, correct to *the nearest thousandth*

$$22 \quad 7 \ 86 \times 0 \ 421$$

$$23 \quad 0 \ 573 \times 3 \ 052$$

$$24 \quad 0 \ 52 \times 5 \cdot 263$$

$$25 \quad 0 \ 05632 \times 32 \ 7$$

Find the following products within *one thousandth of their true value*

$$26 \quad 760 \ 35 \times 0 \ 00580070$$

$$27 \quad 3 \ 1416 \times 0 \ 31831$$

28 Multiply 79364 by 6024, giving the product correct only to the *nearest million*

[The number of millions in 79364×6024

$$= \frac{79364 \times 6024}{1,000,000} = 79 \ 364 \times 6 \ 024,$$

a result to be worked out to the nearest unit]

Find approximately the following products

$$29 \quad 4085 \times 746, \text{ correct to the nearest thousand}$$

$$30 \quad 4528 \times 6402, \text{ to the nearest hundred thousand}$$

$$31 \quad 80460 \times 5073, \text{ to the nearest million}$$

$$32 \quad 5807023 \times 43 \ 07, \text{ to the nearest million}$$

33 Given that 1 metre = 39 3701 inches, find, correct to the nearest unit, the number of inches in 7 52 metres

34 Express $14\frac{1}{2}$ yards in metric measure, having given that 1 inch = 25 400 millimetres [A result true to the nearest centimetre is sufficient]

35 A train runs at an average rate of $45\frac{1}{4}$ miles an hour Find in kilometres the distance run in 5 hours, having given 1 mile = 1 6093 Km [A result true only to the nearest kilometre is wanted]

36 If a pressure expressed in *pounds per square inch* is multiplied by the constant 0 07031, the result expresses the same pressure in *kilograms per square centimetre* Use this equivalent to express a boiler pressure of 222 6 lbs per sq in in terms of kilograms per sq cm [The result is to be true to the nearest hundredth]

37 The railways of the United Kingdom had 22,435 miles open for traffic in 1904 Estimating their traffic receipts at £4595 per mile, find the total gross earnings for the year to the nearest £100,000

38 The out-put from the Transvaal mines for the year 1903 was 2,972,897 ounces of fine gold, valued at £4 4s $11\frac{1}{4}d$ per ounce Find the total value to the nearest £100,000 [Decimalize £4 4s $11\frac{1}{4}d$, and work by contracted multiplication]

Contracted Division

198 Our object is to shorten the ordinary process of Division by discarding all figures which become superfluous when only some specified number of digits is required in the quotient

EXAMPLE 1 Divide 7944 80625 by 320 6402, as far as the second decimal figure of the quotient

Begin, as in full division, by bringing the *divisor* to standard form, i.e. move the decimal point so as to give *one* integral figure, and make the compensating change in the dividend

$$\text{Thus} \quad \frac{7944\ 80625}{320\ 6402} = \frac{79\ 4480625}{3\ 206402}$$

Next determine by inspection how many *integral* figures there will be in the quotient

Here the dividend is slightly over 79, and the divisor lies between 3 and 4, therefore the quotient will contain *two* integral figures. These, together with the two *decimal* figures, make *four* significant figures to be obtained by division

We give below the full work, printing in italics all figures not required to obtain the first four digits of the quotient

FULL WORK.	CONTRACTED WORK
$ \begin{array}{r} 24\ 77 = \text{Quotient} \\ 3\ 206402 \overline{) 79\ 44806245} \\ \underline{64\ 12804} \\ 15\ 320022 \\ \underline{12\ 825608} \\ 2\ 4944144 \\ \underline{2\ 2444814} \\ 24993305 \\ \underline{22444814} \\ 2548491 \end{array} $	$ \begin{array}{r} 24\ 77 = \text{Quotient} \\ 3\ 2064 \overline{) 79\ 44806245} \\ \underline{64\ 128} \\ 15\ 320 \\ \underline{12\ 826} \\ 2\ 494 \\ \underline{2\ 244} \\ 250 \\ \underline{224} \\ 26 \end{array} $

To perform the contracted work we retain in the divisor *six* figures, that is to say *one more than the number of significant figures required in the quotient*, and in the dividend we keep as many figures as are needed to take the first step of division in this case also *six*

We then proceed with the division in the ordinary way, except that, at each stage, instead of bringing down a new figure from the dividend, we reject a figure from the right of the divisor taking care however on multiplying to use the figure last rejected for the purpose of obtaining a carrying number

Thus, after rejecting *three* figures of the divisor, we find the first *four* figures of the quotient to be 24 77

NOTE. Two figures remain in the divisor, so that the work may be carried one step further. Marking off the 2, and dividing as before, we get an extra figure, viz 8, for the quotient. Now though this cannot be relied upon as the actual fifth figure, it is near enough to enable us to correct the fourth.

Hence the quotient correct to the 3rd decimal figure is 24 78

EXAMPLE 2 Divide 2 6289475 by 306 5, giving the first seven decimal figures of the quotient

$$\text{Here} \quad \frac{2\ 6289475}{306\ 5} = \frac{0\ 026289475}{3\ 065},$$

and we see at once that in the quotient *two ciphers* will follow the decimal point. Hence *five* figures must be got by division. This requires in the divisor (according to the rule already stated) *six* figures, a difficulty which may be met thus

(i) by affixing two ciphers, to be rejected successively as already explained, or

(ii) by starting with the original divisor, and postponing the rejection of figures from the divisor until the number of figures still to be found in the quotient is one less than the number of figures in the divisor; that is, in this case we obtain *two* figures by ordinary division and *three* by contraction.

Both methods are given below. In (ii) the work is further shortened by the "Italian" arrangement

$$\begin{array}{r} \text{(i)} \\ 0.0085773 = \text{Quotient} \\ 306.500 \overline{) 0.026289475} \\ \underline{2452000} \\ 176947 \\ \underline{153250} \\ 23697 \\ \underline{21455} \\ 2242 \\ \underline{2146} \\ 96 \\ \underline{92} \\ 4 \end{array}$$

$$\begin{array}{r} \text{(ii)} \\ 0.0085773 = \text{Quotient} \\ 306.5 \overline{) 0.026289475} \\ \underline{17694} \\ 23697 \\ \underline{2242} \\ 96 \\ \underline{4} \end{array}$$

NOTE. Carrying the division one more step, the 8th figure of the quotient appears to be 1, from which we may safely conclude that the real 8th figure is less than 5. Hence the quotient true to the seventh decimal figure is 0 0085773

199 If the dividend or divisor (or both) *recur*, the quotient may be obtained to any specified number of figures by extending the data to as many digits as the conditions of the question require

EXAMPLES X d.

Obtain the following quotients true to *three* significant figures in each case

1 $8\ 6439 - 1\ 057$

2 $759\ 56 - 43\ 01$

3 $2\ 71835 - 8\ 2121$

4. $6\ 52742 - 218\ 42.$

Find the following quotients correct to the *second* decimal figure

5 $282\ 10051 - 29\ 332.$

6 $1\ 576343 - 0\ 029364$

7 $11\ 32042 - 24\ 0604.$

8 $6\ 955714 - 0\ 08425$

Find the value of the following, giving results correct to the *third* decimal place

9 $1481\ 88 - 435\ 07$

10 $0\ 043524 - 0\ 021979$

11 $\frac{1\ 4105}{58\ 664}$

12 $\frac{1}{8043}$ of $416\ 247$

13. $17\ 3 - 13\ 408$

14. $11 - 3\ 31662$

15 $\frac{1}{3\ 14159}$

16 $\frac{3}{1\ 73205}$

17 $8\ 26 - 3\ 1762$

18 $1\ 927 - 3\ 08$

Decimalize the following fractions, using contracted division and giving the results true to three significant digits

19 $\frac{897}{5135}$

20 $\frac{73984}{2071}$

21 $\frac{4381}{308017}$

From the following equations determine the value of x correct in each case to the nearest unit

22 $x \times 2\ 03 = 1830\ 26$

23 $7309x = 8276341$

24. $0\ 0318973 \times x = 35\ 78364.$

Obtain by contracted division approximate quotients of the following

25 $346,423,521 - 7816$, correct to the nearest thousand

26 $905,982,715 - 21638$, correct to three significant digits

27. $65,481,275 - 8,063,742$, correct to the 3rd decimal figure

28 The velocity of sound in air is 1142 feet per second, and on a still day at sea the discharge of a big gun may be heard 20 miles off. How long does it take the report to travel this distance? Answer only to the nearest second.

29 The mean circumference of the Earth is 131,385,456 feet. The whole circumference contains 360×60 minutes of arc. A knot is the length of one minute of arc. Find the length of 1 knot in feet to the nearest tenth.

30 A company's profits of £56,248 are allotted equally to 12,481 shares. How much is received on each share?

[Obtain a result by contracted division correct to the 3rd decimal place, and read off the result to the nearest penny. Art 185.]

31 Decimalize £12 15s 6d. If the equivalent of this sum in Ceylon money is 192 Rs 15 cents, find the equivalent of Re 1, correct to the nearest cent.

32 From the following statistics at the last census, find the average number of persons per square mile in England and Wales, in Scotland, and in Ireland respectively.

	England and Wales	Scotland	Ireland
Area in sq mi -	57,800	29,796	31,759
Population -	32,527,843	4,472,103	4,458,775

33 One statute mile = 5280 feet, and 1 knot = 6082.66 feet.

Find (i) 1 knot in terms of a mile, to the nearest thousandth.

(ii) 1 mile in terms of a knot, ,, ,, ,,

34 Given that 1 metre = 39.3701 inches, express

(i) 1 inch in metres, and hence in millimetres, correct to five significant figures.

(ii) 1 chain in metres, to the nearest cm.

(iii) 1 mile in kilometres, to the nearest metre.

35 Prove by contracted division that 1.41421 is approximately the square root of 2.

36 It is a Ceylon Land Company reports the sale of 351,276 acres for Rs 24,296,200, find the average price per acre to the nearest cent also the equivalent price in British money, given that Re 1 = 1s 3 $\frac{1}{4}$ d.

37 One gallon of water weighs 10 lbs. One cubic foot of water weighs 62.321 lbs. From these data find the number of cubic inches in a gallon correct to 0.1 cu. in.

38 Find to the nearest penny the British equivalent of Rs 10,000, when the value of £1 in exchange is quoted at 15 Rs 2 $\frac{1}{2}$ cents.

39 The following statistics refer to the Railways of the United Kingdom for the year 1904

Miles open for Traffic	Total Traffic receipts	Working Expenses
22,435	£103,079,191	£68,561,855

Find to the nearest £1 the *net* receipts per mile

40 Find to the nearest penny the liability per head in each of the following cases

	Population at last census	National Debt.
United Kingdom -	41,976,827	£759,135,471
France	38,961,945	£1,172,368,000
German Empire	56,367,178	£143,799,000

Further Examples of Contracted Work.

200 When two or more contracted operations are to be performed in succession, as in finding the value of

$$(i) 124\ 9732 \times 81\ 02 \times 0\cdot0516,$$

$$(ii) 61\ 924 \times 0\cdot07046 - 401\ 235,$$

begin by shifting the points so as to get an equivalent expression in which each *operating* decimal is in *standard form* (that is, has one integral figure) We may thus ascertain to how many decimal places the first stage must be carried in order that the final result may have the required degree of accuracy

EXAMPLE 1 Find the *continued product* of 124 9732, 81·02, and 0·0516, correct to two decimal figures

$$\left(\text{Rough Estimate. } 125 \times 80 \times \frac{5}{100}, \text{ or } 500 \right)$$

The required product = $12\ 49732 \times 81\ 02 \times 5\ 16$

12 49	732
	8 102
99 97	86
1 24	97
2	50
101·25	33
	5 16
506 26	65
10 12	53
6 07	52
522 47	

Here the multipliers slightly exceed 8 and 5, hence the first decimal is eventually to be multiplied by a number between 10 and 100

We therefore keep in the multiplicand *two* decimal figures beyond the number required in the final result, viz *four* decimal figures in all

EXAMPLE 2. Find the value of $\frac{61\ 924 \times 0\ 07046}{401\ 235}$, correct to four decimal figures

$$\left(\text{Rough Estimate } \frac{62 \times 0\ 07}{400}, \text{ or } \frac{4\ 34}{400}, \text{ or } 0\ 0108 \right)$$

$$\text{The given expression} = \frac{0\ 0061924 \times 7\ 046}{4\ 01235}$$

$$\begin{array}{r} 0\ 0061\overline{)924} \\ \underline{0\ 0433\ 4} \\ 2\ 4 \\ \underline{2\ 4} \\ 0\ 0436\ 2\ (0\ 0108 \\ \underline{35\ 0} \\ 30 \end{array}$$

Here the combined processes of multiplication and division are roughly equivalent to multiplication by $\frac{7}{4}$. Hence to obtain a final result true to four decimal figures, we retain five decimal figures in the multiplicand. The fifth decimal figure in the quotient being clearly greater than 5, the final result true to four decimal places is 0 0109.

Miscellaneous Examples on Contracted Work.

[The harder of these examples may be left till the pupil has learned the use of Logarithms. It is intended that some examples should be worked by Contracted Decimal processes, and others by Logarithmic Tables. In some instances it will be instructive to use both methods for the sake of comparison.]

EXAMPLES X e

Find the following products correct to the second decimal figure

- | | | | |
|---|---------------------------------------|---|---|
| 1 | $0\ 2394 \times 2\ 31 \times 1\ 57$ | 2 | $18\ 602 \times 0\ 1457 \times 1\ 356$ |
| 3 | $36\ 73 \times 0\ 073 \times 0\ 2367$ | 4 | $242\ 3 \times 0\ 01872 \times 0\ 9713$ |

Find the value of the following expressions correct to the nearest hundredth

- | | | | |
|---|---|---|--|
| 5 | $\frac{21\ 434 \times 3\ 721}{8\ 532}$ | 6 | $\frac{44\ 852 \times 14\ 73}{98\ 153}$ |
| 7 | $24\ 368 \times \frac{0\ 0394}{0\ 897}$ | 8 | $\frac{0\ 7859}{4\ 628} \text{ of } 3\ 0103$ |

From the following equations find the value of x correct to the nearest unit

- | | | | |
|----|---|----|--|
| 9 | $\frac{x}{98\ 0035} = 0\ 42074 \times 5\ 312$ | 10 | $\frac{x}{1\ 0398 \times 10\ 326} = 65\ 471$ |
| 11 | $x \times 9\ 47 = 1\ 01359 \times 3214$ | 12 | $\frac{48\ 3}{39\ 01} \times x = 238$ |

Find correct to four significant digits

$$13 \quad \begin{array}{r} 69\ 7324 \\ 5\ 7002 \overline{) 6\ 08175} \end{array}$$

$$14. \quad \frac{348}{502} \text{ of 19 millions}$$

15 A sovereign weighs 123.27 grains of standard gold, and a Japanese 20 yen gold piece weighs 257.21 grains. Find the value in British money (correct to the nearest penny) of the 20 yen piece

16 If 10 dollars are worth £2 1s $1\frac{1}{2}d$, find the equivalent of £1 in dollars. [Decimalize £2 1s $1\frac{1}{2}d$, and obtain a final result true to four decimal figures]

17 A merchant in New York buys goods in Geneva to the value of 4004 francs. Find the value of the goods in dollars, when the exchange between London and New York is 4 8632 dollars to £1, and the exchange between London and Geneva is 25.21 francs to £1. [Give your result true to the 2nd decimal figure, i.e. the nearest cent]

18 One gallon of water weighs 10 lbs. One litre of water weighs 1 kilogram. One kilogram = 2 2046 lbs *nearly*. Find the equivalent of 1 gallon in terms of litres. To how many figures do you consider the result is to be trusted?

Find the following powers within *one thousandth* of the true value

$$19 \quad (1.41421)^3$$

$$20 \quad (1.26001)^3$$

21 If $a = 0.00731$, find the values of a^2 and a^3 , correct to *five* decimal places

Show that within this degree of accuracy $1 + a + a^2$ and $1 + a + a^2 + a^3$ yield the same result

[Observe that if a denotes any decimal less than .01 or $\frac{1}{100}$, then a^2 is less than .0001 or $\frac{1}{10\ 000}$, and a^3 is less than .000001 or $\frac{1}{1\ 000\ 000}$.]

22 If $a = 0.00316$, and $b = 0.00082$, find the value of

$$(i) \quad a^2 + ab + b^2, \text{ to the nearest millionth.}$$

$$(ii) \quad \frac{ab}{a+b}, \text{ with an error less than } \frac{1}{10^4}$$

Find, to the nearest unit, the value of

$$23 \quad 122\ 735 \times 510\ 34 \times \frac{111}{10^4}$$

$$24. \quad \frac{23\ 789 \times 16\ 8954}{0.0055 \times 124\ 91}$$

25 Having given 1 metre = 3.2808 feet, find to the nearest hundredth the number of square feet in one square metre

26 An Are is the area of a square on a side of 10 metres, and 1 metre = 1.0936 yards. Express 1 Are in terms of square yards correct to the nearest hundredth

27 Find, correct to the second decimal place, the number of acres in a hectare, using the following data

1 Ha = (100)² sq metres, 1 acre = 4840 sq yds, 1 metre = 1.0936 yds

28 Find the value of 1 cubic inch in terms of cubic centimetres, having given 1 inch = 25.400 millimetres. The result should be obtained to five significant figures only

29 Express a speed of 1 *mile an hour* in terms of *feet per second*. Hence find a constant decimal multiplier (correct to four decimal figures) which will convert a speed given in *miles per hour* into *feet per second*. Illustrate by an example

30 The work done by a force in raising 1 pound through 1 foot is called a *foot-pound*, and that done in raising 1 kilogram through 1 metre is called a *kilogram metre*

Express 1 kilogram metre in terms of foot pounds correct to four significant digits, and hence name a constant decimal multiplier which will convert work expressed in kilogram-metres into foot-pounds

Given 1 metre = 1.0936 yards,
 1 kilogram = 2.2046 pounds

Approximate Data. Limits of Errors

201 **Addition and Subtraction.** If the decimals whose sum or difference is required are known to be only *approximate*, care must be taken not to attempt a greater degree of accuracy in the result than is justified by the data

EXAMPLE. *The sides of a triangle are known to measure 5.37 in, 4.62 in, and 6.78 in, true to the nearest hundredth. Between what limits must the perimeter lie?*

Here the 1 st side must lie between	5.365" and	5.375",
2 nd side	4.615" and	4.625",
3 rd side	<u>6.775"</u> and	<u>6.785"</u> ,
the perimeter	<u>16.755"</u> and	<u>16.785"</u> ,

Or the work might be arranged thus taking	5.37 ± .005
the positive signs to give the upper and the	4.62 ± .005
negative signs to give the lower limits	<u>6.78 ± .005</u>
limits of perimeter are	<u>16.77 ± .015</u>

That is, the perimeter = 16.77", with a possible error (in excess or defect) not exceeding .015. Hence we see that if the given lengths are added as they stand the last decimal figure is not to be trusted

202. In taking the *difference* between two approximate quantities the maximum result is obtained when from the *greatest* possible value of the 1st quantity we subtract the *least* possible value of the 2nd quantity. While the *minimum* is got when from the *least* value of the 1st we take the *greatest* value of the 2nd.

(Examples X f 1-11 may be taken here.)

203 **Multiplication.** In cases of multiplication where one or both of the given factors must be regarded as approximate, it is most important to ascertain that the degree of accuracy attempted in the product is not greater than the data justify. Some guiding principles are given below.

When an approximate decimal is multiplied by any number greater than unity, the error is *increased* in the product.

For example when an approximate decimal, given correct to a specified number of places, is multiplied by 10, 100, 1000, , the number of places to which the product is correct is reduced by *one*, by *two*, by *three*, , respectively.

Thus if 60.31 represents a length in metres, known to be true only to the nearest *hundredth* (or centimetre), then

60.31 metres $\times 10 = 603.1$ m., true to the nearest *tenth* or *dm*

60.31 metres $\times 100 = 6031$ m., true to the nearest *unit* or *metre*.

204 Hence if an approximate decimal (correct for instance to the nearest hundredth) is multiplied by any *definite* number, integral or decimal, between 1 and 10, the product may be trusted to *one* decimal place, and if multiplied by any such number between 10 and 100, the product may be trusted to the *nearest unit*.

This however is not necessarily true if the multiplier is itself *approximate*. The following example shews the distinction.

EXAMPLE Multiply 60.31 (true to the 2nd decimal place) by 3.14, regarding the multiplier (i) as definite, (ii) as true to the 2nd decimal figure.

In each case we give the multiplication in full, underlining approximate or doubtful figures.

$$\begin{array}{r}
 \text{(i)} \quad 60.31 \\
 \quad \quad 3.14 \\
 \hline
 180.93 \\
 6031 \\
 24124 \\
 \hline
 189.37
 \end{array}$$

$$\begin{array}{r}
 \text{(ii)} \quad 60.31 \\
 \quad \quad 3.14 \\
 \hline
 180.93 \\
 6031 \\
 24124 \\
 \hline
 189.37
 \end{array}$$

In (i) the doubtful figures arise only from the approximate figure 1 in the multiplicand

In (ii) the last figure 4 of the multiplier is approximate, so that the last partial product is doubtful *throughout*

Thus (i) yields the result 189 4, true to the nearest *tenth*

(ii) yields 189 , of which the last figure, though possibly correct, is open to doubt.

NOTES 1 The distinction may be further explained by observing that in (i) the main error is roughly 3 times the error in the *multiplicand*, while in (ii) we have in addition 60 times the error in the approximate *multiplier*

2 From an examination of the above results it may be concluded that *the product of two approximate quantities can never be correct to more (though possibly to fewer) significant figures than there are in the less correct of the factors*

205 By thus underlining, as they arise in the work, any doubtful figures due to the approximate figures of the given factors, we may always tell roughly how far the product is to be trusted. This is enough in practice to prevent any serious misconception as to the degree of accuracy obtainable. If however the actual limits of error are required, they may be found thus

EXAMPLE 1 Find approximately the limits of error in the product of 60 31 and 3 14, each factor being true to the 2nd decimal figure

Here $60\ 31 \times 3\ 14 = 189\ 1$, the underlined figures in the product being doubtful [Art 203, Ex.]

Now, by Art 187, the real value of the required product may be anything between

$$60\ 315 \times 3\ 145, \text{ or nearly } 189\ 7,$$

$$\text{and } 60\ 305 \times 3\ 135, \text{ or nearly } 189\ 1$$

That is, the result 189 4 is liable to an error of about ± 3

NOTE. The limits of error may be approximately obtained without actually performing the multiplication of the greatest and least values

Take the upper values, and in multiplying write down *only those figures which arise from the terminal five*. We thus get a possible correction of about + 32, and we infer a possible correction of about - 32 for the lower limit

$$\begin{array}{r|l} 60\ 31 & 5 \\ \hline & 3\ 145 \\ \hline & 01\ 5 \\ & 30\ 2 \\ \hline & 72 \end{array}$$

EXAMPLE 2 Given that the equatorial diameter of the earth is 7926 miles (correct only to the nearest mile) and that the circumference of a circle = diameter $\times \pi$, where $\pi = 3.1416$ (correct to four decimal figures), find the length of the equator as nearly only as the data justify

$$\begin{array}{r}
 7926 \\
 \times 3.1416 \\
 \hline
 23778 \\
 79260 \\
 31700 \\
 79260 \\
 47556 \\
 \hline
 24900
 \end{array}$$

Since the units' figure of the multiplicand is approximate, it is useless to carry the work beyond that figure

Underlining as doubtful those digits which arise from approximate figures in the data, we see that the equator is nearly equal to 24900 miles, the units' figure being open to doubt

By the method given in the Note to Example 1, it may be shewn that (if nothing more is known as to the values of the diameter and π than the figures given above) the result is liable to an error not exceeding ± 2 miles (nearly)

(Examples X f 12-26 may be taken here)

206 Division When an approximate decimal is divided by any number greater than unity, the error is *diminished* in the quotient

For example when an approximate decimal, given correct to a specified number of figures, is divided by 10, 100, 1000, , the number of decimal figures to which the quotient is correct is increased by *one*, by *two*, by *three*, , respectively

Thus if 6031 metres represent a length true only to the nearest unit, then

6031 metres $\div 10 = 603.1$ metres, to the nearest *tenth*, or *dm*

6031 metres $\div 100 = 60.31$ metres, to the nearest *hundredth*, or *cm*

Hence 6031 metres (correct only to the nearest metre) when divided by any *definite* number, integral or decimal, between 10 and 100 gives a quotient true to *one* decimal place and so on

If the *divisor* is also approximate, sufficient information as to the degree of accuracy obtainable is usually to be got by underlining as doubtful all figures in the work which arise from the approximate figures in the data.

EXAMPLE. Divide 413.8 by 7.03, each number being only true to the last significant digit

$$\begin{array}{r}
 58.8 = \text{Quotient} \\
 7.03 \overline{) 413.800} \\
 \underline{351.5} \\
 62.30 \\
 \underline{56.24} \\
 6.060 \\
 \underline{5.624} \\

 \end{array}$$

Here the quotient obviously becomes doubtful at the 3rd significant figure (resulting from the partial dividend 6060), and it would be useless therefore to continue the work beyond that point

NOTE The upper limit of the quotient is got by giving to the dividend its greatest possible value, and to the divisor its least value

$$\text{That is, upper limit} = \frac{413.85}{7.025} = 58.91$$

$$\text{Similarly, lower limit} = \frac{413.75}{7.035} = 58.81$$

(Examples X f 27-35 may be taken here.)

EXAMPLES X f.

(Addition and Subtraction)

1 The sides of a triangle are approximately 5.42", 4.06", and 3.60", each measurement being correct to the nearest hundredth of an inch. Between what limits must the perimeter lie?

How could the perimeter be most nearly represented with three significant figures?

2 In a round voyage a steamer makes four passages of 2030 miles, 1450 miles, 3380 miles, and 940 miles respectively, the length of each passage being given only to the nearest ten miles. Within what limits of error is it possible to ascertain the total length of the voyage?

3 Add together 6.07 m, 8.36 m, and 7.40 m, each length being correct to the nearest cm, and name the greatest possible error in excess or defect.

4. Find the greatest and least possible value of

$$16.037 + 0.973 + 2.001,$$

if each decimal is liable to an error not exceeding one thousandth

5 Add together 4.016, 0.101, 2.892, and 3.000. If each decimal is correct to the 3rd place, to how many decimal places may the sum be trusted?

6 From a line 7 63" long, a part 5·06" in length is cut off, each measurement being true to the *nearest hundredth*. Between what limits must the remainder lie?

7 Each of the following measurements can be relied upon as correct to *three significant digits only*. Find their sum as correctly as the data justify.

42 300 metres, 5·260 metres, and 0 942 metre

Simplify the following, stating between what limits the results must lie, if each decimal is correct to the 3rd decimal figure

$$8 \quad 4\ 680 - 2\ 073$$

$$9 \quad 18\ 009 - 11\ 900$$

$$10 \quad 2\ 308 + 3\ 002 - 5\ 304$$

$$11 \quad 7\ 000 - 2\ 220 - 2\ 200$$

(*Multiplication*)

12. Along a straight line I set off ten lengths, each of 4 7 cm correct only to the nearest millimetre. If I consider the total length measured as 47 cm, to what error is my estimate liable?

13. The standard weight of a brick is 6 8 lbs correct to the nearest *tenth* of 1 lb. Within what degree of accuracy can you estimate the weight of

(i) 100 bricks? (ii) 1000 bricks? (iii) 721 bricks.

14. Between what limits must the product $4\ 7 \times 6\ 3$ lie,

(i) if each factor is true only to the nearest *tenth*,

(ii) if each factor is liable to an error of $\pm 0\ 1$?

15. Between what limits must the following rectangular areas lie, the length and breadth being known only approximately, as follows

(i) Length = 5 3 cm, breadth = 4·2 cm., correct to *nearest millimetre*?

(ii) Length = 6 0 cm, breadth = 5 0 cm, " " "

(iii) Length = 29 feet, breadth = 21 feet, correct within ± 1 ft?

(iv) Length = 510 yds, breadth = 440 yards, each dimension being liable to an error of ± 10 yards?

Find the following products, not attempting greater accuracy than the data justify

16 $5\ 8 \times 3\ 7$, each factor true to the *nearest tenth*

17 $7\ 32 \times 6\ 04$, each factor true to the *nearest hundredth*

18 $50\ 2 \times 4\ 08$, each factor true to *3 significant digits*

19 $0\ 0617 \times 33\ 5$, each factor true to *3 significant digits*

20 $4\ 26 \times 0\ 508$, the 1st factor true within ± 01 , the 2nd factor within ± 001

21 From the formula $\text{circumference} = \text{diameter} \times \pi$, where $\pi = 3.1416$, correct to four decimal figures, find the circumference of a circle 431 feet in diameter. To what degree of accuracy can the result be given?

22 Find the total atmospheric pressure on a sphere 10 inches in diameter, having given that the surface of such a sphere contains 314.16 sq. inches, and that the pressure of the atmosphere is 14.707 lbs per sq. inch.

Considering both data as only approximate (correct to the last figure given) how far can the result be trusted?

23 Find the total weight of 1000 spherical leaden bullets each 1 inch in diameter, not attempting greater accuracy than the following approximate data justify. Each bullet contains 0.524 cu. inch, and the weight of 1 cu. inch of lead is 0.108 lb.

24 Find the greatest and least possible weight of an oak beam containing 15 cubic feet, from the following approximate data. One cubic foot of water weighs 62.4 lbs. Oak weighs 0.85 of its bulk of water.

25 Find as nearly as possible the cost of making a road from the following rough data: estimated length of road 80 miles, estimated cost per mile Rs. 1500. The estimate of length is liable to a 5 per cent. error in excess or defect, and the estimate of cost to a 10 per cent. error.

26 Find the product of 82.7 and 0.06435, where each factor is true only to the last significant figure.

Use this example to illustrate the following principle:

"The product of two approximate quantities can never be correct to more (though possibly to fewer) significant figures than there are in the less correct of the factors."

[Take as multiplier the less correct factor, i.e. that with fewer significant digits, and draw your conclusion from the *first partial product*.]

(Division)

27 A given length is represented by 754 metres, correct only to the nearest metre. To what units respectively may the following lengths be assumed correct?

$$(i) 754 \text{ m} \times 100$$

$$(ii) 754 \text{ m} \div 100$$

$$(iii) 754 \text{ m} \times 1000$$

$$(iv) 754 \text{ m} \div 1000$$

To how many significant digits is each of these lengths correct? Show that while the *absolute* error is changed by multiplication or division, the *relative* error is unchanged.

28 Read off £3 14s $2\frac{3}{4}d$ as the decimal of £1 to six decimal figures. In each of the following cases determine how many decimal figures must be used to obtain a result true to the nearest farthing.

When £3 14s $2\frac{3}{4}d$ is (i) *divided* by 10, (ii) *multiplied* by 100, (iii) *divided* by 100, (iv) *multiplied* by 1000

Write down the result in each case

29 One cubic foot of distilled water weighs approximately 62.425 lbs. Assuming this to be true only to the last figure given, find in lbs. the weight of 1 cubic inch to as many decimal figures as can be correctly calculated.

Find also the weight of 1 cubic inch of water in grains. Does the datum suffice to give a result true to the nearest grain?

30 Given that 1 ton = 1016 kilograms (correct only to the nearest unit), obtain the equivalent of 1 lb. in grams, not attempting greater accuracy than the datum justifies.

31 Given that 1 mile = 1609 metres (true only to the nearest metre), find with such accuracy as the datum admits

(i) the value of 1 inch in millimetres,

(ii) the number of square metres in a square mile

32 In the following cases dividend and divisor are to be considered *approximate* (true only to the last significant digit). Obtain the quotients, not proceeding beyond the first doubtful figure.

(i) $16.68 \div 3.74$

(ii) $463.28 \div 31.07$

(iii) $9462800 \div 4070$

(iv) $843.7 \div 0.00372$

Use these cases to illustrate the following principle:

"When one approximate quantity is divided by another, the quotient can never be true to more significant figures than there are in the less correct of the given quantities."

33 From the formula $\text{circumference} = \text{diameter} \times \pi$, where $\pi = 3.1416$ (correct only to four decimal figures), find, with such accuracy as the data admit, the length of the diameter of a circle of which

(i) the circumference = 7.28 metres, true only to the nearest *cm*

(ii) the circumference = 24900 miles, true only to the nearest *hundred miles*

34 Light travels at the approximate rate of 186,000 miles per second. The distance of the Earth from the Sun may be taken as 92.8 millions of miles. Understanding both data as only correct to three significant figures, find how long light takes to come from the Sun to the Earth, and indicate the error to which your result is liable.

35 Given that 1 cubic foot of water weighs 62.425 lbs.,

and that 1 cubic inch of silver weighs 0.377 lb.,

find as nearly as the data justify the *specific gravity* of silver (i.e. the number of times that silver weighs its own bulk of water)

CHAPTER XI

SOME APPLICATIONS OF DECIMAL PROCESSES

Decimals of Compound Quantities Ratios Percentages

207 To express one compound quantity as the decimal of another compound quantity we reduce both to the same denomination, and divide the first by the second. Whether to reduce both quantities to the *highest* common denomination, or to the *lowest* or to some intermediate one, is a matter of convenience to be decided in each particular case.

EXAMPLE 1 Express £4 2 6d as the decimal of £6 13s 4d

Here it is best to bring both quantities up to pounds and fractions of a pound

$$\frac{\text{£4 } 2 \text{ } 6d}{\text{£6 } 13 \text{ } 4d} = \frac{\text{£}4\frac{1}{2}}{\text{£}6\frac{1}{3}} = \frac{33}{8} \times \frac{3}{20} = 0.61875$$

EXAMPLE 2 Express the ratio of Rs 5 12a 9p to Rs 71 9a 3p, in decimal form, and hence find what percentage the first quantity is of the second (correct to 3 significant digits)

Decimalizing each of the given sums, we have by contracted division

$$\begin{array}{r|l} \frac{\text{Rs } 5 \text{ } 12 \text{ a } 9 \text{ p}}{\text{Rs } 71 \text{ } 9 \text{ a } 3 \text{ p}} = \frac{5.796875}{71.578125} & \begin{array}{l} 0.08098 = \text{Quotient} \\ 71.575 \overline{) 5.79687} \\ \underline{7063} \\ 121 \\ \underline{49} \end{array} \\ & = 0.08098 \end{array}$$

Let x denote the required rate per cent

Then
$$\frac{x}{100} = \text{given ratio} = 0.08098$$

$$x = 8.10,$$

so that the first sum is 8.10% of the second.

And we observe that a ratio expressed in *decimal form* can be at once read off as a *percentage* without further work.

EXAMPLE 3 *In the year 1905 the Great Northern Railway's passenger receipts were as follows*

Third Class	Second Class.	First Class.
£1,376,527	£21,239	£183,156

Express the receipts in each class as a percentage of the total passenger receipts, correct to three significant digits

By addition, the total receipts = £1,580,922

Let the 3rd class receipts be x per cent of the total

$$\begin{aligned}\text{Then } \frac{x}{100} &= \frac{1,376,527}{1,580,922} = \frac{1,376,527}{1,581,000} \text{ (nearly)} \\ &= \frac{1376\ 527}{1581} = 0\ 871, \\ x &= 87\ 1\end{aligned}$$

Since the result is required to 3 significant digits we retain 4 significant digits in the divisor [Art. 107]

$$\begin{array}{r} 0\ 871 = \text{Quotient} \\ 1581 \overline{) 1376\ 5} \\ \underline{1117} \\ 10 \end{array}$$

So that the 3rd class receipts are 87 1 % of the total

Similarly the other percentages may be found.

208 *To find the value of a decimal of a compound quantity, we reduce the compound quantity to a single denomination, and multiply it by the decimal. In some cases it is best to reduce to the highest denomination, in others to the lowest*

EXAMPLE 1 *Find 7 324 of Rs 5 4 a to the nearest pie*

Here Rs 5 4 a = Rs $5\frac{1}{4}$

$$\begin{array}{r} \text{Rs} \\ 7\ 324 \\ \underline{5\frac{1}{4}} \\ \frac{1}{4} \overline{) 36\ 620} \\ \underline{1\ 831} \\ 38\ 451 \\ = \text{Rs } 38\ 7\text{ a } 3\text{ p} \end{array}$$

to the nearest pie

EXAMPLE 2 *Find 4 48 of 10s 7d to the nearest penny*

Here 10s 7d = 127 pence

$$\begin{array}{r} 127\text{ pence} \\ \underline{4\ 48} \\ 508 \\ \underline{50\ 8} \\ 10\ 16 \\ 568\ 96\text{ pence} \\ = 569\text{ pence,} \\ \text{to the nearest penny,} \\ = \underline{\underline{£2\ 7s\ 5d}} \end{array}$$

EXAMPLE 3 Find, correct to the nearest penny, the value of £16 11s 2½d × 3.0245

Decimalizing at sight, we have £16 11s 2½d = £16 560416, and we want a result (in £'s) true to the 3rd decimal figure

$$\begin{array}{r}
 \text{£} \\
 16\ 560\ 416 \\
 \hline
 49\ 681\ 3 \\
 331\ 2 \\
 66\ 2 \\
 8\ 2 \\
 \hline
 50\ 087
 \end{array}
 \begin{array}{l}
 4\ 2 \\
 3\ 0245 \\
 3 \\
 2 \\
 2 \\
 2
 \end{array}$$

50 087 = £50 1s 9d, to the nearest penny

EXAMPLE 4 Find, correct to the nearest pie, 7⅞ per cent of Rs 115 8a 6p

$$\begin{aligned}
 \text{Here } 7\frac{3}{8} \text{ per cent of Rs } 115\ 8\text{a } 6\text{p} &= \text{Rs } 115\ 53125 \times \frac{7\frac{3}{8}}{100} \\
 &= \text{Rs } 1\ 1553125 \times 7\frac{3}{8}
 \end{aligned}$$

$$\begin{array}{r}
 \text{Rs} \\
 1\ 155\ 3125 \\
 \hline
 8\ 087\ 2 \\
 288\ 8 \\
 144\ 4 \\
 \hline
 8\ 520
 \end{array}
 \begin{array}{l}
 3125 \\
 7\frac{3}{8} \\
 2 \\
 8 \\
 4
 \end{array}$$

[The multiplication must give a result true to the 3rd decimal figure]

8 520 = Rs 8 8a 4p, to the nearest pie

EXAMPLES XI a.

Express correct to three significant figures

- 1 Rs 2 5a 4p as the decimal of Rs 2 8a.
- 2 2s 7½d £3 10s
- 3 £12 15s 6d £2 3s 9d
- 4 3 cwt 1 qr 14 lbs 11 cwt 2 qrs

Reduce the following ratios to decimal form, and then read off each as a percentage

- 5 5a 4p to Rs 2 10a 8p 6 1s 5½d to 2s 7¼d
- 7 31 tons 10 cwt to 56 tons 5 cwt
- 8 2 ac 1 r 1 p to 2 ac 3 r 35 p

Express decimally, correct to *three* significant figures

- | | | |
|----|------------|------------------------|
| 9 | £19 5s | as a percentage of £87 |
| 10 | £48 15s | of £1712 |
| 11 | £389 | of £11231 |
| 12 | £947 10s | of £27843 |
| 13 | £9 12s 6d | of £127 10s |
| 14 | £5 14s 10d | of £57 8s 2d |

Find, to the nearest pie, the value of the following

- | | | | |
|----|----------------------------|----|----------------------------------|
| 15 | 0 36 of Rs 2. 8 a | 16 | 2 125 of Rs 3 4 a |
| 17 | 8·24 of Rs 3 2a. | 18 | 5 84 of Rs 2 3 a 6 p |
| 19 | Rs 2 2 a 1 p \times 4 36 | 20 | Rs 384 7 a 5 p \times 0 008351 |

Working in decimals, find, to the nearest pice or penny, the value of the following

- | | | | |
|----|--------------------------------|----|----------------------------------|
| 21 | 4 % of Rs 565 | 22 | 3 % of Rs 7821 |
| 23 | $4\frac{1}{2}$ % of Rs 472 8 a | 24 | $6\frac{1}{4}$ % of Rs 1289 10 a |
| 25 | $5\frac{1}{2}$ % of £17 2s 8d | 26 | $4\frac{1}{2}$ % of £423 11s |
| 27 | $3\frac{3}{8}$ % of £724 | 28 | $4\frac{3}{4}$ % of £81 10s 3d |

Express as percentages (correct to the 3rd significant digit) the ratios of

- | | | | |
|----|--|----|----------------------------|
| 29 | 73 Rs 41 cents to Rs 1981 | 30 | Km 43·200 to 98473 metres |
| 31 | 2 cwt 1 qr 25 lbs to $\frac{1}{4}$ ton | 32 | 41 yds 3 in to 50 yds 1 ft |
| 33 | 47,109 to 896,431 | 34 | 634,218 to 2,826,431 |

35 In a town of 361,420 inhabitants there occur in one year 6144 deaths At what rate is this *per mille*? Answer to the nearest integer

36 A company, having a paid up capital of Rs 52,50,000, sets aside in one year Rs 183,750 from its profits for dividend What rate per cent. does it pay?

37 The gross revenue of a Railway Company averages Rs 60,72,231, and the working expenses average 62 per cent of this sum How much would the company save in a year if it could bring its working expenses down to 50 per cent. of the total receipts? Answer to the nearest rupee

38 It is arranged that the three partners in a firm shall receive respectively 30 %, 25 %, and 20 % of the annual profits, and that the rest shall be divided between the Reserve Fund and the Employers' Pension Fund in the ratio of 2 to 1 For the year 1906 the total profits were £47,821 18s How much of this went to each partner and to each fund?

39 The area of Ireland under flax and potatoes in 1855 and 1901 is given below Find, to the nearest whole number, the decrease of area under each crop as a percentage of the area in 1855

	Acres under flax.	Acres under potatoes
1855 - -	97,075	982,301
1901 - -	55,442	635,321

40 The following table shews the average price of a quarter of wheat and of barley for the years 1902 and 1903 Express the prices for 1903 as percentages (to the nearest tenth) of those for 1902

If a thousand pounds' worth of wheat and a thousand pounds' worth of barley had been stored in 1902, what would each have been worth in 1903, to the nearest pound

	Wheat s d	Barley s d
1902 - - -	28 1	25 8
1903 - - -	26 9	22 8

Practice Decimalized

209 The use of aliquot parts in shortening the work of compound multiplication was explained in Chapter vi In all but the simple instances there given the actual work should be kept in decimals, as shewn in the following Examples

EXAMPLE. Find, to the nearest pice, the cost of $305\frac{1}{2}$ maunds at Rs 7 6a 8p per maund

$$\begin{array}{rcl}
 & \text{Rs} & \\
 305\frac{5}{7} & = \text{cost of } 305\frac{1}{2} \text{ mds at Re 1 per md} & \\
 \hline
 4a & = \frac{1}{2} \text{ of Re 1} & 21\ 38\ 5 \\
 2a\ 8p & = \frac{1}{6} \text{ of Re 1} & 76\ 375 \\
 & & 50\ 916\ 6 \\
 \hline
 & & 2265\ 792 = \text{Rs } 2262\ 12a\ 9p \text{ to the nearest pice}
 \end{array}$$

210 Simple Practice is the process of finding by aliquot parts the cost of a simple quantity, when the cost of one unit is given

For instance Find the cost of $305\frac{1}{2}$ maunds at Rs 7 6a 8p per md

Compound Practice finds the cost of a compound quantity, when the cost of one of its denominations (usually the highest) is given

For instance Find the rent of 24 ac 2r 16p at £1 17s 6d per acre

In compound practice one of the given quantities should be decimalized, and the other treated by aliquot parts

EXAMPLE 1 Find, to the nearest penny, the rent of 24 ac 2 r 16 p at £1 17s 6d per acre

Here it is best to decimalize 24 ac 2 r 16 p, and take £1 17s 6d by aliquot parts (£2 less 2s 6d, or £ $\frac{1}{3}$)

Now 24 ac 2 r 16 p = 24.6 acres

$$\begin{array}{r} 40 \overline{) 160} \text{ p} \\ 4 \overline{) 24} \text{ r} \\ 6 \text{ ac.} \end{array}$$

£
24.6 = cost at £1 per acre

$$\begin{array}{r} \text{less } 2\text{s } 6\text{d, or } \frac{1}{3} \\ \hline 49.2 \\ 3 \overline{) 075} \\ \hline 46.125 = \text{£}46 \text{ } 2\text{s } 6\text{d} \end{array}$$

NOTE. In this example we might have decimalized £1 17s 6d and treated 24 ac 2 r 16 p by aliquot parts, but the solution would not have been so short. That quantity should be decimalized which falls less readily into aliquot parts

EXAMPLE 2. A bankrupt whose debts amount to Rs 2587 9a 9p can pay a dividend of 11a 4p in the Re. Find the total value of his assets available for distribution

Rs 2587 9a 9p = Rs 2587.6094

$$\begin{array}{r} \text{Rs} \\ 2587.6094 \end{array} \begin{array}{l} 4 = \text{value at Re 1 in the Re} \\ 7 \\ 2 \\ 0 \end{array}$$

8a = $\frac{1}{10}$ of Re 1
2a 8p = $\frac{1}{10}$ of 8a
8p = $\frac{1}{10}$ of 2a 8p

$$\begin{array}{r} 1293.804 \\ 431.208 \\ 107.817 \\ \hline 1832.890 \end{array} = \text{Rs } 1832 \text{ } 14\text{a } 3\text{p, to the nearest pie}$$

211 If neither of the Compound quantities can be conveniently represented in aliquot parts, Practice does not give the best solution. In such cases both quantities should be decimalized and the result obtained by contracted multiplication.

EXAMPLE Find the cost of 3 tons 0 cwt 54 $\frac{3}{4}$ lbs at £16 11s 2 $\frac{1}{2}$ d per ton

Here £16 11s 2 $\frac{1}{2}$ d = £16.560416 ,
and 3 tons 0 cwt 54 $\frac{3}{4}$ lbs = 3.02444 tons

Hence, by contracted multiplication, we find the value of £16.560416 \times 3.02444, correct to the 3rd decimal figure (see Art 208, Ex 3), obtaining £50.085, or £50 1s 8d

$$\begin{array}{r} 112 \left\{ \begin{array}{l} 4 \overline{) 54.75} \text{ lbs} \\ 18 \overline{) 0875} \\ 7 \overline{) 3.4219} \\ 20 \overline{) 0.4884} \text{ cwt.} \\ \hline .02444 \text{ ton.} \end{array} \right. \end{array}$$

212. From the last Example it will be seen that a *Decimal System* of money, weights, and measures dispenses altogether with the method of Practice

EXAMPLE Find the weight of 30 Km 7 Hm 60 m of copper wire, running 27 Kg 640 gm to the kilometre

Each compound quantity is decimalized at sight
thus 30 Km 7 Hm 60 m = 30 76 Km
and 27 Kg 640 gm = 27 64 Kg

$$\begin{array}{r}
 \text{Kilometres} \\
 27 \cdot 64 \\
 \quad 30 \cdot 76 \\
 \hline
 829 \cdot 2 \\
 19 \cdot 345 \\
 1 \cdot 658 \quad 4 \\
 \hline
 850 \cdot 206 = 850 \text{ Kg } 206 \text{ gm}
 \end{array}$$

EXAMPLES XL b

Working in decimals, find by Practice (to the nearest pie or penny) the value of

- 1 227 at Rs 9 10 a 8 p 2 309 at Rs 2 14 a 8 p
- 3 $417\frac{1}{2}$ maunds at Rs 2 10 a 6 p per maund
- 4 $160\frac{1}{4}$ acres at £25 6s 3d per acre
- 5 437 6 oz. of standard gold at £3 17s $10\frac{1}{2}$ d per oz.

Find by the method of aliquot parts (in each case to the nearest pie)

- 6 Rs 3 12a 4 p $\times 50265$ 7 16 308 of Rs 11 15a 4 p

By decimalizing one compound quantity, and treating the other by aliquot parts, find, to the nearest pie or penny, the value of

- 8 1153 mds 20 srs at Re 1 10 a per md
- 9 500 mds 30 srs 12 chks at Re 1 5a 4 p per md
- 10 23 sq bgs 15 cots 8 chks at Rs 2 9a per sq bg
- 11 2 sq bgs 12 cots 8 gandas at Re 1 2a 8 p per sq bg
- 12 345 ac 2 r 15 p at £2 2s 6d per acre
- 13 1084 tons 8 cwt 100 lbs at £1 12s 6d per ton
- 14 13 cwt 3 qrs 4 lbs at £2 18s 4d per cwt
- 15 2 gals 3 qts 1 pt at £2 5s 8d per gallon
- 16 2 fur 40 yds at £3 13s 4d per mile
- 17 7 yds 1 ft 9 in at £1 14s 3d per yard

Find the dividend on

18 Rs 42870 13a. 4p at 13a. 4p in the Rs

19 Rs 2073 6a at 11a 8p in the Re

20 £1710 14s 6d at 13s 4½d. in the £

By decimalizing both compound quantities and using contracted multiplication, find (to the nearest penny or pie or cent) the value of

21 7 cwt. 2 qrs 24 lbs at £1 7s 5d per cwt.

22 19 ac 3 r 24 p at £2 1s 5d per acre

23 30 tons 8 cwt 1 qr at £1 3s 10d per ton

24 27 48 yards at 5 Rs 90 cents per yard

25 5 mds 1 sr 3 chks at Rs 2 9a 9p per md

26 36 big 12 cot 7 chk at Rs 382 13a 3p per big

27 What are the available assets of a bankrupt who can pay 9s 4½d in the £ on debts amounting to £15845?

28 How much will be required to pay the wages of 1232 workmen for one week at the average rate of Rs 11 3a 4p each?

29 A watch loses 8 min 16 sec in 6 hours find its loss in 17 days 9 hours 45 min

30 Each edge of a cube of copper measures 1 dm 7 cm find its weight to the nearest gram, having given 1 cub dm of water weighs 1 kilogram, and the specific gravity of copper is 8 788 times that of water

31 Find in £ s d the value of

2 0875 of £3+0 18 of £2 10s - 1 76 of 6s 3d

32. A kilometre is 0 6214 of 1 mile How many yards to the nearest unit is that?

33 A litre of air weighs 1 293 grams and contains 23 per cent by weight of oxygen What is the weight of oxygen in a hectolitre of air?

34. Express in feet and inches

0 00875 of 100 yards+0 0046875 of 1 mile

35 The mean atmospheric pressure is 14 7 lbs per square inch express this in kilograms per square centimetre, correct to 10 grams

CHAPTER XII

EASY PROBLEMS

213 Examples on Work and Time When we have to compare the work of several agents, it is necessary first to ascertain the amount of work each can do *in the same time*, usually one day, one hour, or one minute, according to the condition of the problem

EXAMPLE 1 *A can do in 10 days a piece of work which B could do in 15 days how long would they take if both worked together?*

A does $\frac{1}{10}$ of the work in one day,

B $\frac{1}{15}$ one day,

together they can do $\frac{1}{10} + \frac{1}{15}$, or $\frac{1}{6}$ of the work in 1 day

That is, they would require 6 days to do the whole work.

NOTE The pupil should reason out this example with letters instead of numbers. Thus if A and B can do the work in m and n days respectively, it may be shown that when working together they will take $\frac{mn}{m+n}$ days

EXAMPLE 2 *A cistern can be filled by a supply-pipe in 5 minutes, and emptied by a waste pipe in 8 minutes. If both pipes are opened when the cistern is empty, how long will it be before the cistern is full? Also, if the cistern can hold 120 gallons, how long would it be before exactly 36 gallons had run in?*

In 1 minute $\frac{1}{5}$ of the whole runs in

and 1 $\frac{1}{8}$ runs out

after 1 minute the contents of the cistern = $\frac{1}{5} - \frac{1}{8}$, or $\frac{3}{40}$ of the whole.

the number of minutes required to fill the cistern = $1 - \frac{3}{40} = \frac{37}{40} = 13\frac{1}{4}$

Again, after 1 minute the cistern contains $\frac{3}{40}$ of 120 gals, or 9 gals; so that 4 minutes would elapse before the contents were 36 gals

EXAMPLE 3 *Three men A, B, C, working alone can do a certain work in 6, 8, and 12 days respectively. B and C work together for 2 days, and then A takes C's place. how soon will the work be finished?*

A, B, C respectively do $\frac{1}{6}$, $\frac{1}{8}$, $\frac{1}{12}$ of the work in 1 day,

after 2 days B and C will have done $(\frac{2}{8} + \frac{2}{12})$ of the work
 $= \frac{5}{12}$ of the work,

therefore $\frac{7}{12}$ of the work remains to be done by A and B together

Now A and B together do $\frac{1}{6} + \frac{1}{8}$, or $\frac{7}{24}$ of the work in 1 day,

the required time $= (\frac{7}{12} \div \frac{7}{24})$ days = 2 days

EXAMPLES XII a

1 A can do a piece of work in 6 days, and B can do it in 12 days. how long will they take if both work together?

2 A bath can be filled by one pipe in 4 min and emptied by another in 5 min. If both are turned on together, in how long will the bath be full?

3 How long would two men together take to dig a trench which they could do in 5 hours and $7\frac{1}{2}$ hours respectively when working alone?

4 A can dig a trench in 2 days, B in 3, C in 6. If all three work together, how long will they take?

5 A can mow a field in 9 hours, B in 6 hours. if they begin working together at 6 a.m., when will the work be finished?

6 A cistern can be filled by a supply pipe in 25 min and emptied by a waste pipe in three quarters of an hour. If both pipes are opened together, in what time will the cistern be full?

7 Two pipes can fill a cistern in 3 and 4 hours respectively, and a waste pipe can empty it in 6 hours. If the cistern is empty, and all the pipes are opened together, in how many hours will the cistern be half full?

8 A cistern can be filled by one tap in m minutes, and emptied by another in n minutes. If both taps are turned on when the cistern is empty, what fraction of its contents will be filled in 1 min? In how many minutes will the cistern be full?

9 Three men A, B, and C do a piece of work together in 10 days. If A would have taken 30 days, and B 45 days to do it alone, in how many days would C do it?

10 A can do in 10 days what B can do in 12 days, how long would they take together? How much more does A do than B in 1 day?

11 *A* can do a piece of work in $2a$ days, *B* in a days, and *C* in $4a$ days. How long will the work take if all three work together?

If *B* can do the work in 5 days, work this example numerically, and verify your second answer by substituting 5 for a in the first

12 *A* and *B* together could build a wall in 25 days. They work together for 15 days and then *A* finishes it alone in 20 days. How long would each take separately?

13 *A* and *B* can do a piece of work in 12 days, after working 2 days they are assisted by *C* who works at the same rate as *A*, and the work is finished in $6\frac{1}{4}$ days more. In how many days would *B* alone do the work?

14. After doing $\frac{4}{15}$ of a work in 20 days, *A* calls in *B*, and with his help finishes the work in 22 days. In what time could either have done it alone?

15 *A* and *B* can finish a piece of work in $1\frac{1}{2}$ days, *A* and *C* in 2 days, and *B* and *C* in 3 days. If 6s be paid for the whole work, what daily wages must be paid to each workman?

16 Water enters a tank by a tap *A* which can fill it in 3 hours, and leaves it by two taps *B* and *C* which can empty it in 4 hours and 6 hours respectively.

(i) If the cistern is empty, and taps *A* and *B* are turned on, how soon will it be full?

(ii) If the cistern is full, and all three taps are turned on, how soon will it be empty?

(Also work this example *generally*, supposing a hours, b hours, and c hours are the times required by the three pipes, and then verify the numerical answers by putting $a=3$, $b=4$, $c=6$.)

214 **Examples on Time and Distance** The speed or velocity of a moving body is measured, when uniform, by the distance traversed in a unit of time

Thus when we say that the velocity of a uniformly moving body is v , we mean that the body traverses v units of distance in 1 unit of time, for instance, 60 miles in 1 hour, or 1760 yards in 1 minute, or 88 feet in 1 second, according to the units of distance and time which we adopt

If a body moving uniformly travels v feet in 1 minute,
it will travel vt feet in t minutes,
so that, if s denotes the distance travelled (in feet), we have

$$s=vt$$

And so for other units

When we say that a variable speed at *any given instant* is 60 miles per hour, we mean that, if the body continued to move with the speed it then has, it would cover 60 miles in 1 hour, 1760 yards in 1 minute, and so on

215 A velocity expressed in miles per hour may easily be expressed in other units

EXAMPLE 1 *A body travels at the rate of 15 miles per hour, express its velocity in feet per second*

15 miles per hour is equivalent to $(15 \times 1760 \times 3)$ ft per hour,
that is, $\frac{15 \times 1760 \times 3}{60 \times 60}$, or 22 feet per second

EXAMPLE 2. *A train running at uniform speed of 45 miles per hour is 8 minutes in travelling from one station to the next Find then distance apart*

In 8 min the train will travel $(45 \times \frac{8}{60})$ miles

the number of miles between the stations $= 45 \times \frac{8}{60} = 6$

216 Consider the two following cases

(i) Two trains *A, B* travelling in the same direction at 45 and 30 miles an hour respectively

(ii) Two trains with the same velocities as before travelling in opposite directions

In (i) *A* is gaining 45 - 30, or 15 miles on *B* in every hour, therefore 15 mi per hour is the rate of *A*'s approach or separation according as *A* is behind or in front of *B*

In (ii) the distance between the two trains is being diminished by 45 + 30, or 75 miles in every hour, that is, their rate of approach is 75 mi per hr

217 The rate of approach or separation of two moving bodies is called the **relative velocity** of either with respect to the other, and must be carefully distinguished from the *actual* velocity either of them has

EXAMPLE 1 *A passenger train starts from Bristol at 35 miles per hour at the same time that a goods train starts from Huddersfield at 25 miles per hour If the stations are 180 miles apart, and there are no stoppages, when and where will the trains meet?*

The rate of approach is 35 + 25, or 60 mi per hr, but at starting they were 180 miles apart,

they will be together in $\frac{180}{60}$, or 3 hours

In 3 hours the passenger train will have gone (35×3) miles

they meet 105 miles from Bristol.

EXAMPLE 2. *A train whose length is 176 feet is moving at the rate of 45 miles per hour, and overtakes a second train, 154 feet long, which is moving on a parallel line at the rate of 30 miles per hour. Find how long the first train will take (i) to pass a milestone, (ii) to pass a passenger in the second train, (iii) to pass the second train.*

$$45 \text{ mi per hr} = \frac{45 \times 1760 \times 3}{60 \times 60} \text{ ft per sec.}$$

$$= 66 \text{ ft per sec}$$

and

$$15 \text{ mi per hr} = 22 \text{ ft per sec}$$

These are respectively the *actual velocity* of the first train, and the *velocity of its approach* to the second

(i) The time taken to pass a milestone is the time the first train takes to travel a distance equal to its own length with its actual velocity

$$\text{time required} = \frac{176}{66} \text{ secs} = 2\frac{2}{3} \text{ secs}$$

(ii) Since the passenger is moving at the same rate as the second train, the time taken is the time the first train takes to travel a distance equal to its own length with its velocity of approach

$$\text{time required} = \frac{176}{44} \text{ secs} = 4 \text{ secs}$$

(iii) The time taken by the first train just to clear the second train is the time it takes to travel a distance equal to the sum of the lengths of the two trains with its velocity of approach

$$\text{time required} = \frac{154 + 176}{22} \text{ secs} = 15 \text{ secs}$$

EXAMPLES XII b

Express the following speeds in feet per second

1 30 mi per hr

2 50 mi per hr

3 $7\frac{1}{2}$ mi per hr

4 1 mi 7 fur per hr

Express in miles per hour

5 22 ft per sec

6 $58\frac{2}{3}$ ft per sec

7 88 yds per min

8 165 yds per min

9 How many miles per hour does a man walk who passes through a street 528 yards long in 6 minutes?

10 How long does a bicyclist, riding 15 mi an hour, take to cross a viaduct 110 yards in length?

11 Find the length of a bridge which a man riding 9 mi an hour can cross in $7\frac{1}{2}$ seconds.

12 How long will a train 154 ft. long, travelling 35 mi an hour, take to pass a milestone?

13 How many miles per hour does a train travel if it is 176 ft long and takes 4 seconds to pass a certain point?

14 How long will a train 150 ft long, travelling at 45 mi. an hour, take to pass through a station whose platform is 60 yards long?

15 Find the length of a viaduct which a train, 252 feet long, travelling at 30 mi an hour, can cross in 21 seconds

16 Two men walk to meet each other from two places A and B, 32 miles apart. If their speeds are respectively $3\frac{1}{2}$ and $4\frac{1}{2}$ mi an hour, when and where will they meet?

17 A and B are travelling on the same road in opposite directions, A at the rate of $5\frac{1}{2}$ mi an hour, and B at the rate of $4\frac{1}{2}$ mi an hour. If at starting they are 25 miles apart, after how long will they pass each other, and how far from B's starting place?

18 A and B start walking in the same direction from two places 9 miles apart. If they walk at 4 and $2\frac{1}{2}$ mi an hour respectively, when does A overtake B?

19 Two friends walking at $3\frac{1}{2}$ and $4\frac{1}{2}$ mi an hour respectively start at 10 a.m. from two towns 30 miles apart. At what time will they meet, and how far will each have walked?

✓ 20 A pedestrian starts to walk at 3 mi an hour from A to B, a distance of 36 miles, at 8 a.m. A cyclist starts an hour later to ride from B to A, at 8 mi an hour. At what time will they meet and how far from A?

• 21 How long will two trains whose lengths are 185 ft and 211 ft, travelling in opposite directions, at 25 and 35 miles per hour respectively, take to pass each other?

22 A steamboat 344 ft long, going at the rate of 25 miles an hour, overtakes a sailing vessel 196 ft long, going at the rate of $11\frac{1}{2}$ miles per hour. In what time will the steamboat pass the sailing vessel?

• 23 Two marching columns, which are respectively 170 yards and 150 yards in length, pass each other in opposite directions at the respective rates of 4 miles and $3\frac{1}{2}$ miles an hour. How long after the meeting of their front ranks will their rear ranks be 1000 yards apart?

• 24 A passenger train, moving at the rate of 45 miles an hour, overtakes a mineral train, $1\frac{1}{2}$ times as long and moving on a parallel line at the rate of 27 miles an hour, and passes it completely in 25 seconds. How long would the passenger train take to pass completely through a station 165 yards in length?

218 Averages The average or mean of a series of quantities (of the same kind) is the result obtained by adding them together, and dividing the sum by the number of the quantities

EXAMPLE 1 In six successive years the rain fall at a certain place was 31·2 inches, 27·8 inches, 32·4 inches, 26·9 inches, 29·6 inches, and 30·8 inches Find the average rain fall for these years

The total fall for the six years

$$= 31·2 + 27·8 + 32·4 + 26·9 + 29·6 + 30·8 = 178·7 \text{ inches}$$

$$\text{Hence the average fall} = \frac{178·7}{6} = 29·8 \text{ inches (to the nearest tenth)}$$

Thus the same total would have been reached, if in each of the six years the average instead of the actual rain fall had occurred

EXAMPLE 2 If a lbs of tea at x shillings per pound, b lbs at y shillings per pound, c lbs at z shillings per pound are mixed together, what is the value of the mixture per pound?

The total amount of tea $= a + b + c$ pounds,

the total value of the tea $= ax + by + cz$ shillings,

$$\text{the value of one pound} = \frac{ax + by + cz}{a + b + c} \text{ shillings}$$

Thus the value per pound of the mixture is the mean value of the several amounts which enter into it

EXAMPLES XII c

1 What is the average height of five brothers whose several heights are 5 ft 10 in, 5 ft 7½ in, 5 ft. 4 in, 4 ft 10½ in., and 4 ft 2 in?

2. The Allan Line in 1904 owned 26 steamers having an aggregate tonnage of 126,185 tons Find the average tonnage of the Company's boats in that year In 1905 the *Virginian* and *Victorian*, each of 10,754 tons, were added, by how much did this accession of tonnage increase the average? In each case give the result to the nearest ton

3 The average monthly profits of a firm from January to April were £416 8s. 6d, the profits for May and June were £437 2s and £489 4s respectively Find the average monthly profits for the half-year

4. If 12 lbs of tea at 2s 4d per pound, 10 lbs at 2s 6d per pound, and 8 lbs at 2s 9d per pound are mixed together, find the value of the mixture per pound.

5 The price of copper per ton on the 1st day of each month from January to June was as follows £89 5s, £91, £93 15s, £96 2s 6d, £98, £99 17s 6d Find the average of these prices

If the average price (similarly reckoned) for the whole year was £99, find the average price from July to December

6 In an examination the average mark of the first seven candidates was 92 and of the first eight 90.5 find the number of marks gained by the eighth candidate.

7 In five successive minutes from its start a goods train runs 88 yards, 147 yards, 220 yards, 352 yards, and 586 yards, and for the next five minutes maintains an average speed of 33 miles an hour. What is the whole distance covered, and at what average speed?

8 The average age of 125 boys in the Fifth Forms of a school was 16.4 years, and the average age of the 35 boys in the Sixth Form was 17.7 years. Find (to the nearest tenth) the average age of the Sixth and Fifth Forms taken together.

9 In one month a cricketer played 20 innings. His average for the first *nine* was *a* runs, and for the last *eleven* *b* runs. Find his average for the month, and work out the result (true to one decimal figure) when $a=11.7$, and $b=23.3$.

10 The Hamburg American steamer *Deutschland* can make the passage from Cherbourg to New York, a distance of 3514 miles, in 5 days 12 hours. Find her average day's run in miles, and her average sea speed in *knots*, i.e. nautical miles per hour. [69 miles = 60 nautical miles, nearly.]

Her runs for the first four days having been 640 miles, 622 miles, 597 miles, and 655 miles, what must be her average speed in knots for the rest of the passage, in order that she may make the time above mentioned? [Your results are not to be carried beyond the nearest tenth of a knot.]

11 The rain fall of a certain town in the months of April, May, and June 1907 was 1.90, 0.94, and 1.72 inches respectively, being in April 0.77 in above, and in May and June 1.46 in and 1.78 in respectively below, the average of those months for the previous six years. Find the average for these three months both for 1907, and for the whole 7 years, to two places of decimals.

12 A train from the moment of its start gradually gathers speed in such a way that for the first 5 minutes its rate is increased every minute by 6 miles an hour.

Tabulate the distances (in yards) which would be traversed in each minute if the speed throughout it were (i) that at the beginning of the minute, (ii) that at the end of the minute.

Estimate the whole distance covered by adding the two columns and taking the average of the totals.

The true distance run is given by the formula

$$s = \frac{1}{2}ft^2,$$

where s = the required number of yards, f = the number of yards per minute added to the speed in each minute (176), and t = the number of minutes (5). Find s , and compare your average result with the true distance.

219 Miscellaneous Examples

EXAMPLE 1 *At what times between 4 and 5 o'clock will the hands of a clock be (i) together, (ii) separated by 13 minute spaces?*

[In every hour the minute hand traverses 60 minute-spaces while the hour hand traverses 5 of such spaces. Thus in every 60 minutes of time the minute hand will gain 55 minute spaces on the hour hand.]

(i) At 4 o'clock the hour hand is 20 minute spaces ahead of the minute hand, so that they will be together when the minute hand has gained 20 minute spaces.

Now the min. hand gains 55 min. spaces in every 60,

that is, $20 \qquad 60' \times \frac{20}{55}$, or $21\frac{9}{11}'$

Thus the required time is $21\frac{9}{11}'$ past 4

(ii) This will happen *twice*, namely when the minute hand is 13 minute spaces behind and before the hour hand.

In the first case, the minute hand has to gain $20 - 13$, or 7 minute spaces on the hour hand.

the required time is $60' \times \frac{7}{55}$, or $7\frac{7}{11}'$ past 4

In the second case, the minute hand has to gain $20 + 13$, or 33 minute-spaces on the hour hand.

the required time is $60' \times \frac{33}{55}$, or $36'$ past 4

EXAMPLE 2 *In a race of 200 yds B can give a start of 10 yds to A, and C give a start of 20 yds to B, how much start could C give A?*

While B runs 200 yds, A runs 190 yds (i),
 $180 \qquad \qquad \qquad 200 \qquad \qquad \qquad$ (ii)

To compare A and C, multiply by 9 in (i) and by 10 in (ii), thus making B's number of yards the same in each, viz. 1800

Thus while B runs 1800, $\begin{cases} A \text{ runs } 190 \times 9, \text{ or } 1710 \text{ yds,} \\ C \text{ runs } 200 \times 10, \text{ or } 2000 \text{ yds} \end{cases}$

\therefore C runs 200 yds while A runs 171,

that is, C can give 29 yds start to A

EXAMPLE 3 *In what ratio must coffee worth 2s 2d per lb be mixed with coffee worth 1s 4d per lb, that the mixture may be worth 1s 8d per lb?*

Suppose x lbs at 26d are mixed with y lbs at 16d

Then we have $26x + 16y = 20(x + y)$,

$$\begin{aligned} 6x &= 4y, \\ \text{so that } \frac{x}{y} &= \frac{2}{3} \end{aligned}$$

Hence the values of x and y are 2 and 3, or any numbers which have the ratio of 2 to 3

EXAMPLES XII d

Find when the hands of a clock are (1) together, (11) opposite to each other

- 1 Between 3 and 4 o'clock 2 Between 9 and 10 o'clock

Find at what times the hands are at right angles

- 3 Between 6 and 7 o'clock 4 Between 5 and 6 o'clock

5 At what times between 7 and 8 o'clock will there be 12 minute spaces between the two hands of a watch?

6 At what times between 2 and 3 o'clock will the hands of a watch be separated by one minute space?

7 It is between 5 and 6 o'clock, and the distance between the two hands is 3 minute spaces what is the time?

8 *A* gives *B* a start of 50 yards, if he runs 11 yards to *B*'s 9, how far has *B* run before he is overtaken?

9 In what ratio must tea worth 10s 8p per lb be mixed with tea worth 7s per lb in order that the mixture may be worth 8s per lb?

10 A wine merchant buys two kinds of spirits at 14s 6d and 17s 6d per gallon, he blends them and sells the mixture at 16s 8d per gallon without gain or loss. In what ratio was the mixture made?

11 Oil at 10s per seer is mixed with another kind at 11s per seer, how many seers of each must 18 seers of the mixture contain, if it is worth Rs 11 14a?

12 *A* can give *B* a start of 20 yds, and *C* a start of 27 yds, in a walking race of a quarter of a mile. How much can *B* give *C* in 120 yds?

13 In a race of 1 mile *A* beats *B* by 32 yds, and *C* by 48 yds. By how much can *B* beat *C* in 1080 yds?

14 In 100 yds, *A* gives *B* a start of 10 yds, and *C* one of 15 yds. How much should *B* give *C* in 150 yds?

15 In a game of billiards *A* can give *B* 20 points in 100, *B* can give *C* 5 points in 100. How many points can *A* give *C*?

16 In a game of 500 up, *A* can give 50 points to *B*, and 68 to *C*, how many points can *B* give *C*?

17 *A* and *B* are out shooting grouse. *A* fires 7 shots to *B*'s 3, but *A* kills one in four, while *B* kills one in two. When *B* has missed 36 shots, how many birds has *A* killed?

18 A can beat B by 5 yds in 100, C can beat B by $14\frac{1}{2}$ yds in 100. By how much will C beat A in a mile race, the rates of walking remaining uniform?

19 A circular running path is 726 yds round. Two men start from the same point, and walk in opposite directions, one at the rate of $3\frac{3}{4}$ mi, and the other at the rate of $4\frac{1}{2}$ mi per hour. When and where will they meet for the first time?

20 A can run 100 yds in $10\frac{1}{2}$ secs and B can run 100 yds in $11\frac{1}{2}$ secs. What start must be given to B to make the race a dead heat?

21 A runs $6\frac{2}{3}$ yds while B runs 7 yds, B runs $16\frac{1}{2}$ yds while C runs 15 yds. If A can run a mile in 5 min 15 secs, what time will C take to do it?

22 A and B start from the same point to run in opposite directions round a circular race course 550 yds in circumference, A not starting till B has run 100 yds. They pass each other when A has run 250 yds. Which will come first to the starting point, and at what distance will they then be apart?

23 A ship 44 miles from the shore springs a leak which admits $2\frac{1}{2}$ tons of water in $5\frac{1}{2}$ minutes, 92 tons would suffice to sink her, but the pumps can throw out 12 tons in an hour. Find the average rate of sailing that she may just reach the shore as she begins to sink.

24 A and B ran a race which lasted a minute and a half. A gave B a start of 10 yds and beat him by 1 yd. A ran 40 yds while B ran 39 yds. Find the length of the course, and the rates of running of A and B .

25 A train 88 yds long overtook a man walking along the line at the rate of 4 mi per hour, and passed him completely in 10 seconds, what was the rate of the train? If it afterwards overtook a second man, and passed him in 9 seconds, at what rate was he walking?

26 A starts 3 minutes after B for a place $4\frac{1}{2}$ miles distant. B , on reaching his destination immediately returns, and after walking a mile meets A . If A 's speed be a mile in 18 minutes, what is B 's speed?

27 A and B start at the same time from London to Blisworth, A walking 4 miles an hour, and B riding 9 miles an hour. B reaches Blisworth in 4 hours, and immediately rides back to London. After 3 hours' rest he starts again for Blisworth at the same rate. How far from London will he overtake A , who has in the meantime rested for 6 hours?

220 We shall now give some problems which may best be solved by means of equations

EXAMPLE 1 *A is two years younger than B, seven years ago five sixths of A's age was greater than three tenths of B's age by 9 years, find their present ages*

Let x years represent A 's age, then B 's age is $(x+2)$ years. Seven years ago A 's age was $(x-7)$ years, and B 's age was $(x+2-7)$ years, or $(x-5)$ years

$$\text{Hence } \frac{5}{6}(x-7) - \frac{3}{10}(x-5) = 9$$

We can clear this equation of fractions by multiplying both sides by 30, which is the L.C.M. of the denominators 6 and 10, thus

$$30 \times \frac{5}{6}(x-7) - 30 \times \frac{3}{10}(x-5) = 9 \times 30$$

$$\text{or} \quad 25(x-7) - 9(x-5) = 270,$$

$$25x - 175 - 9x + 45 = 270,$$

$$16x = 400,$$

$$x = 25$$

Thus A 's age is 25 years, and B 's age is 27 years.

EXAMPLE 2 *A man can walk from his house to a railway station and back in a certain time at 4 mi an hour. If he walks out at 3 mi an hour and returns at 5 mi an hour, he takes 10 minutes longer for the double journey. Find the distance between his house and the station*

Let x be the required distance in miles

At 4 mi per hr he will go and return in $\frac{2x}{4}$ hours, or $\frac{x}{2}$ hours.

At 3 $\qquad \qquad \qquad$ go in $\frac{x}{3}$ hours,

and at 5 $\qquad \qquad \qquad$ return in $\frac{x}{5}$ hours

Also 10 min = $\frac{1}{6}$ of an hour,

$$\frac{x}{3} + \frac{x}{5} = \frac{x}{2} + \frac{1}{6}$$

Clearing of fractions, we have

$$10x + 6x = 15x + 5,$$

$$\text{whence} \quad x = 5$$

Thus the required distance is 5 miles

EXAMPLE 3 At noon *A* starts to ride at 8 mi an hour, two hours later *B* starts after him on a bicycle at 12 mi an hour. How far will *A* have ridden before he is overtaken by *B*? Find also at what times *A* and *B* will be 8 miles apart

Let x represent the number of hours *A* has ridden before he is overtaken, then *B* has ridden for $x-2$ hours

$$\begin{array}{lll} A \text{ rides } 8x & \text{miles in } x \text{ hours,} \\ B & 12(x-2) & x-2 \text{ hours} \end{array}$$

And when *B* overtakes *A* he has covered the same distance as *A*,

$$12(x-2)=8x,$$

$$\text{whence } x=6$$

A has ridden for 6 hours, and has covered 48 miles

For the second part of the question, if x represents the required number of hours after noon, we have by similar reasoning

$$12(x-2)=8x \pm 8,$$

where in the last term the upper or lower sign is to be taken according as *B* is 8 miles ahead of or behind *A*. In the former case $x=8$, and in the latter $x=4$

Thus the required times are 4 p.m. and 8 p.m.

EXAMPLES XII e

(Some of the following examples admit of easy solution without the use of algebraical symbols. The method of solution is left to the pupil's discretion.)

1. *B*'s age exceeds *A*'s by 3 years, and two thirds of *A*'s age is less than five sixths of *B*'s by 10 years, what are their ages?

2. *A* is 9 years younger than *B*, and 6 years older than *C*, three fourths of *A*'s age, four fifths of *B*'s, and one half of *C*'s together amount to 37 years. Find their ages.

3. If silk costs six times as much as linen, and I spend Rs 211 8a. in buying 23 yards of silk and 50 yards of linen, find the cost of each per yard.

4. How many pounds of tea at 14a. and at Re 1 2a. per lb. must be mixed to make a box of 200 lbs. worth altogether Rs 190?

5. A roll of cloth was bought at 5s 6d. a yard, and another roll, 25 yards longer, at 5s. a yard, the two together cost £100 15s. how many yards were there in each roll?

6 How many books can be bought for £5, if 17 cost as much over £2 as 7 of them cost under a sovereign?

[Let x shillings represent the price of each book, then
 $17x - 40 = 20 - 7x$]

7 If the price of 16 eggs is as much under half a crown as the price of 12 exceeds 5d, how many can be obtained for 3s 9d?

8 By buying oranges at 15 for 12 annas and selling them at a dozen for 15a a man gained Rs 10 2a, find the number of oranges

9 I bought a certain number of articles at five for six annas, if they had been eleven for twelve annas, I should have spent six annas less how many did I buy?

10 Two persons start at noon from towns 60 miles apart. One walks at the rate of four miles an hour, but stops $2\frac{1}{2}$ hours on the way, the other walks at the rate of 3 miles an hour without stopping when and where will they meet?

11 A man can walk from A to B and back in a certain time at the rate of 4 miles an hour, if he walks $3\frac{1}{2}$ miles an hour from A to B, and $4\frac{1}{2}$ miles an hour from B to A, he requires $3\frac{1}{2}$ minutes longer for the double journey what is the distance from A to B?

12 B has 5 miles start of A, but travels at the rate of only 3 miles an hour, while A travels at the rate of $4\frac{1}{2}$ miles an hour, where will A overtake B, and how long will he take to do it?

13 A boy walks to school at the rate of $3\frac{1}{2}$ miles an hour, and is one minute late, if he had walked at the rate of $3\frac{1}{3}$ miles per hour he would have been 3 minutes late find the distance to the school

14 A boy walks to school at the rate of $3\frac{1}{2}$ miles per hour, and is 4 minutes late, the next day he increases his pace by a quarter of a mile per hour, and is 2 minutes late find the distance to the school

15 Two trains start at the same time from Sheffield and Leicester and proceed towards each other at the rates of 30 and 50 miles per hour respectively. When they meet it is found that one train has run $14\frac{1}{2}$ miles more than the other. Find the distance between Sheffield and Leicester

16 Two cyclists start from the same place to ride in the same direction. A starts at noon at 8 mi an hour, and B starts at 1 30 p m at 10 miles an hour. How far will A have ridden before he is overtaken by B? Find also at what times A and B will be 5 miles apart.

17 If P and Q represent two towns 35 miles apart, and if A walks from P to Q at $3\frac{1}{2}$ mi an hour while B walks from Q to P at $2\frac{1}{2}$ mi an hour, both starting at 9 a m, when will they be 5 mi apart?

18 Two men ride towards each other from two places 60 miles apart, one at 12 mi an hour, and the other at 9 mi an hour. Find when they are first 18 miles apart. How must your equation be altered so as to find the time when they are 18 miles apart after meeting?

19 A , B , and C set out to walk from Bath to Bristol at 5, 6, and 4 mi an hour respectively. C starts 3 minutes before, and B 7 minutes after A . Find (i) when and where A overtakes C , (ii) when and where B overtakes A .

20 I row against a stream flowing $1\frac{1}{2}$ mi an hour to a certain point, and then turn back, stopping 2 mi short of the place whence I originally started. If the whole time occupied in rowing is 2 hrs 10 mins, and my uniform speed in still water is $4\frac{1}{2}$ mi an hour, find how far upstream I went.

21 A cyclist has to ride 75 miles. He rides for a time at 9 mi an hour and then alters his speed to 15 mi an hour, covering the distance in 7 hours. At what time did he change his speed?

22 A dairyman buys milk at 5s per scer. How must he mix it with water so that he can sell it at 4s 6p per scer without loss?

23 If 18 gallons of spirits at 18s 6d per gallon are mixed with 14 gallons at 21s per gallon, how much water must be added to reduce the value to 16s 6d per gallon?

24 A can run 50 yds while B runs 45 yds. If B has 5 minutes start in a race, what time will A take to get level with B ?

25 A person swimming in a stream which runs $1\frac{1}{2}$ mi an hour finds that in a given time he can swim five times as far with the stream as he can against it. At what rate does he swim?

26 Three trains A , B , C travel on the railway from Bristol to Hull, a distance of 220 miles, at the rate of 25, 20, 30 miles per hour respectively. A and B leave Bristol at 7 a.m. and 8.15 a.m. respectively, and C leaves Hull at 10.30 a.m. When and where will A be equidistant from B and C ?

✓ 27 An electric train is ten minutes late when it performs its usual journey at 10 mi an hour, but only five minutes late when it travels at 12 mi an hour. Find the length of its journey.

[Let x mi represent the distance, and let a be the number of hours the train takes when running to time, then

$$a = \frac{x}{10} - \frac{1}{6}, \text{ also } a = \frac{x}{12} - \frac{1}{12} \quad]$$

MISCELLANEOUS EXAMPLES III.

1 On a certain day the average price of wheat was $28s\ 5d$ per 480 lbs, of barley $24s\ 5d$ per 400 lbs, of oats $17s\ 11d$ per 312 lbs. Find, correct to the nearest penny, the price of each per cwt (C S)

2 Eleven persons contributed a certain sum. Nine of them gave Rs 2 apiece, and the other two gave Rs 2 and Rs 2 8a more respectively than the average subscription of the eleven subscribers. What sum did the two persons give?

3 The tax on tobacco at the average rate of $4s$ for 1 lb produced £13,184,767 in the year ending March 31st, 1905. Find, to the nearest ton, the weight of tobacco taxed.

4 Find, to the nearest penny, the price per lb, in English money, of tea which costs in France 3 50 francs per kilogram, assuming that 1 Kg = 2.204 lbs, £1 = 25 34 fr.

5 A labourer who was earning, wet or fine, Rs 3 12a a week, took work at 7 pice an hour. He worked 8 hours a day and $5\frac{1}{2}$ days a week, but in the course of 52 weeks he lost 15 days' work through rain. What did he gain in the 52 weeks by the change?

6 Find the value of

$$35\ 705082 \times 581\ 35823 - 82\ 05972$$

to two places of decimals, using contracted methods.

7 Give, to the nearest penny, the sum wanted to complete the following letter: "Dear Sir, we hand you herewith London draft for _____, being the equivalent in English money of 15 dollars, at the rate of 4 875 dollars to the pound sterling." (C S)

8 A boy had to multiply £5 786495 by 317, but he disregarded all figures in the multiplicand after the third decimal place. Find, to the nearest farthing, what the consequent error was. (C S)

9 A bicyclist rode from A to B, a distance of $25\frac{1}{2}$ miles, in 2 hours 15 minutes. What was his average speed in feet per second? Give your answer to the nearest whole number.

The bicyclist returned from B to A by another route, by which the distance was 28 miles, and at an average speed which was five sixths of the average speed on the outward journey. How long (to the nearest minute) did the return journey occupy? (C S)

10 From the following data, find (to the nearest whole number) how many gallons of beer were drunk per head, and (to the nearest shilling) how much per head was contributed to the revenue in this way.

Year	Population	Barrels of beer drunk. 1 barrel = 36 gallons.	Revenue from beer in £.
1904-5-	43,331,000	35,862,068	13,123,679

(C S)

11 Multiply 1 003659 by 273 3, correct to four decimal places
Find the numerical value, when $x=11$, of

$$x^3 - 10 \ 9x^2 + 9 \ 4x - 102$$

12 Taking 70 yards as equivalent to 64 metres, shew that a man going 2 metres per second will walk 18 miles in 4 hrs 1 m 23 s

13 A can give B 36 yards in a race of 300 yards, and A can give C 33 yards in 330, find what start C should allow B in a race of 300 yards

14 In travelling by train the knocks heard indicate the passage of the carriage from one rail to the next. Verify the truth of the following general statement for the particular case of 34 miles an hour that, when the length of each rail is 22 feet, the number of knocks heard in a quarter of a minute is the number of miles per hour the train is travelling

15 A man paid this year for income tax Rs 20 10a at 5p in the Re, and the year before Rs 32 0a 9p at 7p in the Re. If he obtains the same increase of salary next year and the income tax is 6p in the Re, what will his income tax amount to?

16 A man has to go by train from A to B and back each day (Sunday excepted) for 40 weeks every year. A return ticket costs Rs 3 6a, except on Saturday, when it costs Rs 2 5a. What will he save annually by taking a season ticket which costs Rs 375 a year?

17 Multiply 1 423056 by 32 6231 correct to 3 places of decimals, and divide 43 7840 by 6 4395 correct to 2 places of decimals

18 Five men can do a piece of work in 14 days, if they have two boys to help them they can do it in 12 days, find what proportion of a man's work a boy can do

19 A crew, rowing 32 strokes a minute, rows a mile in 7 min 35 secs, find, correct to an inch, the distance travelled each stroke

20 Find the sum of $\frac{4}{9}$ of Rs 23 4a 9p, 4757 pies, and Rs 17 6875

21 If 25 francs = £1, and a gram = 0 002204 lb, find in French money the price of a kilogram of an article which costs a shilling an ounce

22 The claims against a bankrupt company are £5000 claimed by the bank for an overdraft, £4000 claimed by A, and £11,000 by other creditors. Moreover, A has guaranteed the bank against loss. The available assets are £4000. The case is taken into court, where A's claim against the company is reduced to £2000, and the other claims are allowed in full. How much more is A out of pocket after discharging his guarantee than he would have been if the court had not reduced his claim?

(C S)

23 High water at Cork is 3 hours later, and at Boulogne $2\frac{1}{2}$ hours earlier, than at London Bridge. High water at Boulogne on Aug 23 was at 10 3 a.m. (French time). Find the local time of the corresponding high water at Cork, given that English time is 10 minutes behind French time and 25 minutes ahead of Irish time. (O S)

24. Platinum costs £4 18s 10d. per Troy ounce. What will a platinum crucible weighing 21 6 grams cost, the cost of workmanship being neglected? [A Troy ounce is 31 1 grams]

25 A man 30 years of age has accumulated £3000 and has a salary of £600 a year, of which he spends £300 and saves £300. He determines to stop work (and give up his salary) as soon as his savings would enable him to continue spending £300 a year until the age of 90. How long must he continue to work? *N B* —No interest on savings is to be reckoned. (O S)

26 A train 210 yards long, going 25 miles an hour, overtakes another train 318 yards long, going 17 miles an hour in the same direction on a neighbouring parallel line, how long will the first train take in passing the second one?

27 A man buys 500 yards of copper wire at 2d per yard, and sells it in France at 30 centimes per metre. Find his profit in English money, correct to a penny, having given

$$£1 = 25 \text{ 34 francs, and } 1 \text{ yd.} = 0 \text{ 914 metre}$$

28 A man lives at a place from which there are two railway lines to London, belonging to different companies. On three days of the week he goes and returns by the same line, on the other three week days he is obliged to travel to London by this line, and return by the other, and on Sundays he does not travel at all. The charges by either line are 1s for a third class single ticket, 1s 10d for a third class return. A season ticket for a year costs £20 8s by the railway he usually travels over. If he has 5 weeks' holiday during the year, and does not travel by either line during that time, will it pay him to take a season ticket? (O S)

29 For estimating the rental value of property a valuer charges 5 per cent on the first Rs 2000 and $2\frac{1}{2}$ per cent on the remainder of the estimated rental value. What will his charge be for valuing property which he estimates at a rental value of Rs 17350?

30 On the Great Western Railway, among the receipts one year were £356,926 derived from first-class passengers, and £472,793 from second class passengers. The rates on which the fares are based are 2d and $1\frac{1}{4}$ d per mile respectively. If the company had abolished the second class, and had reduced the rate for first class to $1\frac{1}{2}$ d, find how much the company would have gained or lost, assuming that all the second class passengers would have travelled first class. (O S)

31 I know the average weight of five metal bars to be 2 kilograms 75 grams, and the weights of four of them to be 3 kilograms 8 grams, 2 kilograms 92 grams, 2 kilograms 14 grams, and 1 kilogram 9 grams, respectively All these weights being correct to the nearest gram, between what limits must the weight of the fifth bar lie? (C S)

32 The population of a certain town is now 77,793 The annual birth rate is 30.8 per 1000, and death-rate 21.7 and the number of new settlers is equal to the number of people that leave the town If these rates do not change, what will be the population three years hence to the nearest hundred? (C S)

33 A journey of 132 miles can be performed either by river steamer or by train. The charge by steamer is at the rate of 1 shilling for 20 miles, and by train at the rate of 1 penny per mile I cannot afford to pay more than 8 shillings for the journey What is the least distance which I must travel by steamer? (C S)

34 *A* and *B* in one boat challenge *C* and *D* in another boat to a single sculling match of 50 miles *A* and *B* take it in turns to row stretches of 6 miles, *A* beginning *C* and *D* take it in turns to row for an hour, *C* beginning If *A* and *C* can each row $5\frac{1}{2}$ miles an hour, while *B* and *D* can only row 5 miles an hour, which boat wins and by how much? (C S)

35 Three boys, *P*, *Q*, *R*, set out for a town some miles away, and use a tandem bicycle to get there sooner Each walks 4 miles an hour, and any two on the bicycle go 10 miles an hour *P* sets off on foot, *Q* and *R* on the bicycle *Q* and *R* ride 2 miles, then *Q* goes on foot while *R* waits for *P* How long does *R* wait, and how far does *Q* walk while he is waiting? When *P* arrives, *P* and *R* ride on till they overtake *Q* At what distance does this happen? And at what time from the start? (C S)

PART II

CHAPTER XIII.

SQUARE ROOT

221 THE terms square root and cube root have been defined in Chap IV, and it was there explained how to find the square or cube root of certain numbers which can be readily expressed in factors. The pupil is recommended here to revise Arts 84 and 85.

The principal object of the present chapter is to explain a general process for finding square roots. The process by which roots of numbers are found is known as **evolution** or the **extraction of roots**.

222 The following table should be carefully studied. The pupil will find it useful to extend it for himself.

Number	1	2	3	4	5	6	7	8	9	10	11	12	
Square	1	4	9	16	25	36	49	64	81	100	121	144	

Here we notice

(i) That a number consisting of *one* digit has either *one* or *two* digits in its square.

(ii) That none of the numbers from 1 to 9 has a square ending in 2, 3, 7, or 8. And since every number must end in one of the nine digits or zero, it follows that *no square number* can end with 2, 3, 7, or 8.

Thus the square of every number must end in 0, 1, 4, 5, 6, or 9.

(iii) Every integer is the square root of some other integer, but only a few numbers have an exact integral square root. For example, 40 lies between 36 and 49, and its square root lies between 6 and 7, and is not integral.

223 A number which has an exact square root, either integral or fractional, is called a perfect square

Thus 64, 169 are perfect squares whose square roots are 8 and 13 respectively

Also $\frac{64}{169}$ is a perfect square whose root is $\frac{8}{13}$

It will be seen later that an approximate square root of any number which is not a perfect square can always be found to any required degree of accuracy

224 From the table in Art 222, it is seen that a number of 1 digit has either 1 or 2 digits in its square.

Again since $10^2=100$, $100^2=10000$, $1000^2=1000000$, and so on, it is evident that

a number of 2 digits, that is a number lying between 9 and 100, has either 3 or 4 digits in its square,

a number of 3 digits, that is a number lying between 99 and 1000, has either 5 or 6 digits in its square, and so on

Thus for every additional digit in a number there are two additional digits in the square of the number. If then in any given number whose square root is required we separate the digits into *periods of two beginning from the right*, the number of digits in the square root will be equal to the number of such periods. If the given number consists of an odd number of digits the last period will contain only one digit. Thus the square roots of the numbers 3481 and 4157521 will have 2 and 4 digits respectively

225 *The square of the sum of two numbers is equal to the sum of the squares of the two numbers + twice the product of the two numbers*

Thus if a and b are any two numbers,

$$(a+b)^2 = a^2 + 2ab + b^2, \quad [\text{Art } 57]$$

$$(a+b)^2 - a^2 = (2a+b)b$$

Similarly $(40+6)^2 = 40^2 + \text{twice } (40 \times 6) + 6^2,$

$$\text{also } 46^2 - 40^2 = (\text{twice } 40 + 6) \times 6$$

In the same way, we have

$$\begin{aligned} 329^2 &= (320+9)^2 \\ &= 320^2 + \text{twice } (320 \times 9) + 9^2, \end{aligned}$$

or

$$329^2 - 320^2 = (\text{twice } 320 + 9) \times 9$$

EXAMPLE 1 *To find the square root of 2116*

Supposing we know the result to be 46, we have to devise a process for finding the digits 4 and 6

$$\begin{array}{r} 21\cancel{1}6 \text{ (} 40+6 \\ 1600 \\ 40 \times 2 \} = 86 \quad \overline{516} \\ + 6 \} \quad \overline{516} \end{array}$$

Marking off the digits in periods of two, beginning from the right, we see that the root will consist of 2 digits. Also 2116 lies between 40^2 and 50^2 . And since

$$46^2 - 40^2 = (\text{twice } 40 + 6) \times 6,$$

we see that after subtracting 40^2 (or 1600) from 2116, the remainder when divided by (twice 40 + 6) will give the second digit of the root. Part of this divisor is the digit we are seeking to complete the root, but the more important part is twice the number 40 already found. Hence we use this part as an approximate divisor, and the next digit of the root is obtained by trial. In practice we take 51 as a 'trial dividend,' instead of the full remainder 516, and 8 as 'trial divisor'

The next example shews how the process may be extended, if necessary, beyond the second figure of the root

EXAMPLE 2 *Find the square root of 108241*

$\begin{array}{r} 300 \times 2 \} = 620 \\ + 20 \} \\ 320 \times 2 \} = 649 \\ + 9 \} \end{array}$	$\begin{array}{r} \text{(i)} \\ 108241 \text{ (} 300+20+9 \\ 90000 \\ \overline{18241} \\ 12400 \\ \overline{5841} \\ 5841 \end{array}$	$\begin{array}{r} \text{(ii)} \\ 108241 \text{ (} 329 \\ 9 \\ 62 \overline{182} \\ 124 \\ 649 \overline{5841} \\ 5841 \end{array}$
--	---	--

the required square root is 329

(i) shews the work in full, (ii) is the practical arrangement, shortened (as in long division) by the omission of *place ciphers*

In (ii) the process is as follows. After marking off the periods from the right, the highest square below 10 (the last period) is 9, its square root is 3, which is placed as first digit of the root. After subtracting the square of 3, the first remainder is 1, to which we affix the period 82, and the dividend is 182. We use 18 as 'trial dividend' and *twice* 3, or 6, as 'trial divisor'. This suggests 3 as the digit for the tens' place. This proves too large and we select 2. The next remainder is 58, to which we affix the period 41. The portion of the root obtained so far is 32. Hence, the new 'trial divisor' is 32×2 , or 64. Using 584 as 'trial dividend' we obtain the final digit 9.

Reason for the process In (i), at the first stage we subtract 300^2 , at the second we subtract from the remainder $(\text{twice } 300 + 20) \times 20$, that is $(\text{twice } 300 \times 20 + 20^2)$, so that up to this point we have subtracted $300^2 + \text{twice } (300 \times 20) + 20^2$, which is equal to $(300 + 20)^2$ or 320^2

From the last remainder we subtract $(\text{twice } 320 + 9) \times 9$

So that in all we subtract in successive operations

$320^2 + \text{twice } (320 \times 9) + 9^2$, which is equal to $(320 + 9)^2$ or 329^2

There is no remainder Thus 329 is the square root

EXAMPLE 3 Find the square root of 13010449

$$\begin{array}{r}
 \text{(i)} \\
 13,01,04,49 \text{ (3607)} \\
 \underline{9} \\
 66 \quad \begin{array}{r} 401 \\ 396 \\ \hline 50449 \\ 50449 \end{array} \\
 720 \\
 7207
 \end{array}$$

$$\begin{array}{r}
 \text{(ii)} \\
 13,01,04,49 \text{ (3607)} \\
 \underline{401} \\
 66 \quad \begin{array}{r} 401 \\ 7207 \end{array} \quad 50449
 \end{array}$$

The required square root is 3607

Here after two digits have been obtained we find that the 'trial divisor' 72 will not divide into 50, thus the next digit in the root is 0 We place this in the root and also in the divisor, and bring down the next period.

(ii) Shews how the work may be further shortened by the Italian method

EXAMPLES XIII. a.

Find the square root of

1 361	2. 529	3 841	4. 961
5 1369	6 1849	7 2304	8 3481
9 3364	10 5329	11 37249	12 53824
13 19600	14. 95481	15 549081	
16 501264	17 819025	18 2819041	
19 18671041	20 13704804	21 1006009	
22. 420865225	23 861723241	24. 1157428441	

25 From the work in Ex 3, Art 225, shew that the square of 3600 is less than 13010449 by 50449

26 By finding part of the square root of 174345616, find by how much 174345616 exceeds (i) $(13000)^2$, (ii) $(13200)^2$

27 Given that 184041 is the square of 429, find as shortly as possible the square root of 18464209

226 Square root of a decimal. The principle of place value of successive digits enables us to use the foregoing method to extract the square root of a decimal number. By the principles of multiplication of decimals, it is evident that the square of any decimal must always contain an even number of decimal digits, and that the number of decimal digits in the square will be double the number of such digits in the square root.

For example $(2)^2 = 04$, $(8)^2 = 64$, $(13)^2 = 0169$,
 $(\cdot 05)^2 = \cdot 0025$, $(28)^2 = 784$, $(63)^2 = 3969$

Hence in finding the square root of a decimal we begin by marking off periods of two digits to right and left *starting from the decimal point*. Each period will furnish one digit to the square root.

EXAMPLE Find the square root of

(i) 18 4041, (ii) 00367236

$$\begin{array}{r}
 \text{(i)} \\
 18,40\dot{4}1 \text{ (} 4\cdot 29 \\
 \underline{16} \\
 82 \overline{) 240} \\
 \underline{164} \\
 849 \overline{) 7641} \\
 \underline{7641}
 \end{array}$$

The square root = 4.29

$$\begin{array}{r}
 \text{(ii)} \\
 00,36,72,36 \text{ (} 0606 \\
 \underline{00} \\
 36 \\
 \underline{36} \\
 120 \overline{) 7236} \\
 1206 \overline{) 7236}
 \end{array}$$

The square root = 0606

In (i) the square root is obviously greater than 4 and less than 5. After obtaining the first digit of the root we place the decimal point, and the rest of the work proceeds exactly as in the case of integers.

In (ii) as the first period of the decimal consists of two ciphers, the corresponding first digit in the root will be a cipher after the decimal point. Bringing down the next period we have 6 for the corresponding digit in the root, and no remainder. Bringing down the third period we have 12 for 'trial divisor' and 7 for 'trial dividend'. Hence the next digit in the root is 0.

EXAMPLES XIII. b

Find the square root of the following decimals

1	11 56	2	20.25	3	6241	4.	.0289
5	7 3441	6	41 2164	7	49 1401	8	998 56
9	99 8001	10	1218.7081	11	5 774409	12	00139876

Find the square root of the following decimals

13 9 504889 14 557 196025 15 0001595169

16 304 607209 17 2704 416016 18 67620 8016

19 Shew from the Example of Art 226 that $(4\cdot2)^2$ is less than 18 4041 by 7641

20 Find by how much 5 354596 exceeds $(2\ 31)^2$

227 If a number is not a perfect square its square root can be found to any required number of figures, but the process can never terminate

EXAMPLE 1 Find the first four figures of the square root of 5 23

	5,23,00,00, (2.236
	4
42	123
	84
448	3900
	3584
4566	31600
	27396
	4204

After bringing down the last significant figure, two ciphers are brought down at each stage, and appended to the remainder at that stage. Hence no new figure in the root can produce a 'divisor' which will bring the process to an end

The required square root = 2.286

NOTE 1 By observing the remainders at the different stages of work we have the following results

$$5\ 23 - (2\cdot2)^2 = 39, \quad 5\ 23 - (2\cdot28)^2 = \cdot0316,$$

$$5\ 23 - (2\cdot286)^2 = 004204, \text{ and so on}$$

And as these remainders are getting smaller and smaller, it follows that with each new figure in the root we obtain a result which is a closer approximation to the true value than the result at the preceding stage

NOTE 2. In finding the approximate square root of a decimal it is particularly important to observe the rule for pointing the digits in pairs from the decimal point. Thus the square roots of

4, 2 5, 8 1, and 121

are not

2, 5, 9, and 11,

for by writing the decimals in the form

4000, , 2 5000, , 8,10,00, , 12,10,00, ,

it is evident that the first digits of the roots are 6, 1, 2, and 3 respectively

EXAMPLE 2 Find the first 7 figures of the square root of 2.

$$\begin{array}{r}
 \text{(i)} \\
 2,00,00 \quad (1\ 414213 \\
 \overline{1} \\
 24 \quad \overline{100} \\
 \quad \quad 96 \\
 281 \quad \overline{400} \\
 \quad \quad 281 \\
 2824 \quad \overline{11900} \\
 \quad \quad 11296 \\
 2828\text{-}2 \quad \overline{604}00* \\
 \quad \quad 56564 \\
 2828,41 \quad \overline{38}3600 \\
 \quad \quad 282841 \\
 2828,423 \quad \overline{10}075900 \\
 \quad \quad 8485269 \\
 \quad \quad 1590631
 \end{array}$$

$$\begin{array}{r}
 \text{(ii)} \\
 2,00,00, \quad (1\ 414 \\
 \overline{1} \\
 24 \quad \overline{100} \\
 281 \quad \overline{400} \\
 2824 \quad \overline{11900} \\
 28,28 \quad \overline{604} \quad (213 \\
 \quad \quad 38 \\
 \quad \quad \overline{10} \\
 \quad \quad 2
 \end{array}$$

Thus the required square root = 1 414213

In (i) the work is given in full, in (ii) the Italian method has been used.

At the stage marked * four digits of the root have been obtained, and the 'trial divisor' consists of four digits, viz 2828. The remainder at this stage is 604, and if instead of bringing down a new period, and appending a new digit to the divisor, we divide 604 by 282(8), cutting off the last digit and using the contracted method, we can obtain three new digits of the root, as shewn in (ii), and it is clear that the work is merely the shortened form of that shewn to the left of the vertical line in (i).

This example illustrates a general rule which may be enunciated as follows

When a certain number of digits of a square root have been found by the ordinary rule, one less than the number already found can be obtained by contracted division

For a general proof of the rule, the student is referred to Hall and Knight's *Elementary Algebra*, Art 220

228 Though it is impossible to find an exact number which when multiplied by itself is equal to 2, by carrying on the work of the preceding example far enough we can find a decimal number whose square can be made to differ from 2 by as little as we please [Compare Art 227, Note 1] This is what is meant when we speak of "the square root of 2"

EXAMPLES XIII c

Find the square root of the following, correct to three places of decimals

[If necessary the fourth decimal digit must be examined in order to correct the third]

1	3	2.	5	3	6	4	10
5	7	6	25	7	0.47	8	0.07
9	0.51	10	0.051	11	0.144	12	235.6
13	133.05	14	17.453	15	290	16	0.571

[The square root of a fraction, if the denominator is a perfect square, is found by taking the square root of the numerator and denominator separately]

Thus $\sqrt{\frac{9}{16}} = \frac{3}{4}$, because $\frac{3}{4} \times \frac{3}{4} = \frac{9}{16}$

A mixed number must first be expressed as an improper fraction]

Find the square root of

17	$3\frac{1}{7}$	18	$1\frac{5}{14}$	19	$7\frac{1}{4}$	20	$\frac{561}{876}$
21.	$37\frac{1}{11}$	22.	$\frac{1120}{151}$	23	$\frac{11881}{1156}$	24.	$1125\frac{1}{16}$

229 In the case of a fraction whose denominator is not a perfect square, we may either convert the fraction into a decimal as a first step, or multiply numerator and denominator by such a number as will make the denominator a perfect square

EXAMPLE Find the square root of (i) $2\frac{1}{2}$, (ii) $1\frac{1}{5}$

$$(i) \sqrt{2\frac{1}{2}} = \sqrt{2.5000} = 1.5811$$

$$(ii) \sqrt{1\frac{1}{5}} = \sqrt{\frac{6}{5}} = \sqrt{\frac{23 \times 2}{18 \times 2}} = \frac{\sqrt{46}}{6} = \frac{6.78233}{6} = 1.13038$$

The first method is usually to be preferred unless the denominator is small.

EXAMPLES XIII c (Continued)

Find correct to three places of decimals the square root of

25	$\frac{1}{8}$	26	$\frac{7}{8}$	27	$\frac{1}{2}$	28	$4\frac{3}{4}$
29	$1\frac{1}{7}$	30	$\frac{1}{11}$	31.	$\frac{1}{0.1}$	32.	$\frac{25}{0.16}$

Evaluate the following square roots, using the method of Ex. 2, Art 227, to shorten the work

$$33 \quad \sqrt{0565} \text{ to 5 places}$$

$$34 \quad \sqrt{036} \text{ to 6 places}$$

$$35 \quad \sqrt{\frac{1}{19}} \text{ to 5 places}$$

$$36 \quad \sqrt{3\frac{2}{29}} \text{ to 6 places}$$

Surds

230 If the root of a number cannot be exactly obtained, the root is called a **surd** or an **irrational number**

Thus $\sqrt{2}$, $\sqrt{3}$, $\sqrt{5}$ are surds, and they are said to be **incommensurable**, since the decimal part of such quantities cannot be absolutely expressed as a fraction of the unit

231 It will be found that $\sqrt{5} = 2.236068$, that is $\sqrt{5}$ lies between 2.23606 and 2.23607, and therefore the error in using either of these quantities instead of $\sqrt{5}$ is less than 0.0001. By taking the root to a greater number of decimal places we can approximate still nearer to the true value

232 Expressions involving surds, such as $\frac{1}{\sqrt{3}}$, $\frac{4}{\sqrt{5}-1}$, $\frac{\sqrt{3}+1}{\sqrt{3}-1}$, $\frac{1}{2+\sqrt{3}}$, are of frequent occurrence. If in dealing with such expressions we were at once to substitute approximate numerical values for the surds, we should often be involved in tedious and unnecessary labour. To avoid this it is advisable to postpone substitution until the surd expressions have been simplified as far as possible by means of the following formulæ.

$$(i) \quad \sqrt{a} \times \sqrt{b} = \sqrt{ab} \quad \text{Thus } \sqrt{2} \times \sqrt{3} = \sqrt{6}$$

$$(ii) \quad \sqrt{a^2 \times b} = \sqrt{a^2} \times \sqrt{b} = a\sqrt{b} \quad \text{Thus } \sqrt{18} = \sqrt{9 \times 2} = 3\sqrt{2}$$

$$(iii) \quad (\sqrt{a} + \sqrt{b})(\sqrt{a} - \sqrt{b}) = a - b$$

$$\text{Thus } (\sqrt{5} + \sqrt{3})(\sqrt{5} - \sqrt{3}) = 5 - 3 = 2$$

EXAMPLE Find the value of (i) $\frac{1}{\sqrt{5}}$, (ii) $\frac{\sqrt{7}}{\sqrt{7}-\sqrt{5}}$, each correct to five figures

In each of these examples the first step is to get rid of surds in the denominator. Moreover in (ii) it will be noticed that if the denominator is not freed of surds we shall require the values of $\sqrt{7}$ and $\sqrt{5}$, and shall then have to divide one long decimal by another

$$(i) \quad \frac{1}{\sqrt{5}} = \frac{1}{\sqrt{5}} \times \frac{\sqrt{5}}{\sqrt{5}} = \frac{\sqrt{5}}{5} = \frac{2.236068}{5} = 44721$$

$$\begin{aligned}
 \text{(ii)} \quad \frac{\sqrt{7}}{\sqrt{7}-\sqrt{5}} &= \frac{\sqrt{7}}{\sqrt{7}-\sqrt{5}} \times \frac{\sqrt{7}+\sqrt{5}}{\sqrt{7}+\sqrt{5}} = \frac{\sqrt{7} \times \sqrt{7} + \sqrt{7} \times \sqrt{5}}{(\sqrt{7})^2 - (\sqrt{5})^2} \\
 &= \frac{7+\sqrt{35}}{7-5} = \frac{7+\sqrt{35}}{2} \\
 &= \frac{7+5.91607}{2} \\
 &= \frac{12.91607}{2} \\
 &= 6.4580
 \end{aligned}$$

233 Cube, fourth, and higher roots It will be seen in a subsequent chapter that the extraction of roots can be very easily effected by the aid of logarithms. For this reason, and because cube and higher roots are rarely required, we do not here give any specific method for their extraction.

234 Since the fourth power of a number is the square of its square, the fourth root of a number is the square root of its square root.

Thus $3^4 = 81 = 9^2$, and 9 is the square of 3,

and $\sqrt[4]{81} = 3 = \sqrt{9}$, and 9 is the square root of 81.

EXAMPLES XIII. d

Find the value of the following surd expressions, correct to four places of decimals.

1 $\frac{2}{\sqrt{3}}$	2 $\frac{15}{\sqrt{5}}$	3 $\frac{2}{\sqrt{8}}$	4 $\frac{8}{\sqrt{12}}$
5 $\frac{48}{\sqrt{6}}$	6 $\frac{\sqrt{2}}{\sqrt{3}}$	7 $\frac{10}{\sqrt{7}}$	8 $\frac{25}{\sqrt{11}}$
9 $\frac{1}{2\sqrt{3}}$	10 $\frac{1}{\sqrt{24}}$	11 $\frac{1}{2+\sqrt{3}}$	12 $\frac{1}{\sqrt{3}-1}$
13 $\frac{4}{\sqrt{5}-1}$	14 $\frac{\sqrt{3}-1}{\sqrt{3}+1}$	15 $\frac{24}{7-\sqrt{5}}$	16 $\frac{\sqrt{5}+3}{\sqrt{5}-2}$

Find the fourth root of

17 331776	18 108243216	19 000006765201
-----------	--------------	-----------------

Evaluate to 3 significant digits

20 $\sqrt[4]{53.686}$	21 $\sqrt[4]{1723.58}$
-----------------------	------------------------

235 Miscellaneous Examples involving square root

EXAMPLE 1 *A rectangular garden, the length of which is four times its breadth, has an area of 1 sq big 11 sq cot 6 sq chl 1 sq cub, find its length and breadth to the nearest cubit*

Let the sides be denoted by x and $4x$ cubits respectively,

then the area $= x \times 4x$ sq cubits

But the area $= 10041$ sq cubits,

$$4x^2 = 10041,$$

whence $x = 50$ 1

and $4x = 200$ 4

$$\begin{array}{r} 4 \overline{) 10041} \\ \underline{25,10,25} \quad (50 \text{ 1} \\ 25 \\ 1001 \overline{) 1025} \\ \underline{1001} \\ 24 \end{array}$$

Thus the required lengths are 50 cubits, and 200 cubits

EXAMPLE 2 *A square field contains 10 acres Find the cost of running a fence round it at 3s 6d a yard Also find to the nearest penny, the cost of a chain, at 1s 4d a yard, which will reach from one corner to the opposite one.*

(1) If the length of a side $= x$ yards, we have

$$x^2 = 10 \times 4840, \text{ whence } x = 220$$

$$\begin{aligned} \text{cost of fence} &= \frac{3\frac{1}{2} \times 220 \times 4}{20} \text{ pounds} \\ &= \text{£}154 \end{aligned}$$

(ii) Let the diagonal of the square be denoted by d yards

Then by a well known property of a right angled triangle,

$$d^2 = 220^2 + 220^2 = 220^2 \times 2,$$

$$d = 220\sqrt{2}.$$

$$\text{required cost} = \text{£}(1\frac{1}{3} \times 11\sqrt{2}) = \text{£}(1\frac{1}{3} \times 11 \times 1.41421 \dots)$$

[Art 227, Ex 2]

$$= \text{£}20.742, \text{ to 3 places of decimals,}$$

$$= \text{£}20 \text{ 14s } 10\text{d}.$$

NOTES (i) If the sides of a right-angled triangle are a , b , c units respectively (the side c being opposite the right angle), $c^2 = a^2 + b^2$

(ii) If the side of a square is a units, its diagonal is $a\sqrt{2}$ of such units

EXAMPLES XIII e

1. The adjacent sides of a rectangular field are 161 yds and 240 yds, find the length of a diagonal.

2. A rectangular courtyard measures 137 ft diagonally from corner to corner, if one side is 88 ft, find the other

3. The area of a square field falls short of 30 bighas by 156 sq cubits, find the length of each side

4. Find, to the nearest yard, the length of each side of a square field whose area is 439 ac 33 p

5. The sides of a rectangle are 577 m and 450 m respectively, find to the nearest metre, the side and diagonal of a square of equal area

6. Find the values of x which satisfy the following equations

$$(i) \frac{x}{54} = \frac{1944}{x}, \quad (ii) \frac{1625}{x} = \frac{x}{65}, \quad (iii) \frac{x}{23 \cdot 03} = \frac{16 \cdot 92}{x}$$

7. The area of a square field is 2 sq big 5 sq cot. Find the cost of fencing it round at 2a 3p per yard

8. How long will it take to walk round a square field whose area is 160 ac, at the rate of 4 mi per hour?

9. The length of a rectangular courtyard is 3 times its breadth, if its area is 10 sq cubits short of 17 sq cottahs, find the length of its sides to the nearest tenth of a foot

10. The cost of levelling and turfing a square cricket field at £175 9s 4d per acre is £987. Find the cost of surrounding it with railings at 3s 2d per yard

11. The cost of paving a square court with stone slabs, each 18 inches square, at 2a 3p a slab, is Rs 20 4a. What is the length of each side of the court?

12. There is a square enclosure of 10 acres, a man walks at the rate of 3 mi an hour along one side, along a diagonal, along another side, and so returns along the other diagonal to the starting point. How many minutes does it take him?

13. ABC is a triangular field of which the base BC = 150 yards, and the height (that is, the perpendicular drawn from A to BC) is 88 yards. Find the area of the triangle, and also find to the tenth of a yard the side of a square field of equal area

[N.B. The area of a triangle is half that of a rectangle on the same base and of the same height.]

14 The area of a circle in square centimetres is given by the formula $A = \pi r^2$, where r denotes the radius in centimetres, and π is a constant multiplier approximately equal to 3.1416

(i) Find to the nearest sq mm the area of a circle whose diameter is 20 cm

(ii) Find to the nearest mm the side of a square whose area is equal to that of the circle.

15 If a, b, c denote the sides of a triangle, its area may be found from the formula

$$\text{area of triangle} = \frac{1}{4} \sqrt{(a+b+c) \times (b+c-a) \times (c+a-b) \times (a+b-c)}$$

Find the areas of the triangles whose sides are

(i) 11 inches, 9 inches, 8 inches,

(ii) all equal to 10 inches

[The answers are to be correct to three significant figures]

16 From the formula for the area of a circle given in Ex 14, we get $r = \sqrt{\frac{A}{\pi}}$. Use the formula in this shape to find the radius of a circle whose area is equal to that of a square on a side of 10 cm [Answer to three significant digits]

17 When 10 litres of water have been poured into a certain cylindrical jar, the water stands 8 cm deep. Find the internal diameter of the jar, having given

$$\text{volume of water in jar} = h \times d^2 \times 0.7854,$$

where h = the depth of the water in cm, and d denotes the diameter [Answer to three significant figures]

18 When the temperature is t degrees Centigrade, the velocity of sound in air is given in metres per second by the formula

$$\text{velocity} = 332.4 \times \sqrt{1 + 0.00366 \times t}$$

Find, to the nearest metre, the velocity of sound at a temperature of 20°C

CHAPTER XIV.

AREAS AND VOLUMES

236 Square Measure The Tables of Square Measure and the easier applications of them have been given in Chapter 11. The pupil is recommended to revise Arts. 28-31 before proceeding to the examples of greater variety and difficulty in the present chapter.

237 Rectangular Areas In Art. 30 it was shewn that

$$\text{area of rectangle} = \text{length} \times \text{breadth},$$

in the case when the length and breadth were expressed in terms of the same unit by *whole numbers*, but the formula holds good when the length and breadth are fractional.

This may be illustrated as follows

Suppose the length and breadth are 3.2 cm and 2.4 cm, we shall shew that the area is (3.2×2.4) sq. cm.

For $\text{length} = 3.2 \text{ cm.} = 32 \text{ mm,}$

$\text{breadth} = 2.4 \text{ cm} = 24 \text{ mm}$

$$\text{area} = (32 \times 24) \text{ sq. mm} = \frac{32 \times 24}{10^2} \text{ sq. cm}$$

$$= (3.2 \times 2.4) \text{ sq. cm.}$$

Thus for *any* rectangle, if the *length* = l units, and the *breadth* = b units of the *same kind*, the area (A) in *corresponding units of square measure* is given by the formula

$$A = l \times b$$

The numbers denoted by l and b are called the *dimensions* of the rectangle. The sum of the sides of the rectangle is called its *perimeter*.

Thus the $\text{perimeter} = 2(l + b)$

238 From the formula $A = l \times b$, we derive

$$l = A - b, \text{ or } \frac{A}{b}, \text{ and } b = A - l, \text{ or } \frac{A}{l},$$

so that any one of the three quantities involved may be found when the numerical values of the other two are given

NOTE. In applying these formulæ care must be taken that the units of length and area correspond. Thus in the formula $b = A - l$, an area given in *square feet* must be divided by a length expressed in *linear feet*, an area in *square metres* by a length in *linear metres*. The results will be the breadth in linear feet and linear metres respectively

EXAMPLE 1 Find the cost of painting a ceiling 18 ft 8 in long by 13 ft 6 in wide, at 12 a. 3 p per square yard

$$\begin{aligned} \text{Here} \quad \text{length} &= 18 \text{ ft } 8 \text{ in} = 18\frac{2}{3} \text{ ft}, \\ \text{breadth} &= 13 \text{ ft } 6 \text{ in} = 13\frac{1}{2} \text{ ft} \\ \text{area} &= (18\frac{2}{3} \times 13\frac{1}{2}) \text{ square ft.} \\ &= (\frac{56}{3} \times \frac{27}{2} \times \frac{1}{9}) \text{ square yards} \end{aligned}$$

And the cost is $12\frac{1}{4}$ a per square yard,

$$\begin{aligned} \text{the total cost} &= (\frac{7}{4} \times \frac{27}{2} \times \frac{1}{2} \times \frac{49}{4}) \text{ annas} \\ &= 343 \text{ a} = \text{Rs } 21 \text{ } 7 \text{ a} \end{aligned}$$

NOTE. As the *area* is not asked for, no simplification of the fractions is required until the last step

EXAMPLE 2 The area of a rectangular strip of cloth is 0 0136 of a square metre, and its length is 85 centimetres, find its breadth

$$\begin{aligned} \text{Here} \quad \text{area} &= 0 \text{ } 0136 \text{ sq metre} \\ &= 136 \text{ sq centimetres,} \\ \text{and} \quad \text{length} &= 85 \text{ centimetres,} \\ \text{breadth} &= \frac{136}{85} \text{ cm} \\ &= 1 \text{ } 6 \text{ cm} \end{aligned}$$

EXAMPLE 3 The area of a rectangular field is 4 ac 2 r 9 p, and its length is 12 chains 15 links, find its breadth

First express 4 ac. 2 r 9 p as a decimal of an acre

$$\begin{aligned} \text{that is,} \quad 4 \text{ ac } 2 \text{ r } 9 \text{ p} &= 4 \text{ } 55625 \text{ acres,} \\ \text{And} \quad \text{area} &= 45 \text{ } 5625 \text{ sq chains} \\ \text{length} &= 12 \text{ } 15 \text{ chains,} \\ \text{breadth} &= (45 \text{ } 5625 - 12 \text{ } 15) \text{ chains} \\ &= 3 \text{ } 75 \text{ chains} \\ &= 3 \text{ chains } 75 \text{ links.} \end{aligned} \quad \left| \begin{array}{l} 40 \overline{) 90 \text{ poles}} \\ 4 \overline{) 2 \text{ } 225 \text{ roods}} \\ \hline 55625 \text{ acre} \end{array} \right.$$

EXAMPLES XIV a

Express in square feet the areas of rectangles having the following dimensions

- 1 $10\frac{1}{2}$ ft, $9\frac{1}{3}$ ft 2 $14\frac{2}{3}$ ft, $9\frac{1}{4}$ ft 3 7 ft, 72 in
4 $6\frac{1}{4}$ ft, $3\frac{1}{8}$ ft 5 $6\frac{2}{3}$ yds, 81 ft 6 135 in, $10\frac{1}{3}$ ft

Express in square metres the areas of rectangles with the following dimensions

- 7 12 m, 8.25 m 8 10.25 m, 4.64 m 9 2.54 Km, 0.04 m

Find the lengths of the rectangles in which

- 10 Area=504 sq yds, breadth=28 ft [Ans in yds]
11. Area=77 sq cm, breadth=4.4 cm [Ans in cm]
12 Area= $367\frac{1}{2}$ sq ft, breadth= $8\frac{1}{4}$ yds [Ans in ft]
13 Area=8 sq big 5 sq cot, breadth=2 big 4 cot

Express in sq yds, sq ft, and sq in, the areas of the following squares, having given

14. Each side=7 ft 6 in. 15 Each side=5 ft 8 in
16 Perimeter=13 ft 17 Perimeter=21 ft 4 in.

18 Find the cost of painting a rectangular screen 6 ft 4 in long by 4 ft 8 in wide at 9 annas per sq ft

19 Find the cost of polishing the floor of a ball-room, 26 ft 8 in long and 20 ft 3 in wide, at 1s 6d per sq yd

20 Find the cost of matting for a room 7.2 yards long and 5.5 yards broad at 75 cents (Ceylon coinage) per square yard

21 Find, to the nearest penny, the cost of painting a surface 8.5 metres long by 4.6 metres wide at 9d per square metre

22 It cost Rs 2.80 to paint a door 7 ft 6 in high and 5 ft 4 in wide. What was the cost per sq ft?

23 How much per sq yd was spent on the decoration of a ceiling 21 ft 4 in long and 20 ft 3 in wide if the whole cost was Rs 12?

[The Tables V in Chap II and in Arts 32-35 should be revised before attempting Examples 24-34.]

Find the areas of the following rectangles, giving the result in acres

24. Length=20 chains, breadth=8 chains 25 links
25 Length=99 yards, breadth=4 chains 20 links

26 The side of a square field measures 3 big $2\frac{1}{2}$ cot find its area

27 The perimeter of a square field is 87 chains find its area in acres, gunthas, and annas (Bombay Govt)

28 Find the breadth of a rectangular field which is 19 big 16 cot in length, and which has an area of 66 sq bighas

29 The acreage of a rectangular field is 37 6607, and the breadth is 16 chains 6 links find its ~~breadth~~ *length*

30 The side of a square field is 25 cottahs what rent must be paid for it at the rate of Rs 10 8a. per sq big ?

31 Express (i) in hectares, (ii) approximately in acres, the area of a rectangular plot of ground of which the length and breadth are respectively 805 metres and 74 metres

32 Find the rent of a rectangular field measuring 200 metres by 85 metres at £12 10s per hectare, and find approximately the corresponding cost per acre

33 The rent of a plot of building land is Rs 825, this being at the rate of Rs 50 per bigha If the length is $7\frac{1}{2}$ bighas, find the breadth

34 A rectangular piece of ground is 26 chains 16 links in length, and its breadth is five sixths of its length Find, to the nearest penny, what rent should be paid for it at the rate of £2 12s 4d per acre

239 EXAMPLE 1 Find, to the nearest pice, the cost of paving a rectangular courtyard $94\frac{1}{2}$ ft long and 56 ft wide with tiles 14 inches by 8 inches, at Rs 15 4a per thousand

$$\text{Area of courtyard} = (94\frac{1}{2} \times 56) \text{ sq ft},$$

$$\text{area of one tile} = (\frac{14}{12} \times \frac{8}{12}) \text{ sq ft} = \frac{7}{9} \text{ sq ft}$$

Let x = the number of tiles required, then since the area to be covered is equal to the area of the material used, we have

$$\frac{7}{9} \times x = \frac{189}{2} \times 56,$$

$$x = \frac{189}{2} \times 56 \times \frac{9}{7}$$

$$= 6804.$$

$$\text{cost at Rs } 15\frac{1}{2} \text{ per thousand} = \text{Rs } 6804 \times 15\frac{1}{2}$$

$$= \text{Rs } 103761$$

$$= \text{Rs } 10312\text{a } 3\text{p},$$


$$\begin{array}{r} 6804 \\ \times 15\frac{1}{2} \\ \hline 102060 \\ 1701 \\ \hline 103761 \end{array}$$

NOTE In this case it will be found on trial that the length and breadth of the area to be covered are exact multiples of the dimensions of the tiles. Thus 6804 represents an exact number of tiles which can be fitted together to cover the given area without subdivision. In practice this will not always be the case, and in the examples which follow we shall, where necessary, suppose some of the tiles, etc. to be divided.

EXAMPLE 2 A quadrangle, 50 feet long by 42 feet broad, contains a rectangular lawn surrounded by a gravel path of uniform width. If the width of the path is 6 feet, find the dimensions of the lawn, and the area of the path.

Let ABCD represent the quadrangle, and EFGH the lawn.

Then EF is less than AB by *twice* the width of the path, and EH is less than AD by *twice* the width of the path.



That is,
and

$$EF = (50 - 6 \times 2) \text{ ft} = 38 \text{ ft}$$

$$EH = (42 - 6 \times 2) \text{ ft} = 30 \text{ ft}$$

And the area of the path = area ABCD - area EFGH

$$= (50 \times 42) \text{ sq ft} - (38 \times 30) \text{ sq ft.}$$

$$= 960 \text{ sq ft}$$

EXAMPLES XIV a (Continued)

35. How many tiles each 9 in long by 6 in wide will be required to pave a court which is 24 ft 6 in long and 15 ft 9 in wide?

36. Find the cost of flooring a square room whose side is 20 feet with bricks 8 in long and 4 in wide, the bricks being worth 9 annas a score.

37. If 1638 tiles, 7 in long and 5 in. wide, are used for a hall 16 ft 3 in. wide, what is its length?

38. What was the width of flagstones 1 ft 6 in long, 288 of which were required exactly to cover a courtyard 30 ft long and 18 ft wide?

39. In what way must tiles $4\frac{1}{4}$ in long by $3\frac{3}{4}$ in wide be laid so as exactly to cover the floor of a hall 38 ft $1\frac{1}{2}$ in long by 20 ft $2\frac{1}{4}$ in wide? If the total cost of the flooring amounts to £193 3s 4d what is the cost of the tiles per dozen?

✓40 A rectangular plot 64 ft 6 in long and 30 ft 9 in wide is to be laid with sods of turf 15 in. long by 9 in wide. If the turfs are placed in the most convenient manner, how many will be used in all, and how many of these will have to be divided?

✓41 Square turfs, whose sides are 16 inches, are laid on a rectangular surface 40 ft 8 in long and 24 ft wide. How many turfs will be required? How many can be laid *whole*, and how many cut *in half*? Illustrate by a diagram on squared paper.

(Examples 42-49 should be illustrated by diagrams)

42 Find in square yards the area of a path 6 feet wide surrounding a lawn whose length is 30 yds and breadth 24 yds.

43 A carpet laid down in the centre of a room leaves a margin 2 ft wide uncovered, the dimensions of the room being 25 ft by 18 ft. Find the cost of staining the uncovered margin at 1 a. 6 p per sq ft.

44. How many tiles 6 in square will be required to pave a foot-path 4 ft wide carried round the outside of a grass plot 25 yds long by 13 yds. broad?

45 A square garden each side of which is 20 yds is traversed centrally by two paths at right angles to one another, and is thus divided into 4 beds. If the paths are respectively 8 ft and 6 ft wide, find the area of each bed.

46 In a courtyard 67 ft 6 in long and 42 ft 9 in wide there is a foot way, 5 ft 6 in wide, running the whole length of the yard. What is the cost of paving the whole, the price per sq yd. for the foot way being Rs. 2. 10 a, and for the remainder Rs 2 4 a?

47 A carpet 23 ft. long and 22 ft wide is laid in the centre of a room 30 ft long by 26 ft. wide. If the carpet costs Re 1 2 a. per square yard, and the rest of the floor is stained at the rate of Re 1 11 a. per dozen square yards, find the total cost.

48 The floor of a hall 48 ft long by 36 ft. broad is partly to be tiled and the rest boarded, the tiled portion forming a uniform margin 2 yards wide round the hall. The tiles measure 9 inches by 8 inches each, and the boards 6 feet by 6 inches. how many of each are required?

49 A rectangular court is 50 yds. long and 30 yds wide. It has paths, 6 ft. in width, joining the middle points of opposite sides, and also a paved corridor of the same width running all round the outside of it. The remainder is covered with grass. If the cost of the pavement for the paths and corridor is 1s 8d per square foot, and the cost of the grass 3s. per square yard, find the whole cost of laying out the court and corridor.

240 Carpeting of Floors Carpet is usually sold in rolls of uniform width at so much per *linear yard*. To carpet a given floor it is necessary to cut from such a roll a sufficient number of strips (each having the *same length* as the floor), and then place them side by side to form an area of carpet equal to the area of the floor. It is evident, however, that unless the width of the floor is an exact multiple of the width of the roll, the requisite amount of carpet will not be represented by an exact number of strips. In other words, part of one strip will be wasted.

EXAMPLE 1 Find the cost of carpet 30 in wide at 4s 2d a yard for a room whose length is 20 ft and width 14 ft. How many square feet of carpet will be wasted?

Here width of room = 14 ft, and width of the roll = $2\frac{1}{2}$ ft,

$$\text{number of strips, each 20 ft long,} = \frac{14}{2\frac{1}{2}} = 5\frac{3}{5}$$

Thus 6 strips will be required, two fifths of the last strip being wasted

$$\begin{aligned}\text{length of carpet used} &= 20 \text{ ft} \times 6 = 120 \text{ ft} \\ &= 40 \text{ yds}\end{aligned}$$

$$\begin{aligned}\text{the required cost} &= 4s \ 2d \times 40 \\ &= \pounds 8 \ 6s \ 8d\end{aligned}$$

The waste = $\frac{2}{5}$ of a strip

$$\begin{aligned}\text{number of sq ft wasted} &= \frac{2}{5} \times 20 \times 2\frac{1}{2} \\ &= 20\end{aligned}$$

NOTE. If the breadth of the room is an exact multiple of the breadth of the carpet, we may proceed more directly as follows

Suppose the room is l ft long and b ft broad, and that the carpet is a ft broad. Then if x is the number of feet in the required length, we have at once

$$a \times x = l \times b,$$

$$x = \frac{l \times b}{a}$$

EXAMPLE 2. To carpet a room 18 ft long by 11 ft 3 in wide with carpet 27 in wide cost Rs 121 4 a. If Rs 8 12 a of this was paid for making and laying the carpet, what was the price per yard of the carpet?

Here width of room = $11\frac{1}{4}$ ft, and width of carpet = $2\frac{1}{4}$ ft

$$\text{number of strips} = 11\frac{1}{4} \div 2\frac{1}{4} = 5$$


$$\text{length of carpet} = 18 \text{ ft} \times 5 = 30 \text{ yds}$$

Now cost of carpet (before making) = Rs 112 8 a,

$$\begin{aligned}\text{price of carpet per yd} &= \frac{\pounds 112 \ 8}{30} \text{ rupees} \\ &= \text{Rs } 3 \ 12 \text{ a}\end{aligned}$$

241 Papering the Walls of a Room Wall paper is generally made in pieces, 12 yards in length, and of uniform width (usually 21 inches), and is sold at so much *per piece*. To find the number of pieces required for a room of given dimensions we should divide the area of the walls by the area of each piece. But results so obtained are of little value, as in practice doors, windows, and fireplace have to be allowed for, moreover, there is always some waste in cutting the paper and "matching the pattern"

242 Consider a room whose length, breadth, and height are respectively l feet, b feet, and h feet. Then if we suppose the walls to be hinged at the corners and capable of being opened out, we obtain one continuous rectangle as represented in the diagram below



Hence it appears that the four walls together have an area equal to that of a single rectangle whose width is h ft (viz. the height of the room), and whose length is $(2l+2b)$ ft (viz. the perimeter of the floor)

$$\begin{aligned}\text{Hence, area of four walls} &= \text{perimeter} \times \text{height} \\ &= 2(l+b) \times h \text{ square ft}\end{aligned}$$

EXAMPLE 1 A room is 17 ft 5 in. long, 14 ft 7 in wide and 11 ft. 6 in. high. Supposing that doors, windows, etc occupy 76 sq ft, and that the waste amounts to 2 'pieces,' find the cost of the requisite amount of paper at 3s 6d per piece of 12 yds

Here $l+b=32$ ft, and $h=11\frac{1}{2}$ ft.

$$\begin{aligned}\text{area of walls} &= (2 \times 32 \times 11\frac{1}{2}) \text{ sq ft} \\ &= 736 \text{ sq ft}\end{aligned}$$

$$\begin{aligned}\text{Area to be papered} &= (736 - 76) \text{ sq ft} \\ &= 660 \text{ sq ft}\end{aligned}$$

$$\text{Area of each piece} = (12 \times 3 \times \frac{21}{12}) \text{ sq ft} = 63 \text{ sq ft}$$

$$\begin{aligned}\text{number of pieces} &= (660 - 63) \div 2, \text{ allowing for waste,} \\ &= 12\frac{1}{2}\end{aligned}$$

But since the paper is sold by the piece, **13** pieces would have to be paid for, and the cost would be 3s 6d \times 13, or £2 5s 6d

EXAMPLE 2 Find the cost of painting the four sides and the bottom of a tank 2 yds 1 ft long, 4 ft wide, and $4\frac{1}{2}$ ft deep at 4 annas per square foot

Area of four vertical sides = perimeter \times depth,

that is, area of sides = $(2 \times 11 \times \frac{9}{2})$ sq ft = 99 sq ft

Area of bottom = (7×4) sq ft = 28 sq ft

Total area to be painted = $(99 + 28)$ sq ft = 127 sq ft

cost of painting = $(127 \times \frac{1}{4})$ rupees

= $31\frac{3}{4}$ rupees

= Rs 31 12a

EXAMPLES XIV b

1 How many yards of carpet 2 ft 6 in wide will be required for a room 20 ft long and 15 ft wide?

2 What length of carpet 27 in wide will be required to cover the floor of a room 17 ft long and 11 ft 3 in wide?

3 It takes exactly 20 yards 1 ft of carpet $\frac{3}{4}$ yd wide to cover a floor 14 ft 8 in long, find the width of the floor

4 Find the cost of carpeting a room 25 ft long and 18 ft wide, with carpet 2 ft 3 in wide at Rs 4 8a per yard

5 How many strips of carpet 27 in wide will be required for a room 20 ft 3 in long and 16 ft wide, and what will be the cost at 3s 4d per yard? What fraction of the last strip will be wasted?

6 Find the cost of carpet 30 in wide necessary to cover the floor of a room 15 ft long and 12 ft wide, the carpet costing Rs 2 8a per yard. Shew that $7\frac{1}{2}$ sq feet will be wasted

7 What length of carpet 27 in wide will be required for a room 18 ft long and 12 ft 9 in wide, and what will be its cost at 5s 6d per yard? How many square feet of carpet will be wasted?

8 Find the area of the walls of the rooms whose dimensions are

(i) Length 16 ft 8 in, width 15 ft 4 in, height 12 ft 9 in

(ii) Length 20 ft 3 in, width 16 ft. 5 in, height 15 ft 9 in

9⁶⁸ Find the cost of painting the walls of a room 12 ft 9 in long, 11 ft 3 in wide, and 10 ft high at Re 1 2a per square yard, without allowing for doors and windows.

10 Find the cost of colouring the walls and ceiling of a room whose height is 14 ft, length 15 ft, and breadth 12 ft, the walls costing 9 annas per square yard, and the ceiling 4a 6p per square yard

11 Find the external surface of the closed rectangular boxes, the outer dimensions of which are

(i) Length 6 ft, breadth 4 ft, depth 3 ft 6 in

(ii) Length 3 ft 6 in, breadth 2 ft 4 in, depth 1 ft 3 in

12 The external dimensions of a closed rectangular box are 9 ft, 4 ft 6 in, and 3 ft. Find the cost of painting it outside at 2 annas per square yard

13 Supposing the paper saved from doors, windows, etc, makes up for the waste, how many pieces 12 yds long and 27 in wide will be required for a room 18 ft 9 in long, 11 ft 3 in wide, and 13 ft 6 in high?

14 How many pieces of paper, 12 yds long, and 21 in wide, will be required for a room 16 ft 5 in long, 13 ft 7 in wide, and 11 ft 3 in high, allowing 55 sq ft for windows, etc, and 2 extra pieces for waste?

15 A room is 18 ft square, and 11 ft high. doors, windows, etc, occupy 90 sq ft, and 1 piece of paper is wasted. Find the cost of papering the walls with paper 27 in wide, at 6s per piece of 12 yds

16 A room 16 ft 9 in long, 10 ft 3 in wide and 11 ft high has a door 7 ft by 3 ft, two windows each 4 ft by 5 ft., and a fireplace 4 ft by $3\frac{1}{2}$ ft. Find the cost of painting the walls at 9d per square yard

17 The cost of paper for a room 15 ft 7 in long by 14 ft 5 in wide is £1 15s. If the paper is 30 in wide and costs 5s per piece of 12 yds find the height of the room, assuming that the waste is balanced by the amount of paper saved by windows, etc

18 Find the number of square feet of lead required to line an open cistern whose inside dimensions are as follows length 5 ft 3 in, width 3 ft, depth 1 ft 10 in

19 Find the cost of painting the outside of a box (with lid) whose length is 3 ft 9 in, width 3 ft 4 in, and depth 3 ft, at the rate of 4 annas per square yard

20 What will be the cost, to the nearest rupee, of paper for the two walls of a passage which is 21.85 yards long, 10.4 yards high, at 4 Rs 35 cents per piece of 8 yards in length and 0.45 yard in width?

21 If it costs £21 6s 5d, at 8d per square foot, to paint the walls of a room 19 ft 6 in long, 14 ft 9 in wide, and 11 ft 3 in high, how many square feet are occupied by windows, etc?

EXAMPLES XIV. c.

(Miscellaneous)

[In Examples 1-7, the following approximate equivalents may be used

1 metre = $39\frac{1}{8}$ in, 1 square metre = 1550 square inches,

1 kilometre = $\frac{5}{8}$ mile, 1 hectare = $2\frac{1}{2}$ acres]

1 A rectangular floor is 8.25 m in length and 6 m in width find

(i) its approximate area in square feet ;

(ii) the cost of staining it at 1½d per square metre,

(iii) how much would be saved by staining it at 1d per square yard

2 The area of a rectangular courtyard is 235.84 sq m and its length is 16 m 75 cm, find its breadth (i) in metres, (ii) approximately in feet and inches

3 What is the width of a road (to the nearest tenth of a yard), if its area is 92 ares per kilometre of length?

4 A belt of wood is 3.8 Km in length, and has an average width of 42.35 metres, find the cost to a shooting tenant who rents it at £2.10s per acre. [Answer to the nearest penny]

5 The length, breadth, and height of a room are 5.65 m, 4.35 m, and 4.5 m respectively. Allowing 18 square metres for doors, windows, and fireplace, find the cost of painting the walls at 4½d per square yard

6 On a map drawn to the scale of an inch to a mile a certain estate covers an area of 2.44 square inches. Find the real area of the estate in acres

7 The map of a district is drawn on a scale of 1.6 cm to a mile. What area on the map will represent a lake 2000 hectares in extent?

8 It is proposed to cover with equal square tiles a floor 17 ft 6 in long by 15 ft 9 in broad, find in how many ways this can be done when the side of the tile contains an integral number of inches, and find the number required in each case

9 It costs Rs 16.14a to paint the ceiling of a passage which is 20 ft 3 in long and 15 ft wide. If the passage is 10½ ft high, what would be the additional cost of painting the walls at the same rate?

10 A passage 40 ft long, 8 ft wide, and 10 ft high, has two doors 7 ft by 4 ft, and a window 5 ft 6 in by 2 ft. Find the cost of colouring the walls and ceiling at 4s 6p per square yard.

11 Assuming the area of a triangle to be given by the formula

$$\text{area} = \frac{1}{2} (\text{base}) \times \text{height},$$

find the area of a triangle in which the base is 25 chains and the height is 3 chains 21 links

12 The area of a triangle standing on a base of 15 m. 45 cm is 90 61 sq metres, find the height

13 Assuming the area of a trapezium (i.e. a quadrilateral with a pair of parallel sides) to be given by the formula

$$\text{area} = \frac{1}{2} (\text{sum of parallel sides}) \times (\text{distance between them}),$$

find, to the nearest square metre, the area of a trapezium when the parallel sides are 34.72 m and 27.08 m, and the distance between them is 20.5 m

14 A quadrilateral field has two parallel sides measuring 13 chains 46 links and 11 chains 54 links, the perpendicular distance between them being 6 chains 20 links. If the rent is £38 15s, what is the rent per acre?

15 The area of a circle of diameter d is given approximately by the formula

$$A = d^2 \times 0.7854.$$

Use this formula to find

(i) the area of a circle whose diameter is 36 metres, (to the nearest hundredth of a square metre),

(ii) the cost of gravel, at 4 annas per square yard, for a circular court whose diameter is 43 feet

16 Find, to the nearest tenth of a square foot, the area of a circular ring whose external and internal radii are 27 feet and 23 feet respectively

17 A circular lawn 190 feet in diameter is surrounded by a path 10 feet wide, find the area of the path to the nearest square yard.


18 A rectangular hall 24 ft 9 in long and 13 ft 6 in wide has a semi-circular verandah at one end. Find, to the nearest pice, the cost of laying wooden blocks at Rs 2 8a a square yard for the hall, and stone at Rs 3 a square yard for the verandah

19 A rectangular tennis ground is 110 yds long and 55 yds wide. Find the expense of sowing it with grass-seed at the rate of $3\frac{1}{2}$ bushels per acre, the price of the seed being £1 1s 4d per bushel.

20 A square field contains $2\frac{1}{4}$ bighas, what is the cost of making a path 3 yds wide inside the field round the boundary at 4 annas per square yard?

21 The number of acres in the county of Suffolk is 931,000. What is the area which represents this county on a map of England which is drawn to the scale of 1 inch to 10 miles? Give your answer to the nearest square inch, and draw a rectangle of this area. (C S)

22 Find the number of square feet in the shaded and unshaded areas represented in the adjoining diagram, on the supposition that it is drawn on a scale of 1 cm to 5 ft. Make any necessary measurements.



23 The sides of a rectangular field are as 2 : 1, and its area is an acre, find the length of its diagonal.

24 A rectangular garden, whose length is twice its breadth, contains 2244 $\frac{5}{8}$ sq yds. How much would it cost to surround it with a fence at 13 Rs 25 cents per yard?

25 The area of a gravel path 8 ft wide, surrounding a square park, is 4 acres. Find the area of the park, including the path, to the nearest tenth of an acre.

26 The difference between the areas of two square fields is 5 acres. If the length of a side of the smaller is 71 yds, find the length of a side of the larger.

27 The length and breadth of a room are measured by means of a walking stick, and are estimated at 15 ft and $12\frac{1}{2}$ ft. In making the calculation it is assumed that the stick is 3 ft long. The actual length is 2 ft 9 in. Find the errors in the measurements of the room arising from this mistake, and the error in the area to the nearest square foot. (C S)

28 A street improvement scheme involves purchasing the houses on one side of the street, and the land on which they stand along a frontage of 352 ft and to an average depth of 53 ft. The houses cost £87700, and the land costs £3 7s per sq ft. The roadway is then widened 9 ft, and remaking this extra piece costs 8s per sq yd. The remaining land is sold again at £5 13s per sq ft. Find the net cost of the improvement. (C S)

Cubic Measure.

243 The Tables of Cubic Measure and some easy applications of them have been given in Chap II [See Arts 36-39] It is there shewn that the volume of a rectangular block, or cuboid, is given by the formula

$$\text{Volume} = \text{length} \times \text{breadth} \times \text{height},$$

where by *length*, *breadth*, and *height* we mean the number of *linear* units in each, and by *volume* the number of *corresponding* units of cubic measure

NOTE This rule was proved in the case where the length, breadth, and height were expressed by whole numbers By reasoning similar to that of Art 237, it may be shewn to hold good also when the dimensions are fractional

244 Let V be the number of cubic units in the volume of a cuboid, and let the number of units in length, breadth, and height be denoted by l , b , and h respectively Also let A represent the number of square units in the base, then $A = l \times b$

The formula of the last article gives

$$\begin{aligned} V &= l \times b \times h \\ &= A \times h. \end{aligned}$$

Thus we have

$$\text{volume of cuboid} = (\text{area of base}) \times \text{height}$$

NOTE The formula $\text{volume} = (\text{area of base}) \times \text{height}$ has been proved on the supposition that the base is *rectangular*, but it holds equally (see *School Geometry*, p 393) for a solid figure constructed in like manner on a base of any shape whatever The truth of this will be assumed in some of the examples which follow

245 From the formula $V = l \times b \times h$ we derive

$$(i) \ l = \frac{V}{b \times h}, \quad (ii) \ b = \frac{V}{l \times h}, \quad (iii) \ h = \frac{V}{l \times b},$$

so that any one of the four quantities in the formula can be found when the other three are known

NOTE In using these formulæ care must be taken that the units of length and volume correspond. Thus in the formula $b = \frac{V}{l \times h}$, if V is in cubic metres, l and h must each be in linear metres, and the result b will be in linear metres

EXAMPLE 1 *A rectangular tank measures internally 8 ft in length, 6 ft in breadth, and 2 ft 4 in in depth. How many cubic feet will it contain? And how many maunds, supposing 1 cubic ft is equivalent to 25 seers?*

$$\begin{aligned}\text{The volume of the tank} &= \text{length} \times \text{breadth} \times \text{depth} \\ &= (8 \times 6 \times 2\frac{1}{3}) \text{ cubic ft} \\ &= 112 \text{ cubic ft}\end{aligned}$$

$$\begin{aligned}\text{the capacity of the tank} &= 25 \text{ seers} \times 112 \\ &= 70 \text{ maunds}\end{aligned}$$

EXAMPLE 2 *Find the height of a rectangular solid whose volume is 7 cu ft 864 cu in, length 4 ft, and breadth 1 ft 3 in*

$$\text{Here volume} = 7 \text{ cu ft } 864 \text{ cu in} = 7\frac{1}{2} \text{ cu ft}$$

$$\begin{aligned}\text{from the formula } h &= \frac{V}{l \times b}, \\ \text{the required height} &= \frac{7\frac{1}{2}}{4 \times 1\frac{3}{4}} \text{ ft.} \\ &= 1 \text{ ft } 6 \text{ in}\end{aligned}$$

EXAMPLE 3 *During a rainfall of 25 mm, how many litres of water fall per hectare? And, approximately, how many gallons per acre?*

[Assume 1 Ha = $2\frac{1}{2}$ acres, 1 litre = $1\frac{3}{4}$ pints, approximately]

$$\text{Volume of water} = \text{area} \times \text{height} \quad [\text{See Art 244, NOTE.}]$$

$$\begin{aligned}1 \text{ Ha} &= 10000 \text{ square metres} \\ &= 10000 \times 10^2 \text{ square decimetres,}\end{aligned}$$

$$25 \text{ mm} = \frac{25}{10^2} \text{ decimetres}$$

$$\begin{aligned}\text{vol of water} &= \left(10000 \times 10^2 \times \frac{25}{10^2} \right) \text{ cubic decimetres} \\ &= 250,000 \text{ cu dm} \\ &= 250,000 \text{ litres}\end{aligned}$$

$$\text{Again } 1 \text{ Ha.} = 2\frac{1}{2} \text{ acres, approximately}$$

$$\begin{aligned}\text{Hence volume of water per acre} &= (250,000 \div 2\frac{1}{2}) \text{ litres} \\ &= \left(\frac{250,000}{2\frac{1}{2}} \times 1\frac{3}{4} \times \frac{1}{8} \right) \text{ gallons} \\ &= 21,875 \text{ gallons}\end{aligned}$$

EXAMPLES XIV d

1 Find in cubic feet the volume of the cuboids whose dimensions are as follows

(i) Length 4 ft, width $2\frac{1}{2}$ ft., height $1\frac{1}{2}$ ft.

(ii) „ 9 ft, „ 4 ft, „ 21 in.

(iii) „ $4\frac{1}{2}$ yds, „ $3\frac{1}{3}$ ft, „ 16 in.

(iv) „ 6 ft, 9 in „ 5 ft 4 in „ $1\frac{1}{2}$ yd.

2 Find the surface and volume of a cube whose edges measure 4.5 ft

3 How many cubic yards of masonry are there in a wall 26 yds 2 ft long, 30 ft 3 in high, and 18 in thick?

4 Find the cubical content of a beam 13 ft 6 in long, if the area of its cross section is $2\frac{2}{3}$ square feet

5 How many cubic metres are there in the cuboids which have

(i) Length 3.75 m, breadth 2 m, height 40 cm ?

(ii) Area of base 450 sq m, thickness 160 cm ?

6 Find the depth of a tank which can contain 2.6 cu m of water, the area of the base being 6500 sq cm

7 A tank contains 21,000 litres of water, if the length and breadth are 5.6 metres and 2.5 metres respectively, find the depth

8 Find the weight of an iron bar 48 in long, 4.5 in broad, and 2.5 in thick, given that 1 cu ft of iron weighs 480 lbs

9 How many maunds can be contained in a cubical vessel, each edge of which measures 4 ft, supposing 1 cu ft to contain 25 seers ?

10 A room contains 2156 cu ft of air, and its height is 12 ft 10 in, find the area of the floor

11 It costs Rs 21 to cut a trench 16 ft long and 7 ft wide at 1s 6p per cubic foot find the depth

12 What must be the depth of a tank whose base is a square on a side of 1 yd., if it holds as much water as a second tank whose dimensions are 4 ft 6 in, by 2 ft. 3 in, by 1 ft 4 in ?

13 One ton of lead is rolled into a sheet of uniform thickness 0.42 in Find approximately in square yards the area of the sheet, having given that 1 cu ft. of lead weighs 710 lbs

14 The annual rainfall in a certain place is 28 in. Express this in maunds per bigha [1 cu ft of water weighs 1000 oz and 35 seers = 72 lbs]

15 A pond whose area is half an acre is frozen over with ice 2 in thick. Find, to the nearest ton, the total weight of ice, if 1 cu ft of it weighs $57\frac{1}{4}$ lbs

16 Express in gallons per acre an annual rainfall of 30 in, assuming that 1 cu ft contains $6\frac{1}{4}$ gallons

17 How many hundredweight of sheet lead, $\frac{1}{8}$ in thick, will be used to cover a surface of $22\frac{1}{2}$ sq yds.? [See Ex 13]

18 If a square foot of metal $\frac{3}{4}$ in thick weighs 30 lbs, what is the weight in pounds of a plate 6 ft 6 in long, 3 ft 6 in wide, and $3\frac{1}{2}$ in thick made from the same metal?

19 A brick (with mortar) occupies a space 9 in long, $4\frac{1}{2}$ in broad, and 3 in high, how many bricks will be required for a wall 30 yds long, 6 ft high, and $13\frac{1}{2}$ in thick?

20 Find the area of the bottom of a box 5 ft high if the contents (when the box is full) weigh 12 mds 6 srs, at the rate of $4\frac{1}{2}$ chataks for every 60 cu. in

21 A block of metal whose dimensions are 2 ft 9 in, by 1 ft 8 in, by 1 ft 4 in weighs 11 cwt, what would be the length of a bar of the same metal if the area of its cross section is 120 sq in and its weight is 18 cwt?

22 In the first fortnight of Dec 1907 there was a rainfall of 3 inches in the Thames Valley above Teddington. Assuming this area to be 3800 square miles, shew that the rainfall was approximately equivalent to the addition to the normal water of the Thames of three rivers each 670 miles long, 250 feet wide, and 10 feet deep

246 Suppose a closed box, which measures externally a inches long, b inches wide, and c inches high, is made of wood h inches thick

(i) Then the internal dimensions are as follows

$$\text{length} = a - 2h, \text{ breadth} = b - 2h, \text{ height} = c - 2h$$

(ii) The number of cubic inches in the capacity of the box

$$= (a - 2h)(b - 2h)(c - 2h)$$

(iii) The number of cubic inches of material used in the construction of the box = $abc - (a - 2h)(b - 2h)(c - 2h)$

247 The specific gravity of a substance is the ratio of the weights of equal volumes of the given substance and water

Thus if the specific gravity of lead is 11.4, it follows that the weight of 1 cubic decimetre of lead is 11.4 kilograms.

EXAMPLE 1 Find the weight of a steel bar 1.28 m long, 15 cm wide, and 5 cm thick, the specific gravity of steel being 7.7

$$\begin{aligned}\text{The volume in cubic decimetres} &= 12.8 \times 15 \times 5 \\ &= 960\end{aligned}$$

$$\begin{aligned}\text{the required weight} &= (960 \times 7.7) \text{ Kg} \\ &= 7392 \text{ Kg}\end{aligned}$$

EXAMPLE 2. A closed wooden chest measures externally 3 ft 4 in long, 2 ft 4 in broad, 1 ft 5 in. high, if the thickness of the wood is half an inch, find (i) the capacity of the chest, (ii) its weight, supposing the specific gravity of the wood to be 0.972

The internal measurements are respectively 3 ft 3 in, 2 ft 3 in, and 1 ft 4 in

$$\begin{aligned}\text{the capacity of the chest} &= \left(3\frac{1}{4} \times 2\frac{1}{4} \times 1\frac{1}{3}\right) \text{ cu ft} \quad [\text{Art 246 (ii)}] \\ &= 9\frac{3}{4} \text{ cu ft}\end{aligned}$$

$$\begin{aligned}\text{The number of cubic feet of wood} &= \left(3\frac{1}{3} \times 2\frac{1}{3} \times 1\frac{5}{12}\right) - 9\frac{3}{4} \quad [\text{Art 246 (iii)}] \\ &= 11\frac{1}{24} - 9\frac{3}{4} \\ &= 1\frac{29}{108}\end{aligned}$$

Again since 1 cu ft of water weighs 1000 oz., the weight of 1 cu. ft of the wood weighs 972 oz.

$$\text{Thus the weight of the box } \left(1\frac{29}{108} \times 972\right) \text{ oz.} = 77 \text{ lbs } 1 \text{ oz.}$$

EXAMPLE 3 Through a wooden pipe, whose cross section is a square on a side of 8 cm, water flows uniformly at the rate of 40 metres a minute. How long will it take to discharge a million litres?

The volume of water flowing through the pipe per minute is that of a cuboid whose dimensions are 400, 0.8, 0.8 decimetres respectively

$$\begin{aligned}\text{Hence number of litres per min} &= 400 \times 0.8 \times 0.8 \\ &= 256\end{aligned}$$

$$\begin{aligned}\text{time required for a million litres} &= \frac{1000000}{256} \text{ minutes} \\ &= 65 \text{ hrs } 6\frac{1}{4} \text{ min.}\end{aligned}$$

EXAMPLES XIV. e.

[The following approximate equivalents may be used

1 hectare, or $(100)^2$ square metres = $\frac{1}{2}$ acres 1 kilogram = $2\frac{1}{2}$ pounds

1 cubic foot of water weighs 1000 ounces or $62\frac{1}{2}$ pounds

1 cubic foot of water contains $6\frac{1}{4}$ gallons]

1 Find the weight per square metre of sheet zinc 3 mm thick, the specific gravity of zinc being 7.14

2 The specific gravity of ebony is 1.2, find the weight of (i) a cube, each edge of which is 2.5 cm, (ii) a ruler, 36 cm in length, the cross-section being a square on a side of 8 mm

3 Find the weight in tons of a block of granite (Sp. gr. = 2.56) measuring 4 ft, by $3\frac{1}{2}$ ft, by $2\frac{1}{2}$ ft

4 What is the weight in pounds of an oak beam, 12 ft long, 18 in wide, and 16 in. thick, the specific gravity of oak being 0.85?

5 A level seam of coal has an average thickness of 2 ft 4 in. If the specific gravity of coal is 1.28, find how many tons the seam will yield per acre

6 Find in kilograms, and also approximately in pounds the weight of a beam of fir, 4.45 m long, 24 cm broad, and 20 cm thick, given that the specific gravity of fir is 0.55

7 If 540 Kg of mercury are poured into a rectangular trough, $2\frac{1}{2}$ m long by 16 cm wide, to what depth will the trough be filled? The specific gravity of mercury = 13.5

8 Water flows through a stone culvert, 3.5 m wide and 60 cm deep, at the rate of 2.5 Km per hour. How many litres will pass under a bridge in $2\frac{1}{2}$ minutes?

9 A tank whose length and breadth are respectively 1.75 m and 80 cm receives water from a pipe which discharges 3500 litres per hour. What depth of water will be added in 12 minutes?

10 Find approximately in pounds the weight of a copper bar 1.68 m in length, 12.5 cm in width, and 5 cm in thickness, given that copper weighs 8.8 times as much as its bulk of water

11 Find, in cubic inches, the capacity of a closed box made of wood $\frac{1}{2}$ in thick, the external dimensions being 9 in, by 7 in, by 6 in

12 How many cubic inches of material are required to make a closed box, the sides, lid, and bottom being $\frac{1}{2}$ in thick, and the external dimensions 13 in, by 11 in, by 9 in?

13 The sides of an open box are $\frac{1}{2}$ in. thick, and the bottom is 1 in thick, if the external length, breadth, and depth are respectively 14 in., 10 in., and 8 in., find the capacity of the box and the quantity of material used in its construction

14 A trench, 50 yds long and 15 ft wide, has a uniform depth of 6 ft. How long would it take to fill the trench with water by means of a pipe which discharges 125 gallons per minute?

15 Water passes from a reservoir into a canal by a culvert 4 ft. wide and $1\frac{1}{4}$ ft deep. If the water flows at the rate of 4 miles an hour, find how many gallons pass into the canal in ten minutes

16 One million litres of water flow on to a skating rink one acre in extent. Find in centimetres the depth to which the rink is flooded

17 What fraction of a ton of water is required to fill a cistern 3 ft 8 in long, 2 ft 8 in wide, and 2 ft deep? Assuming the above cistern to have no lid and to be made of wood 2 in thick, find the cost of completely covering the wood with paint at 9 pils per square foot

18 What is the capacity of a box which on the outside measures 2 ft $9\frac{1}{2}$ in long, 2 ft $6\frac{1}{2}$ in broad, and 2 ft $1\frac{3}{4}$ in high, the sides and top being $\frac{1}{4}$ in thick and the bottom 1 in thick? Find also the number of pounds of water, to the nearest integer, which can be contained in 19 such boxes

19 A rectangular block of metal, whose dimensions are 1 ft 6 in., by 1 ft., by 10 in., is thrown into a cistern partly full of water. If the cistern stands on a base 2 ft 6 in. by $2\frac{1}{2}$ ft. 4 in., and the block is completely immersed, how high will the immersion of the metal cause the water to rise?

20 A cistern, measuring internally 5 ft., by 4 ft., by 3 ft 8 in., has 30 cubic feet of water in it. Porous bricks are placed in the water until the cistern is brim full, each brick absorbing one seven teenth of its own volume of water. How many bricks can be put in without the water overflowing, each brick being 9 in., by 3 in., by $2\frac{2}{3}$ in.?

21 An iron plate whose length is 280 cm., breadth 195 cm., and thickness 20 mm weighs 851.76 Kg., find the specific gravity of the iron

22 The adjoining figure represents, on a scale of 1 cm. to 10 yds., a courtyard which is to be paved with blocks of wood 6 in. long, 3 in. broad, and 4 in. deep. How many blocks are used, and how many cartloads of 2.5-tons will they make, if the specific gravity of the wood is 0.8? Also find the cost, to the nearest penny, at 9s. 4d. per ton



23 The area of the Trent basin is 4082 square miles, and the annual rainfall 31 inches. The river discharges 220,000 cubic feet per minute. What percentage (to the nearest integer) of the rain that falls is discharged by the river? (C S)

24. A town has a population of 400,000 and a water supply of 30 gallons per head per day is required. A reservoir is provided to hold six months' supply [say, July to December inclusive], with a mean depth of 20 feet. What must the area of the reservoir be? Find the area of the catchment basin, if 20 inches of rainfall in the year will yield sufficient water to supply the town. (C S)

Give answers to nearest acre and nearest square mile respectively.

25 Lake Tsina has a surface area of 30,000,000 ares, and discharges annually a quantity of water that would raise its level by $1\frac{1}{4}$ metres. It is proposed to erect a barrage at the outlet to control the discharge, with sluice gates that allow the passage of 170 cubic metres of water per second. If this is done, and the annual discharge is to remain what it now is, during how many days per year (to the nearest integer) may the sluice gates be open? (C S)

26 A river holds 23 grains of solid matter in suspension to every gallon. At a certain point the average velocity of the river is 4 miles an hour, and the area of the cross section of the river is 1400 sq ft. Find, to the nearest hundred, how many tons of solid matter in suspension are carried past this point in a year. (C S)

27 The diameter of some copper wire is 2 mm, and a cubic decimetre of copper weighs 9.0 Kg. Find, to the nearest metre, the length of wire in a quantity which weighs 7.5 Kg.

[The volume of a length of l metres, of diameter d metres is $0.7854 \times d^2 \times l$ cubic metres.]

CHAPTER XV

GRAPHS

248 ONE quantity is often related to another in such a way that if a change is made in the value of one there is a corresponding change in the value of the other. For example, suppose we know the cost of a certain weight of tea, if we double the weight we double the cost, if we treble the weight we treble the cost, and so on. In other words, in this case the cost is always *directly proportional* to the weight. Similarly, when a train is travelling at a uniform speed, the distance travelled is directly proportional to the time.

249 Any expression involving x will have different values if different values are substituted for x . Suppose we wish to find the values of the expression $2x+5$ when x has the series of values 3, 2, 1, 0, -1, -2, -3, the following arrangement will be found convenient.

Let y stand for the expression, that is, suppose $y=2x+5$, and arrange the values as in the following table.

x	3	2	1	0	-1	-2	-3
$2x$	6	4	2	0	-2	-4	-6
$y=2x+5$	11	9	7	5	3	1	-1

Thus corresponding to the values 3, 2, 1, 0, -1, -2, -3 for x we have the values 11, 9, 7, 5, 3, 1, -1, for y , or $2x+5$. Here there is no direct proportion between the values of x and y , but each value of y is dependent on the corresponding value of x .

250 A quantity which may have a series of different values is called a **variable**. In the above table x is a variable, and y (whose value depends on that of x) is also a variable. The relation between two variables thus connected may often be conveniently shewn by means of diagrams which give the values of the variables at a glance.

251 Axes of Reference Coordinates On a piece of squared paper select a pair of the thicker horizontal and vertical lines. Let these be marked XOX' , YOY' as in Fig 1 below. Then the position of any point P with reference to these lines can be found when we know its distances from each of them. Such lines are known as axes of reference, XOX' being known as the axis of x , and YOY' as the axis of y . Their point of intersection O is called the origin.




FIG 1

Consider the point P in the figure. It will be seen that we can get to P by marking 6 divisions of the paper along OX , that is to the point M , and then taking 4 divisions vertically up from M . Thus if the perpendicular distances of a point from the axes are known the position of the point is fixed. The distances 6 and 4 are known as the **coordinates** of the point P . OM is known as the **abscissa** of P , and PM is known as the **ordinate** of P .

When symbols are used the abscissa is generally denoted by x , and the ordinate by y . A point whose coordinates are x and y is spoken of as "the point (x, y) ," the abscissa of the point always being named first. This process of marking the position of a point by means of its coordinates is known as **plotting the point**.

In practice the most convenient paper is that ruled to tenths of an inch, and one or more of the divisions may be taken as the unit of length.

252 The axes of reference divide the plane of the paper into four spaces XOY , YOX' , $X'OY'$, $Y'OX$, known respectively as the first, second, third, and fourth quadrants.

It is clear that in each quadrant there is a point whose distances from the axes are equal to those of P in the above figure, namely, 6 units and 4 units

The coordinates of these points are distinguished by the use of the *positive* and *negative* signs, according to the following system: distances measured along the x -axis to the *right* of the origin are *positive*, those measured to the *left* of the origin are *negative*. Distances measured vertically *above* the x -axis (that is, in the first and second quadrants) are *positive*, those which lie *below* the x -axis (that is, in the third and fourth quadrants) are *negative*.

Thus the coordinates of the points Q , R , S , in Fig 1 are

$(-6, 4)$, $(-6, -4)$ and $(6, -4)$ respectively

The pupil may be reminded that this is a natural extension of the explanation of *opposite signs* given on page 59 (See Art 49)

EXAMPLE 1 Plot the points

(i) $(6, 8)$, (ii) $(-2, 2)$, (iii) $(6, 0)$, (iv) $(0, 0)$,

and find the distance between the first two

(i) We first take 6 units to the *right* along OX , and then 8 units at right angles to OX and *above* it. The resulting point P is in the first quadrant




FIG 2.

(ii) Here we may briefly describe the process as follows: Take 2 steps to the *left* then 2 *up*, the resulting point Q is in the second quadrant.

(iii) Take 6 steps to the *right*, then *no steps either up or down* from OX . Thus the resulting point M is on the axis of x

(iv) The point $(0, 0)$ obviously represents the origin O

To find the distance between Q and P , draw an arc of a circle with centre Q and radius QP . Let this arc cut the horizontal line through Q at R . Then $QP = QR$

But $QR = 10$ divisions, each of which is one tenth of an inch. Thus $QP = 1$ inch

EXAMPLE 2. *A ship sails from harbour, first she sails 4 miles due West to a fort, thence 6 miles due South, then 6 miles due East, and then 11 miles due North. Find to the nearest mile her final distance from the fort.*

Here we may conveniently take the origin to denote the position of the harbour, and mark the axes WOE, NOS in order to shew the points of the compass. Let each division of the paper represent one mile, then 4 steps to the left brings us to P which represents the fort. From this point the ship's course is shewn by the dotted lines, and the final position is T. A circle described with centre P and radius PT cuts OE at V. Then $PT = PV$, which is very nearly 8 divisions from P. Thus the reqd distance is 8 miles.




FIG 3

EXAMPLES XV a.

Plot the following pairs of points and draw the line which joins them

- | | |
|--------------------|--------------------|
| 1 (4, 5), (2, 8) | 2 (-4, 5), (-2, 8) |
| 3 (3, 0), (0, 6) | 4 (-2, 0), (0, -8) |
| 5 (3, -8), (-2, 6) | 6 (5, 5), (-2, -2) |
| 7 (-2, 6), (1, -3) | 8 (0, 0), (-3, 5) |

9 Plot the points (3, 3), (-3, 3), (-3, -3), (3, -3) and find the number of squares contained in the rectangle given by these points

10 Plot the points (5, 6), (-5, 6), (5, -6), (-5, -6). If each division of the paper is supposed to represent 1 foot, how many square feet are there in the rectangle determined by these points?

11 Plot the following pairs of points, and in each case find the distance between them

- | | |
|-------------------------|-------------------------|
| (i) (4, 0), (0, 3), | (ii) (9, 8), (5, 5), |
| (iii) (15, 0), (0, 8), | (iv) (10, 4), (-5, 12), |
| (v) (20, 12), (-15, 0), | (vi) (20, 9), (-15, -3) |

12 If a man first walks 8 miles West, and then 6 miles North, how far will he be from his starting point?

13 How far will a man be from his starting point after walking East for 12 miles and then South for 5 miles?

14 A ship sails from harbour, first 5 miles W, then 8 miles N, then 14 miles E, and lastly 13 miles S. How far is she now from the harbour, to the nearest mile?

15 Plot the following points and shew experimentally that each set lies in a straight line

(i) (9, 7), (0, 0), (-9, -7), (ii) (-9, 7), (0, 0), (9, -7)

16 Plot the eight points (0, 5), (3, 4), (5, 0), (4, -3), (-5, 0), (0, -5), (-4, 3), (-4, -3) and shew that they are all at the same distance from the origin

253 We now return to the expression $2x+5$ discussed in Art 249. Using the same values of x as before, and putting y to represent the value of the expression, we have the following table of values

x	3	2	1	0	-1	-2	-3
$y=2x+5$	11	9	7	5	3	1	-1

If we now plot the points given by each pair of values we mark L, M, N, P, Q, R, S in the adjoining figure

It will be seen that they all lie on a *straight line*. This line may be produced in either direction, and is called the *graph* of the expression $2x+5$.

Since y is always equal to $2x+5$, the variations of this expression are seen at a glance by noting the values of the ordinates of the different points.

The advantage of this graphical method of illustration is that we can read off from the graph the value of y (that is, of the expression $2x+5$) for *any* value of x .




FIG. 4.

Thus, from the graph,

when $x=4$, y (or $2x+5$) = 13, at the point A,
and when $x=-5$, $y=-5$, at the point B

NOTE Any line drawn through a series of plotted points is called a *graph*. It is not necessarily a *straight line*.

EXAMPLES XV b.

1 Plot the following series of points

(i) $(5, 0), (5, 2), (5, 5), (5, -1), (5, -4),$

(ii) $(-4, 8), (-1, 8), (0, 8), (3, 8), (6, 8)$

Show that they lie on two lines respectively parallel to the axis of y and the axis of x . Read off the coordinates of the point in which they intersect

2 Plot the values given in the following table

x	2	-3	4	-5	8
y	2	-3	4	-5	8

showing that they all lie on a certain line through the origin

3 If $y=2x+10$, find the values of y when x has the values 0, 1, 3, -2, -5. Draw the graph, and find the coordinates of the points where it cuts the axes

4 Choosing your own series of values for x , find and tabulate corresponding values for y in the following cases

(i) $y=x$, (ii) $y=x+5$, (iii) $y=x-5$

Draw the three graphs using the same pair of axes

5 Using one pair of axes draw the graphs of

(i) $y=5x$, (ii) $y=5x-1$, (iii) $y=5x+6$

In this and the preceding example what do you infer about the relative positions of the three lines?

6 Plot the graphs of

(i) $y=2x$, (ii) $y=\frac{1}{2}x$, (iii) $y=3x$, (iv) $y=-3x$

What do you infer as to the *general character* of the graph of $y=ax$, where a is any numerical quantity?

7 Plot the points given in the following table

x	0	3	5	4	-5	0	-4	-4
y	5	4	0	-3	0	-5	3	-3

Join these points by a freehand *curved* line. What is the nature of the curve? [Compare Ex. 16, p. 280]

254 Measurement on Different Scales In the foregoing examples we have measured abscissae and ordinates on the same scale for the sake of simplicity, but there is no necessity for so doing, and it will often be convenient to measure the variables on different scales so as to get a better diagram

For example, in drawing the graph of $y=6x+3$,
 when x has the values 0, 1, 2, 3, 4,
 the corresponding values of y are 3, 9, 15, 21, 27

Thus some of the ordinates are much larger than the corresponding abscissae and rapidly increase as x increases

If these points are plotted with x and y measured on the same scale it will be found that with a small unit (such as one tenth of an inch) the graph is inconveniently placed with regard to the axes. If a larger unit is used the graph requires a diagram of inconvenient size

[The pupil should prove this for himself by trial.]

The inconvenience may be avoided by measuring the values of y on a considerably smaller scale than those of x . For example, let us take one inch as unit for x , and one tenth of an inch as unit for y , then the graph of $y=6x+3$ will be found to be as in Fig 5




FIG 5

NOTE Speaking generally, whenever one variable increases much more rapidly than the other, a small unit should be chosen for the rapidly increasing variable and a large one for the other

255 When a graph has been accurately drawn from plotted points, it can be used to *read off* (without calculation) corresponding values of the variables at intermediate points

EXAMPLE From the graph of the expression $6x+3$ find its value when $x=2.3$ Also find the value of x which will make the expression equal to 13

Put $y=6x+3$, then the graph is that given in Fig 5 Now we see that $x=2.3$ at the point P, and here $y=17$, nearly

Again $y=13$ at the point Q, and $x=1.66$ very nearly In reading off this last result we observe that OR is greater than 1.6 and less than 1.7, and we mentally divide the tenth in which R falls into ten equal parts (*i.e.* into hundredths of the unit) and judge as nearly as possible how many of these hundredths are to be added to 1.6

EXAMPLES XV. c

[In some of the following examples the units are specified, in others the pupil is left to select suitable units for himself When two or more graphs are involved in the same piece of work they must all be drawn on the same scale. In every case the units employed should be marked on the axes]

1 Choosing the values $x=0, 1, 2, 3, 4$, draw the graphs of $y=2x-8$, and $y=-2x+8$ Find the coordinates of the point where they intersect

[Unit for x , one inch, for y , one tenth of an inch]

2 With the same units as in Ex 1 draw the graphs of $y=9-4x$, and $y=\frac{5}{2}x-4$. Find the coordinates of the point where they intersect

[Use the values $x=-2, -1, 0, 1, 2, 3$]

3 Plot the graphs of

$$(i) y=10x+8, \quad (ii) y=25-7x$$

In (i) read off the value of y when $x=-\frac{1}{2}$

$$(ii) \quad x \quad y=16$$

4 Using the values $x=-10, -5, 0, 5, 10, 15$, plot the graph of $y=\frac{x}{5}-2$.

Read off the value of x when $y=3$, and the value of y when $x=-15$

[Use a large unit for y See Art 254]

5 Plot the graph of $y=11x+6$, and find from the graph the value of the expression $11x+6$ when $x=1.8$ Also find as nearly as you can the value of x which will make the expression equal to 20

256 The pupil who has carefully worked the foregoing examples will have inferred that the graph of every equation of the form $y=ax+b$ (where a and b may have any numerical values whatever) is a straight line. Also that the graph of every equation of the form $y=ax$ is a straight line through the origin.

Before going further the pupil should verify by trial each of the following statements

- (i) The coordinates of the origin are $(0, 0)$
- (ii) For every point on the axis of x the value of y is 0
- (iii) For every point on the axis of y the value of x is 0

NOTE The points where a graph cuts the axes can always be found by putting $y=0$, $x=0$ successively in the equation. Thus in the equation $y=6x+3$ on page 282

when $y=0$, $x=-\frac{1}{2}=OM$ in the figure,

when $x=0$, $y=3=ON$

The distances OM , ON are known as the *intercepts on the axes*

257 Equations which contain no higher powers of x and y than the first are called **simple equations** or **equations of the first degree** to distinguish them from *equations of higher degrees* such as $y=ax^2+b$, $y=x^3$. All equations of the first degree can by suitable modifications be reduced to one of the forms $y=ax$, or $y=ax+b$, and since their graphs are straight lines it is convenient sometimes to refer to them as **linear equations**.

Since a *straight line* can always be drawn when *any* two points on it are known, in drawing a *linear graph* only two points need be plotted. The points where the line meets the axes (Art 256, Note) will always suffice, though they are not always the best to select.

EXAMPLE Draw the graph of $4x-3y=13$

When $y=0$, $x=\frac{13}{4}$ (intercept on the x axis),

and when $x=0$, $y=-\frac{13}{3}$ (intercept on the y axis)

As both of these values involve fractions of the unit, it would be difficult to draw the line with sufficient accuracy. In such a case it is better to find by trial *integral* values of x and y which satisfy the equation.

Thus when $x=1$, $y=-3$, and when $y=1$, $x=4$

The graph can now be drawn by joining the points $(1, -3)$, $(4, 1)$

Graphs of Statistics.

258 In all the cases at present considered the graph has been a straight line obtained by first selecting values of x and y which satisfy *an equation of the first degree*, and then drawing a line so as to pass through the plotted points. The method is quite general, and it is easy to see that it may be applied when the variables are connected by an equation *which is not linear*. In such a case it will be found that a line drawn through the plotted points will take the form of some *curve* differing in shape according to the equation which connects the variables. Without discussing such cases in detail we may observe that, whenever two variable quantities depend on each other so that a change in one produces a corresponding change in the other, we can draw a graph to exhibit their variations without knowing any algebraical relation between them, *provided that we are furnished with a sufficient number of corresponding values accurately determined*.

But we frequently have to deal with cases in which a limited number of corresponding values of two variables have been obtained by *observation or experiment*. In such cases the data may involve inaccuracies, and consequently the position of the plotted points cannot be absolutely relied on. Moreover we cannot correct irregularities in the graph by selecting other points whose coordinates satisfy a given equation. One method of procedure is to join successive points by *straight lines*. The graph will then be represented by an irregular broken line, sometimes with abrupt changes of direction as we pass from point to point. In cases where no great accuracy of detail is required this simple method is often used to illustrate statistical results. A familiar instance is a Weather Chart giving the height of the barometer at equal intervals of time.

The chief disadvantage of this method is that, although it gives a general idea of the total change that has taken place between the plotted points, it furnishes no accurate information with regard to intermediate points.

EXAMPLE. *The readings of a thermometer taken at intervals of 2 hours beginning at 10 a.m. were 62.5° , 64° , 69.6° , 69° , 66.5° , 65.7°*

Draw a chart to show the changes of temperature

Let the hours be measured on the horizontal axis, taking 5 divisions to represent each interval of 2 hours, beginning at 10 a.m. On the vertical axis let each division represent 1° of temperature, beginning at 60° .

After plotting the points furnished by the data of the question, and joining them by straight lines we obtain the broken line PQRSTV shown in Fig 6




FIG 6

But it is contrary to experience to suppose that the abrupt changes of direction at Q and R accurately represent the change of temperature at noon and 2 p m respectively. Moreover, it is probable that the maximum temperature occurred at some time between 2 and 4, and not at the time represented at R, the highest of the plotted points. Now if the chart had been obtained by means of a self-registering instrument, the graph (representing change from instant to instant instead of at long intervals) would probably have been somewhat like the continuous waving curve drawn through the points previously registered. From this it would appear that the maximum temperature occurred shortly before 3 p m, and that TV (which represents a very gradual change) is the only portion of the broken line which records with any degree of accuracy the variation in temperature during two consecutive hours.

259 Although in the last example we were able to indicate the form of the curved line which from the nature of the case seemed most probable, it is evident that any number of curves can be drawn through a limited number of plotted points. In such a case the best plan is to draw a curve to lie as evenly as possible among the plotted points, passing through some perhaps, and with the rest fairly distributed on either side of the curve. As an aid to drawing an even continuous curve (usually called a *smooth curve*), a thin piece of wood or other flexible material may be bent into the requisite shape, and held in position while the line is drawn. When the plotted points lie approximately on a straight line, the simplest plan is to use a piece of tracing paper on which a straight line has been drawn. When this has been placed in the right position the extremities can be marked on the squared paper, and by joining these points the approximate graph is obtained.

EXAMPLE *The following table gives statistics of the population of a certain country, where P is the number of millions at the beginning of each of the years specified*

Year	1830	1835	1840	1845	1850	1855	1860
P	20	22	24.5	28	31	31	41

Let t be the time in years from 1830. Plot the values of P vertically and those of t horizontally and shew the relation between P and t by a simple curve passing fairly evenly among the plotted points. Find what the population was at the beginning of the years 1847 and 1858.

Take one tenth of an inch as unit in each case, also it will be convenient if we begin measuring abscissæ at 1830, and ordinates at 20.

The graph is given in Fig 7, it will be seen that it passes exactly through three of the points and lies evenly among the others.




FIG 7

The populations in 1847 and 1858, at the points A and B respectively, will be found to be $29\frac{1}{4}$ millions and 39 millions.

260 When the graph is linear it can be produced to any extent within the limits of the paper and so any value of one of the variables being determined the corresponding value of the

other can be read off. When large values are in question this method is inconvenient, the following example illustrates the method of procedure in such cases

EXAMPLE Corresponding values of x and y , some of which are slightly inaccurate, are given in the following table

x	1	4	6.8	8	9.5	12	14.4
y	4	8	12.2	13	15.3	20	24.8

Draw the most probable graph. Also find its equation, and thence determine the value of y when $x=80$, and the value of x when $y=68$

Let 1 inch be taken to represent 5 units along OX, and 20 units along OY

After carefully plotting the given points we see that a straight line can be drawn passing through three of them (marked with a cross) and lying evenly among the others. This is the required graph




FIG 8

Since the graph is a straight line its equation is of the form $y=ax+b$, where a and b are numerical quantities which we have to find. Since the line passes accurately through the points (4, 8), (12, 20), these values of x and y must satisfy the equation

$$\text{Thus putting } x=4, y=8, \text{ we obtain } 8=4a+b \quad (1),$$

$$\text{again, when } x=12, y=20, \text{ we have } 20=12a+b \quad (2)$$

By subtraction, $8a=12$, whence $a=1.5$

Substituting this value in (1), we obtain $b=2$.

Hence the equation of the graph is $y=1.5x+2$, and the coordinates of any number of points on the line may now be found by trial

Thus when $x=80$, $y=122$. Again when $y=68$, $x=\frac{66}{1.5}=44$.

EXAMPLES XV d

[In Examples 1-5 the plotted points may be joined by straight lines
In other cases the graph is to be a straight line or smooth curve
lying evenly among the plotted points]

1 In a term of 11 weeks a boy's places in his Form were as follows

8, 6, 11, 10, 9, 6, 6, 4, 2, 1, 1

Shew these results by means of a graph

2 The mean heights of the barometer in inches for the first 10 days of January 1904 were as follows

29.21, 29.12, 29.00, 29.25, 29.37, 29.26, 29.46, 28.83, 28.66, 28.76

Exhibit these variations by means of a chart

3 The highest and lowest prices of Consols for the years 1895 to 1904 were as follows

Year	'95	'96	'97	'98	'99	'00	'01	'02	'03	'04
Highest	108½	113½	113½	113½	111½	103½	97½	97½	93½	91½
Lowest	103½	105½	110½	106½	97½	96½	91	92½	86½	85

Make a chart to shew these variations graphically on the same diagram

[A convenient scale will be one inch to £10 vertically, beginning at 85, and 0.5 of an inch to 1 year horizontally]

4. Make a chart to shew the variations in French Imports and Exports (in millions of pounds), for the years 1896 to 1903 inclusive, from the following data

Imports	50.1	53.3	51.3	53.0	53.6	51.2	50.6	49.9
Exports	20.6	19.5	20.5	22.2	25.8	23.7	22.2	23.1

5 Illustrate graphically the variations of National Revenue in the years 1898-1906 from the following data

Year	'98	'99	'00	'01	'02	'03	'04	'05	'06
Revenue in } millions of £	95	96	105	115	127	135	125	127	127

6 Plot a graph to shew the variations of population of a certain country from the following statistics, where P is the number of millions at the beginning of each of the years specified

Year	1830	1835	1840	1850	1860	1865	1870	1880
P	20	22 1	23 5	29 0	34·2	38·2	41 0	49 4

Find what the population was at the beginning of the years 1848 and 1875

7. The mean temperature on the first day of each month, on an average of 50 years, had the following values

Jan 1, 37°,	May 1, 50°,	Sept 1, 59°,
Feb 1, 38°,	June 1, 57°,	Oct. 1, 54°,
Mar 1, 40°,	July 1, 62°,	Nov 1, 46°,
April 1, 45°,	Aug 1, 62°,	Dec 1, 41°

Represent these variations by means of a smooth curve .

[The difference of length of different months may be neglected]

8 The following table gives approximately the circumferences of circles corresponding to different radii

C	15 7	20 1	31 4	44	52·2
r	2 5	3·2	5	7	8 3

Plot the values on squared paper, and from the graph determine the diameter of a circle whose circumference is 12 1 inches and the circumference of a circle whose radius is 2 8 inches

9 For a given temperature, C degrees on a Centigrade are equal to F degrees on a Fahrenheit thermometer The following table gives a series of corresponding values of F and C

C	-10	-5	0	5	10	15	25	40
F	14	23	32	41	50	59	77	104

Draw a graph to shew the Fahrenheit reading corresponding to a given Centigrade temperature, and find the Fahrenheit readings corresponding to 12 5° C and 31° C

10 Corresponding values of x and y , some of which are slightly inaccurate, are given in the following table

x	3	6.5	12	14	21	28.6	31.5
y	4	4.8	6.7	7	8.5	11	11.5

Draw the most probable graph. From it find the value of x when $y=11.5$, and the value of y when $x=10$

11 If W is the weight in ounces required to stretch an elastic string till its length is l inches, plot the following values of W and l

W	2.5	3.75	6.25	7.5	10	11.25
l	8.5	8.7	9.1	9.3	9.7	9.9

From the graph determine the unstretched length of the string, and the weight the string will support when its length is 1 foot

12. In an Insurance Society the premium (£P) to insure £100 at different ages is given approximately by the following table

Age	20	22	25	30	35	40	45	50	55
P	1.8	1.9	2.0	2.3	2.7	3.1	3.6	4.4	5.5

Illustrate the same statistics graphically, and estimate to the nearest shilling the premiums for persons aged 34 and 43

13 A manufacturer wishes to stock a certain article in many sizes, at present he has five sizes made at the prices given below

Length in inches	20	27	33	45	54
Price in rupees	11	14.5	20	35	48.5

Draw a graph to show suitable prices for intermediate sizes, and find what the prices should be when the lengths are 30 in. and 46 in.

14. The price in pence of a standard Troy ounce of silver on January 1st in each of the ten years 1891-1900 was

45, 40, 36, 29, 30, 31, 28, 27, 27, 28

Draw a smooth curve shewing its value approximately at any time during these ten years

15 Plot the points given by the following measured values of x and y , some of which are slightly inaccurate, determine the most probable graph and find its equation [See Art. 260]

x	11	20	30	37.2	40	51.3	60	71	80
y	3	7	11.6	15	17	23.2	28.5	33	37

From the graph find the correct value of x when $y=15$, and the correct value of y when $x=71$. From the equation find the value of y when $x=164$.

16 An india rubber cord was loaded with weights, and a measurement of its length was taken for each load as tabulated. Plot a graph to show the relation between the length of the cord and the loads.

Load in pounds	10	12	17	21	23	25
Length in centimetres	36.4	37.7	40.5	43.0	44.3	45.4

What was the length of the cord unloaded? Also find the load necessary to produce a length of 41.2 centimetres.

17 The following table gives the population (in thousands) of two towns P and Q at the beginning of each of the years specified.

Year	1835	1845	1855	1865	1875	1880	1890
P	24.4	26	29.5	34	40	43	50
Q	34	36	38.4	41.1	43	44.8	46.7

Plot the graphs on the same diagram, and estimate the population of each town at the beginning of 1870. In what year was the population approximately the same in each?

18 At different ages the mean after-lifetime ("expectation of life") of males, calculated on the death rates of 1871-1880, was given by the following table.

Age - - -	6	10	14	18	22	26	27
Expectation	50.38	47.60	44.26	40.96	37.89	34.96	34.24

Draw a graph to show the expectation of any male between the ages of 6 and 27, and from it determine the expectation of persons aged 12 and 20.

CHAPTER XVI.

RATIO AND PROPORTION

✓ 261 **Ratio** is the relation that one quantity bears to another *of the same kind*, the comparison being made by considering what multiple, part, or parts the first quantity is of the second. Thus the ratio of one quantity to another is measured by *the fraction which the first is of the second*.

For example, the ratio 21 miles to 14 miles is the abstract fraction $\frac{21}{14}$ or $\frac{3}{2}$. This may be written 21 miles : 14 miles, or 3 : 2.

✓ 262 The two quantities compared in a ratio are called its **terms**. The first term is called the **antecedent**, the second the **consequent**.

✓ 263 The terms of a ratio must be *of the same kind*, for instance, we cannot compare the magnitude of 21 miles with that of 14 tons. But such a ratio as 1050 lbs to 2 tons 5 cwt is possible, since the quantities compared may be expressed in the same denomination, and thus the first quantity may be represented as a fraction of the second.

264 For the purpose of comparison ratios may be reduced to percentages, as explained in Art 138 [See also Art 207, Ex 2]

EXAMPLE 1 On a certain day the exchange between London and Calcutta was 15 12 rupees to £1, and the exchange between London and New York was 4 86 dollars to £1. What ratio does the value of 1 rupee bear to that of 1 dollar?

Since

15 12 rupees = 4 86 dollars,

$$\frac{1 \text{ rupee}}{1 \text{ dollar}} = \frac{4 \ 86}{15 \ 12} = \frac{9}{28}, \text{ or } 9 \ 28$$

EXAMPLE 2 *Understanding the specific gravity of a solid as the ratio which the weight of any volume of it bears to the weight of an equal volume of water, find (correct to two significant figures) the specific gravity of cast iron having given that 1 cubic inch of cast iron weighs 4 18 oz, and 1 cubic foot of water weighs 62 43 lbs*

$$\begin{aligned} \text{Since} \quad & 1 \text{ cubic foot of water weighs } 62 \text{ } 43 \text{ lbs,} \\ & 1 \text{ cubic inch} \quad \quad \quad \frac{62 \text{ } 43 \times 16}{12 \times 12 \times 12} \text{ oz} \\ & \quad \quad \quad = 0 \text{ } 578 \text{ oz (nearly)} \end{aligned}$$

$$\begin{aligned} \text{Now specific gravity of iron} &= \frac{\text{weight of 1 cu in of iron}}{\text{weight of 1 cu in of water}} \\ &= \frac{4 \text{ } 18}{0 \text{ } 56} = 7 \cdot 2 \end{aligned}$$

EXAMPLES XVI a.

Express the following ratios in their simplest fractional form

- 1 65 miles 91 miles 2 259 maunds 925 maunds.
- 3 Rs 17 4 a Rs 64 11 a 4. 255 metres 1 105 kilometres.
- 5 $4\frac{2}{3}$ of £5 12s 6d £6 15s

6 Write down as ratios in their simplest form

- (i) 6 p in the Re , (ii) 1s 9d in the £ ,
- (iii) 2a 3 p in the Re , (iv) 5s $3\frac{1}{4}$ d in the £

7 Which is the greatest, and which is the least of the following ratios? Express each as a percentage correct to three significant figures

- (i) $\frac{\text{Rs } 376 \text{ } 8 \text{ a}}{\text{Rs } 690 \text{ } 4 \text{ a}}$, (ii) $\frac{17 \text{ cwt. } 2 \text{ qrs}}{1 \text{ ton } 7 \text{ cwt } 2 \text{ qrs.}}$, (iii) $\frac{695 \text{ metres}}{1 \text{ } 529 \text{ kilometres}}$

8 Having given the following approximate equivalents

- (i) 32 metres = 35 yards , (ii) 35 seers = 72 pounds ,
- (iii) 4 litres = 7 pints , (iv) 2 hectares = 5 acres ,

write down the approximate ratios of

- (i) 1 metre to 1 yard , (ii) 1 seer to 1 pound ,
- (iii) 1 litre to 1 pint , (iv) 1 hectare to 1 acre

9 The annual rates on two farms are respectively £33 8s 4d and £55 2s 9d , the same rate per acre being charged in each case compare as a ratio the acreage of the two farms

10 Two steamers perform the same passage in 2 days 1 hour and $3\frac{1}{2}$ days respectively compare their average speeds per hour

11 Two trains travel respectively 448 kilometres in 8 hours and 504 kilometres in 12 hours compare their average speeds

12 Compare the rates of travelling of a bicyclist who goes 54.6 kilometres in 2 hrs 10 min and a train which travels 95.2 kilometres in 1 hr 42 min

13 Two men undertake to drive a distance of 54 miles The first performs the journey at an average rate of 8 miles an hour The second, starting half an hour later, arrives 15 minutes sooner find the ratio of their speeds

14 Consider the ratio 5 : 8 Add 10 to each term, and explain why the ratio is thus *increased* If 10 is added to the antecedent, what must be added to the consequent in order that the ratio may be unchanged?

15 Shew that the ratio 8 : 5 is *diminished* by the addition of any positive quantity a to each term Find the value of a when the ratio $\frac{8+a}{5+a}$ becomes equal to $\frac{7}{3}$

[The specific gravity of a solid substance is the ratio which the weight of any volume of it bears to the weight of an equal volume of water]

16 Given that 1 litre of water weighs 1 kilogram, and that 1 cubic decimetre of gold weighs 19.3 kilograms, write down the specific gravity of gold

17 Find the specific gravities of the following substances, assuming in each case that 1 cubic foot of water weighs 62.43 lbs

(i) *Sheet copper*, having given that 1 cu ft of copper weighs 548 lbs

(ii) *Cast lead*, having given that 1 cu inch of lead weighs 6.33 oz

(iii) *Zinc*, having given that 1 cu inch of zinc weighs 4.05 oz

18 The specific gravity of cast iron is 7.2, and of steel 8.0 Which has the greater volume, 1 lb of iron or 1 lb of steel? Two masses of iron and steel have equal weights, find the ratio of their volumes

[A map and the country it represents are *similar figures*, that is, are of the same shape, and every length measured on the map bears a fixed ratio to the actual distance it represents This constant ratio is called the *scale* of the map, and when expressed as a fraction with unit numerator is called its Representative Fraction. For instance in a map in which 3 inches represents 40 yards, the R F = $\frac{3}{40 \times 36} = \frac{1}{480}$]

19 A map is drawn to the scale of 1 inch to 100 miles, what is its Representative Fraction?

On this map Madras and Bangalore are $1\frac{1}{2}$ inches apart, what is the actual distance?

The actual distance between Bombay and Cape Comorin is 830 miles, how far apart will they be on this map?

20 On a map of South Wales a distance of 50 miles is represented by 4.5 inches. What is the scale of the map, that is, how many miles to 1 inch? What is its Representative Fraction?

From Cardiff to Pembroke on the map is 6.6 inches,
from Swansea to Cardigan is 3.9 inches,

find the actual distances between these places to the nearest mile

Simple Proportion

265 Four quantities are said to be in Proportion when the ratio of the *first* to the *second* is equal to the ratio of the *third* to the *fourth* that is to say, when the first is the same fraction of the second that the third is of the fourth.

For example the numbers 14, 21, 26, 39 are in proportion, since $\frac{14}{21} = \frac{26}{39}$

This is expressed by saying

14 is to 21 as 26 is to 39,

or

$$14 : 21 = 26 : 39$$

Similarly the numbers a, b, x, y are proportional if

$$\frac{a}{b} = \frac{x}{y},$$

and the relation may be written

$$a : b = x : y$$

Again the four quantities

1 ton 12 cwt, 2 tons, 5a 4p, 6a 8p

are proportionals

for

$$\frac{1 \text{ ton } 12 \text{ cwt}}{2 \text{ tons}} = \frac{32 \text{ cwt}}{40 \text{ cwt}} = \frac{4}{5},$$

and

$$\frac{5a \ 4p}{6a \ 8p} = \frac{64p}{80p} = \frac{4}{5},$$

from which we see that 1 ton 12 cwt is the *same fraction* of 2 tons that 5a 4p is of 6a 8p

This may be written

$$1 \text{ ton } 12 \text{ cwt} : 2 \text{ tons} = 5a \ 4p : 6a \ 8p$$

266 A statement expressing the equality of two ratios is called a proportion, the four quantities compared are the terms of the proportion, the first and last terms are called the extremes, and second and third are called the means

NOTE. Since every proportion is the equality of two ratios, it follows that the first and second terms must be of the same kind, and the third and fourth terms must be also of the same kind

267 When four numbers are in proportion the product of the extremes is equal to the product of the means

For suppose the four numbers a, b, x, y are proportionals, that is, suppose

$$\frac{a}{b} = \frac{x}{y}$$

Multiplying both sides by by , we have

$$\frac{a}{b} \times by = \frac{x}{y} \times by,$$

or

$$ay = bx$$

268 When four quantities are in proportion, the last quantity is said to be a fourth proportional to the other three

Thus if $a : b = x : y$, then y is the fourth proportional to a, b, x

Three quantities a, b, c of the same kind are said to be proportionals, when $a : b = b : c$

In this case c is said to be a third proportional to a and b , and b is said to be a mean proportional to a and c , and it will be noticed that

$$\underline{b^2 = ac}$$

EXAMPLE 1 What weight has to 165 tons the ratio of 7 to 11?

Let x denote the required number of tons,

then $\frac{x}{165} = \frac{7}{11}$,

$$x = \frac{7}{11} \times 165 = 105$$

So that the required weight is 105 tons

EXAMPLE 2 What sum of money has to Rs 2 1 a 4 p the same ratio that 1 ton 4 cwt has to 5 cwt?

Let x denote the required number of rupees,

then $\frac{x}{2\frac{1}{2}} = \frac{1 \text{ ton } 4 \text{ cwt}}{5 \text{ cwt}} = \frac{24 \text{ cwt}}{5 \text{ cwt}} = \frac{24}{5}$,

$$x = \frac{24}{5} \times 2\frac{1}{2} = 10$$

So that the required sum = Rs 10

EXAMPLE 3 Find the 3rd term in the proportion

$$1\ 68\ 2\ 52 = x\ 4\ 29$$

Here
$$\frac{1\ 68}{2\ 52} = \frac{x}{4\ 29},$$

$$x = \frac{1\ 68 \times 4\ 29}{2\ 52} = 2\ 86$$

EXAMPLE 4 Find the 4th proportional to

$$9\ 6\ Kg, \ 7\ 2\ Kg, \ 28\ 8\ metres$$

Here we have
$$\frac{9\ 6\ Kg}{7\ 2\ Kg} = \frac{28\ 8\ metres}{x\ metres}, \text{ or } \frac{96}{72} = \frac{28\ 8}{x}$$

Hence, as explained in Art 132,

$$x = 28\ 8 \times \frac{72}{96} = 21\ 6$$

required 4th proportional = 21 6 metres

EXAMPLES XVI b

- 1 What number has to 65 the same ratio that 9 has to 13?
- 2 Find the number which is to 6 8 as 8 1 is to 7 2
- 3 What sum of money bears to Rs 32 the same ratio that $85\frac{1}{2}$ bears to 114?
- 4 Find the sum which has to Rs 4 4 1 the ratio 65 110 $\frac{1}{2}$
- 5 What sum has to £9 18s the same ratio that 1 ton 1 cwt has to 2 tons 14 cwt?
- 6 To what weight does 8 25 kilograms bear the ratio 55 7?

Find the *fourth proportional* to each of the following sets of numbers

7 24, 51, 104, 8 $\frac{2}{3}, \frac{7}{5}, \frac{4}{3},$

9 5 6, 46, 0 63, 10 $ab^2, a^2b, \frac{b}{a}$

Find the *third proportional* to

11 0 5, 1 5 12 $5\frac{1}{4}, 7$

13 5 6, 0 84 14 a, b

Find the *mean proportional* between

15 7, 63 16 $\frac{3}{5}, \frac{4}{15}$

17 1 3, 0 637 18 a^2b, ab^3

Find the missing terms in each of the following proportions

19 Rs 15 [] = 17 51

20 27 39 = [] 364 metres

21 3 15 tons [] = 15 44

22 Rs. 8 Rs 27 = 280 miles []

23 [] £36 9s = 4 tons 27 tons

24 1 yard 11 feet = 750 metres []

25 12 trances [] = 291 grams 3.201 Kg

26 One cubic inch of steel weighs 4 61 oz., and one cubic centimetre of steel weighs 0.28 oz. Express as a decimal (correct to two significant figures) the ratio of 1 cubic centimetre to 1 cubic inch

27 Find a rough equivalent of 1 ton in kilograms, it being given that the ratio of a kilogram to a pound is nearly 11 5

28 Taking the ratio of 1 yard to a metre as approximately 200 219, find to the nearest metre the equivalent of 2920 yards

29 The ratio of a litre to a pint being nearly 7 4, find roughly the number of gallons in 100 litres

30 The specific gravities of copper and cast iron are respectively 8.6 and 7.2, find, correct to one decimal figure, the weight of a cubic foot of cast iron, having given that a cubic foot of copper weighs 373 lbs

Simple Proportion by Multiplying-ratios

269 From the preceding Articles it will be seen that when three terms of a proportion are given, the fourth term may be found by multiplying one of the given quantities by a ratio formed from the remaining two. The method is more fully explained below

EXAMPLE. *If 75 lbs of a certain tea cost Rs 56 4a, how much should be paid for 24 lbs?*

It will be seen at once that this question may be solved by the Unitary Method, as explained in Chapter vii, but we may reason more directly from the principles of proportion

For it is evident that as long as the price per lb remains the same, the required cost is the same fraction of Rs 56 4a that 24 lbs is of 75 lbs.,

that is,

$$\frac{\text{required cost}}{\text{Rs 56 4a}} = \frac{24}{75},$$

$$\begin{aligned} \therefore \text{required cost} &= \text{Rs 56 4a} \cdot \frac{24}{75} \\ &= \text{Rs 18} \end{aligned}$$

That is to say, noticing that the required cost must be less than the given cost in the ratio 24 65, we may at once multiply the given cost by the fraction $\frac{24}{65}$ (less than unity), which we may call the multiplying ratio

270 This arrangement is further illustrated by the following examples which should be carefully compared

EXAMPLE 1 A pumping-engine of 54 horse power raises 306 gallons per minute from a shaft of a certain depth What horse-power is needed to raise 561 gallons per minute from the same depth ?

Here	306 gallons are raised by 54 horse power ,
	561 gallons req^d horse power

[Now if the number of gallons is increased, the horse power must be proportionately increased That is, the required horse power will be greater than 54 in the ratio 561 306 Hence the multiplying ratio is the fraction $\frac{561}{306}$, greater than unity]

$$\begin{aligned}\text{required horse power} &= 54 \times \frac{561}{306} \\ &= 99\end{aligned}$$

EXAMPLE 2 *Proportion* A motor car runs for $3\frac{1}{2}$ hours at an average speed of 25 miles an hour How long would it take to cover the same distance at a speed of 42 miles an hour ?

At 25 miles an hour the car takes $3\frac{1}{2}$ hours ,
42 miles an hour req^d time

[Now if the speed is increased the time required is proportionally decreased That is, the required time will be less than $3\frac{1}{2}$ hours in the ratio 25 42 Hence the multiplying ratio is the fraction $\frac{25}{42}$, less than unity]

$$\begin{aligned}\text{the required time} &= 3\frac{1}{2} \text{ hours} \times \frac{25}{42} \\ &= 2\frac{1}{2} \text{ hours} = 2 \text{ hrs } 5 \text{ min}\end{aligned}$$

271 The reasoning which guided us in forming the multiplying ratios in the last two examples should be carefully noted and compared

In Example 1, the greater the quantity of water raised, the greater the necessary horse-power Double the quantity of water would require double the horse-power, and half the quantity of water would require half the horse-power In fact, if we multiply the quantity of water by any number m (whole or fractional) we must also multiply the horse-power by the same number m In this case the required horse power is said to be directly proportional to, or to vary directly as, the number of gallons to be raised

In Example 2, the *greater* the speed, the *less* will be the time required. To *double* the speed would *halve* the time, and to *halve* the speed would *double* the time. In fact, if we *multiply* the speed by any number m (whole or fractional) we must *divide* the time by m . In this case the time is said to be *inversely proportional* to, or to *vary inversely as*, the speed.

These tests for direct and inverse proportionality will be further discussed and illustrated graphically in a later section [See p 308]

EXAMPLES XVI c

1 By the method of multiplying ratios, find

- (i) the sum greater than Rs 18 in the ratio 11 : 9,
- (ii) the weight greater than $3\frac{3}{4}$ tons in the ratio 12 : 5,
- (iii) the sum less than £14 8s in the ratio 15 : 24,
- (iv) the length less than 9 Km 450 m in the ratio 17 : 135,
- (v) the sum greater than Rs 12 8a in the ratio of 13 tons : 10 tons
- (vi) the weight less than 3 lbs 4 oz. in the ratio of $2\frac{1}{2}$ yds : $4\frac{1}{3}$ yds

2. A month's wages of 10 men amount to Rs 55, how much would 24 men earn in the same time at the same rate?

3. A vessel sails 74 miles in 12 hours, what distance would be covered in 54 hours at the same speed?

4. On a certain map 7 inches represents 110 miles, what length represents 153 miles?

5. If a supply of rations will last 87 men for 26 days, how long will the same supply last 58 men at the same rate of issue?

6. Steaming at the rate of 18 knots a passage is made in 180 hours, how long would the same passage take at the rate of 10 knots?

7. A tap admitting 20 gallons a minute fills a tank in 21 minutes. How long would a tap admitting 56 gallons a minute take to fill the tank?

8. The railway fare second class for a journey of 200 miles being Rs 37 8a, what should be the second class fare for a journey of 420 miles?

9. On the plan of an estate a distance of 110 yards is represented by $5\frac{1}{2}$ inches. What distance is represented by 3 inches?

10. An Atlantic Liner will make her passage in 5 days, if she maintains a speed of $22\frac{1}{2}$ knots. What must be her average speed if her time is to be reduced to $4\frac{1}{2}$ days?

11 In a coal mine the winding engine raises the cage in $3\frac{1}{2}$ minutes, when it works at 36 revolutions a minute. If it increases its speed to 42 revolutions, how long will it take to raise the cage?

12 (i) A gang of men has been earning £56 a week. If their rate of pay per hour is increased in the ratio $\frac{7}{5}$, and their hours of work unaltered, what will be their weekly earnings?

(ii) A gang of men is paid at the rate of $7\frac{1}{2}d$ per hour each. If their hours of work per week are reduced in the ratio $\frac{10}{11}$, while their total weekly earnings remain the same, what is their new rate of pay?

13 (i) Two motors A and B travel for the same time, A 's speed having to B 's the ratio 21 : 16. A goes $57\frac{3}{4}$ miles, how far does B go?

(ii) A and B travel a certain distance at the above relative speeds. A takes 3 hrs 12 min, how long does B take?

(iii) A and B travel a certain distance, A 's time having to B 's the ratio 16 : 21. A travels 28 miles an hour, what is B 's speed?

14. If 91 yards of cloth are worth 52 rupees, find the value of 35 yards.

15 The weight of an oak beam 56 metres in length is 96 kilograms. Find the weight of a like beam whose length is 77 metres.

16 Find the value of a kilolitre of wine, of which 7.2 litres can be obtained for 27 shillings.

17 If silk is bought at the rate of 155 yards for 130 Rs 20 cents, find the cost of 100 yards.

18 If $17\frac{1}{2}$ cubic feet of gravel go to the ton, how many hundred-weight go to the cubic yard? [Answer to the nearest unit only]

19 An express is timed as follows: Paddington, dep 11.0 a.m., Bristol, arr 1.0 p.m., dep 1.10, Exeter, arr 2.33, dep 2.41, Plymouth, arr 3.48. The whole distance is 246 miles. What is the average running speed per hour? What is the average speed including stoppages?

20 On crushing a sample of quartz weighing 18 tons, a company extracts 2362 oz of gold. Estimate the yield per 100 tons. [The answer to be in ounces correct to the 2nd decimal figure]

21 If 2145 metres of wire of a certain diameter can be drawn from 132 grams of gold, what length of wire of the same size would be given by 84 grams?

22 If the diameter of a circle is 15 metres, its circumference is found to be nearly 47.12 metres. Find approximately the circumference of a circle whose diameter is 11 metres. [N.B. *Circumferences of circles are directly proportional to their diameters*]

23 The back and front wheels of a carriage have diameters of 4 feet and $3\frac{1}{2}$ feet respectively. When the former has made 259 revolutions, how many revolutions has the latter made?

24 Two wheels whose diameter are $4\frac{1}{4}$ feet and $5\frac{1}{2}$ feet respectively, are geared together by an endless strap passing over their circumferences. When the smaller wheel has made 220 revolutions, how many will the larger wheel have made?

25 One cubic inch of lead weighs $6\frac{1}{2}$ oz. Find in ounces, correct to the nearest hundredth, the weight of 1 cubic centimetre of lead, having given

$$1 \text{ cu. cm} \quad 1 \text{ cu. in} = 100 \quad 1639$$

26 A train runs at an average rate of 40.4 kilometres an hour. how many miles are travelled in 18 minutes. [Reckon 1 Km = $\frac{5}{8}$ mile, and remember that the result will be only approximate.]

27 The Representative Fraction of a map is $\frac{1}{1-6-2-0}$, to what scale is it drawn (in miles to the inch)? What length on the map will represent a distance of 7.6 miles? What distance will be represented by 2.55 inches?

28 The distance from Chester to Carlisle is $118\frac{1}{2}$ miles, and is represented on a certain map by 7.5 inches. To what scale is the map drawn (in miles to the inch)? What is its Representative Fraction? The distance between Newcastle and Sheffield is represented by 6.9", what is the actual distance to the nearest mile?

29 A pipe delivers 255.6 litres of water in 27 minutes. Find in litres, and hence in kilograms, how much water can be obtained in $1\frac{1}{4}$ hour.

30 Find roughly in how many minutes 1 cwt of water could be drawn from a tap which discharges 420 litres in 1 hr 6 min [1 Kg = $2\frac{1}{2}$ lbs. nearly.]

272 The following examples differ from those of the preceding Exercise only in requiring somewhat more numerical work. When the terms which form the multiplying ratios are compound quantities, they must be brought to the same denomination. In certain cases it is best to reduce to the highest common denomination, in others to the lowest, sometimes to an intermediate denomination.

EXAMPLE 1 If 15 mds 39 srs of potatoes cost Rs 26 10 a, how much could be bought for Rs 34 12 a?

Here	Rs 26 10 a.	buys	15 mds 39 srs
	Rs 34 12 a	„	req ^d weight

$$\begin{aligned}
 \text{Hence required weight} &= 15 \text{ mds } 39 \text{ srs} \times \frac{\text{Rs } 34 \text{ } 12 \text{ a}}{\text{Rs } 26 \text{ } 10 \text{ a.}} \\
 &= 639 \text{ srs} \times \frac{34\frac{3}{4}}{26\frac{5}{8}} \\
 &= 639 \text{ srs} \times \frac{139}{4} \times \frac{8}{113} \\
 &= 834 \text{ seers} \\
 &= 20 \text{ mds } 34 \text{ srs}
 \end{aligned}$$

EXAMPLE 2. *A bankrupt's debts amount to £5432 10s, and his available property is valued at £803 7s, how much (to the nearest penny) can be claimed on a debt of £40 12s?*

DEBT	PROPERTY
£5432 10s	£803 7s
£40 12s	req ^d claim

Proportional claim on property

$$= £803 \text{ } 7\text{s} \times \frac{£40 \text{ } 12\text{s}}{£5432 \text{ } 10\text{s}}$$

$$= £803 \text{ } 35 \times \frac{£40 \text{ } 6}{£5432 \text{ } 5}$$

$$= £8 \text{ } 0335 \times \frac{4 \text{ } 06}{5 \text{ } 4325}$$

$$= £6 \text{ } 004, \text{ to } 3^{\text{rd}} \text{ dec fig}$$

$$= £6 \text{ } 0\text{s } 1\text{d}, \text{ to nearest penny}$$

$$\begin{array}{r}
 8.0335 \\
 \underline{4.06} \\
 82 \text{ } 1340 \\
 \underline{4620} \\
 5,482,5) 82 \text{ } 6160 \text{ (} 6.0039 \\
 \underline{210} \\
 47
 \end{array}$$

EXAMPLES XVI. d.

1. A workman's wages for 28 weeks are Rs 141 12 a, at what rate is this for the year? [Reckon 1 year = 52 weeks]
2. A coal merchant buys 700 tons of coal for £1404 1s 8d, what should he give for 48 tons at the same average price?
3. If 23 dozen of wine cost £49 14s 9d, what would be the cost of 56 dozen of the same kind?
4. The weight of 42 cubic feet of coal is 1 ton 9 cwt. 1 qr, what is the weight per cubic yard?
5. A coach when actually travelling covers on an average 39 miles in 5 hours, how far would it go between 8 50 a.m. and 5 40 p.m., allowing half an hour for changing horses?

6 If $3\frac{1}{4}$ maunds of potatoes cost Rs 4 1a, what will $2\frac{1}{4}$ maunds cost?

7. A man walking at the rate of $3\frac{3}{4}$ miles an hour could walk from his house to the railway station in 1 hr 40 min. How long would he take to do the same distance at the rate of $3\frac{1}{8}$ miles an hour?

8 How many loads of gravel can be bought for Rs 32 8a, if 27 loads cost Rs 22. 8a

9 A dealer makes two purchases of sheep at the same average price, paying £101 9s 6d for one lot and £150 13s 6d for the other. If there are 33 sheep in the first lot, how many are there in the second?

10 How many seers of oil can be bought for Rs 29 in a market where 45 seers cost Rs 16 5a

11 If Rs 2 4a is paid for the carriage of 2 mds 30 srs over a distance 75 miles, how far should 6 mds 10 srs be carried for the same sum?

12 The rent of 9 acres of land being £10 10s, how much rent should be paid for 3 roods 32 poles at the same rate?

13 The price per cwt of a certain commodity is £1 3s 4d, what weight of it should be supplied for £21 16s 8d?

14. If the produce of one sixth of an acre is 1 cwt 3 qrs 4 lbs, how much would be yielded at the same rate by 4 ac 2r?

15 A man's expenses for 4 weeks 5 days amounted to Rs 28 14a, how much would he spend at the same rate for 6 weeks 4 days?

(On rates in the Re or £)

[A bankrupt's assets are such parts of his property (or the value of them) as are available for distribution among his creditors in proportion to the sums severally due to them.]

16 If a bankrupt's debts are Rs 2520, his assets Rs 1890, how much can he pay in the Re?

17 A bankrupt owes his creditors £1520, and his assets amount only to £348 6s 8d. How much can he pay in the £?

18 A bankrupt's debts amount to Rs 600 and his assets to Rs 410, what will a creditor receive to whom he owes Rs 125?

19 How much can a man claim for a debt of £141 1s from a bankrupt whose debts amount to £1792, and whose whole property is only worth £1344?

20 A bankrupt whose liabilities are Rs 1250 pays his creditors 12a in the Re. What are his assets, and what is the loss to a creditor to whom he owes Rs 150?

[Income tax is charged (with certain exemptions) at the rate of so many pie in every Re, or pence in every £, of full or gross income, the remaining income is said to be net]

21 If income tax is 6 p in the Re, shew that

- $$\begin{aligned} (i) \quad \text{tax} &= \text{gross income} \times \frac{6}{100}, \\ (ii) \quad \text{net income} &= \text{gross income} \times \frac{94}{100}, \\ (iii) \quad \text{tax} &= \text{net income} \times \frac{6}{94} \end{aligned}$$

And write down the corresponding relations when the tax is x p in the Re

22 If my gross income is Rs 1563 8 a, what is my net income after payment of income tax at 4 p in the Re?

23 A man's gross income is Rs 6100, and on this he has liabilities amounting in all to 3 a 9 p in the Re. What is his net income?

24 What is the gross income of a man who pays Rs 59 5 a 4 p as income tax at 4 p in the Re?

25 After paying income tax at the rate of 5 p in the Re, my net income is Rs 2150 8 a. How much tax have I paid?

[Rates are local taxes payable by the occupier of a house or land, and charged at so many pence in every £ on the rent, or on a certain proportion of the rent called the rateable value of the property]

26 The poor rate being 1s 8d in the £, what is the rateable value of a property which pays a rate of £208 6s 8d?

27 The rateable value of a parish is £5676 13s 4d, what do the rates amount to at 2s 7½d in the £?

28 A man's income was reduced to Rs 5264 after he had paid income tax of 4 p in the Re. What would have been his net income if the income tax had been 5 p in the Re?

29 After paying income tax at 10d in the £, and his other rates which exceed the income tax by 1d in the £, a man has £584 left. What is his gross income?

30 In a certain year exemption from income tax was allowed on £120 out of an income not exceeding £600, and the rest was taxed at 9d in the £. I paid £17 5s 6d as income tax. What was my total income? What was my net income?

31 In the year 1907 *earned* income (that is, income arising from a profession) was taxed at 9d in the £, and *unearned* income (that is, income arising from property) was taxed at 1s in the £. If I paid £70 9s in all, and my earned income was £1174, what was my unearned income?

(Miscellaneous Examples for Approximate Work)

32 On a certain map 4.7 inches represents a distance of $70\frac{1}{2}$ miles. What length will represent $52\frac{1}{2}$ miles? [Answer to the nearest tenth of an inch] What is the scale of this map (in miles to an inch)? And what is its representative fraction?

33 A Convalescent Home supports 73 patients at an average monthly cost of Rs 24.50. Find to the nearest rupee the cost of maintaining 105 patients at the same rate.

34 At an average speed of 71.2 Km an hour a certain journey is performed in 2 hrs 16 min. Find to the nearest minute how long the same journey would take at 53.8 Km an hour.

35 Freight on a consignment of goods for a passage of 600 miles is Rs 434 10s. What should be the freight on the same goods for 423 miles at the same rate per mile? Answer to the nearest pice.

36 By paying an annual premium of Rs 58 15s, I insure my life for Rs 1500. Find to the nearest rupee for what sum I might insure for a premium of Rs 48 7s.

37 Find to the nearest gram the weight of 78.6 cu cm of silver, it being given that the weight of equal volumes of silver and water are in the ratio 21 : 2.

38 On a gross income of £1253 I pay income tax at the rate of 5d in the £, and then save 3s 6d in every pound that remains. Find to the nearest pound what income remains for current expenditure.

39 A contractor undertook to build a light railway for £5000 in two sections, the first section consisting of 18.740 Km of line, the second of 6.560 Km. When the first section was complete he found his expenditure had been £3704. Supposing the second section could be built at approximately the same cost per kilometre, estimate his probable gain or loss. [Neglect fractions of a pound.]

40 The weight of a steel wire is $2\frac{1}{4}$ lbs to the yard. Find approximately how many kilograms go to the metre. [Assume 1 metre 1 yard = 35.32, nearly, and 1 Kg = $2\frac{1}{4}$ lbs nearly, these data being only near enough to give a result true to one decimal place.]

41 A rainfall of $\frac{1}{2}$ inch gives approximately 11,344 gallons per acre. Express this rainfall approximately in litres per hectare. [1 litre = $1\frac{1}{4}$ pint, and 1 hectare = $2\frac{1}{2}$ acres, nearly.]

42 The weights of equal volumes of gold and water are in the ratio 96 : 5, and a cubic inch of water weighs 0.58 oz. Find the volume of a nugget of gold weighing 8.7 oz. Answer to the nearest hundredth of a cubic inch.

Tests of Proportionality.

Proportion illustrated Graphically

273 In the foregoing examples no difficulty will have been found in recognising the proportionality of the quantities involved. For instance, when men are all paid at the same rate and for the same time, the *total sum* paid is proportional to the *number of men*. For if we know that a given number of men require a certain sum, then m times the number of men require m times the sum of money, whatever number (whole or fractional) we take for m [Art 271]. For a similar reason, when speed is uniform, the *distance* covered is proportional to the *time* and so on.

274 But two quantities which are so related that when one is increased or diminished, the other is also increased or diminished, are not necessarily proportional.

For instance, when we increase the *side* of a square, we increase the *area*, but the side and area of a square are not proportional, for on *doubling* the side, we multiply the area by 4, and on *trebling* the side, we multiply the area by 9.

Again, a body dropped from rest falls 16 feet in the first second, but not 32 feet in the first 2 seconds, nor 48 feet in the first 3 seconds, for the speed is continually increasing. Thus the distance traversed is not proportional to the time.

275 Direct proportion may be thus illustrated graphically.

Consider the series of values of x and y given in the table below, and in each case simplify the ratio y/x .

x	45	9	12	165	195
y	3	6	8	11	13

We find
$$\frac{3}{45} = \frac{6}{9} = \frac{8}{12} = \frac{11}{165} = \frac{13}{195} = \frac{2}{3},$$

so that, for each pair of values given, the ratio $\frac{y}{x}$ is constant, since in all cases

$$\frac{y}{x} = \frac{2}{3}, \quad \text{or} \quad y = \frac{2}{3} \times x$$

Either of these equations expresses the fact that

y is directly proportional to x ,

or

y varies directly as x

Now plot the points given by the above pairs of values of x and y in the table, and let them be denoted by P, Q, R, S, T, as in Fig 9. It will be found that *all these points lie on a straight line passing through the origin*




FIG 9

NOTE The reason for this may be stated as follows. Draw the ordinates PA, QB, RC, Then if in the right-angled triangles PAO, QBO, RCO, . . . , the vertical sides PA, QB, RC, . . . bear a fixed ratio to the horizontal sides OA, OB, OC, . . . , then all the triangles are *similar*, that is, have the *same shape*, so that they will all have the same angle at O, and accordingly the points O, P, Q, R, . . . will fall in the same straight line [See *School Geometry*, p 265, Theorem 64]

276 From the above reasoning and experiment we infer

- (i) that if x and y are directly proportional, then $y=ax$ for every pair of corresponding values, where a is some constant multiplier
- (ii) that the graph of $y=ax$ is a straight line through the origin [See Art 256]

EXAMPLE. In a certain mine it was arranged that the rate of wages should rise or fall when the price of coal rose or fell. The following table shews corresponding prices and wages

Price per ton at pit's mouth,	10s	12s 6d	14s 6d	16s
Wages per week, - - -	22s	27s	30s	32s

Determine graphically if the wages are proportional to the prices. If not, take the first pair of prices and wages as the standard, and find graphically what wages would be proportional to the . . .

Measure prices horizontally, taking 0·2 in to represent 1s. Measure wages vertically, taking 0·1 in to represent 1s. Plot the points given by corresponding values in the table, call these P, Q, R, S




FIG 10.

We see at once that these points are not on a straight line through O. Hence the given wages are not proportional to the prices.

If now we draw and produce the line OP, we obtain a graph for every point of which the ordinate has to its abscissa a constant ratio, namely that of PM to OM, that is, of wages 22s to price 10s.

We have now to produce the ordinates of Q, R, S to meet the graph OP, and on measurement the new ordinates are found to be 27s 6d, 31s 8d, and 35s 2d, representing approximately wages of 27s 6d, 31s 8d, and 35s 2d.

277 It will now be seen that a graph accurately drawn on a suitable scale may often be used as a 'ready reckoner'.

It is particularly important that the pupil should draw his diagrams on a sufficiently large scale, and that he should be careful in the choice of units. These should always be clearly marked on the axes.

EXAMPLE. Given that 5.5 centimetres are approximately equal to 2.15 inches, draw a graph to convert any number of inches into centimetres, or centimetres into inches.

Suppose y inches are equivalent to x centimetres, then it is clear that the ratio of y to 2.15 = the ratio of x to 5.5,

that is,
$$\frac{y}{2.15} = \frac{x}{5.5}, \quad \text{or} \quad y = \frac{2.15}{5.5}x,$$

which is an equation representing a line through the origin, and to draw the graph it is only necessary to mark the position of one other point. Hence if we plot a point P whose coordinates are 5.5 and 2.15, OP is the required graph. See Fig. 11 on the next page.

By taking 10 divisions of the paper as unit on each axis the ruled lines will mark tenths of the unit. We can thus read *accurately* to one place of decimals. The second place can be judged by the eye to a fair degree of accuracy as explained in the example of Art. 255.

Thus to find the equivalent of 3 cm, we observe that the ordinate RM is greater than 1.1 and less than 1.2, and we estimate its value as 1.17. Hence 3 cm = 1.17 in approximately.

From the graph we may read off the following approximate equivalents

$$1 \text{ cm} = 0.39 \text{ in}, \quad 1 \text{ in} = 2.56 \text{ cm},$$

$$4 \text{ cm} = 1.56 \text{ in}, \quad 4.60 \text{ cm} = 1.80 \text{ in}$$

Similarly any other equivalents may be found. The student will find it interesting to check the accuracy of his work by calculating equivalents from the equation of the graph.

NOTE. The size of the page does not admit of a diagram large enough to read the equivalents for large numbers. But if accuracy to only one place of decimals is required, we may use the diagram in the following way. After using the data as already explained to obtain an accurate graph, if we now suppose the unit on each axis to be *one* division of the paper, we can read off results as follows

$$15 \text{ cm} = 5.9 \text{ in}, \quad 38 \text{ cm} = 14.8 \text{ in},$$

$$8 \text{ in} = 20.4 \text{ cm}, \quad 19.5 \text{ in} = 50 \text{ cm}$$

Here we read the integers accurately and judge the tenths.




FIG 11 — Relation between inches and centimetres.

278 Inverse Proportion. Suppose that a distance of 25 miles is to be covered at a uniform speed. Let us find what times the journey would take at 1, $2\frac{1}{2}$, 5, 7, 10, 15, 25 miles per hour respectively

Here as the speed *increases*, the time *decreases*, and if any speed is multiplied by m , the corresponding time is *divided* by m . That is, the time is *inversely proportional* to the speed

Let x denote the speed in miles per hour, and y the corresponding time in hours

Then, by finding values of y corresponding to the above given values of x , we may complete the following table.

x	1	$2\frac{1}{2}$	5	$7\frac{1}{2}$	10	15	25
y	25	10	5	$3\frac{1}{3}$	$2\frac{1}{2}$	$1\frac{2}{3}$	1

We observe that for each pair of corresponding values

$$x \times y = 25, \quad \text{so that} \quad y = 25 \times \frac{1}{x}$$

Thus when y is inversely proportional to x ,

$$y \text{ varies as } \frac{1}{x} \text{ (i.e. as the reciprocal of } x \text{)}$$

Now plot points from the above pairs of values of x and y , and draw a freehand curve through them




FIG 12.

This curve is the graph of $y = \frac{25}{x}$, and represents pictorially the variations of two quantities which are *inversely proportional*

EXAMPLES XVI. e

(Tests of proportionality)

1 As a boy grows older he grows taller, does his height vary directly as his age? Give an instance

2 A boy can run 100 yards in 12 seconds, can he run a mile in 12 sec $\times \frac{1760}{100}$?

3 A train travels 380 yards in the first minute after starting from a station. Can you say how far it will have travelled in the first 5 minutes, 11 minutes, x minutes?

4 A shell leaves a gun with a muzzle velocity of 2100 feet per second will it traverse 6300 feet in 3 seconds, and $(2100 \times m)$ feet in m seconds? Give a reason for your answer

5 If you had a number of leaden balls of different sizes, would you expect their weights to be proportional to their diameters? If not, would the weights or the diameters increase more rapidly?

6 Suppose that with engines of 1000 horse power a steamer of a certain size and build can make a speed of 11 knots. Can you suggest a reason why engines of 2000 H.P. would not suffice to drive the same boat 22 knots, nor engines of 3000 H.P. at 33 knots? Is the speed of a steamer proportional to her indicated horse power?

(Graphical Examples)

7 Assuming that 16 rupees are equal to 21 shillings draw a graph to shew the relation between rupees and shillings for any sum up to £5

Read off (i) the number of shillings in 13 rupees,
(ii) the number of rupees in £4

Shew that £2 15s is very nearly equal to 42 rupees

8 Given that 20 litres = 4.4 gallons, draw a graph to convert litres to gallons or gallons to litres

Express (i) $2\frac{1}{2}$ gallons in litres,
(ii) 20.9 litres in gallons

[Take one gallon to the inch on the axis of x , and 10 litres to the inch on the axis of y]

9 Given that 6.01 yards = 5.5 metres, draw the graph shewing the equivalent of any number of yards when expressed in metres

Shew that 22.2 yards = 20.3 metres, approximately

10 Draw a graph shewing the relation between equal weights in grains and grams, having given that 18.1 grains = 1.17 grams

Express (i) 3.5 grams in grains
(ii) 3.09 grains as a decimal of a gram

11 A train in 2 minutes after leaving a station covers 700 yards, in $3\frac{1}{2}$ minutes 1300 yards, in $4\frac{1}{2}$ minutes 2100 yards, and in $6\frac{1}{2}$ minutes 4400 yards (the times and distances being all measured from the start) Shew by a diagram that the distances are not proportional to the times

If the train after the second minute had proceeded uniformly at its average speed for the first two minutes, find graphically (to the nearest 100 yards) how far it would have gone in $6\frac{1}{2}$ minutes?

12 Given that the circumferences of circles are directly proportional to their diameters, and that a circle of diameter 10 cm has a circumference approximately equal to 31.4 cm, draw a graph shewing the ratio of the circumference to the diameter in any circle

Use this graph to find as nearly as possible

(i) the circumference of a circle of diameter 16 cm,

(ii) the diameter of a circle of circumference 40 cm

13 Draw a graph to serve as a ready reckoner for wages at Rs 400 a year Read off to the nearest anna the wages for 1 week, 20 days, and 48 days

How long had a servant worked who received Rs 67 8 a as wages?

[Take 0.1" to represent 1 day on the x axis and the same unit to represent 1 rupee on the y axis Then since the wages for 73 days amount to Rs 80, the graph is at once obtained by joining the origin to the point (73, 80)]

14 A speed of 60 mi per hour is equivalent to 88 ft per second By means of a graph express in miles per hour the approximate speed of trains which respectively cover 40 ft, 64 ft, 78 ft per second

15 A certain Life Assurance Company undertakes to pay £100 to a man's relatives at his death in return for annual premiums whose amounts depend, as in the following table, upon the age at which the premiums begin

Age -	25	30	35	40	45
Premium	£2 3s	£2 9s	£2 16s	£3 5s	£3 16s

Plot these values on a chart, and determine by means of it if the premium is directly proportional to the age

Taking as your standard "*premium £2 16s at age 35,*" find graphically what would be the proportional premiums at the other ages

16 At the end of each year a settlement adds to its population $\frac{1}{10}$ of the number of inhabitants at the beginning of the year At the beginning of 1905 the number was 2000 what was it at the end of 1905, 1906, 1907, 1908? Tabulate and plot the *increases* shewn at the end of each year above the population of Jan 1st, 1905 Indicate by a chart that these increases are not proportional to the times, and try to account for their not being so


17 If the wages for a day's work of 8 hours are $4s\ 6d$, draw a graph to shew the wages for any fraction of a day, and find (to the nearest penny) what ought to be paid to men who work $2\frac{1}{2}$, $3\frac{1}{2}$, $6\frac{1}{2}$ hours respectively. How many hours' work might be expected for $2s\ 10d$?

18 The highest marks gained in an examination were 136, and these are to be raised so that the maximum is 200. Shew how this may be done by means of a graph, and read off, to the nearest integer, the final marks of candidates who scored 61 and 49 respectively.

Compound Proportion

279 A question in proportion is said to be *simple* when only one multiplying ratio is to be considered. In *Compound Proportion* the required term is affected by two or more multiplying ratios. Our first example will illustrate the process graphically.

EXAMPLE 1 A rectangle ABCD represents an area of 150 sq ft. If the length is increased in the ratio $4:3$, and the breadth increased in the ratio $3:2$, what area will the new rectangle represent?



(1) If the length is increased in the ratio $\frac{4}{3}$, that is, from AB to AE (the breadth remaining the same),

we pass from the rect ABCD to the rect AEFD,

$$\text{and rect AEFD} = \text{rect ABCD} \times \frac{4}{3}$$

(ii) If now the breadth is increased in the ratio $\frac{3}{2}$, that is from AD to AG,

we pass from the rect AEFD to the rect AEHG,

$$\begin{aligned} \text{and rect AEHG} &= \text{rect AEFD} \times \frac{3}{2} \\ &= \text{rect ABCD} \times \frac{4}{3} \times \frac{3}{2} \end{aligned}$$

Hence the rect AEHG represents $150 \text{ sq ft} \times \frac{4}{3} \times \frac{3}{2}$,

or 300 sq ft

5 A certain block of granite weighs $3\frac{3}{4}$ tons, what is the weight of a second block whose length, breadth, and height are respectively $\frac{1}{2}$, $\frac{2}{3}$, and $\frac{3}{4}$ of the corresponding dimensions of the first block?

6 A marine engine working at 2400 horse power consumes 225 tons of coal per week. How many pounds is this for 1 horse-power for 1 hour?

7 If 6 persons spend Rs 1500 in 20 weeks, how long will Rs 1050 last 7 persons at the same rate?

8 If 6 persons spend Rs 1500 in 20 weeks, what would be the expenditure at the same rate of 9 persons for 24 weeks?

9 If 4 men earn Rs 9 in 12 days, what should be the wages of 6 men for 10 days?

10 How many men will mow 48 acres of grass in 8 days, if 12 men can mow 36 acres in 5 days?

11 How much will 42 men earn in 30 days at the rate of Rs. 736 for 69 men for 35 days?

12 If a family of 9 people can live on Rs 1200 for 8 months, how many can live for 16 months on Rs 6400 at the same rate?

13 If 7 men earn £9 9s in a certain time, how many will earn £9 18s at the same rate in $\frac{2}{3}$ of the time?

14 A piece of work is completed by 32 men in 20 days of $7\frac{1}{2}$ hours each, how many men would be required to do it in 8 days of 10 hours each?

15 If 49 men can empty a reservoir in 65 days by pumping 8 hours a day, in how many days of 5 hours each will 196 men do the same work?

16 A wall is built by 17 men in 24 days, in how many days can 18 men do the work, if the working hours per day are reduced in the ratio $\frac{4}{5}$?

17 If when rice is at 4a 3p per seer, it costs Rs 50 per month to supply a household of 23 persons, what will be the monthly cost of rice at 5a 9p per seer for a household of 34 persons?

18 If 13 men earn £121 6s 8d in 8 weeks, in what time will 17 men earn £257 16s 8d at the same rate?

19 Working for 7 days of 8 hours each, 19 men earn £42 15s. At this rate how much would 49 men earn in 2 days of 10 hours each?

20 How many pages of a magazine will a manuscript occupy which has 120 pages each of 28 lines, with an average of 7 words in a line, if a page of the magazine has 42 lines, with an average of 10 words in a line?

21 An engine of 1 horse power can lift 33,000 lbs. per minute vertically through 1 foot What horse power is required to raise per minute

(i) 3 cwt of coal up a shaft 550 ft deep?

(ii) $5\frac{1}{2}$ cwt of coal up a shaft 100 fathoms deep? [1 fathom=6 feet]

(iii) 440 gallons of water up a shaft 100 yards deep? [1 gallon of water weighs 10 lbs]

And prove that if H denotes the horse power required to raise W lbs through h feet per minute,

$$H = \frac{W \times h}{33,000}$$

22 A garrison of 1500 men has provisions for 12 weeks How many men could be maintained for 20 weeks on the same provisions if the daily allowance per man were reduced in the ratio $\frac{9}{10}$?

23 A besieged garrison of 600 men have provisions to last 35 days at a certain rate of issue How long would the provisions last if the garrison were reinforced by 300 men, and the daily allowance per man reduced in the ratio $5:6$?

24 If the carriage of 3 tons 14 cwt for 98 miles cost 18s 6d, what will be the cost of carrying 2 tons 9 cwt a distance of 28 miles at the same rate per ton per mile?

25 If an engine of 2 horse power is required to pump 220 gallons of water per minute from a depth of 600 feet, what horse power would be needed to pump 1 ton of water per minute from a depth of 495 feet? [1 gallon of water weighs 10 lbs]

26 An express train travelling at 55 miles an hour accomplishes a journey in $3\frac{1}{2}$ hours How long will it take a slow train to travel two thirds of the distance, its rate being to that of the express as 4 to 9?

27. A locomotive engine, whose driving-wheel is 5 feet in diameter and makes 168 revolutions a minute, travels at 30 miles an hour What is the speed of an engine whose driving wheel is 7 ft in diameter and makes 136 revolutions a minute? [N.B. The circumferences of circles are proportional to their diameters]

28. If 40 English navvies, each earning 7s a day, do in 30 days a piece of work for which 56 Belgian workmen, each earning 6 francs a day, require 40 days, determine which class of workmen is the more profitable to a contractor, taking the value of a franc at 10d in English money If a contract carried out by English navvies cost £6000, what would be the cost of the same contract when executed by Belgian workmen?

Proportional Division

281 The following application of Proportion deserves special attention, namely the process by which a quantity may be divided into parts which bear given ratios to one another

EXAMPLE 1 Divide $2\frac{1}{2}$ feet into three parts proportional to the numbers 4, 5, 6

This means that the 1st part must be divisible into 4 equal sub-divisions, of which the 2nd part must contain 5, and the 3rd part 6, so that the whole line must contain $4+5+6$, or 15, such subdivisions

$$1^{\text{st}} \text{ part} = \frac{4}{15} \text{ of } 2\frac{1}{2} \text{ ft} = 8 \text{ inches,}$$

$$2^{\text{nd}} \text{ part} = \frac{5}{15} \text{ of } 2\frac{1}{2} \text{ ft} = 10 \text{ inches,}$$

$$3^{\text{rd}} \text{ part} = \frac{6}{15} \text{ of } 2\frac{1}{2} \text{ ft} = 12 \text{ inches}$$

Or thus

Let x denote the number of inches in the 1st part,
 then $\frac{5}{4}x$ denotes 2nd
 and $\frac{6}{4}x$ denotes 3rd

$$\text{so that } x + \frac{5}{4}x + \frac{6}{4}x = 30$$

From this equation $x=8$, whence $\frac{5}{4}x=10$, and $\frac{6}{4}x=12$

NOTE It is clear that the result will not be altered, if the numbers which fix the ratios of the required parts are all multiplied, or all divided, by the same number. Thus division into parts proportional to

$$(i) \quad 400, \quad 500, \quad 600,$$

$$(ii) \quad \frac{4}{12}, \quad \frac{5}{12}, \quad \frac{6}{12},$$

$$(iii) \quad 4m, \quad 5m, \quad 6m,$$

is in each case performed by dividing into parts proportional to 4, 5, 6

EXAMPLE 2 Divide Rs 149 8 a into three shares proportional to the fractions $\frac{1}{2}$, $\frac{2}{3}$, $\frac{3}{4}$

The given fractions, reduced to a common denominator, are $\frac{6}{12}$, $\frac{8}{12}$, $\frac{9}{12}$, i.e. 6 twelfths, 8 twelfths, 9 twelfths, these are evidently proportional to 6, 8, 9

$$\text{Now } 6+8+9=23,$$

$$1^{\text{st}} \text{ share} = \frac{6}{23} \text{ of Rs } 149\frac{1}{2} = \text{Rs } 39,$$

$$2^{\text{nd}} \text{ share} = \frac{8}{23} \text{ of Rs } 149\frac{1}{2} = \text{Rs } 52,$$

$$3^{\text{rd}} \text{ share} = \frac{9}{23} \text{ of Rs } 149\frac{1}{2} = \text{Rs } 58 \text{ 8 a}$$

NOTE The 3rd share may also be found by subtracting the sum of the 1st and 2nd shares from the given sum

EXAMPLE 3 Divide 9 kilograms into parts proportional to the decimals 2 16, 3 52, 4 32

Here $2\ 16 + 3\ 52 + 4\ 32 = 10$

$$1^{\text{st}} \text{ part} = \frac{2\ 16}{10} \text{ of } 9\ \text{Kg} = 0\ 216 \text{ of } 9\ \text{Kg} = 1\ 944\ \text{Kg},$$

$$2^{\text{nd}} \text{ part} = \frac{3\ 52}{10} \text{ of } 9\ \text{Kg} = 0\ 352 \text{ of } 9\ \text{Kg} = 4\ 068\ \text{Kg},$$

$$3^{\text{rd}} \text{ part} = \frac{4\ 32}{10} \text{ of } 9\ \text{Kg} = 0\ 432 \text{ of } 9\ \text{Kg} = 3\ 988\ \text{Kg}$$

282. A quantity is divided into parts inversely proportional to given numbers, when the parts are proportional to the reciprocals of the given numbers

For instance, if a quantity is to be divided into parts inversely proportional to 2, 3, 4, the parts must be proportional to $\frac{1}{2}$, $\frac{1}{3}$, $\frac{1}{4}$

Sum

EXAMPLES XVI. g

Divide

1	Rs 80	into two parts in the ratio of 3 7	
2	323 miles	two parts	6 11
3	450 maunds	three parts proportional to 4, 5, 11	
4.	Rs 408	three parts	7, 8, 9
5	£20 5s	three parts	4, 5, 6
6	303 yards	three parts	200, 300, 500
7	180 Kg	four parts	5, 9, 10, 12
8	Rs 2420	three parts	35, 56, 63
9	Rs 65	three parts	$\frac{1}{2}$, $\frac{1}{3}$, $\frac{1}{4}$
10	429 seers	three parts	$\frac{2}{3}$, $\frac{3}{4}$, $\frac{5}{12}$
11	£16 17s 6d	three parts	$\frac{1}{4}$, $\frac{2}{5}$, $\frac{3}{8}$
12.	Rs 81 8a.	four parts	$\frac{1}{5}$, $\frac{2}{3}$, $\frac{3}{4}$, $\frac{4}{5}$
13	5 Km	three parts	3.2, 2 5, 4 3
14	1 Kg	three parts	1 39, 3 24, 5 37
15	120 metres	three parts	3 12, 5 20, 6 08,

giving answers true to the nearest decimetre

16 The sides of a triangular field are proportional to 5, 7, 8, and its perimeter is 270 yards Find the length of each side

17 An examiner wishes to mark three questions proportionally to 20, 32, and 48. How must he distribute 150 marks between them?

18 Concrete consists of $1\frac{1}{2}$ parts of lime, 4 parts of gravel, and $2\frac{1}{2}$ parts of sand. Out of $6\frac{2}{3}$ tons of concrete how much is lime? What percentage of each ingredient does concrete contain?

19 Divide 289 metres into three lengths inversely proportional to 2, 3, 9.

20 The sides of a triangle are respectively $2\frac{1}{2}$ inches, 3 inches, and $3\frac{1}{4}$ inches. A similar triangle has a perimeter of 338 feet, find each side.

21 Three persons A, B, and C join in a commercial venture, A contributing £320, B £400, and C £880. If the total profits amount to £165 10s, how much should each contributor receive?

[Here the profits are to be divided into shares proportional to the amounts of capital invested, that is, proportional to £320, £400, £880, namely to 4, 5, 11.]

22 Three partners join in a speculation, contributing respectively Rs 5000, Rs 3000, and Rs 2000 to the capital, if the total profits amount to Rs 800, how much should each partner receive?

23 A, B, and C enter into partnership, A contributing Rs 7500, B Rs 10,000, and C Rs 12,500. To what percentage of the annual profits is each partner entitled? How much should C receive from a total profit of Rs 15,000?

24 A sum of Rs 51,000 is to be raised by three towns whose populations are 4250, 5250, and 7500 respectively, if the towns contribute in proportion to their populations what does each town contribute? And what percentage of the whole sum is furnished by the first town?

25 A bankrupt owes £250, £330, and 400 guineas respectively to three creditors, and his available property is worth only £125. How much should each creditor receive, and how much in the £?

26 A man gave £2 to be divided among his three sons in proportion to their several ages, which were 12 yrs 9 mos, 9 yrs 9 mos, and 7 yrs 6 mos. What was each son's share?

27 A sovereign consists of 22 carat gold, that is, 22 parts by weight of pure gold and 2 parts copper. Its weight is 123.274 grams. Find, to the nearest grain, the amount of pure gold in 300 sovereigns.

28 Air is composed of nitrogen, oxygen, and carbonic acid in parts whose weights are nearly proportional to 75.62, 23.04, 1.34. Find, to the nearest gram, the weight of oxygen contained in 3.75 Kg. of air.

29 Given (as in the last example) that nitrogen, oxygen, and carbonic acid enter into air nearly in proportion to 75 62, 23 04, 1.34 by weight, and that 1 litre of air (at mean atmospheric pressure) weighs 1.295 grams find the weight of oxygen in 1 cubic metre of air to the nearest gram

30. Steel is composed as follows iron 98 1 parts by weight, carbon 1 7 parts, other elements 0.2 part In a steel bar weighing 207 4 Kg find the weight of carbon [Answer to three significant figures]

31 Divide £72 12s among A , B , and C , so that A may get $2\frac{1}{2}$ as much as B , and B $1\frac{1}{2}$ as much as C — — —
[Suppose C gets 1 share, then B gets $1\frac{1}{2}$ shares, and A gets $2\frac{1}{2}$ of $1\frac{1}{2}$, or $3\frac{1}{2}$ shares Thus the given sum must be divided proportionally to $3\frac{1}{2}$, $1\frac{1}{2}$, 1, that is, to 7, 3, 2]

32. Divide Rs 20 10a among A , B , and C , so that A 's share may be $\frac{5}{8}$ of B 's, and B 's share $1\frac{1}{2}$ of C 's

33 The sum of Rs 12 8a is to be divided between A , B , and C , so that A 's share is to B 's in the ratio 5 : 2, and B 's share to C 's in the ratio 7 : 13 How much should each receive?

34 Divide £146 among A , B , and C , so that as often as A gets 4s, B may get 5s 4d, and as often as B gets 8s 9d, C may get 7s 6d

35 Two brass alloys are composed as follows the 1st contains 3 parts tin, 20 parts copper, 3 parts zinc, the 2nd contains 7 parts tin, 56 parts copper, 2 parts zinc These alloys are fused together in equal quantities (by weight) In what ratios will the three ingredients enter into the resulting alloy?

(Division in Compound Proportion)

[If it is required to divide a quantity into parts which are jointly proportional to a, b, c , and to x, y, z , the required parts must be proportional to $a \times x, b \times y, c \times z$, namely to ax, by, cz]

36 A, B , and C join in a business, contributing to the capital as follows A employs £500 for 12 months, B £600 for 9 months, C £300 for 7 months How should profits amounting to £384 be divided?

[Here the several claims depend partly on the amounts advanced, and partly on the times for which these amounts were employed. Consider the employment of £100 for 1 month to be the unit claim

Then £500 for 12 mos = 5×12 , or 60 units,
 £600 for 9 mos = 6×9 , or 54 units,
 £300 for 7 mos. = 3×7 , or 21 units

Thus the claims should be as 60 54 21,
viz. as 20 18 7]

37 How should a profit of Rs 1600 be divided between two partners, one of whom has contributed Rs 5000 for 6 months and the other Rs 8500 for 4 months

38 There are three partners in a business *A* puts in Rs 6000 for 3 months, *B* Rs 4000 for 5 months, and *C* Rs 12,500 for 2 months, and the profits are Rs 7087 8 a How ought they to be divided?

39 *A* begins business with a capital of Rs 40,000, and after 4 months takes *B* into partnership with a capital of Rs 3000 Two months later *C* joins the firm with a capital of Rs 50,000 At the end of the year the profits are found to be Rs 15,577 8 a, how much of this sum should each partner receive?

40 *A* and *B* enter into partnership, *A* contributing Rs 8000 and *B* Rs 10,000 At the end of 6 months they admit *C*, who contributes Rs 6000 After the lapse of 3 years they balance the books, discovering a profit of Rs 9660 Find the share of each

41 A certain mixture is formed of two substances combined in volumes having the ratio of 4 5 The specific gravities of these substances are as 5 6 If the weight of the mixture is 15 oz., find the weight of each substance in it [NB The weight of a body depends jointly on its volume and its specific gravity]

42 The specific gravities of three metals are as 3 2 5 Volumes of these metals proportional to 7, 4, 2 are mixed to form an amalgam How much (by weight) of each metal is contained in 78 lbs of the amalgam?

43 Three partners gain £3850 by a speculation The first advances one third of the capital for one fourth of the time, the second, one fourth of the capital for one half the time, the third, the remainder of the capital for the whole time Find their respective shares of the profit.

[If it is required to divide a given quantity into parts which are jointly proportional to a, b, c taken directly, and to x, y, z taken inversely, the required parts must be proportional to

$$a \times \frac{1}{x}, b \times \frac{1}{y}, c \times \frac{1}{z}, \text{ that is, to } \frac{a}{x}, \frac{b}{y}, \frac{c}{z}]$$

44 A set of 210 coins consists of three groups, namely of sovereigns, of crowns, and of florins respectively The values of the groups are as 14 4 3 What is the number of coins in each group?

45 Three substances whose specific gravities are as 2 3 4, are mixed together in parts which by weight are as 14 15 16 In what ratios by volume are these substances combined? And what volume of each is there in 3 2 litres of the mixture?

Miscellaneous Applications of Proportion and Variation.

283 We have already seen [Art 275] that if one quantity y varies directly as another quantity x , then for every pair of corresponding values of x and y ,

$$y = \lambda x, \text{ where } \lambda \text{ is constant}$$

further, that this is merely another way of saying that y is directly proportional to x , or again, that the ratio $\frac{y}{x}$ is constant

• Similarly if y varies inversely as x , that is, if y varies as the reciprocal of x ,

$$\text{then } y = \lambda \times \frac{1}{x}, \quad \lambda \text{ being constant [Art 278]}$$

In like manner if y varies directly as x^2 ,

$$\text{then } y = \lambda x^2,$$

this statement being equivalent to saying that y is proportional to the square of x And so on

We shall now shew by an example how these principles may be applied.

EXAMPLE Given that the breaking strain of a steel wire is proportional to the square of its circumference, and that a wire of circumference 5 inches can just support a weight of 40 tons, find (in tons) the breaking strain of a wire 3 inches in circumference.

Let S denote the breaking strain (in tons) and C the circumference (in inches) of any steel wire

Then since S is proportional to C^2 , and since $S=40$ when $C=5$,

$$\text{we have } \frac{S}{40} = \frac{C^2}{5^2},$$

so that, when $C=3$,

$$S = \frac{3^2}{5^2} \times 40 = 14 \cdot 4$$

That is, the breaking strain is 14 4 tons

Or the work may be arranged thus

Since S varies as C^2 ,

$$S = \lambda C^2, \text{ where } \lambda \text{ is constant.}$$

Now it is given that $S=40$, when $C=5$,

$$40 = \lambda \times 5^2,$$

$$\text{or } \lambda = 1 \cdot 6$$

Thus $S = 16 \times C^2$,
 for all corresponding values of S and C ,
 so that when $C = 3$,
 $S = 16 \times 3^2 = 144$.

284 Similar Figures and Solids The following important cases of variation frequently occur in Arithmetic and Geometry
 I In a series of similar figures, that is, figures of the same shape, all corresponding dimensions or lines similarly drawn in the two figures are directly proportional

For example If a, b, c denote the sides and p an altitude of a certain triangle, while x, y, z denote the corresponding sides, and q the corresponding altitude of a similar triangle,

then
$$\frac{a}{x} = \frac{b}{y} = \frac{c}{z} = \frac{p}{q}$$

Or again Since all circles are similar, *the circumferences of circles are proportional to their diameters*

Hence, if C denotes the circumference and d the diameter of any circle,

then the ratio $C : d$ is constant, that is to say, $\frac{C}{d}$ has the same value for all circles, so that

$$C = d \times (\text{a constant})$$

The constant in this case is a quantity always denoted in mathematics by the symbol π , the numerical value of which is 3.1416, correct to four decimal figures, or roughly $3\frac{1}{7}$

II In a series of similar figures, the areas are proportional to the squares of corresponding dimensions or lines similarly drawn in the two figures

For example If A and L denote respectively the area of a county and the distance between two given points, while a and l denote its area and the distance between the corresponding points as represented on a map,

then
$$\frac{A}{a} = \frac{L^2}{l^2}$$

Or again *The areas of circles are proportional to the squares of their diameters*

Hence, if A denotes the area, and d the diameter of any circle,

then
$$A = d^2 \times (\text{a constant})$$

The constant in this case is $\frac{\pi}{4}$, or 0.7854 to four decimal places

III. In a series of similar solids, the volumes are proportional to the cubes of corresponding dimensions or lines similarly drawn in the two figures

Hence, if the solids are of the same substance, or have the same specific gravity, their weights (being proportional to their volumes) will also be proportional to the cubes of corresponding dimensions.

For example If two rectangular blocks are *similar*, that is, if their lengths, breadths, and heights are proportional, then their volumes are proportional to the cubes of their lengths (or to the cubes of their breadths or heights)

Or again Since all spheres are similar, *the volumes of spheres are proportional to the cubes of their diameters*

Hence, if V denotes the volume, and d the diameter of any sphere, then

$$V = d^3 \times (\text{a constant})$$

The constant in this case is $\frac{\pi}{6}$, or 0.5236 to four decimal figures

EXAMPLES XVI. h.

1 In a plan of a certain building ground drawn to the scale of 1 inch to 15 yards, the distance between two given points appears as 2.4 inches. If the plan is enlarged to the scale of 1 inch to 8 yards, by what length should the given distance be represented?

2 A plan of a rectangular court-yard is drawn to the scale whose representative fraction is $\frac{1}{144}$. The length between two opposite corners in the plan is 3.5 inches. What is the actual distance?

3 In two similar triangles the longest sides are 10 cm. and 25 cm. respectively. The area of the first triangle is 40 sq. cm. Find the area of the second.

4 A circle, whose diameter is 10 cm., has a circumference approximately of 31.4 cm., and an area of 314 sq. cm. In a circle whose diameter is 7 cm. find (i) the circumference, (ii) the area, to the nearest 10th of a centimetre and square centimetre respectively.

5 In the plan of a field a hedge, 63 yards in length, is shown by a line of 5.6 inches. The area of the field as represented on the plan is found to be 80 sq. in. What is the actual area of the field in square yards?

6 The distance between two places is 35 miles. On a map this distance is represented by 2.5 in. The area of the district on the map is found to be 13.2 sq. in. Find its actual area to the nearest square mile.

7 Suppose a body falling from rest traverses s feet in the first t seconds. It has been found that s varies as t^2 . (Given that the distance traversed in the first 3 seconds is 145 feet, find to the nearest

foot the distance traversed in (i) the 1st second, (ii) the first 4 seconds. And find the equation connecting s and t

8 Three cubes of lead have respectively edges measuring 1 in, 2 in, and 3 in. The cube of middle size weighs 3.28 lbs. What do the others weigh?

9 The dimensions of a block of cast iron are 8 cm long, by 6 cm wide, by 4 cm thick, and it weighs 1.4 Kg. The length of a similar block of the same metal is 12 cm. Find its breadth, thickness and weight.

10 A solid copper sphere of diameter 2 inches weighs 1.30 lbs. Find in lbs, to two significant digits, the weights of copper spheres whose diameters are 2.5 inches and 7.0 inches.

(Miscellaneous)

11. Three wheels carry teeth whose numbers are proportional to the diameters of the wheels, the diameters being respectively 12 cm, 17 cm, and 20 cm. If the first wheel works into the second, and the second into the third, how many revolutions will the third wheel have made when the first has made 130?

12 The volume of a given quantity of gas is inversely proportional to the pressure upon it. At mean atmospheric pressure, namely 14.7 lbs per square inch, a certain quantity of air occupies 1 cubic foot. Express in cubic inches the volume of the same quantity of air at a pressure of 84 lbs per square inch.

13 One man works 8 hours a day, and is paid 28 shillings for a week of 6 days, another works 9 hours a day, is paid 25 shillings for a week of 6 days, and takes 5 hours to do work the first man does in 4. Which is it more profitable to employ? (C.S.)

14. For paraffin oil of which $2\frac{1}{2}$ gallons will burn in a stove for 100 hours, I am paying 9d a gallon. Of another kind of oil of the same heating power I find 3 gallons will burn in the same stove for $135\frac{1}{2}$ hours. What would be a reasonable price to pay for it, to the nearest penny per gallon? (C.S.)

15 Two merchants A and B go into partnership. A puts in Rs 23,250 and at the end of four months adds Rs 3,750 to his capital, while B withdraws Rs 3,000 at the end of seven months. If, on a fair division of the profits at the end of the year, A and B receive equal shares, find how much B put in at first.

16 When a circular piece of a certain paper, of diameter $18\frac{1}{2}$ cm, is burnt, the weight of the ash is 0.00605 gram. Find the weight of the ash of a circular sheet of the same thickness and material whose diameter is $29\frac{1}{2}$ cm.

If the weight of the latter is catalogued as 0.01355 gram, find by how much per cent the calculated result differs from that given in the catalogue. The areas of circles vary as the squares of their diameters. (C.S.)

17 A certain gallon-jar is 5 inches high. Of what height must a jar of the same shape be made to hold a pint? [Vessels of the same shape have volumes proportional to the cubes of their linear dimensions]

18 A quantity y varies as x^2 , and when $x=8$, $y=16$ Find the equation between y and x Tabulate values of y corresponding to the following values of x

0, 1, 2, 3, 4, 5, 6, 7,

and use the results to shew the relation between y and x by a graph, using 0.4 of an inch as unit on each axis

What would be the values of y if the above values of x were all negative? Plot the points so given, and extend your graph to pass through them Read off from the graph the values of y , when $x=5$, -6

19 It has been proved by experiment that if S represents the breaking strain (in tons) of a steel wire, and C its circumference (in inches),

then

$$S = C^2 \times 1.6$$

From this equation find values of S when

$$C = \frac{1}{4}'' , \frac{1}{2}'' , \frac{3}{4}'' , 1'' , 1\frac{1}{4}'' , 1\frac{1}{2}'' , 1\frac{3}{4}'' , 2'' ,$$

and plot a graph shewing the relation of S to C between the given limits

20 The pressure of the wind varies as the square of its velocity, and it has been found that if P denotes the pressure in pounds per square foot, and v the velocity in miles per hour,

then

$$P = 0.005v^2$$

Complete the table indicated below, and hence draw a graph comparing the pressure with the velocity of wind.

Velocity in miles per hour	5	10	15	20	25	30	35	40
Pressure in lbs per sq ft								

Read off from the graph

- (i) the wind's pressure for 18 miles an hour ,
- (ii) the wind's velocity for a pressure of 4 lbs per sq foot.

MISCELLANEOUS EXAMPLES

285 EXAMPLE 1 *If 6 men with 7 boys can complete a work in 4 days, and 4 men with 12 boys can do the same work in $3\frac{1}{6}$ days, how long would the work take one man or one boy working alone?*

$$\begin{array}{rcll} \left\{ \begin{array}{ll} 6 \text{ men with } 7 \text{ boys do } \frac{1}{4} \text{ of the work in 1 day,} \\ 4 \qquad \qquad 12 \qquad \qquad \frac{1}{6\frac{1}{6}} \qquad \qquad 1 \end{array} \right. \\ \left\{ \begin{array}{ll} 12 \qquad \qquad 14 \qquad \qquad \frac{1}{3} \qquad \qquad 1 \\ 12 \qquad \qquad 36 \qquad \qquad \frac{1}{21} \qquad \qquad 1 \end{array} \right. \end{array}$$

by subtraction, 22 boys do $\frac{1}{21} - \frac{1}{3}$, or $\frac{1}{42}$ of the work in 1 day,
that is, 1 boy does $\frac{1}{84}$ of the work in 1 day

Hence one boy would take 84 days working alone, and it easily follows that one man would take 36 days

EXAMPLE 2 *A man, rowing on a river, finds that after he has rowed down stream for 2 hours and then drifted with the stream for 1 hour, he is 16 miles from his starting point. The next day he rows up stream for 6 hours, drifts down stream for 2 hours, and then finds himself 14 miles from his starting point. Find the rate of the stream, and the rate of rowing in still water*

Let the boat's rate in still water be denoted by x mi per hr

and let the rate of the stream y

Then against the stream the boat goes $(x - y)$ mi per hr,

and with $(x + y)$

On the first day he rows $2(x + y)$ miles and drifts y miles further,

$$2(x + y) + y = 16,$$

$$\text{or } 2x + 3y = 16 \quad (1)$$

On the second day he rows $6(x - y)$ miles and drifts $2y$ miles in the opposite direction.

$$6(x - y) - 2y = 14,$$

$$\text{or } 6x - 8y = 14 \quad (2)$$

From the equations (1) and (2) we have to find the values of x and y

Multiplying (1) by 3, we have

$$6x + 9y = 48$$

And from (2) $6x - 8y = 14$

By subtraction, $17y = 34,$

$$y = 2$$

Substituting in (1), $2x + 6 = 16,$

$$x = 5$$

Thus the rate of stream is 2 mi per hour, and the rate of rowing in still water is 5 mi per hour

MISCELLANEOUS EXAMPLES IV.

EXERCISES FOR REVISION

A.

1 Simplify

$$(i) \frac{3\frac{1}{2} - \frac{5}{8} + \frac{1}{8}}{2\frac{2}{3} + \frac{1}{4}\frac{2}{5}} + \frac{1\frac{1}{8}}{11\frac{1}{8} - 2\frac{1}{3}}, \quad (ii) \frac{5\frac{1}{2} - 1\frac{1}{2}}{4\frac{2}{3} + 6\frac{1}{12}} - \frac{3\cdot 2 - 2\cdot 88}{0\cdot 97 + 0\cdot 83}$$

2 Find the sum of

$\frac{5}{9}$ of £17 16s 3d, 5283 farthings, and £21 875

3 Which goes the faster, a train travelling at 40 miles an hour, or a turbine steamer travelling at 33 knots? A knot is a speed of 6080 feet per hour (C S)

4 Assuming that the difference between the length of a rod of iron in summer and its length in winter is $\frac{1}{1000}$ of its length in winter, find the total expansion from winter to summer of a bar equal in length to the Forth Bridge ($\frac{2}{3}$ of a mile) (C S)

5 A square courtyard, 35 feet in the side, has to be paved with square tiles 8 inches in the side. How many tiles will be used, and what space will be left uncovered at the edges, if the tiles cannot be divided? (C S)

6 Resolve 999999 into its prime factors

B

7 Find, to the nearest pice, the value of 20 mds 19 srs 8 chks at Rs 13 11 a per md

8 Simplify $1\frac{4}{7} - \frac{3}{4}(\frac{1}{15} + \frac{1}{5}) + \frac{3}{104} - \frac{2\frac{3}{8}}{3 - \frac{5}{6}}$

9. A mixture consists of 15 parts of coffee, purchased at £4 4s per cwt, and 1 part of chicory, purchased at £1 16s per cwt. It is sold at 1s 4d per lb, what profit, to the nearest penny, would be made on the sale of 2 cwt 24 lbs?

10 If £1 can be exchanged for 25 fr 20 c find to the nearest franc the equivalent of £15 10s

11 The population of the United Kingdom was 41,609,000 in 1901, and the national income derived from taxes on the sale of intoxicants was £31,428,000. Calculate (to the nearest penny) the average amount contributed per head in this way (C S)

12 The return railway ticket from a suburb to London costs 2s 2d, and the annual ticket £12 5s 0d. How many days in the year must a man travel to save money by taking an annual ticket instead of paying for each day? (C S)

C

13 How many seers are there in 13 per cent of 3 mds 30 srs

14 Calculate the value of $\frac{14\ 52}{83\ 1} + \frac{1\ 575}{13\ 85}$ to five places of decimals

15 A rectangular field is 330 yards in length and 188 yards in breadth, find the area of the field to the nearest acre, and the money which would be obtained by selling half the field for £17 4s 6d an acre, and the other half for £21 15s 6d an acre

16 Express 2 ac. 2 r 7 12 p as the decimal of $3\frac{1}{2}$ acres

17 Assuming 1 ton = 1016·05 kilograms, express 16 tons 5 cwt in kilograms correct to the nearest unit

18 A runs 28 yards in 3 secs, B runs 46 yards in 5 secs. If they start to run together, how far will A have run when B is left 10 yards behind?

D

19 A cubic foot of water weighs 62 3 lbs, and 41 cubic feet of teak weigh a ton. Is teak heavier or lighter than water, bulk for bulk?

20 What is the value of 0 628125 of a ton of metal at £63 13s 4d a ton?

21 There are three numbers. The H C F of each pair is 17, and the L C M of all three is 20,172. What is the product of the numbers?

22 Two boxes of eggs, each containing 500, are bought for Rs 39 1a, if the eggs in one box cost 5 annas per score more than the others, what is the price per score of each lot?

23 If 5 cwts 3 qrs 20 lbs of tea cost £44 5s 4d, what is the value of 2 cwt. 16 lbs?

24 A owes Rs 125 to B, B owes Rs 90 to C, and C owes Rs 67 to A, and the accounts between them are to be settled by cheques given by A to each of the others, for what amounts must the cheques be drawn?

E

25 A man buys 3 big 16 cot 14 chk of land at Rs 440 a bigha, and builds houses on it costing Rs 3808 12a in all. What was his total expenditure?

26 If 4 men with 9 boys can do a piece of work in $1\frac{1}{2}$ days, and 3 men with 6 boys can do the same work in $1\frac{5}{6}$ days, how long would one boy or one man working alone take to do the work?

27. Find the value of

$$31 \cdot 213\frac{1}{4} + 3 \cdot 20\frac{7}{8} - 20 \cdot 5\frac{3}{8} - 13 \cdot 632\frac{5}{8},$$

and express the result in *thousandths and the fraction of a thousandth*

28 In 1900-1901 the national expenditure was £183,592,264 Of this the Army cost £91,710,000, the Navy £29,520,000, and the Civil Services £23,500,000 Express each of these as a percentage of the whole, to the nearest integer [See Ex. 3, p 216] (O S)

29 If a three mile race is won in 35 min 33 secs, and the winner beats the second man by 66 yards, shew that the second man's pace is exactly 5 miles an hour

30 An excursion train, consisting only of first and third class carriages, conveys 1575 passengers from London to Portsmouth. The fare for a first-class ticket is 1s 6d more than for a third class ticket, and 325 of the passengers travel first class If the total amount received in fares is £300, what is the fare for each class?

F

31 Find in simplest form the value of

$$(i) \frac{\frac{5}{9} + \frac{3}{4}}{\frac{1}{4} + 2\frac{6}{11}} + \frac{1}{3\frac{1}{11}}, \quad (ii) \frac{3\frac{2}{3} \text{ of } \frac{1}{8} - \frac{5}{17}}{(\frac{1}{3} \text{ of } \frac{1}{10}) + (\frac{1}{10} - \frac{1}{6})}$$

32 A light was seen at intervals of 13 seconds. It was seen the first time at 1 hr 54 min 50 secs a.m., and the last time at 3 hrs 17 min 49 secs a.m. How many times was the light seen?

33 The wages of 8 men and 4 boys amount to Rs 30, and the wages of 5 men and 3 boys to Rs 19 8 a per week of six days Find the daily wages of a man and boy

34 Find the total cost of the following articles 12 yds of muslin at 5 a. 6p per yd, 9 yds. of flannel at Re 1 7 a 9p per yd, 3 pairs of gloves at Rs 2 3 a. 6p per pair, 4 pairs of stockings at Re 1 11 a per pair, 8 handkerchiefs at Rs 15 per dozen

35 A landlord's net rental after paying income tax at the rate of 1s in the £ is £7101 14s 6d Find his gross rental

36 If 480 ounces Troy of standard gold can be coined into 1869 sovereigns, the proportion of pure gold to alloy in standard gold being 22 to 2, find to the nearest gram the weight of pure gold in a sovereign [1 oz. Troy = 480 grams]

G

37 Find all the prime factors of 11781 and 12376, and hence find their H.C.F.

38 In 1906 there were 6,897,000 bushels of barley produced from 187,000 acres of Irish land. Taking the bushel of barley to weigh 56 lbs., what was the produce in ounces per square yard, correct to one tenth of an ounce?

39 Assuming that a metre = 39.37 inches, and that £1 is worth 25 fr 40 c., find the price in francs and centimes per metre equivalent to 3s 11d per yard.

40 Find the value to the nearest penny of

$$£1\ 7s\ 1d - 1\ 07 + £1\ 13s\ 9d \times 0.58 - 1\ 439 \text{ of } 19s\ 3d$$

41 Standard gold consists of 11 parts by weight of pure gold and 1 part of copper. If a sovereign contains 113 grains of pure gold, find how many will weigh 1 lb avoirdupois.

42 A contractor undertakes to dig a canal 4 miles long in 2 years. He employs 1000 men, but finds at the end of a year that only 2980 yards have been completed. How many more men at least must he employ in order to fulfil his contract?

H

43 Given that 31 lbs. are roughly equivalent to 14 kilograms, draw a graph from which any number of pounds up to 40 may be read off in kilograms, to the same degree of approximation. Express 22 lbs. and 17.5 lbs. in kilograms, and 5 Kg and 17 Kg in pounds.

44 A bankrupt owes £315 5s to A, £255 10s to B, and £175 to C. His assets are £410 3s 3d. What should each creditor receive?

45 The members of a musical society have the option of paying either 5s each time they attend a concert, or, an annual subscription of one guinea and 2s 6d each time they attend a concert. How many concerts must the latter class of members attend, during a year, before they gain any advantage over the former class? (C.S.)

46 The number of spectators at a football match was 15,568, the sum of sixpence was charged for admission, and 1245 of the persons admitted paid, in addition, one shilling each for grand stand tickets. The total receipts were £423 7s 6d. How many persons were admitted without payment? (C.S.)

47 What is the rent of a field containing 71 ac 1 r 15 p at £2 12s 6d an acre? Give your answer to the nearest penny. (C.S.)

48 A certain field can be reaped by 7 men in a given time, and 5 boys can do as much work as 2 men. Find how many boys would be required in addition to 30 men for the reaping of a field of twice the size in a third part of the time.

I

49 What is the internal area in square inches of the cross section of a pipe which holds 3 cubic feet in 8 yards of its length? (C S)

50 If 1 maund of coffee costs Rs 92 8a, draw a graph to give the price of any number of seers. Read off the price (to the nearest anna) of 13 srs, 21 srs, 23 srs

51 If 3 men or 7 women can do a piece of work in 32 days, how long will 7 men and 5 women require to do a piece of work twice as great

52 A person who buys tea at 11a 3p per pound, subsequently finds that the pound weight used was an ounce short in weight. What was the real price of the tea per pound?

53 A person on the platform of a station which is 132 yards long, notices that a train, which takes 3 seconds to pass him, occupies $7\frac{1}{2}$ seconds in passing completely through the station. What is the speed of the train, in miles per hour?

54 A rectangular carpet, 21 ft 6 in long and 16 ft $10\frac{1}{2}$ in wide, is put down in a room, leaving a space 16 in wide along each side, and 24 in wide along each end, unoccupied. If the carpet costs Rs 4 per square yard, and the remaining space is covered with inlaid woodwork, costing 8a. per square foot, find the whole cost

J

55 Read off as complete decimals

$$473\frac{1}{2}, \quad 123\frac{1}{5}, \quad 513\frac{1}{4}, \quad 78\frac{1}{8},$$

and find their sum

56 Simplify

$$(i) \frac{\frac{1}{2} - (\frac{1}{3} \div \frac{1}{4})}{\frac{1}{5} - \frac{1}{4} + 2\frac{1}{5}}, \quad (ii) \frac{\frac{2}{3} - \frac{1}{4} - \frac{1}{4} \div \frac{1}{4}}{12\frac{1}{11} - 5\frac{1}{8} \times 2\frac{1}{7} - \frac{1}{68}}$$

57 Find in square yards and square feet the area of a path 4 ft. wide surrounding a lawn 24 yds 2 ft by 22 yds 1 ft

58 A can do as much work in 2 days as C in 3 days, and B in 5 days as much work as C in 4 days. What time would B require to do a work which A can finish in 12 weeks?

59 Draw a graph from which the equivalent of a pressure given in pounds per square inch may be read off in kilograms per square centimetre, given that 27 lbs per sq in. is approximately equivalent to 1.00 Kg per sq cm

Read off the equivalents of 30 lbs and 57 lbs per sq in

Express 2.55 Kg per sq cm in lbs per sq in

60 What will be charged for carrying 700 maunds for $46\frac{1}{2}$ miles, if the carriage of 27 maunds 5 seers for $52\frac{1}{4}$ miles amounts to Rs 13 1a?

K

61. Find the cost of 22 cwt 3 qrs 21 lbs at £12. 16s 8d per cwt

62. Find the simplest value of

$$\frac{10\frac{2}{3} - (5\frac{3}{8} + 4\frac{9}{20})}{10\frac{1}{3} - (2\frac{4}{5} - 1\frac{4}{5})} - 7 \times \left(6 + \frac{1}{1 + \frac{1}{8}}\right)$$

63. Use a contracted method to find the square root, correct to 5 decimal places, of 44100·015241579

64. A man can row 27 miles up stream from A to B in 9 hours, and down stream from B to A in 3 hours. Find (i) the rate of the stream, (ii) how long it would take the man to row from A to B if there was no stream

65. Assuming that a litre = 0·2201 gallon, find to the nearest litre the quantity of water wasted in an hour by a cistern which leaks at the rate of $1\frac{1}{2}$ pints per minute

66. A man is timed to skate over a course supposed to be a mile long in 3 min $25\frac{1}{8}$ sec, but it is found on measurement that the course is 50 yards short. Calculate his time for a true mile at the same rate of speed

L

67. A housekeeper takes three half seers of milk each week day and one seer on Sunday, and her bill for the week comes to Rs 2 3a. What is the price of milk per seer?

68. Calculate to the nearest penny the sum to be paid to a creditor whose debt is £183 13s 10d when his debtor pays 14s. $7\frac{1}{4}$ d in the £

69. A proposed railway is to have an average width (including embankments) of 80 ft. How much per mile must the company pay for land at the rate of Rs 165 per bigha?

70. On a certain map a road 1320 yds long is represented by a length of $18\frac{3}{4}$ inches. Determine the scale of the map. What area on the map would represent an area of $\frac{1}{10}$ sq mile? (O S)

71. Shew, without unnecessary work, that the following statements cannot be correct

(i) $3\cdot984 \times 0\ 872 = 3\ 752$,

(ii) $3\ 984 - 0\ 872 = 3\ 652$,

(iii) $\sqrt{0\ 324} = 0\ 18$

72. During the last 4 months of a year a man's average daily expenditure was Rs 2 13a. 6p. If his average was Rs 3 5a in September, Rs 2. 8a in October, and Re 1 15a in November, what was his average daily expenditure in December, to the nearest anna?

M

73 A rectangular allotment ground is 24 chains 25 links long by 16 chains 80 links broad. Find, to the nearest penny, its rent at £5 15s 6d per acre

74 If 9 men or 16 boys can hoe a field of 16 acres in 7 days of 10 hours each, in how many days of 9 hours each will 13 men and 15 boys hoe a field of 49 acres?

75 Divide Rs. 7852 8a among three persons, A, B, and C, so that A may get one third of what B receives, and C may receive as much as A and B together

76 A railway train, 73 metres in length, is travelling at the rate of 60 kilometres an hour on the up line, and another train, 102 metres in length, is travelling in the opposite direction, on the down line, at the rate of 40 kilometres an hour, find the time occupied by the trains in passing each other

If the trains were travelling on parallel lines in the same direction, what would be the time occupied by the faster train in passing the slower? (C S)

77 A beam, having a square section, is 9 ft long, and weighs $3\frac{1}{2}$ cwt. A cubic foot of the substance of the beam weighs 32 lbs. What is the thickness of the beam? (C S)

78 A basket of 65 oranges is bought for Rs 3 2a. Draw a graph to shew the price for any other number. How many could be bought for Rs. 2 8a? Find the price (to the nearest anna) which must be paid for 36 and for 78 oranges respectively

N

79 If a cubic foot of water weighs 62 426 lbs, and a linear foot is equal to 30 48 centimetres, find the number of pounds in a kilogram, correct to the nearest tenth

80 A block of glass measures, in inches, $5\frac{3}{4}$ by $2\frac{7}{8}$ by $1\frac{5}{16}$. The material weighs 16 ounces per cubic inch. Find the weight of the block to the nearest ounce

Suggest a simple method of testing whether your result contains a serious error (C S)

81 A man rows a certain distance down stream in 5 hours, and the same distance up stream in 7 hours. If he can row 8 miles an hour in still water, what is the rate of the stream?

82 A certain length of pathway has to be constructed, it is found that three men can construct one fifth all but one mile in two days, whilst 18 men can construct one mile more than two fifths in one day. What is the length of the path? (C S)

83 A train overtakes two persons who are walking 2 miles and 4 miles an hour respectively, and completely passes them respectively in 9 seconds and 10 seconds. What is the length of the train and its speed in miles per hour? (O S)

84. Justify the following graphical construction for finding approximately $1\frac{4}{14}$ of any number up to 10. Join the origin to a point P whose coordinates are 10 and 14 (or 5 and 7.07), taking 1 inch as unit, then the ordinate of any point on OP is $1\frac{4}{14}$ times the corresponding abscissa. Read off from the diagram as correctly as possible to two places of decimals, $1\frac{4}{14} \times 2$, $1\frac{4}{14} \times 3.5$, $1\frac{4}{14} \times 8.6$, $\frac{1}{1\frac{4}{14}} \times 7.8$

O

85 A boy is required to multiply Rs 13 3a 6p by 105. He multiplies by the factors 3, 5, 7 in order. In this way he gets three products. Explain how many times Rs 13 3a 6p the sum of these three products will be? Using addition and subtraction only, shew how to find Rs 13 3a. 6p $\times 93$ from the products in the boy's sum.

86 The bottom of a rectangular tank measures 24 ft by 15 ft. Find the depth to which it will be filled when it contains 9000 gallons of water. Assume that a gallon weighs 10 lbs., and that a cubic foot of water weighs 1000 oz.

87 A garrison of 200 men has provisions sufficient for 24 weeks, at the end of the first week a reinforcement of 80 men arrives, and the rations per day of each man are then reduced from 18 oz. to 15 oz., for how many days longer can they hold out?

88 A man, by fraudulently using as a seer weight one short by half a chatak, raises the price of tea by 1a 3p a seer. What is the price charged for the tea per seer?

89 The average height of 4 men is 1 m 72 cm, the heights of three of them are 1 m 80 cm, 1 m 65 cm, and 1 m 58 cm respectively. What is the height of the fourth?

If each of these measurements is only correct to the nearest centimetre, between what limits must the height of the fourth man lie?

90 The area of a circular ring is given by the formula

$$(D^2 - d^2) \times 0.7854,$$

where D and d are the external and internal diameters respectively

(i) Find, to the nearest tenth of a square foot, the area of a path 1.4 ft wide round a circular flower bed 8.6 ft in diameter.

(ii) Find the weight, to the nearest gram, of a circular ring of metal cut from a plate weighing 6.7 grams per square centimetre, the external and internal diameters of the ring being 7.3 cm and 4.7 cm.

P

91 After 12 innings a cricketer's average is 24, what must be the average of the remaining 3 innings of the season that his average for the whole season may still be double the number of his innings?

92. Work, as clearly as possible, by the shortest method you can think of, the following

(i) Find the cost of 87 yards of silk at R 5 11 a yard, together with double that number of yards of ribbon at 14 a. 6 p a yard

(ii). Find the cost of 8250 bricks at Rs. 7 14 a a thousand

(iii) Evaluate $49\frac{7}{16}$ of half a mile

93 A chest whose external length, breadth, and height are 5 ft 9 in., 4 ft 3 in., and 3 ft 3 in. respectively, is made of deal $1\frac{1}{2}$ in thick. Find the cost of lining the sides and bottom with thin metal at 8 a per square foot

94. On a certain map an area of 12535 sq m 2904 sq yds is represented by a rectangle 3 5 in. by 7 4 in. On what scale is the map drawn?

95 If a man rows 21 miles in $3\frac{1}{2}$ hours against a stream the rate of which is 2 miles an hour, how long would he be in rowing 20 miles with the stream?

96 By measuring time along OX (1 inch for 1 hour), and distance along OY (1 inch for 10 miles) shew that a line may be drawn from O through the points (1, 8), (2, 16), (3, 24), to indicate distance travelled towards Y in a specified time at 8 miles an hour

A starts from London at noon at 8 miles an hour, two hours later B starts, riding at 12 miles an hour. Find graphically at what time and at what distance from London B overtakes A. At what times will A and B be 8 miles apart? If C rides after B, starting at 3 p.m. at 15 miles an hour, find from the graphs

(i) the distances between A, B, and C at 5 p.m.,

(ii) the time when C is 8 miles behind B

CHAPTER XVII

PERCENTAGES

286 WE have already seen [Chap vi Art 138] that a **percentage** is a ratio or fraction expressed with 100 as its second term, the first term or numerator of the fraction being the rate per cent

For example $\frac{7}{100}$ is a percentage, denoting 7 out of one hundred, or 7 per cent this is written 7 p c or 7 %, 7 being the *rate per cent*

Thus a percentage of a quantity is a fraction of it expressed in *hundredths*

287 We have also shewn [Arts 138, 207, 208]

(i) how to express any fraction or ratio as a percentage,

(ii) how to find a percentage of any given quantity

It is convenient to repeat these two processes

EXAMPLE 1 Express (i) $\frac{7}{16}$ as a percentage,

(ii) $73\frac{1}{3}$ per cent as a fraction.

(i) Let x denote the rate per cent,

then

$$\frac{x}{100} = \frac{7}{16},$$

$$x = \frac{7}{16} \times 100 = 43\frac{3}{4}$$

Thus the fraction $\frac{7}{16}$ is equivalent to $43\frac{3}{4}$ per cent.

$$(ii) 73\frac{1}{3} \text{ per cent} = \frac{73\frac{1}{3}}{100} = \frac{220}{100 \times 3} = \frac{11}{15}$$

EXAMPLE 2 Find, to the nearest pice, or penny

(i) $3\frac{1}{4}\%$ of Rs 846, (ii) $5\frac{1}{3}\%$ of £786 11s 4d

$$(i) 3\frac{1}{4}\% \text{ of Rs } 846 = \text{Rs } 846 \times \frac{3\frac{1}{4}}{100}$$

$$= \text{Rs } 846 \times 3\frac{1}{4}$$

$$= \text{Rs } 27495$$

$$= \text{Rs } 278 \text{ a to the nearest pice}$$

$$\begin{array}{r} \text{Rs} \\ 846 \\ 3\frac{1}{4} \\ \hline 2538 \\ 2115 \\ \hline 27495 \end{array}$$

$$(ii) 5\frac{7}{8}\% \text{ of } £786 \text{ } 11s \text{ } 4d = £786 \text{ } 567 \times \frac{57}{100} \\ = £786567 \times 5\frac{7}{8}$$

$$\begin{array}{r} \text{£} \\ 7865 \overline{) 67} \\ 47194 \overline{) 0} \\ 0783 \overline{) 2} \\ 46211 \end{array} = £46 \text{ } 4s \text{ } 3d$$

Multiply by 6, and deduct $\frac{1}{8}$ of the multiplicand, arranging the work so as to give a result true to the third decimal figure

NOTE. In a few special cases it may be convenient to work out the result fractionally, but the decimal process here given is generally to be preferred

288 **Commission** is a fee paid to an agent for buying or selling property, or for conducting any other business on behalf of another person. Commission is calculated as a *percentage* on the money spent or received by the agent for his employer

Money paid to effect insurance of property is called a **premium** it is calculated as a *percentage* on the sum payable in case of loss

EXAMPLES XVII a.

1 Find correct to three significant figures the percentages equivalent to the following fractions

$$(i) \frac{2}{3}, \quad (ii) \frac{2}{15}, \quad (iii) \frac{1}{17}, \quad (iv) \frac{11}{21}, \quad (v) \frac{9}{13}$$

2 Find the fractions equivalent to

$$(i) 3\frac{1}{3}\%, \quad (ii) 75\%, \quad (iii) 12\frac{1}{2}\%, \quad (iv) 33\frac{1}{3}\%$$

How much per cent is

$$3. \text{ Rs } 3 \text{ } 9s \text{ of Rs } 25?$$

$$4. \text{ Rs } 17 \text{ } 1s \text{ of Rs } 60?$$

$$5. \text{ } 3s \text{ } 9p \text{ of } 15s?$$

$$6. \text{ } 22 \text{ yards of } 1 \text{ mile? } \%$$

Find the values of

$$7. \text{ } 5\% \text{ of Rs } 35$$

$$8. \text{ } 3\% \text{ of Rs } 150$$

$$9. \text{ } 7\% \text{ of Rs } 225$$

$$10. \text{ } 4\frac{1}{2}\% \text{ of Rs } 950$$

$$11. \text{ } 3\frac{1}{2}\% \text{ of Rs } 1175$$

$$12. \text{ } 5\frac{1}{4}\% \text{ of Rs } 2200$$

How much per cent is

$$13. \text{ } 3s \text{ } 4\frac{1}{2}d \text{ of } 16s \text{ } 10\frac{1}{2}d?$$

$$14. \text{ } 4 \text{ tons } 8 \text{ cwt of } 27\frac{1}{2} \text{ tons?}$$

$$15. \text{ Rs } 6 \text{ } 60 \text{ of Rs } 52 \text{ } 50?$$

$$16. \text{ } 527 \text{ grams of } 12 \text{ } 4 \text{ Kg}$$

Express decimally, correct to three significant figures

- 17 Rs 38 as a percentage of Rs 271
 18 Rs 72 8 a Rs 946.
 19 Rs 51 12 a Rs 85 4 a
 20 3 Rs 25 cents 98 Rs 60 cents
 21 7 a 9 p Rs 7 6 a 6 p

Working in decimals find to the nearest penny the value of

- 22 4 % of £573 23 7 % of £1129
 24 $3\frac{1}{2}$ % of £844 25 $4\frac{1}{4}$ % of £58 16s
 26 4 % of £150 13s 6d 27 $5\frac{1}{4}$ % of £804 8s
 28 Find to the nearest penny the commission on

(i) £302. 14s 7d at 3 per cent ,

(ii) £1572 11s 10d. at $5\frac{1}{2}$ per cent

29 An agent charges $3\frac{1}{2}$ % commission for collecting rents. If the rents amount to Rs 3750, how much commission should be paid?

30 A yard measure is too long by one quarter of an inch estimate the error as a percentage of the proper length [Answer to two significant figures]

31 A field force of 7500 men is reduced by sickness and casualties to 6359 Estimate the loss per cent to three significant figures

32 In 1890 the population of a town was 4680, in 1900 it had risen to 4948 Find the absolute increase, and the increase per cent reckoned on the population of 1890 [Answer to two significant figures]

289 The following general methods should be carefully noted

(i) To a given quantity P add 7 per cent of itself ,

(ii) From a given quantity P take 7 per cent of itself ,
 each operation being performed in one step

(i) If to 100 we add 7 p c of 100 we get $100+7$ or 107 ,
 the required sum is greater than P in the ratio 107 100 ,
 that is, required sum $= P \times \frac{107}{100}$

(ii) If from 100 we take 7 p c. of 100 we get $100-7$ or 93 ,
 the required difference is less than P in the ratio 93 100 ,
 that is, required difference $= P \times \frac{93}{100}$

Conversely (i) What quantity +7 p.c. of itself gives Q?

(ii) What quantity -7 p.c. of itself gives Q?

(i) Here the required quantity, *on which the percentage is taken*, corresponds to 100, and the given total corresponds to 107

the required quantity is less than Q in the ratio of 100 : 107,
that is, required quantity = $Q \times \frac{100}{107}$

(ii) Similarly, required quantity = $Q \times \frac{100}{93}$

NOTE. In such cases the multipliers $\frac{107}{100}$, $\frac{93}{100}$ are usually best treated as decimals, while the reciprocal multipliers $\frac{100}{107}$, $\frac{100}{93}$ are often best treated as fractions

EXAMPLE. *The per cent of the inhabitants of a town having died of fever, a panic set in, during which 15 per cent of the remaining inhabitants left the town. If the population was then reduced to 3553, what was it originally?*

Out of every 100 persons before the panic 85 are finally left,

before the panic, the population = $3553 \times \frac{100}{85}$

Again, out of every 100 persons before the fever 95 survived,

the original population = $3553 \times \frac{100}{85} \times \frac{100}{95}$
= 4400

290 In questions dealing with statistics, where large numbers are involved, approximate methods should be used, as shewn in the following example

EXAMPLE *The population of Ireland was returned as 4,704,750 at the census of 1891, and as 4,458,775 in 1901. Find, to three significant figures, the percentage decrease*

The decrease was 245,975 out of a total of 4,704,750

Let x be the rate per cent of decrease,

$$\begin{aligned} \text{then } \frac{x}{100} &= \frac{245,975}{4,704,750} \\ &= \frac{245,975}{4,704,800}, \text{ nearly} \\ x &= \frac{245,975}{47,048} \\ &= \frac{24,598}{4,705}, \text{ nearly,} \\ &= 5.23 \end{aligned}$$

Thus the decrease is 5.23 per cent

Here it is only necessary to retain 4 significant digits in the divisor

$$\begin{array}{r} 5.23 \\ 4705 \overline{) 24598} \\ \underline{1073} \\ 182 \end{array}$$

EXAMPLES XVII b

1 What is a man's income if, after losing $22\frac{1}{2}$ p c of it, he has Rs 1800 left?

2 The population of a district has decreased by 16 p c, if it was originally 15,800, what is it now?

3 The population of a town which is now 62,130 is known to have increased by 9 p c since the last census. What was the population at the last census?

4 An army of 145,600 loses $12\frac{1}{2}$ p c of its number through disease, and 15 p c of the remainder in battle. How many are left?

5 A tradesman makes a reduction of 10 p c from the prices marked. What will he receive for an article marked 7a 6p?

6 Goods are being sold at a reduction of 20 p c below the marked price. What should be the marked price of an article sold for 11s 8d?

7 A general having lost two sevenths of his men in battle, and 6 p c of the remainder by sickness, has 95,880 men left. How many had he at first?

8 For what sum should goods worth £532 be insured at 5 p c so that in case of loss the owner may recover the premium as well as the value of the goods.

[Out of every £100 insured, £5 represents premium. Thus the value of the goods is 95 p c of the sum to be insured.]

9 For what sum should a cargo worth Rs 74,000 be insured at $7\frac{1}{2}$ p c so that in case of loss both cargo and premium may be recovered?

10 A firm adds to its reserve fund in such a way that at the end of each year the fund is increased by 12 p c of its amount at the beginning of the year. If the fund now stands at Rs 157,584, what was it two years ago?

11 Of two routes leading from A to B one is longer than the other by $5\frac{1}{2}$ p c of itself. The longer route is 182 460 Km, what is the length of the shorter to the nearest metre?

12 One year the revenue of a province was Rs 4,780,320, the next year it was Rs 4,957,600. Find the increase per cent correct to three significant figures.

13 A man embarks his whole capital in four successive ventures, in the first he clears 100 p c, and in each of the others he loses 20 p c. Show that he has gained 24 p c on his original capital.

14 In a certain year the total revenue was £144,000,000, and the tax on tea produced £5,790,000. What per cent of the whole revenue, to the nearest whole number, was produced by the tea tax? (C S)

15 In Greece in 1893 there were 5,563,100 acres of agricultural land, and of this

Olives occupied	432,000 acres	yielding	15,000,000 lbs
سنبس Currants	168,000 acres	„	350,000,000 lbs
Figs	52,000 acres	„	60,000,000 lbs

What was the yield of each per acre, and what percentage of the whole agricultural land was occupied by each? Give the answers correct to the nearest whole number (C S)

16 Our imports for the year 1900 were as shewn below Find, to the nearest integer, what percentage of the total imports came from each of the sources named

British possessions,	-	-	-	£109,530,635
United States of America,	-	-	-	138,789,261
France,	-	-	-	53,618,656
Other countries,	-	-	-	221,136,611 (C S)

17 The relation between the revenue and expenditure on the Baltimore and Ohio Railway for three years was as follows

	1898.	1899	1870
Earnings, -	\$7,558,644	\$8,724,915	\$9,427,728
Expenses, -	\$5,054,448	\$5,756,106	\$5,453,460

Express the expenses as a percentage of the earnings for each year, and also for the whole period of three years, giving each percentage to the nearest integer (C S)

18 The population of England and Wales was 29,002,525 in 1891, and 32,577,843 in 1901, that of Scotland was 4,025,647 in 1891, and 4,472,103 in 1901 Find which population was increasing at the greater proportional rate during 1891-1901 (C S)

19 The following table shews for the year 1903 the estimated population and the number of children attending primary schools in England and Wales, Scotland, and Ireland respectively Find in each of the three cases the number of children as a percentage of the estimated population to the nearest whole number (C S)

	England and Wales	Scotland.	Ireland
Estimated population, -	33,378,000	4,579,000	4,414,000
Number of children attending primary schools, -	5,037,000	669,000	482,000

Profit and Loss

291 When goods are bought for one sum of money and sold for another there is a profit or loss according as the selling price is greater or less than the cost price. But in dealing with the results of different business transactions the calculation of *actual* gains or losses does not furnish any useful basis for comparison

Consider the purchase and sale of two articles as follows

(i) Cost price Rs 12, selling price Rs. 16

(ii) Cost price Rs 20, selling price Rs 24

Here the actual profit is Rs 4 in each case, but *relatively to the original outlay*, the profit is $\frac{1}{3}$ in the first case, and $\frac{1}{5}$ in the second. If we express these fractions as *percentages* we see that

in the first case the profit is $\frac{1}{3} \times 100$, or $33\frac{1}{3}$ per cent,

„ second „ „ $\frac{1}{5} \times 100$, or 20 per cent

It will be noticed that the profit per cent has been calculated *with reference to the cost price*, and, unless otherwise stated, profit and loss per cent are always to be understood in this sense

In what follows we shall often find it convenient to abbreviate the terms 'cost price' and 'selling price' by the letters C P and S P respectively

EXAMPLE 1 *Estimate the gain or loss per cent when*

(i) A bullock bought for Rs 30 is sold for Rs 28 8a

(ii) Articles bought at £30 10s per score are sold at £22. 2s 6d per dozen

(i) Here the actual loss on Rs 30 is Re 1 8a

$$\text{loss per cent} = \frac{1\frac{1}{2}}{30} \times 100 = 5$$

$$\begin{aligned} \text{(ii) The selling price per score} &= £22\ 12s \times \frac{20}{12} \\ &= £36\ 87s \end{aligned}$$

Hence S P = £36 87s, C P = £30 5

actual gain = £6 37s

$$\begin{aligned} \text{gain per cent} &= \frac{6\ 37s}{30\ 5} \times 100 \\ &= \frac{63\ 75}{3\ 05} \end{aligned}$$

$$\begin{array}{r} 20\ 9 \\ 3\ 05 \overline{) 63\ 75} \\ \underline{275} \end{array}$$

= 20 9, correct to one decimal fig

EXAMPLE 2 An article which cost Rs 130 was sold at a profit of $7\frac{1}{2}$ per cent, what was the selling price?

First Method

$$\begin{aligned} \text{S P} &= \text{C P} + 7\frac{1}{2}\% \text{ of C P} \\ &= 107\frac{1}{2}\% \text{ of C P} \\ &= \frac{107\frac{1}{2}}{100} \text{ of Rs 130} \\ &= \text{Rs 139 12a} \end{aligned}$$

Second Method

Here we add the actual gain to the cost price Thus

$$\begin{array}{r} \text{Rs} \\ 130 \\ 65 = 5\% \\ 3.25 = 2\frac{1}{2}\% \end{array} \left. \vphantom{\begin{array}{r} 130 \\ 65 \\ 3.25 \end{array}} \right\} 7\frac{1}{2}\% \\ \hline 139.75 = \text{Rs 139 12a}$$

The second method should only be used in the simpler cases of finding selling price

EXAMPLE 3 By selling a picture for £55 4s I lose 8 per cent, what did the picture cost me?

$$\text{Here } \text{C P} - 8\% \text{ of C P} = \text{S P},$$

$$\text{that is, } \frac{92}{100} \text{ of C P} = \text{S P},$$

$$\begin{aligned} \text{C P} &= £55\frac{1}{5} \times \frac{100}{92} \\ &= £\frac{276}{5} \times \frac{100}{92} \\ &= £60 \end{aligned}$$

NOTE The percentage loss is 8 p c of the *cost price*, hence the *actual* loss cannot be found until the cost price is found. For this reason there is no solution analogous to the second method of Ex. 2

EXAMPLES XVII c

Find the profit or loss per cent when

- 1 Goods costing Rs 30 are sold for Rs 36
- 2 Rs 3 12a Rs 3 4a
- 3 An article which cost 1s 8d is sold for 1s 6d
- 4 Rs 2 Rs 2 4a
- 5 Pictures costing 5s 6d each are sold at £6 12s per score what is the gain or loss per cent?

Find the selling price in the following cases

- 6 Cost price £5, profit 20 p c
- 7 Cost price 6s 8d, loss $7\frac{1}{2}$ p c
- 8 Cost price 62Rs 50 cents, profit 8 p c
- 9 Cost price Rs 11 4a, loss 10 p c

10 How much per cent is gained by buying a book case for 15 a and selling it for Re 1 2a 9p ?

11 If I lose 18s in selling a picture for £3 2s, what is my loss per cent ?

12 A horse which cost Rs 75 was sold at a loss of 4 per cent, what did it sell for ?

13 At what price must an article which cost Rs 6 4a be sold so as to gain 14 per cent ?

14 If $12\frac{1}{2}$ per cent is lost by selling a book for Rs 2 10a, what was the cost price ?

15 Find, correct to one decimal place, the rate per cent of gain or loss, when

(i)	Goods costing £40	are sold for £43 7s 1d
(ii)	£25 15s	£22 4s 7d
(iii)	£77 4s 8d	£86 17s 8 $\frac{1}{2}$ d

16 What is the gain or loss per cent on groceries retailed at $5\frac{3}{4}$ d per lb and costing £2 7s 11d per cwt ?

17 A woman bought eggs at 15 annas per dozen, at what price per hundred must she sell them so as to gain 12 per cent ?

18 If 130 lbs of sugar are sold for £1 17s 4 $\frac{1}{2}$ d, what is the gain or loss per cent if the cost price was 3d per lb ?

19 Knives are bought at 11 for Rs 10 and sold at 10 for Rs 11. What is the gain per cent ?

20 If eggs are bought at 5 for 3a and sold at 25 for Re 1 2a, what is the gain or loss per cent ?

21 If 8 p c is lost by selling an article for Rs 5 12a, what did it cost ?

22 What was the cost price of an umbrella which was sold for Rs 15 at a gain of 20 p c ?

23 By selling goods for £17 4s a profit of $7\frac{1}{2}$ p c is made, find the cost price

24 If 10 p c was lost by selling a bullock for Rs 65 4a, what did it cost ?

25 A draper sells 150 yards of cloth at 8a 9p per yard, gaining thereby 25 p c. What did he pay for the whole ?

26 If eggs can be sold at 9d per dozen at a profit of 20 p c, what was the cost price per score ?

27 Sugar sold at $2\frac{1}{4}$ d per pound produced a gain of $12\frac{1}{2}$ p c. What was the cost price per ton ?

28 A man loses 15 p c by selling articles at £20 8s per gross, what was the cost price of each article? To what sum must he raise the selling price per gross so as to secure a profit of 20 p c?

29 A merchant loses $6\frac{1}{4}$ p c by selling half a hundredweight of tea for 5 guineas. At what price per pound did he buy it?

292. EXAMPLE 1 *By selling goods for Rs 204 I lose 15 per cent on my outlay for what must I sell them so as to gain 10 per cent?*

Here

given S P = 85 % of C P ,

required S P = 100 % of C P ,

required S P = $\frac{110}{85}$ of given S P

$$= \text{Rs } 204 \times \frac{110}{85}$$

$$= \text{Rs } 264.$$

EXAMPLE 2 *By selling sugar at £21 per ton I gain $12\frac{1}{2}$ per cent, what percentage should I gain or lose by selling it at 3d per pound?*

3d per lb is equivalent to $\frac{3 \times 2240}{20 \times 12}$, or £28, per ton.

Now 2^{nd} S P = $\frac{28}{21}$ of 1^{st} S P

$$= \frac{4}{3} \text{ of } 1^{\text{st}} \text{ S P}$$

Also 1^{st} S P = $112\frac{1}{2}$ % of C P ,

2^{nd} S P = $\frac{4}{3}$ of $112\frac{1}{2}$ % of C P

$$= 150 \% \text{ of C P ,}$$

that is, there is a gain of 50 %

293 When an article of commerce passes through the hands of several dealers, the profit or loss per cent of each must be calculated on the price at which he bought it

EXAMPLE. *A sells an article to B at a gain of 10 p c B sells it to C at a gain of $7\frac{1}{2}$ p c C disposes of it at a loss of 2 p c If the prime cost to the manufacturer was Rs 6 6a, find, to the nearest pice, the price obtained by C*

A buys for Rs 6 375 and sells at a gain of 10 p c ,

$$\text{the cost price to B is Rs } 6\ 375 \times \frac{110}{100}$$

B sells it at a gain of $7\frac{1}{2}$ p c ,

$$\text{the cost price to C is Rs } 6\ 375 \times \frac{110}{100} \times \frac{107\frac{1}{2}}{100}.$$

C sells it at a loss of 2 p c ,

the price he obtains for it

$$= \text{Rs } 6\ 375 \times \frac{110}{100} \times \frac{107\frac{1}{2}}{100} \times \frac{98}{100} *$$

$$= \text{Rs. } 6\ 375 \times 1\ 1 \times 1\ 075 \times 0\ 98$$

$$= \text{Rs } 7\ 388, \text{ to three dec figs ,}$$

$$= \text{Rs } 7\ 6\text{a. } 3\text{p , to the nearest pice}$$

Rs.
6 375
1 1
6 375
6375
7 0125
1 075
7 0125
4909
0351
7 5384
0 98
6 7846
0080
7 3876

NOTE. At the stage marked *, the pupil must in each case decide for himself whether the reduction will be simpler if treated by fractions.

EXAMPLES XVII. d.

1. By selling goods for Rs 364 I lose 9 p c , at what price should I sell to gain 10 p c ?

2. A merchant sold coal at 19s per ton, and thereby lost 5 p c , at what price ought he to have sold it so as to have gained 5 p c ?

3. If 3 p c. is gained by selling a piece of cloth for Re 1 9a. 9p , at what price must it be sold so as to gain 8 p c ?

4. By selling sugar at $2\frac{1}{2}d$ per lb a grocer would lose 2 p c , at what price per cwt could he sell it so as to gain 5 p c ?

5. A horse was sold for Rs 81 at a loss of 28 p c if the selling price had been Rs 90, what would have been the gain or loss per cent ?

6. What percentage of loss or gain will result from selling cloth at Rs 5 13a. per yard, if 5 p c is gained by selling it at Rs 6 9a per yard ?

7. If silk can be sold at Rs 2 11a a yard at a gain of $7\frac{1}{2}$ p c., how much per cent would be lost or gained by selling it at Rs 2 6a a yard ?

8. A tradesman who is selling off states that he will make a reduction of 10 p c from the prices marked. At what price must he mark goods for which he wishes to receive Rs. 6 3a. ?

9. A trader bought a consignment of 200 eggs, 20 of which were broken in transit, the rest he sold at the average rate of 5 for 9a , thereby clearing 8 p c on his outlay at what price per score did he buy the eggs ?

10. If sugar sold at $2\frac{3}{4}d$ per lb entails a loss of 12 p c , what percentage of profit would be made by selling it at £1 11s 6d per cwt ?

11. By selling oranges at 10s. per dozen a woman loses 10 p c of her outlay. What would she gain or lose per cent if she sold them at 10 for 12s.?

12. At a clearance sale an article is reduced in price from Re 1 8a to Re 1 5a. If the first price represents a profit of 28 p c, how much is gained per cent by selling at the reduced price?

13. A man bought a cottage and sold it at a loss of 5 p c. If he had been able to sell it at a gain of 7 p c he would have received more than he did by £49 16s. What was the cost price?

[Here difference of selling prices = 12 % of cost price.]

14. It 20 p c more would be gained by selling a piece of cloth for Rs 46 8s. than by selling it for Rs 39, what did it cost?

15. A carriage was sold at a loss of 20 p c, if it had fetched £10 more, there would have been a profit of 10 p c. What was the cost of the carriage?

16. Find the prime cost of some goods which would fetch Rs 9 6a more if sold at a profit of $13\frac{1}{2}$ p c than if sold at a loss of $6\frac{1}{2}$ p c.

17. A merchant lost 12 p c by selling coal, if he had increased his price by 3s. 8d. per ton he would have gained 10 p c. At what price did he sell it?

18. A wine merchant was selling champagne so as to gain 20 p c. He increased his price by 5s. per dozen, and his profit rose to $32\frac{1}{2}$ p c. At what price per dozen was he selling the wine at first?

19. It costs A Rs 600 to make a carriage, A sells it to B at a gain of 10 per cent, B sells it to C at a gain of 5 per cent. What does it cost C?

20. How much should I have to pay for a watch which cost £3 4s. to make, if the maker sold it to a dealer at a profit of 25 per cent, and the dealer sold it to me at a profit of $12\frac{1}{2}$ per cent?

21. A builder sells a house worth Rs 2000 to an agent at a loss of 16 per cent. If the agent disposes of it at a gain of 25 per cent, what does the purchaser pay?

22. A sells an article to B at a profit of 4 per cent, B sells it to C at a profit of 5 per cent. If C pays £4 11s. for it, what was the prime cost to A?

[Let £x be A's prime cost, then $x \times \frac{104}{100} \times \frac{105}{100} = 4\frac{11}{20}$,

that is, $x = 4\frac{11}{20} \times \frac{100}{104} \times \frac{100}{105}$. See Note to Example, Art. 293.]

23. A sold some goods to B, making a profit of 10 per cent, B sold them for £6 1s., making a profit of 10 per cent. What did A pay for the goods?

24. If the manufacturer makes a profit of 20 p c, the wholesale dealer a profit of 25 p c, and the shopkeeper a loss of 5 p c, what did the shopkeeper get for an article which cost 3s 4d to make?

25. The cost of making a bicycle is Rs 160, the maker adds on a profit of 25 p c to this in selling to a dealer, and the dealer sells the machine for Rs 250. Find the dealer's actual profit and his profit per cent.

26. A manufacturer makes an article and sells it to a dealer at a profit of 10 p c. The dealer sells it to a shopkeeper who obtains for it a price 21 p c above the cost of manufacture. What was the dealer's profit per cent?

27. The total rise in the price of goods passing through three hands is $57\frac{1}{2}$ p c, if the first and second secure profits of 20 p c and 25 p c respectively, what profit per cent does the third make?

28. A makes a wardrobe for £6 and sells it to B at a profit of 25 p c. B sells it to C, and C sells it for £9 18s making a profit of 10 p c. What profit per cent did B make?

29. A manufacturer sells to an agent at a profit of 20 p c, the agent's wholesale price to a shopkeeper is at a profit of 10 p c, and the shopkeeper retails his goods at a profit of $12\frac{1}{2}$ p c. Find

- (i) the wholesale price of goods which cost the manufacturer 6s 3d,
- (ii) the retail price of an article which cost 25s to make,
- (iii) the cost to the manufacturer of goods bought in the shop for £14 17s,
- (iv) the profit per cent which the manufacturer would make if he sold direct to the customer at the shopkeeper's price.

294 Miscellaneous Examples on Percentages

EXAMPLE 1. One gallon of spirit which contains 11 p c. of water is added to 3 gallons containing 7 p c of water, and to this mixture half a gallon of water is added. Find the percentage of water in the final mixture.

Here it will be convenient to consider each gallon as consisting of 100 parts

1 st gallon has 100 parts,	89 of spirit, 11 of water
The 3 gallons have 300 parts,	279 of spirit, 21 of water
The added $\frac{1}{2}$ gallon has	50 of water
By addition, 450 parts have	368 of spirit, 82 of water

$$\begin{aligned}
 \text{Thus the required percentage} &= \frac{82}{450} \times 100 \\
 &= \frac{164}{9} \\
 &= 18\frac{2}{9}
 \end{aligned}$$

EXAMPLE 2 *In what proportion must tea costing 11 a per lb be mixed with tea costing 8 a 8 p per lb in order that a gain of 20 p c may be made by selling the mixture at 12 a per lb ?*

$$\begin{aligned}\text{The cost price of the mixture} &= 12 \text{ a} \times \frac{100}{120} \\ &= 10 \text{ a}\end{aligned}$$

Now suppose that x lbs of the first kind of tea are taken with y lbs. of the second, then

$$\text{cost price of } (x+y) \text{ lbs at } 10 \text{ a} = 120(x+y) \text{ pices.}$$

$$\left. \begin{array}{l} \text{Also the cost price of } x \text{ lbs at } 11 \text{ a,} \\ \text{together with } y \text{ lbs. at } 8 \text{ a } 8 \text{ p} \end{array} \right\} = (132x + 104y) \text{ pices}$$

$$132x + 104y = 120x + 120y,$$

$$\text{that is, } 12x = 16y,$$

$$\text{or } \frac{x}{y} = \frac{16}{12} = \frac{4}{3}$$

4 parts of the first must be taken with 3 parts of the second

EXAMPLES XVII. e

1. Since the last census the births in a certain district have been 11 p c., and the deaths 4 p c of the whole population. If the population is now 85,600, what was it at the last census? Find also the number of births and deaths that have taken place in the interval

2. If 8 tons of coal at 25s per ton are mixed with 20 tons at 20s per ton, find the gain per cent if the whole is sold at 24s per ton

3. A grocer mixes chicory at 3 a per lb with coffee at Re 1 8 a per lb in the proportion of 4 to 17 and sells the mixture at Re 1 9 a per lb. Find his gain per cent.

4. A rising tradesman saves during each year an amount equal to 20 per cent of his capital, and adds it to his capital at the end of the year. If on Jan 1st, 1900, his capital was Rs 10,000, what was it on Jan 1st, 1904?

5. A shopman bought eggs at the rate of 7 for 4 annas, and sold them at a profit of 40 per cent. How many eggs would a customer get for 4 annas?

6. Two partners invest Rs 12,500 and Rs 8500 respectively in their business, and arrange that 60 per cent of the profits should be divided equally between them, and the remaining profits treated as interest on the capital. If one partner's share is Rs 300 more than that of the other, what was the whole amount of the profits?

7 A man buys a house for £1150 There is a ground rent of £25 a year, and annual repairs come, on an average, to $1\frac{1}{2}$ per cent on the purchase price of the house At what rent must he let the house to clear 8 per cent per annum on the purchase price? (C S)

8 An examination paper is worked by 2500 pupils, of whom one fifth are girls and the rest boys, 5 p c of the boys fail and 40 p c of the girls What percentage of the whole passed?

9 A sells goods to B at 5 p c profit, B sells to C at 20 p c profit, and C sells to D at 25 p c profit What would be A's profit per cent supposing that he sold the goods for the price D paid for them?

10 If 3 articles are sold for the cost price of 4, what is the profit per cent?

11 A tradesman's prices are 12 p c above cost price if he allows £1 6s 3d off a bill of £21, what profit per cent does he make?

12 A man buys an estate for Rs 36,000 He sells one third of it at a loss of 20 p c, and two fifths of it at a gain of 25 p c, at what gain per cent must he sell the remainder so as to make a profit of 10 p c on the whole?

13 A tradesman's takings for a week are £25, what is his net profit if he marks his goods 20 % above cost price and pays for rent, labour, etc 10 % of his takings? (C S)

14 In what proportion must coffee at 14s per lb be mixed with coffee at Re 1 8s per lb so that the mixture may be sold at Re 1 9s per lb at a profit of 25 p c?

15 A dairyman pays 1s 1d per gallon for his milk, he adds water and sells the mixture at 2d per pint, thereby making 40 per cent profit. Find the proportion of water to milk received by his customers

16 In New South Wales, the returns for 1903 shewed that the number of sheep in the country was 26,056,000, and the value of wool produced £8,593,000 In New Zealand similar returns shewed that the number of sheep was 18,955,000 and the value of the wool exported £4,041,000 Assuming that the amount of wool produced per head of sheep was the same in the two States, calculate the percentage of the total wool production of New Zealand which was exported (C S)

17 In the year 1906 Great Britain took 90 per cent of the farm products exported by Canada But it was said that "for every 100 dollars' worth of farm products supplied to the mother country by Canada, other countries furnished her with about 447 dollars' worth"

Taking the value of Canada's farm products exported to Britain as 131 millions of pounds sterling, calculate approximately the value of the farm products exported by Canada to all countries, also the value of farm products imported by Britain from all countries (C.S)

18 A bicycle agent allows 25 p c discount on his advertised prices, and then makes a profit of 20 p c on his outlay What is the advertised price of a machine on which he gains £3?

19 A man buys milk at 2s 6p per seer, dilutes it with water and sells the mixture at 3s per seer. How much water is added to each seer of milk if his profit is 60 p c ?

20 A man sells an article at 5 p c profit. If he had bought it at 5 p c less and sold it for Re 1 less, he would have gained 10 p c, find the cost price.

21 A piano was sold at a gain of 16 p c. If the selling price had been Rs 20 more the gain would have been 20 p c. What did the piano cost ?

22 A merchant buys 700 quarters of wheat. He sells 280 of them at $7\frac{1}{2}$ p c profit, 320 at 10 p c profit, and the rest at $12\frac{1}{2}$ p c profit. His whole gain amounts to £100 18s 7d. At what price per quarter did he buy ?

23 A grocer sells sugar at 4d per lb and takes off 5 p c for cash payment. Find what it costs him per cwt in order that he may make a profit of 60 p c ?

24 In what proportion must tobacco at 5s 3d per lb be mixed with another kind at 6s 6d per lb so that $33\frac{1}{3}$ p c may be gained if the mixture is sold at 7s 10d per lb.

25 A cycle agent buys 30 bicycles, of which 8 are first grade and the rest second grade, for Rs. 3150. Find at what price he must sell the first grade machines, so that if he sell the second grade machines at three quarters this price, he may make a profit of 40 p c on his outlay.

26 There are two casks of spirit, containing 25 p c and 15 p c respectively of water. If 2 gallons of the first are added to 3 gallons of the second, what percentage of water will there be in the mixture ? If a quart of water is now added, find, to the nearest integer, the percentage of spirit in the final mixture.

27 A tradesman bought some sugar at $3\frac{1}{2}$ d. per kilogram, and sold it at 2d per pound. He assumed that a pound was $\frac{1}{8}$ kilogram, whereas in reality a pound is 453.6 grams. What profit per cent on his outlay did he think he made, and what profit per cent did he actually make ? (O S)

28 A manufacturing firm has a capital of £9000. The gross annual sales are £3750. The cost of materials and manufacture is 35 p c of this. Rent, rates, and taxes amount to £387, advertising to £940, office expenses, £136, manager's salary, £200 together with 1 p c on the gross sales. Find the rate of interest that can be paid on the capital.

If the advertising is doubled, and in consequence the gross sales increase 40 p c, what increase will there be in the annual profit ? (O S)

CHAPTER XVIII

INTEREST AND DISCOUNT

295 WHEN money is borrowed in the course of business the lender makes a certain charge for the use of the sum lent. Such a charge is called **Interest**, and the sum lent is called the **Principal**.

Interest is usually reckoned as a *percentage on the principal* for each year until the loan is repaid. The sum paid on each Rs 100 of the loan is called the **rate per cent per annum**. Unless otherwise stated the interest is always calculated yearly, and the words *per annum* are omitted in quoting the rate per cent.

296 When interest is reckoned on the original principal only, throughout the whole term of the loan, it is called **Simple Interest**. When interest, as it becomes due, is used to increase the principal, the total interest at the expiration of the loan is said to be **Compound**. For the present we shall deal with simple interest only.

Principal together with its interest for a stated time is called the **Amount** for that time.

EXAMPLE *A sum of Rs 350 is lent for 4 years at 3 per cent per annum find the simple interest and the amount*

Here the interest for one year = 3 p c of Rs 350

$$= \text{Rs } 350 \times \frac{3}{100},$$

the interest for four years = $\text{Rs } 350 \times \frac{3}{100} \times 4$

$$= \text{Rs } 42$$

The amount = principal + interest

$$= \text{Rs } 350 + \text{Rs } 42 = \text{Rs } 392$$

297 Thus it appears that when the *principal, rate per cent, and time* are given, the simple interest is found by the following rule

Multiply the principal by the rate per cent and by the number of years, and divide the product by 100

298 If we suppose the principal to be represented by Rs P , the rate per cent. by Rs r , the number of years by n , and the resulting interest by Rs I , the rule gives rise to the formula

$$I = \frac{P \times r \times n}{100}$$

In performing the operations implied in this formula (or in the rule of Art. 297), the pupil must be careful to arrange the details so as to simplify the work as much as possible

EXAMPLE 1 Find the interest on Rs. 731 4a for $2\frac{2}{3}$ years at 3 per cent

$$\begin{aligned} \text{Required interest} &= \text{Rs } 731\frac{1}{4} \times 2\frac{2}{3} \times \frac{3}{100} \\ &= \text{Rs } \frac{117}{4} \times \frac{8}{3} \times \frac{3}{100} \\ &= \text{Rs } \frac{117}{2} = \text{Rs } 58\ 8a \end{aligned}$$

This fractional arrangement should not be used except in the simplest cases, and never unless the principal can easily be expressed in a fractional form. It is, however, always worth while to see if a simplification can be obtained by first multiplying together the number of years and the rate per cent

EXAMPLE 2 Find, to the nearest penny, the interest on £315 12s for 4 years 7 months at $2\frac{2}{3}$ per cent

$$\begin{aligned} \text{Here the number of years} \times \text{rate per cent} &= 4\frac{7}{12} \times 2\frac{2}{3} \\ &= \frac{57}{12} \times \frac{8}{3} = 11 \end{aligned}$$

Thus we have only to divide the principal by 100 and multiply the result by 11

$$\begin{aligned} \text{Hence the required interest} &= \frac{£315\ 6}{100} \times 11 \\ &= £3\ 15\ 6 \times 11 \\ &= £34\ 7\ 10 \\ &= £34\ 14s\ 4d, \text{ to the nearest penny} \end{aligned}$$

299 It should be noted that in British coinage a penny is the coin of least value recognised in banking and similar business, it is therefore usually sufficient to obtain a result true to the nearest penny. Hence the best *general method* of finding simple interest is that shewn in the following example in which the principal is decimalised as the first step of the work

EXAMPLE Find, to the nearest penny, the simple interest on £227 10s 6d for 5 years at $3\frac{1}{2}$ per cent

Here the principal = £227 525

£	
2275	25
	5
11376	3
	$3\frac{1}{2}$
34128	9
5088	1
39817	

We divide first by 100, then multiply successively by 5 and by $3\frac{1}{2}$, keeping 4 decimal figures throughout, and a final result correct to 3 decimal figures

Thus required interest = £39 817 = £39 16s 4d

EXAMPLES XVIII. a.

Find the Simple Interest on

- | | |
|---|------------------------------------|
| 1 Rs 200 for 3 yrs at 6% | 2 Rs 450 for 4 yrs at 5% |
| 3 Rs 2000 „ 6 „ $3\frac{1}{2}$ % | 4 Rs 240 „ 7 „ 5% |
| 5 Rs 540 „ $2\frac{1}{2}$ „ 3% | 6 Rs 3375 „ 4 „ 3% |
| 7 Rs 112 8a „ 4 „ $3\frac{1}{2}$ % | 8 Rs 318 12a „ 3 „ 4% |
| 9 Rs 1600 „ $3\frac{1}{4}$ „ $4\frac{1}{2}$ % | 10 Rs 221 4a „ $2\frac{2}{3}$ „ 5% |
- 11 £783 6s 8d for 2 years 3 months at $6\frac{2}{3}$ %
 12 Rs 600 for 1 year 5 months at $4\frac{1}{2}$ %
 13 £2526 5s for $1\frac{2}{3}$ years at $1\frac{4}{5}$ %
 14 £407 10s for 3 years 9 months at $3\frac{1}{3}$ %
 15 £2022 11s 3d for 2 years 8 months at $7\frac{1}{2}$ %

Find, to the nearest penny, the Simple Interest on

- | | |
|---|--|
| 16 £457 for 3 yrs at $4\frac{1}{2}$ % | 17 £5127 for $3\frac{1}{2}$ yrs at 3% |
| 18 £641 „ $3\frac{1}{4}$ „ $2\frac{1}{8}$ % | 19 £3712 „ $2\frac{1}{2}$ „ $3\frac{3}{8}$ % |
| 20 £761 11s 1d for 6 years 8 months at $4\frac{1}{2}$ % | |
| 21 £408 2s 5d „ 6 months „ 4% | |

Find, to the nearest penny, or pice, the Amount at Simple Interest on

- | |
|---|
| 22 £156 14s 6d for $1\frac{3}{4}$ yrs at $3\frac{1}{2}$ % |
| 23 £244 1s 8d „ 3 yrs 9 mos „ 3% |
| 24 Rs 1842 14a 6p „ 2 yrs 8 mos „ $2\frac{1}{4}$ % |
| 25 Rs 1147 2a 9p „ 5 yrs 4 mos „ $2\frac{1}{4}$ % |

26 Find the quarterly interest on £1240 at $3\frac{1}{2}\%$

27 Find to the nearest 5 cents the half yearly interest on 548 Rs 40 cents at $4\frac{1}{2}\%$ per annum

28 A sum of Rs 437 8a was lent at 4 p c simple interest, what sum must be paid to cancel the debt at the end of 8 months?

29 A man deposits Rs 6280 (Ceylon coinage) in a bank which pays him interest at $2\frac{1}{2}\%$ p c Find what sum he may draw from the bank at the end of half a year

300 When it is necessary to calculate interest for a number of days, the time must be expressed as a fraction of a year. In estimating the time between the two specified dates it is customary to include one only of the dates named. Thus from April 5th to August 10th would be

April May June July Aug
(30 - 5) + 31 + 30 + 31 + 10, or 127 days.

A fraction of a year, with denominator 365, can only be put in a simpler form when the number of days is a multiple of 5 or 73. For example, 146 days is $\frac{2}{5}$ of a year. In other cases it is best to proceed as follows

EXAMPLE. Find, to the nearest penny, the interest on £1208 7s 10d at 4 per cent from April 5th to August 10th

The principal = £1208 392, and the number of days is 127

$$\begin{aligned} \text{The interest} &= £1208\ 392 \times \frac{4}{100} \times \frac{127}{365} \\ &= £1208\ 392 \times \frac{4}{100} \times \frac{127 \times 2}{730} \\ &= £1208\ 392 \times \frac{1016}{73000} \\ &= £1208\ 392 \times \frac{1.016}{73} \\ &= £16\ 818, \text{ to 3 dec figs,} \\ &= £16\ 16s\ 4d, \text{ to the nearest penny} \end{aligned}$$

£
1208 392
1.016
1208 392
12.083 9
7 250 3
73) 1227 726 (16.818
497
597
132
596

NOTE. In adopting this arrangement we shall always have to divide by 73 (or multiply by $\frac{1}{73}$) as a final step. This may very conveniently be done by the following rule, known as the third, tenth, and tenth rule

To the number of pounds to be divided add one-third of this number, one tenth of the quotient so obtained, and again one tenth of the last result, then divide the sum by 100 (i.e. move the decimal point two places to the left), and deduct $\frac{1}{10000}$ of the resulting number

Applying this rule to the above example, we have

$$\begin{array}{r}
 \text{£} \\
 1227\ 726 \\
 \frac{1}{3} = 409\ 242 \\
 \frac{1}{10} \text{ of } \frac{1}{3} = 40\ 924 \\
 \frac{1}{10} \text{ of } \frac{1}{10} \text{ of } \frac{1}{3} = 4\ 092 \\
 \hline
 1681\ 984
 \end{array}$$

$$\begin{array}{r}
 \text{£} \\
 \text{Moving the decimal point 2 places to the left we get} \quad 16\ 81984 \\
 \text{deduct } \frac{1}{10\ 000} \text{ of this result} \quad \underline{00168} \\
 16\ 81816
 \end{array}$$

Thus to three places of decimals the result is £16 818, as before

The reason for the rule may be thus explained.

By division, $\frac{1}{3} = 0.333333$

$$\begin{aligned}
 \text{Now } 1 + \frac{1}{3} + \left(\frac{1}{10} \text{ of } \frac{1}{3}\right) + \frac{1}{10} \text{ of } \left(\frac{1}{10} \text{ of } \frac{1}{3}\right) &= 1 + 33\frac{1}{3} + 03\frac{1}{3} + 00\frac{1}{3} \\
 &= 1 + 37 = 1\ 37
 \end{aligned}$$

$$\begin{array}{r}
 \text{Moving the decimal point 2 places to the left we get} \quad 0137 \\
 \text{deduct } \frac{1}{10\ 000} \text{ of this result} \quad \underline{00000137} \\
 01369863
 \end{array}$$

which is the equivalent of $\frac{1}{3}$

301 Multiplication by aliquot parts may sometimes be used with advantage

EXAMPLE. Find the Interest on Rs 4536 12 a for 219 days at $4\frac{1}{8}$ per cent

$$219 \text{ days} = \frac{219}{365} = \frac{3 \times 73}{5 \times 73} = \frac{3}{5} \text{ of } 1 \text{ year}$$

$$\text{And } \text{number of years} \times \text{rate per cent} = \frac{3}{5} \times \frac{75}{16} = 2\frac{13}{16}$$

Thus to find the simple interest, decimalize the principal, divide it by 100, and multiply the result by $2\frac{13}{16}$.

$$\begin{array}{r}
 \text{Rs} \\
 45\ 367 \quad | \quad 5 \\
 \hline
 90\ 735 \quad | \quad 0 \\
 22\ 683 \quad | \quad 7 \\
 11\ 341 \quad | \quad 8 \\
 2\ 835 \quad | \quad 4 \\
 \hline
 127\ 596
 \end{array}$$

$\frac{1}{4} = \frac{1}{2} \text{ of } \frac{1}{2}$
 $\frac{1}{10} = \frac{1}{4} \text{ of } \frac{1}{4}$

$$\begin{aligned}
 \frac{13}{16} &= \frac{8+4+1}{16} \\
 &= \frac{1}{2} + \frac{1}{4} + \frac{1}{16}
 \end{aligned}$$

Thus required interest = Rs 127 596 = Rs 127 9 a 6 p

EXAMPLES XVIII b

Find the Amount at Simple Interest of

1	Rs 750	for 140 days at $3\frac{1}{4}$ per cent
2	£1835	„ 292 „ $1\frac{1}{4}$ „
3	Rs 1687 8a	„ 219 „ 6 „
4	£252. 1s 8d	„ 73 „ 3 „
5	£1606	„ 400 „ $5\frac{1}{2}$ „

Find, to the nearest penny, or pice, the Amount at Simple Interest of

6	£820 4s 2d	for 2 yrs 146 days at $2\frac{1}{2}$ per cent
7	Rs 426 8a	from March 4 th to July 28 th at 3 per cent
8	Rs 219	„ Jan 1 st „ July 16 th „ $3\frac{1}{4}$ „
9	Rs 375 12a	„ May 6 th „ Dec 11 th „ $4\frac{1}{2}$ „
10	£780 16s	„ April 7 th „ Aug 31 st „ $3\frac{7}{16}$ „

[In Examples 11-23 use one of the methods of Art 300]

Find, to the nearest pice, the Simple Interest on

11	Rs 316	for 33 days at 5 per cent
12	Rs 547	„ 54 „ $2\frac{1}{2}$ „
13	Rs 7000	„ 86 „ 4 „
14	Rs 708	„ 113 „ $3\frac{1}{2}$ „
15	Rs 965 14a 6p	„ 98 „ 4 „

Find, to the nearest penny, the Amount on

16	£413	from March 4 th to May 8 th at 4 per cent
17	£510	„ June 4 th „ Aug 23 rd „ 3 „
18	£2450	„ April 17 th „ July 27 th „ $3\frac{1}{2}$ „
19	£1368 15s	„ May 17 th „ Dec. 15 th „ $4\frac{3}{4}$ „
20	£402. 10s 9d	„ April 14 th „ July 31 st „ $4\frac{1}{8}$ „

21 A sum of Rs 1250 was borrowed on April 1st and repaid on Aug 25th of the same year with interest at $3\frac{3}{4}$ p c What sum had to be paid?

22 A man deposits £500 at his bank on July 5th and draws the interest at $2\frac{1}{2}$ p c on Nov 18th. At the same time he withdraws £200 of the deposit; the remaining sum with interest he draws on Feb 20th of the next year. What sums does he receive on these dates respectively?

23 I borrow Rs 350 on May 1st and a further sum of Rs 270 on Aug 1st on the understanding that I repay the whole with interest at $3\frac{1}{4}$ p c at the end of the year. How much do I owe on Dec 31st?

302 Inverse cases of Simple Interest In questions on Interest we are concerned with four quantities, viz *principal*, *rate per cent.*, *time*, and *interest*. When any three of these are given it is possible to find the fourth. Questions in which the interest is among the given quantities, and it is required to find the *principal*, or *rate*, or *time* are called *Inverse*.

CASE I. When the Principal is required

EXAMPLE What principal will produce £114 3s 9d as simple interest at $3\frac{1}{2}$ per cent for $7\frac{1}{4}$ years?

Let P pounds denote the required principal,

$$\text{then} \quad \frac{P \times 3\frac{1}{2} \times 7\frac{1}{4}}{100} = 114\frac{3\frac{3}{4}}{20},$$

$$\text{that is,} \quad P \times \frac{7}{2} \times \frac{29}{4} \times \frac{1}{100} = 114\frac{3}{16},$$

$$P = \frac{1827}{\frac{16}{2}} \times 100 \times \frac{2}{7} \times \frac{4}{29} \\ = 450$$

Thus the required principal is £450

Or thus Interest on P pounds = (Int on one pound) \times P

$$\text{number of pounds in reqd principal} = \frac{\text{given Int}}{\text{Int. on } \pounds 1},$$

$$\text{that is,} \quad P = \frac{1827}{16} - \left(\frac{3\frac{1}{2} \times 7\frac{1}{4}}{100} \right) \\ = 450, \text{ as above}$$

EXAMPLE 2. Find, to the nearest pice, what principal will amount to Rs 3521 7a. at $2\frac{1}{2}$ per cent in 3 years

Let P rupees denote the required principal,

$$\text{then} \quad P + \frac{P \times 2\frac{1}{2} \times 3}{100} = 3521 \text{ 4375,}$$

$$P \left(1 + \frac{15}{200} \right) = 3521 \text{ 4375,}$$

$$P \times 1.075 = 3521 \text{ 4375,}$$

$$P = 3275 \text{ 755}$$

Thus the reqd principal = Rs 3275 12a,

$$\begin{array}{r} 3275 \text{ 755} \\ 1.075 \overline{) 3521 \text{ 4375}} \\ \underline{2964} \\ 8143 \\ \underline{6187} \\ 8125 \\ \underline{600} \\ 62 \end{array}$$

Or thus Amount of P rupees = (Amt of one rupee) \times P
 number of rupees in req^d principal = $\frac{\text{given Amt}}{\text{Amt of Re 1}}$

Here given Amt = Rs 3521 4375, Amt of Re 1 = Rs 1 075,

$$P = \frac{3521\ 4375}{1\ 075} = 3275\ 755, \text{ as before}$$

EXAMPLES XVIII c

On what Principal will the Simple Interest be

- | | |
|-------------------------|-------------------------|
| 1 Rs 60 in 5 yrs at 4 % | 2 Rs 90 in 4 yrs at 5 % |
| 3 Rs 243 ,, 3 ,, 3 % | 4 Rs 37 8a ,, 5 ,, 3 % |

Find the Principal which will produce

- | |
|---|
| 5 £15 4s as interest in 3 years at 4 per cent |
| 6 Rs 28 14a ,, ,, 3 $\frac{1}{2}$,, 6 ,, |
| 7 £44 6s 8d ,, ,, 4 ,, 2 $\frac{1}{2}$,, |
| 8 Rs 3 6a ,, ,, 9 months at 6 per cent |

What Principal will amount to

- | | |
|---------------------------|---|
| 9 Rs 1417 in 5 yrs at 6 % | 10 Rs 912 in 4 yrs at 3 $\frac{1}{2}$ % |
| 11 Rs 862 8a ,, 3 ,, 5 % | 12 Rs 899 8a ,, 6 ,, 4 $\frac{1}{4}$ % |

Find the Principal which will amount to

- | |
|---|
| 13 £5430 7s 6d in 3 months at 2 $\frac{1}{4}$ per cent |
| 14. £527 8s 9d ,, 3 $\frac{1}{2}$ years ,, 2 $\frac{1}{2}$,, |
| 15 £204 16s ,, 146 days ,, 6 ,, |
| 16 £254 1s 2d ,, 2 $\frac{1}{2}$ years ,, 3 ,, |

17 Find, to the nearest pice, the principal which will give Rs 152 as interest in 5 years at 2 $\frac{1}{4}$ per cent

18 On what sum, to the nearest pound, will the interest for 3 $\frac{1}{2}$ years at 3 per cent be £24 18s ?

19 Find, to the nearest pound, the sum which must be placed for 8 months at 2 $\frac{1}{2}$ per cent to produce as interest £17 18s 9d

20 Find, to the nearest shilling the sum which in 1 year 9 months at 3 per cent. will amount to £327 2s 4d

21 Find, to the nearest pound, what sum a man must deposit at his Bank on his son's 16th birthday, in order that his son on coming of age may be entitled to £2000, simple interest being reckoned at 2 $\frac{1}{2}$ per cent

mean the 21st

303 CASE II. *When the time is required*

EXAMPLE 1 *In how many years will Rs 1250 10 a amount to Rs. 1375 11 a at 4 per cent ?*

Here the interest = Rs 1375 11 a. - Rs 1250 10 a.
= Rs 125 1 a

Let the number of years be denoted by n ,

$$\begin{aligned} \text{then } 1250\frac{5}{8} \times \frac{4}{100} \times n &= 125\frac{1}{8}, \\ n &= 125\frac{1}{8} \div \left(1250\frac{5}{8} \times \frac{4}{100} \right) \\ &= \frac{2001}{16} \times \frac{8}{10000} \times \frac{5}{5} \\ &= 2\frac{1}{2} \end{aligned}$$

Or thus Interest for n years = (Int. for one year) $\times n$,

$$n = \frac{\text{given Int}}{\text{Int for one year}},$$

which leads to the same work as before

EXAMPLE 2 *In how many days will £2406 amount to £2421 2s at $3\frac{1}{2}$ per cent ?*

Here interest at $3\frac{1}{2}\%$ for the required fraction of a year

$$\begin{aligned} &= £2421 \text{ 2s} - £2406 \\ &= £15 \text{ 2s} \\ &= £15 \text{ 1} \end{aligned}$$

$$\begin{aligned} \text{Interest on } £2406 \text{ for 1 year} &= £2406 \times \frac{3\frac{1}{2}}{100} \\ &= £84 \cdot 21 \end{aligned} \quad (i),$$

$$\text{reqd fraction of a year} = \frac{15 \text{ 1}}{84 \cdot 21} = 0 \text{ 179} \quad (ii)$$

$$\text{And } 0 \text{ 179 of a year} = 0 \text{ 179 of 365 days} = 65 \text{ 3 days} \quad (iii)$$

This, counting a fraction of a day as a whole, gives 66 days

The details of work are as follows

$$\begin{array}{r} (i) \\ £ \\ 24 \text{ 06} \\ \quad 3\frac{1}{2}\% \\ \hline 72 \text{ 18} \\ 12 \text{ 03} \\ \hline 84 \cdot 21 \end{array}$$

$$\begin{array}{r} (ii) \\ 0 \text{ 1793} \\ 8 \text{ 421 } \overline{) 1 \text{ 5100}} \\ \underline{66790} \\ 7843 \\ \underline{264} \\ 11 \end{array}$$

$$\begin{array}{r} (iii) \\ 0 \text{ 179} \times 365 \\ = 36 \text{ 5} \times 1 \cdot 79 \\ \hline 36 \text{ 5} \\ \quad 1 \cdot 79 \\ \hline 36 \text{ 5} \\ 25 \text{ 5} \\ \hline 3 \cdot 2 \text{ 9} \\ \hline 65 \text{ 3} \end{array}$$

304 CASE III. *When the rate per cent is required*

EXAMPLE *At what rate per cent will the simple interest on Rs 422 8a for 4 years be Rs 84 8a ?*

Let the required rate per cent be denoted by r rupees,

then
$$422\ 5 \times \frac{r}{100} \times 4 = 84\ 5$$

$$r \times \frac{422\ 5}{25} = 84\ 5,$$

$$\text{or} \quad r = 84\ 5 \times \frac{25}{422\ 5} = 5$$

Thus the req^d rate per cent is 5

Or thus Interest at r per cent = (Int at one per cent) $\times r$,

$$\begin{aligned} \text{required rate per cent} &= \frac{\text{given Int}}{\text{Int at one per cent}} \\ &= 84\ 5 - \left(422\ 5 \times \frac{4}{100}\right), \end{aligned}$$

which leads to the same work as before

EXAMPLES XVIII. c (Continued)

For what time would the Simple Interest on

22. Rs 750 be Rs 375 at 5 per cent per annum ?

23. Rs 1050 „ Rs 210 „ 4 „ „

24. Rs 1800 „ Rs 558 „ $3\frac{3}{4}$ „ „

25. £666 13s 4d „ £67 10s „ $2\frac{1}{4}$ „ „

26. £3756 „ £633 16s 6d „ $4\frac{1}{2}$ „ „

In what time will the Amount on

27. Rs 1500 \ at 3 per cent be Rs 1680 ?

28. Rs 5400 „ $2\frac{1}{4}$ „ Rs 6372 ?

29. Rs 225 „ $3\frac{1}{2}$ „ Rs 256 8a ?

30. £146 13s 4d „ $4\frac{1}{2}$ „ £163 3s 4d ?

31. In how many days will Rs 250 produce Rs 3 8a as simple interest at 5 per cent ?

32. In how many days will the interest on £1572 17s come to £23 14s at $5\frac{1}{2}$ per cent ?

33. In how many days will £382 amount to £386 13s 6d at 4 per cent ?

At what rate per cent. would the Simple Interest on

34. Rs 250 be Rs. 37 8 a for 5 years?

35 Rs 375 „ Rs. 90 „ 4 „

36 Rs 318 12 a „ Rs 44 10 a „ 4 „

37 £168 13s 4d „ £18 19s 6d „ 2 $\frac{1}{4}$ „

At what rate per cent will the Amount of

38 Rs 2500 for 5 $\frac{1}{2}$ years be Rs 3118 12 a ?

39 £485 „ 2 $\frac{1}{2}$ „ £527 8s 9d ?

40 £720 15s „ 5 years 4 months be £363 10s 4d ?

41 If the interest on Rs 650 for 5 months is Rs 12. 3 a , what is the rate per cent ? *43 1/2*

✓42 The sum of ~~£847-10s~~ was lent at simple interest, and at the end of 8 months the debt was cancelled by the payment of £449 3s 4d What was the rate of interest?

43 At what rate per cent will a sum of money treble itself at simple interest in 25 years?

44 A lends B a sum of Rs 564, and at the end of 2 $\frac{1}{2}$ years B cancels the debt by a payment of Rs 614 find, correct to two decimal places, what rate per cent. A gets for his money

45 A man lends Rs 3550 on the understanding that he is to receive Rs 100 as interest at the end of 5 months find, correct to two decimal places, the rate of interest per cent per annum that the borrower ~~has~~ has to pay

46 What sum, correct to the nearest pound, will amount to £2519 18s in 4 $\frac{1}{2}$ years at 5 per cent ?

47 Find, correct to the nearest shilling, what sum must be put out at 2 $\frac{3}{4}$ per cent simple interest to give an income of (i) half a crown a week, (ii) a penny a day

48 A man leaves Rs 610 on deposit at 5 per cent, and takes his interest when it has amounted to Rs 20 For how many days was the sum on deposit?

49 A man places £1000 on deposit at 3 per cent, and gives his son the interest on his birthday which falls on June 15th, if the present amounts to £12 18s 1d, on what day was the deposit made?

50 A man makes his wife a birthday present, giving her each year a number of pounds equal to the number of years in her age If her birthday falls on Aug 8th, what sum must he place at interest at 4 per cent on Jan 1st before she is 36, in order to raise the required sum?

Discount

305 Discount is a sum of money deducted from a debt in consideration of the debt being paid before it is legally due

Suppose *A* owes *B* a sum of Rs 102, payment being due in six months' time, and that the use of money meantime is valued at 4 per cent. Since at this rate Rs 100 would amount to Rs 102 in 6 months, *A* can equitably discharge his debt to *B* by paying him Rs 100 at once instead of Rs 102 at the end of half a year. In this case Rs 100 is called the **Present Value** of Rs 102, and Rs 2 is called the **True Discount** on Rs 102 for six months at 4 per cent per annum.

In such a case the Present Value of a debt is that principal sum which with its interest for the given time would amount to the sum due, and the true Discount on the debt is the same as the Simple Interest on the *Present Value*.

Or briefly

(i) Present Value + Interest on P V = Sum due

(ii) Interest on Present Value = Discount on Sum due.

306 The above reasoning gives the *true discount*, namely, the sum which should theoretically be deducted when a debt is paid before it is due. In practice, however, discount is always calculated as a *percentage on the sum due*. In commercial and banking transactions discount always has this latter meaning.

Thus in the case discussed in the last article the practical discount on a debt of Rs 102 due in six months at 4 per cent would be $\frac{1}{2}$ of 4 p.c. of Rs 102, or Rs 2.04.

NOTE. We shall not give any examples on *true discount* and present value. If the pupil meets with such questions they may all be regarded as illustrations of inverse *cases* of simple interest. It is only necessary to substitute the words *principal* and *amount* for *present value* and *sum due* respectively, and to remember that the *true discount* on the sum due is the *interest* on the present value.

EXAMPLE 1 Find to the nearest pice the discount on a sum of Rs 4536 12s due after 219 days at $4\frac{1}{4}$ per cent.

Here the required discount is $4\frac{1}{4}$ per cent of Rs 4536 12s for 219 days. Thus the work is the same as that given in Art. 301.

EXAMPLE 2 An account after $2\frac{1}{2}$ per cent had been taken off became £16 14s 9d. What was the sum due before the discount was deducted?

The element of time does not enter into a question of this kind. The tradesman simply deducts $2\frac{1}{2}$ % of the sum due to him and accepts

Here £16 14s 9d = £16 738 to 3 decimal places

Let the sum due be denoted by x pounds,

$$\text{then} \quad x - x \times \frac{2\frac{1}{2}}{100} = 16\ 738,$$

$$x(1 - 0.025) = 16\ 738,$$

$$\text{that is,} \quad x = \frac{16\ 738}{0.975} = 17\ 167$$

the sum due is £17 3s 4d

NOTE In practice a tradesman deducts 1s in the £1 for 5%, 6d in the £1 for $2\frac{1}{2}\%$, and so on. Moreover, unless the number of shillings comes to 10 or more, usually the pounds only are considered. In the present case the actual discount allowed would probably be 8s 6d (ignoring 3s 4d in the bill), and the sum accepted in payment £16 14s 10d.

EXAMPLES XVIII d

(When not exact the answers are to be given to the nearest pice, or penny)

Find the Discount on

1	Rs. 2020	due in 3 months at 4 %
2	Rs 6331	„ 7 „ $2\frac{1}{2}\%$
3	Rs 694 3s 3p	„ 11 „ $4\frac{1}{2}\%$
4	Rs 531 6s	„ 146 days at 3 %
5	Rs 367 14s 9p	„ 219 „ $2\frac{1}{2}\%$
6	Rs 890	„ 10 months at 7 %
7	Rs 729 14s 6p	„ 8 „ $2\frac{1}{2}\%$
8	Rs 531 4s 3p	„ 11 „ 3 %
9	£762	„ 176 days at 4 %
10	£205 7s	„ 87 „ 3 %

How much cash must be paid to settle the following accounts?
[In Examples 11-14 ignore anything less than 10s.]

11 £25 13s 8d (Discount 10 %) 12 £14 3s 2d (Discount 5 %)

13 £41 11s (Discount 5 %) 14 £38 4s 8d (Discount $2\frac{1}{2}\%$)

15 After 5 % had been deducted from a bill it came to Rs 26 5s. 9p
What was the amount before discount was deducted?

16 If my tailor allows me 10 % discount for ready money and I pay him £16 13s, what was the amount of my bill before discount was deducted?

307 A Bill of Exchange is a written order by which one person demands payment from another of a certain sum by a specified date

The procedure may be illustrated by the following instance

A British manufacturer A. B acting on instructions from a Calcutta merchant L. M, ships to the latter a consignment of goods worth £750 At the same time A. B sends L. M. a *Bill of Exchange* or demand for payment in the following form

£750

Manchester, Oct 22nd, 1907

Three months after date pay to me or my order, the sum of seven hundred and fifty pounds, value received

To L M
Calcutta

(Signed) A B

On receiving the goods the Calcutta merchant accepts the liability stated on the Bill by writing across it "accepted" with his signature The accepted bill is then sent back to A B, who may now proceed in either of two ways

(i) He may retain the Bill until it *matures*, that is, until the date when payment is due from L. M, when he will obtain the money through the London Agents of L. M's Calcutta Bank. Or (ii) if A. B should need ready money at some earlier date, he may get the bill *discounted* by his Banker or Bill broker X. Y, that is to say, he may sell the bill to X. Y who will give him in cash its *present value* calculated at the current rate of discount from the *date of discounting* to the *date on which the sum falls due* Theoretically, the present value should be reckoned by the method of *true discount*, but in practice the Banker deducts *commercial discount*, or simple interest on the sum due

In this example A. B is called the *drawer* of the bill, and L. M the *drawee* The sum mentioned on the bill and ultimately paid by L. M to X. Y is called the *face value*

After a bill is nominally due it is customary to allow *three extra days*, called *days of grace*, before the bill is legally due

308 A Promissory Note differs from a Bill of Exchange only in the fact that it is drawn up by the debtor instead of the creditor Thus in the case already illustrated L. M might send a *Promissory Note* to A. B, in which he makes a formal promise to pay £750 to A. B at the date named in the note

EXAMPLE. *Find, to the nearest pice, the discount on a Bill for Rs 6500 drawn on April 15th, at three months, and discounted on May 19th at 4 per cent*

The bill becomes nominally due on July 15th and legally (allowing for 3 days of grace) on July 18th The question, therefore, is this

What discount should be deducted from a debt of Rs 6500, due on July 18th, if payment is made on May 19th?

The number of days is $(31 - 19) + 30 + 18 = 60$

required discount = 4 % of Rs 6500 for 60 days

$$= \text{Rs } 6500 \times \frac{4}{100} \times \frac{60}{365}$$

$$= \text{Rs } 65 \times \frac{48}{73}$$

$$= \text{Rs } 42 \text{ } 74$$

$$= \text{Rs } 42 \text{ } 11 \text{ a } 9 \text{ p}$$

Hence the cash obtained on discounting the bill would be

Rs 6500 - Rs 42 11 a 9 p, or Rs 6457 4 a 3 p

EXAMPLES XVIII e

(Answers to be given to the nearest pice, or penny)

Find the Discount on the following Bills

1 Rs 603 drawn on Oct 4th at 4 months and discounted on Nov 26th at $2\frac{1}{2}\%$

2 Rs 952 12 a drawn on March 9th at 8 months and discounted on April 7th at 5 %

3 Rs 381 drawn on April 5th at 7 months and discounted on Aug 1st at $\frac{1}{2}\%$

4 Rs 486 drawn on May 18th at 5 months and discounted on July 30th at 3 %

5 Rs 2763 4 a drawn on April 15th at 6 months and discounted on Aug 18th at $2\frac{1}{2}\%$

How much cash would be obtained on discounting the following Bills ?

6 Rs 317 drawn on Jan 10th at 9 months, and discounted on May 12th at $2\frac{1}{2}\%$

7 £1934 4s drawn on Feb 20th at 12 months, and discounted on May 7th at $2\frac{1}{4}\%$

8 £3675 11s drawn on May 3rd at 6 months, and discounted on Aug 15th at $3\frac{1}{2}\%$

9 A bill for £745 18s 4d drawn on June 8th at 6 months is discounted on Aug 12th at $3\frac{1}{2}\%$ What is the discounted value of the bill ?

10 How much cash can I obtain by discounting on Nov 7th a four months' bill for £1031 12s 10d, drawn on Aug 15th, at 6 % ?

11 The discount on £505 due in 3 months is £5 1s What is the discount rate ?

12 A man receives a four-months' bill for Rs 270, if he can immediately discount it for Rs 267 12a, what is the discount rate?

13 If at 5 per cent. £168 8s 9d is accepted as present payment for a bill of £175, how long has the bill to run?

14 In how many months' time must a debt of £960 be due if it may be cancelled by an immediate payment of £947 4s, the current rate of discount being 4%?

15 What rate per cent does a man get for his money when in discounting a bill due in 10 months he deducts as discount 4% of the amount of the bill?

16 If a three months' bill can be discounted at $2\frac{1}{2}\%$, what rate of interest (correct to two decimal places) does the bill-broker get for his money?

Compound Interest

309 Money is said to be put out at Compound Interest when each instalment of interest as it becomes due is added to the principal instead of being paid over to the lender of the principal sum. In this case the principal is continually being increased, and the interest for each period is the interest on the *Amount* at the end of the preceding period.

Thus, if Rs 100 is put out at 5 per cent compound interest, at the end of one year the amount is Rs. 105, this is the principal for the second year, and the interest on it is found to be Rs 5 4a, thus the principal for the third year is Rs 110 4a, and so on. It follows that under this system the complete Compound Interest is the sum of the interests for the several periods, this is most conveniently obtained by subtracting the original *principal* from the final *amount*. Unless otherwise stated, interest is supposed to be payable *yearly*.

EXAMPLE 1 Find, to the nearest pice, the Compound Interest on Rs 550 for 2 years at 4 per cent

	Rs
1 st principal	550
1 st year's int	<u>22 00</u>
2 nd principal	572
2 nd year's int.	<u>22 88</u>
Amount in 2 years	594 88
Original principal	<u>550</u>
Interest required	<u>44 88</u>

Rs 44 88 = Rs 44 14a,
to the nearest pice

Write down the principal, to find the 1st year's interest multiply the principal by $\frac{4}{100}$, that is, multiply by 4 and set down each figure *two places to the right*, the position of the decimal point remaining fixed. Each year's principal is treated in the same way. Lastly, the original principal is subtracted from the final amount.

EXAMPLE 2. Find, to the nearest penny, the Amount at Compound Interest of £721 11s 7d for 3 years at 3 per cent

	£		
1 st principal	721 579	17	
1 st year's int.	21 647	37	
2 nd principal	743 226	54	
2 nd year's int.	22 296	80	
3 rd principal	765 523	34	
3 rd year's int	22 965	70	
Amt. in 3 years	788 489		

First decimalize the principal correct to five places, drawing a vertical line after the 3rd decimal figure. Then multiply the principal by $\frac{3}{100}$, beginning the multiplication at the first figure to the left of the line, and writing each figure in the result two places to the right. Add and proceed as before

Thus req^d amount = £788 489

= £788 9s 9d, to the nearest penny

Since we begin multiplying at the 3rd decimal figure (marked with an asterisk), and place the resulting digit two places to the right, we retain five decimal figures throughout the work. The figures to the right of the line are only used for carrying purposes in order to secure a result correct to three decimal places, that is to the nearest penny

EXAMPLES XVIII f

(When not exact the answers are to be given to the nearest pice, or penny)

Find the Amount at Compound Interest on

- | | |
|--------------------------|---------------------------|
| 1 Rs 200 for 2 yrs at 5% | 2 Rs 2500 for 2 yrs at 4% |
| 3 Rs 3750 „ 2 „ 3% | 4 Rs 3500 „ 3 „ 5% |
| 5 Rs 750 „ 4 „ 2% | 6 Rs 3300 „ 4 „ 5% |

Find the Compound Interest on

- | | |
|------------------------|------------------------|
| 7 £225 for 2 yrs at 4% | 8 £425 for 3 yrs at 4% |
| 9 £725 „ 4 „ 3% | 10 £3546 „ 3 „ 5% |

Find the Amount at Compound Interest on

- | | |
|--------------------|---------------------------|
| 11 £345 15s | for 2 years at 4 per cent |
| 12 £472 18s | „ 3 „ 3 „ |
| 13 £1243 14s 3d | „ 2 „ 5 „ |
| 14 473 Rs 85 cents | „ 3 „ 4 „ |

310 When the rate per cent is not integral the method of aliquot parts may be conveniently used

Thus for $3\frac{3}{4}\%$, since $3\frac{3}{4} = 3 + \frac{1}{2} + \frac{1}{4}$, the multiplier at each stage may be used in the form $\frac{3}{100} + \frac{1}{200} + \frac{1}{400}$, and the work is done in three steps, viz multiplication by 3, division by 2, and by 4, each result being set down two places to the right. The third line may also be obtained in this case by taking half of the preceding line

EXAMPLE Find the Amount at Compound Interest of Rs 257 10a 6p, for 2 years 4 months at $3\frac{3}{4}\%$ per cent

	Rs	
	257 656	25
$\frac{3}{100}$	7 729	69
$\frac{1}{200}$	1 288	28
$\frac{1}{400}$	644	14
	267 318	36
	8 019	55
	1 336	59
	668	30
	277 342	80
$\frac{1}{100}$	2 773	43
$\frac{1}{400}$	693	36
	280 809	59

Int for
1st year

Int for
2nd year

Int for
 $\frac{1}{3}$ of a year

Here, after finding the amount for the first two years, we regard the remaining 4 months as a new period at one third of the rate per cent per annum $\frac{1}{3}$ of $3\frac{3}{4} = 1\frac{1}{4}$. Thus the multiplier is $\frac{1}{100} + \frac{1}{400}$

Thus req^d amount = Rs 280 810 = Rs 280 13a

NOTE The above general method may be modified in special cases. Thus for 5%, we have $\frac{5}{100} = \frac{1}{20}$, and we only have to divide by 2, setting down the result one place to the right. Similarly $2\frac{1}{2}\% = \frac{21}{100} = \frac{1}{40}$

311 Sometimes interest is paid half-yearly or quarterly. For example, banks usually pay interest half-yearly, while on most of the "British Funds" the interest is paid quarterly. In such cases each half-year or quarter is to be considered as a separate period at the corresponding rate of interest

312. If £100 is allowed to accumulate at compound interest at 3% per annum, paid quarterly, after four quarterly periods, each at $\frac{3}{4}\%$, it will be found that the amount is £103 033. Thus the four quarterly payments have the same effect as 3 033% would have if paid annually

Hence 3 033% is called the effective annual rate of 3% per annum, paid quarterly

EXAMPLES XVIII f (Continued)

Find the Amount at Compound Interest on

- 15 Rs 5000 for 3 yrs at $2\frac{1}{2}\%$ 16 Rs 4500 for 2 yrs at $4\frac{1}{4}\%$
 17 Rs 4750 „ 3 „ $3\frac{1}{2}\%$ 18 Rs 6750 „ 3 „ $4\frac{1}{2}\%$
 19 £5016 11s 6d for 2 years at $4\frac{1}{2}\%$ per cent
 20 £1601 4s. 8d „ 3 „ $3\frac{1}{4}\%$ „

Find the Compound Interest on -

- 21 £2000 for $2\frac{1}{2}$ yrs at 5% 22 £5620 for $2\frac{1}{2}$ yrs at 4%
 23 £3600 „ $3\frac{1}{2}$ „ $2\frac{1}{2}\%$ 24 £8457 725 „ $2\frac{1}{4}\%$ „ $1\frac{1}{4}\%$
 25 Rs 504 11a for 2 yrs 4 mos at $4\frac{1}{2}\%$

Find the Amount at Compound Interest, payable half yearly, on

- 26 £320 15s in $1\frac{1}{2}$ yrs at 4% 27 £520 8 in 2 yrs at 5%
 28 Rs 16000 „ $1\frac{1}{2}$ „ $4\frac{1}{2}\%$ 29 Rs 100,000 „ $2\frac{1}{2}$ „ $2\frac{1}{2}\%$
 30 If the interest is payable quarterly find what Rs 250 amounts to in 1 year at 5% per cent
 31 Find correct to three decimal places the “effective annual rate” corresponding to

- (i) a nominal rate of 10% per annum, payable half yearly
 (ii) „ „ 5% „ „ quarterly
 (iii) „ „ $2\frac{1}{2}\%$ „ „ quarterly

313 Let the rate per cent be denoted by r , and let Rs R denote the amount of Re 1 in one year, then $R = 1 + \frac{r}{100}$

The amount of Rs P at the end of 1st yr is Rs PR ,

„ „ Rs P „ „ 2nd „ Rs $PR \times R$, or Rs PR^2 ,

„ „ Rs P „ „ 3rd „ Rs $PR^2 \times R$, or Rs PR^3 ,

and so on

Thus for n years we have the formula

$$\text{Amount of Rs } P \text{ in } n \text{ years} = Rs \, PR^n = Rs \, P \left(1 + \frac{r}{100}\right)^n$$

This formula gives another method of finding the amount at compound interest when the principal, time, and rate per cent are given. When the number of years is large the formula can be very conveniently used with the aid of Logarithms as explained in Chap XXI

NOTE The amount of Rs $P = (\text{Amount of Re 1}) \times P$

EXAMPLE Find the Amount of Rs 273 10a for 3 years at 4 per cent Compound Interest

$$\text{Here } R = 1 + \frac{4}{100} = 1 + \frac{4}{100} = 1.04$$

$$\begin{aligned} \text{Hence required amount} &= \text{Rs } 273\ 625 \times (1.04)^3 \\ &= \text{Rs } 273\ 625 \times 1.124864 \\ &= \text{Rs } 307\ 791, \text{ correct to 3 dec places} \\ &= \text{Rs } 307\ 12a\ 9p \end{aligned}$$

The work is given below

Rs	
273 625	
1 124864	
273 625	5
27 362	5
5 472	5
1 094	5
218	9
016	4
001	1
307 791	

$$\begin{aligned} 1.04 &= 1 + \frac{4}{100} \text{ of } 1.04 \\ 1.0816 &= 1.04 \text{ of } 1.04 = (1.04)^2 \\ 1.124864 &= 1.04 \text{ of } 1.0816 \\ 1.124864 &= 1.04 \text{ of } (1.04)^2 = (1.04)^3 \end{aligned}$$

In order to obtain a final result true to 3 places of decimals it is evident that in this case all six decimal figures in the multiplier 1.124864 must be retained

NOTE. If the interest had been at the rate of 4% for the first 2 years, and 5% for the last year, we should have used the formula

$$A = P \times (1.04)^2 \times 1.05$$

Unless the data are very simple such cases are best dealt with by logarithms

314 All inverse cases of Compound Interest are more conveniently solved by the formula of the last article. The only case we shall here discuss is that in which the amount, rate, and time are given and the principal is required. The other cases cannot be satisfactorily discussed without the aid of logarithms. Some of these will be found in Chap XXI

EXAMPLE 1 What Principal will amount to Rs 307 12a 9p in 3 years at 4 per cent Compound Interest?

Since Amount of Rs $P = (\text{Amount of Re } 1)^n \times P$

it follows that

$$P = \frac{\text{given amount}}{\text{amount of Re } 1}$$

Here

$$\begin{aligned} \text{given amount} &= \text{Rs } 307\ 12a\ 9p \\ &= \text{Rs } 307\ 797, \end{aligned}$$

and

$$\text{amount of Re } 1 = \text{Rs } 1.124864, \text{ as in Art } 313$$

$$P = \frac{\text{Rs } 307 \cdot 797}{\text{Rs } 1 \cdot 124864}$$

$$= 273 \text{ } 63,$$

that is, the required principal is Rs 273 10 a

Here Rs 273 10 a. is the *true* Present Value of Rs 307 12 a 9 p due in 3 years at 4 per cent compound interest. If the term *Present Value* is used in connection with *compound* interest it is always in this sense

EXAMPLE 2 Find the difference between the Simple and Compound Interest on £3500 for 2 years at 4 per cent

Whether interest is simple or compound, we have

$$\text{Interest on } £P = (\text{Interest on } £1) \times P$$

Hence the difference between C I and S I on £P

$$= P \text{ times the difference between C I. and S I. on } £1$$

Now at 4 % for 2 yrs ,

$$\text{Comp Int on } £1 = £0 \cdot 0816$$

$$\text{Simple Int on } £1 = £1 \times \frac{2 \times 4}{100}$$

$$= £0 \cdot 08$$

£
1·00
-04
1·04
-0416
1·0816

$$\text{the diff between C I and S I on } £1 = £0 \cdot 0016$$

$$\begin{aligned} \text{,,} \quad \text{,,} \quad \text{,,} \quad £3500 &= £0 \cdot 0016 \times 3500 \\ &= £5 \cdot 6 \\ &= £5 \cdot 12s \end{aligned}$$

NOTE. It easily follows that the converse question is solved by the formula

$$P = \frac{\text{difference on } £P}{\text{difference on } £1}$$

EXAMPLES XVIII. g

By the method of Art 313 find the Amount at Compound Interest of

$$1 \text{ Rs } 387 \text{ in } 2 \text{ yrs at } 3 \% \qquad 2 \text{ Rs } 873 \text{ } 8a \text{ in } 3 \text{ yrs at } 4 \%$$

$$3 \text{ £953 } 15s \text{ } 6d \text{ in } 3 \text{ yrs at } 5 \%$$

Find, to the nearest *pound*, the Principal which at Compound Interest will amount to

$$4 \text{ £296 in } 2 \text{ yrs at } 3 \% \qquad 5 \text{ £340 } 95 \text{ in } 3 \text{ yrs at } 3 \%$$

$$6 \text{ £3244 } 18s \text{ in } 2 \text{ yrs at } 4 \%$$

$$7 \text{ £5343 } 2s \text{ } 3d \text{ ,, } 3 \text{ ,, } 4 \%$$

$$8. \text{ £3820 } 3s \text{ } 3d \text{ ,, } 3 \text{ ,, } 5 \%$$

$$9 \text{ £275 } 19s \text{ ,, } 4 \text{ ,, } 2\frac{1}{2} \%$$

Find, to the nearest *pice*, the Present Value of

- 10 Rs 300 due in 3 yrs at 4 % compound interest
 11 Rs 850 „ 2 „ 5 % „ „
 12 Rs 2000 „ 3 „ 3 % „ „
 13 Rs 6027 14 a „ 2 „ $3\frac{1}{4}$ % „ „
 14 Rs 3925 4 a 3 p „ $3\frac{1}{2}$ „ $2\frac{1}{2}$ % „ „

15 Find the amount in 2 years at compound interest of Rs 250 if the rate is 4 per cent for the first year and 8 per cent for the second

16 At 5 per cent for $2\frac{1}{2}$ years, prove the formula

$$A = P \times (1.05)^2 \times 1.025$$

Hence find the Present Value (to the nearest rupee) of Rs 22050 due in $2\frac{1}{2}$ years at 5 per cent

17 What sum would in 3 years amount to Rs 2811 14 a 6 p at compound interest if the rate were 3 p c for the first year, 4 p c for the second year, and 5 p c for the third year?

18 Prove that at $3\frac{1}{2}$ p c for 2 years the amount at compound interest is approximately 1.07123 times the principal.

19 Prove that at 5 p c for 3 years the compound interest is approximately 0.15763 times the principal

Hence find, to the nearest pound, the principal which in 3 years at 5 p c compound interest will be increased by £50

20 The census is taken every ten years, and it is found that the population of a certain town is greater each census by 12 p c of the population at the preceding census. If it was 37632 in 1901, what was it in 1891, and in 1881?

21 The population of a town was 347865. It then increased by 20 per 1000 one year, 25 per 1000 the next, and 30 per 1000 in the third year. What was the population at the end of 3 years, to the nearest hundred?

Find to the nearest penny the difference between the Simple and Compound Interest on

- 22 £3125 for 3 yrs at 4 % 23 £1000 for 4 yrs at 4 %
 24 £2400 „ 3 „ 5 % 25 £2960 „ 2 „ $3\frac{1}{4}$ %

26 £7545 10s for 2 yrs at 4 % per annum, interest being paid half yearly

27 The difference between the simple and compound interest on a certain sum for 2 years at 5 per cent is 12s. What is the sum?

28 On what sum of money would the compound interest for 3 years at 4 per cent exceed the simple interest by £15 4s?

29 The simple interest on a certain sum for 2 years at 3 per cent is less than the compound interest on the same sum by Rs 3 6a. Find the sum.

30 On what sum of money would the compound interest for 3 years at 5 per cent exceed the simple interest by Rs 38 2a?

31 A man buys land and buildings valued at Rs 26333 5a and pays Rs 13000 down. Find to the nearest rupee what additional sum he ought to pay at the end of two years reckoning compound interest at $3\frac{1}{2}$ per cent per annum.

32 A man saves Rs 4000 a year, which he invests at the end of the year at 5% compound interest. Find, to the nearest rupee, the amount of his savings at the end of the 5th year.

33 A man borrows Rs 200 at 5% compound interest. At the end of each year he pays back Rs 50. How much does he owe at the end of 4 years?

34 In a certain factory the machinery and plant were valued at Rs 24000. If it is supposed to depreciate it each year at $12\frac{1}{2}$ % of the value at the beginning of the year, find (to the nearest rupee) what its value would be after 4 years.

Graphical Illustrations

315 If interest is at 4 p.c. per annum we have the following formulæ giving the amount of Re.1 at the end of n years

When the interest is simple,

$$A = 1 + \frac{4n}{100} \quad (1)$$

When the interest is compound,

$$A = (1.04)^n \quad (11).$$

Since in (1) the quantities A and n are connected by an equation of the first degree, the graph is a straight line [Art 256]. In this case we can select numerical values for A and n at discretion, and draw the graph. For this purpose two pairs of corresponding values will be sufficient [Art 257].

In (11) the graph will be some curve the nature of which cannot be recognised from the equation. Moreover, as one of the variables occurs as an index, simultaneous values of A and n cannot be conveniently obtained from the equation.

The comparison between the values, in successive years, of the amount of Re. 1 at simple and compound interest at 4 p.c. per annum can be illustrated graphically as in the following example.

EXAMPLE. *The following details, taken from "Interest Tables," give approximately the amount of Re. 1 at 4 p.c. for different periods*

No. of years	0	5	10	15	20	25	30	35
Amt at S I	1	1.20	1.40	1.60	1.80	2.00	2.20	2.40
Amt at C I	1	1.22	1.48	1.80	2.19	2.67	3.24	3.95

Illustrate these data graphically, and use the graphs to find the amount of Rs. 100 in 28 years, (i) at simple, (ii) at compound interest

Also find from the graphs in how many years a sum of money will double itself, (i) at simple, (ii) at compound interest

In Fig. 13 on the next page the years are marked on the horizontal axis, 0.1 of an inch being taken to represent 1 year. On the vertical axis 1 inch is taken to represent Re. 1. On this scale tenths of the unit can be marked and read accurately, and hundredths can be judged with a fair degree of accuracy.

Since when $n=0$, $A=1$, in each case, both graphs pass through the point (0, 1), and it is convenient to take this point as the origin.

After plotting the points given by the table the graphs will be found as in the diagram. The straight line OP gives the amounts at simple interest of Re. 1 for different periods, and the curved line gives the corresponding amounts at compound interest.

When $n=28$, from the S I graph we have $A=2.12$, and from the C I graph $A=3.00$.

Thus the amount of Rs. 100 in 28 years is Rs. 212 at simple interest, and Rs. 300 at compound interest. These results will be found correct to the nearest rupee.

Again, when $A=2$, in the graph OP, $n=25$,

OQ, $n=17.7$, approx

Thus a sum of money doubles itself in 25 years at simple interest, and in about 17.7 years at compound interest.

NOTE. The simple interest graph being linear can be produced indefinitely beyond P, and thus can be used to read off amounts for any number of years. In the case of the compound interest graph the form of the curve is not known beyond the limits of the diagram, thus for purposes of comparison between simple and compound interest the graphs can only be used for periods not exceeding 35 years.




FIG 13

316 When a sum of money is at simple interest at a given rate per cent for any number of years, we have in all cases

$$\text{Amount} = \text{Principal} + \text{Interest},$$

where 'Principal' is constant, and 'Interest' varies with the number of years. Hence the variations of Amount and Time may always be represented by a linear graph in which x is taken to denote the number of years, and y the number of rupees or pounds in the corresponding Amount. The equation of the graph will be of the form $y = P + ax$, where P is the number of rupees or pounds in the principal sum, and a is a constant, namely $P \times \frac{r}{100}$ which has the same value as long as P and r remain the same.

EXAMPLES XVIII h.

- 1 From the figure on page 380 find as accurately as possible
 - (i) the amount of Re 1 at 4 % compound interest in 34 years ,
 - (ii) the difference between the simple and compound interest at the end of 27 years ,
 - (iii) after how many years the compound interest is approximately the same as the simple interest at the end of 20 years ,
 - (iv) after how many years the difference between the simple and compound interest is approximately Re 1 ,
 - (v) the present value of Rs 247 due in 23 years at 4 p c compound interest

2 From the following table draw graphs to show the amounts at simple and compound interest of Re 1 at 5 p c for different periods

No of years	0	5	10	15	20	25	30	35
Am ^t at S I	1	1.25	1.50	1.75	2.00	2.25	2.50	2.75
Am ^t at C I	1	1.28	1.63	2.08	2.65	3.39	4.32	5.52

From the graphs show that the difference between the simple and compound interest on Rs 10 at the end of 23 years is approximately Rs 9
Find also

- (i) the amount at compound interest of Rs 100 in 26 years ,
- (ii) in how many years the accumulated interest on Rs 100 will amount to Rs 400

3 If £ y is the cash payment for a sum of £ x after discount at $12\frac{1}{2}\%$ has been deducted, find the relation between y and x . Show that the graph may be conveniently drawn by joining the point (0, 0) with the point (40, 35)

From the graph read off the cash payments for bills of £2 8s and 12s. Also find what amounts can be settled by cash payments of 17s 6d and £1 4s 6d

4 Two sums of money are put out at simple interest at different rates per cent. In the first case the amounts at the end of 6 years and 15 years are £200 and £350 respectively. In the second case the amounts for 5 years and 20 years are £330 and £420. Draw graphs from which the amounts may be read off for any year, and find the year in which the principal with accrued interest will amount to the same in the two cases. Also from the graphs read off the value of each principal

CHAPTER XIX

STOCKS AND SHARES

317 WHEN a Government requires more money than can be obtained by taxation, it invites the public to contribute to a Loan. Such a Loan is raised on special terms, which in their simplest form may be stated thus:

The Government undertakes to pay a fixed rate of interest on the money lent, so long as the loan exists. Sometimes the Government names a date for the repayment of the loan; sometimes it names no such date, but reserves the right of repaying the loan at any time convenient to itself.

318 The lender of £100 in this way to the British Government is said to hold £100 Stock, and this stock secures to him the rights named above, viz (i) income at the stipulated rate, and (ii) repayment of principal if, and when, the Government cancels the debt. But in any case *a lender cannot at will recover his money direct from the Government*. The Stock held is nothing more than a title to an annuity, or annual income, the amount of the annuity being a fixed percentage on the amount of stock held.

The Government of India similarly raises money by means of Promissory Notes, and a person buying any of these, say to the value of Rs 1000, is said to hold so much Government Paper.

319 Though the original lender cannot at his discretion claim repayment from the Government, he can *sell his stock* to some other person, who, in return for a cash payment, will then become entitled to the income and other rights attaching to the stock.

320 The cash value of stock varies from time to time owing to political and commercial causes, so that the price at which a holder sells his stock will not necessarily be the same as its nominal value. Thus the holder of £100 stock may be able to sell it for no more than £94 cash, or again, in other circumstances he may find buyers willing to give as much as £105 cash. In the former case the stock is said to stand at 94, in the latter, at 105.

321 If £100 stock will fetch £100 cash, the stock is said to be at par. Stock standing at 94 is said to be at 6 discount, or 6 below par, and stock at 105 is at 5 premium, or 5 above par.

322 The price of Indian Government Stock fluctuates in the same manner. If, *e.g.*, it is above par, at 5 % premium, the value of Rs 1000 of Government Paper will be Rs 1050

323 The British Funded Debt (that is, the debt which the Government is not obliged to pay off at any fixed time) consists chiefly of *Consols*, viz *Consolidated Annuities*, at the rate of £3½ on every £100 stock. This Funded Debt is sometimes known as *The Funds*

NOTE. The term *Consolidated* implies that debts contracted at various times and under different conditions have been amalgamated into a single debt, and brought under the same terms. Up to 1868, Consols bore interest at the rate of 3 per cent. In that year the Three per cent Debt was cancelled and its place taken by a new Debt bearing 2½ per cent interest till 1903, and afterwards 2½ per cent

324 Money used to establish and work a business is called *Capital*. Large industrial undertakings such as Railways, Docks, Water-works, generally raise the required capital by issuing *stock* in the manner described above, and the purchasers of the stock form an association called a *Joint Stock Company*. In most instances the interest on such stock is not at a fixed rate, but results from periodical divisions of profits. Profits divided amongst stock-holders are called *dividends*, this term is also applied to the *fixed* interest payable on Government and other stocks.

NOTE. Large Companies such as Railways often issue stock in three classes, *Debenture*, *Preference*, and *Ordinary Stock*. On the first two the dividends are *fixed*, and are respectively the first and second charge upon the profits. The remaining profits, if any, are then applied as dividends on the *Ordinary Stock*.

In Art 327 we shall explain the way in which stock is bought and sold, and the commission (called *brokerage*) charged by the agents who transact such business. In the following examples it is for the present supposed that all agents' charges are allowed for in the quoted prices of stock

EXAMPLE 1 If £755 Metropolitan 2½ p c stock is sold at 77½ what does the seller obtain?

Here	£100 stock is worth £77½ cash,
£755 stock	„ £77½ × $\frac{755}{100}$ cash
	= £585 2s 6d

NOTE It should be noticed that the given percentage by which the nature of the stock is described does not affect the work. The question might be stated briefly thus

What is the cash value of £755 stock at $77\frac{1}{2}$?

or, *What is the cost of £755 stock at $77\frac{1}{2}$?*

EXAMPLE 2. *How much Railway 4 p c stock (correct to the nearest pice) at $109\frac{3}{4}$ can be bought for Rs. 1500?*

Here Rs 1500 is cash, and Rs 100 stock costs $109\frac{3}{4}$

Since Rs $109\frac{3}{4}$ cash buys Rs 100 stock,
Rs. 1500 cash ,, Rs $100 \times \frac{1500}{109\frac{3}{4}}$ stock

And Rs $100 \times \frac{1500}{109\frac{3}{4}} = \text{Rs } 100 \times \frac{6000}{439}$
= Rs 1366 743, correct to 3 decimal places,
= Rs 1366 12a, to the nearest pice

NOTE. A purchaser who spends Rs. 1500 in buying a certain stock is said to invest Rs 1500 in that stock. The above question might be stated thus

A man invests Rs 1500 in stock at $109\frac{3}{4}$, how much stock does he buy?

EXAMPLES XIX a.

What is the cash value of

- 1 Rs 2800 stock at 94?
- 2 Rs 3750 stock at 102?
- 3 Rs 4120 ,, $92\frac{1}{2}$?
4. £4284 ,, $98\frac{3}{4}$?
- 5 What is the cost of £4715 India 3 p c stock at $87\frac{1}{2}$?
- 6 How much cash will be obtained by selling £462 10s Railway 4 p c stock at 105?

Find the amount of stock which can be bought for

- 7 Rs 496, price 124
- 8 Rs 2527, price 95
- 9 Rs 3900, price $97\frac{1}{2}$
- 10 What amount of $3\frac{1}{2}$ p c Corporation stock at $97\frac{1}{2}$ can be bought for £1560?

11 How much 4 p c stock can be bought for Rs 6210 when the quoted price is $3\frac{1}{2}$ p c above par?

12 A man invests £4690 in $2\frac{1}{2}$ p c Consols at $83\frac{5}{8}$, how much stock does he buy?

13 What will Rs 2880 of $2\frac{3}{4}$ p c stock sell for when the price is at a discount of 5 p c?

14. At what price will Rs 3220 buy Rs 3500 stock?

15 I spend £228 in buying £285 stock what is the price of the stock?

Find to the nearest *pound*

16 The cash value of £855 Consols at $83\frac{1}{2}$

17 How much stock at $102\frac{1}{2}$ can be bought for £1000

18 The price of stock when £560 stock can be bought for £480

Find to the nearest *pice*

19 The proceeds of selling Rs 2012 stock at $94\frac{1}{2}$

20 The cost of Rs 5782 Preference stock at $125\frac{1}{2}$

21 The cash value of Rs 3572 stock at $109\frac{1}{2}$

EXAMPLE 3 If £4800 India 3 p c stock is bought at $87\frac{1}{2}$ and sold at $91\frac{3}{4}$, what profit is made on the transaction?

Here £100 stock is bought for $£87\frac{1}{2}$ cash and sold for $£91\frac{3}{4}$ cash

Hence on £100 stock the profit is $£4\frac{1}{4}$,

$$\therefore, £4800 \text{ stock } \therefore, \therefore, 44\frac{1}{4} \times \frac{4800}{100}, \text{ or } £204$$

EXAMPLE 4 A man invests Rs 5500 in 5 p c Railway stock at 139, and sells out at $142\frac{1}{2}$, find, to the nearest *pice*, how much cash he gets by the sale

Here the given sum Rs. 5500 is cash to be invested

Now Rs 139 cash buys stock afterwards sold for Rs $142\frac{1}{2}$ cash

$$\text{Rs } 5500 \text{ cash } \therefore, \therefore, \therefore, \text{Rs. } 142\frac{1}{2} \times \frac{5500}{139} \text{ cash}$$

$$\text{And } \text{Rs } 142\frac{1}{2} \times \frac{5500}{139} = \text{Rs } 5638 \text{ } 480 = \text{Rs } 5638 \text{ } 7 \text{ a } 0 \text{ p}$$

NOTE. The pupil should observe that it is not necessary here to find *how much stock was bought*, in order to find *for how much cash it was sold*

EXAMPLES XIX. a (Continued)

22. How much is lost by buying Rs 780 stock at 107 and selling it at Rs $102\frac{1}{2}$?

23 How much should I gain by buying £650 L & N W Railway stock at $138\frac{1}{4}$ and selling it at $141\frac{1}{2}$?

24 If Rs 750 is invested in stock at $131\frac{1}{4}$ and the stock is sold out at 133, find the proceeds of sale

25 I invest £455 in 3 p c stock at 105, how much cash shall I get by selling out at $102\frac{1}{2}$?

26 How much is lost by buying £2500 India $3\frac{1}{2}$ per cents at $99\frac{1}{4}$, and selling them at $94\frac{1}{4}$?

27 How much shall I gain by investing Rs 1187 8a in $4\frac{1}{2}$ p c Debentures at $142\frac{1}{2}$ and selling them at 147?

28 If Rs 3720 stock is bought at $101\frac{1}{2}$ and sold at $107\frac{1}{4}$, find the profit, to the nearest pice

29 Find to the nearest penny how much was lost by investing £1642 in 4 p c Railway stock at 129 and selling at 125

325 In the following examples the chief point to notice is the difference between *holding* and *buying* stock. Thus a man *holding* 3 p c stock receives an income of Rs 3 on every Rs 100 of stock held, while a man *buying* 3 p c stock at 91 purchases an income of Rs 3 with every Rs 91 of cash invested

EXAMPLE 1 A man holds Rs 5640 of $4\frac{1}{2}$ per cent stock at 94, find his income

[As we are considering the income derived from stock already in possession, the price at which such stock might be bought or sold does not affect the work.]

On Rs 100 stock he gets an income of Rs $4\frac{1}{2}$

on Rs 5640 stock ,, ,, Rs $4\frac{1}{2} \times \frac{5640}{100}$, or Rs 253 12a 9p

EXAMPLE 2 A man invests Rs 5640 in $4\frac{1}{2}$ per cent stock at 94, find his income.

[Here the given sum Rs 5640 is cash, with which stock is to be bought. And every Rs 94 cash buys Rs. 100 stock, namely the right to an income of Rs $4\frac{1}{2}$.]

Here Rs 94 cash will purchase an income of Rs $4\frac{1}{2}$

Rs 5640 cash ,, ,, Rs $4\frac{1}{2} \times \frac{5640}{94}$, or Rs. 270

EXAMPLES XIX b.

Find the income derived from holding

- 1 Rs. 3400 of 3 % stock 2 £3825 Consols ($2\frac{1}{2}$ %)
- 3 £2450 of $5\frac{1}{4}$ % Railway Preference stock

Find the income derived from investing

- 4 Rs. 1188 in 3 % stock at 81 5 Rs 3840 in 4 % stock at 96
- 6 What income will be derived from Rs 967 8a. laid out in buying 5 per cent. stock at $107\frac{1}{2}$?
- 7 A man invests Rs 11636 in 3 p c stock at 104, and Rs 11000 in $4\frac{1}{2}$ p c stock at 143. From which source is his income the greater, and by how much?

8 I invest £5000 in 4 p c stock at 125, find my half-yearly income after income tax at 1s in the £ has been deducted

9 When the income tax was at 14d in the £, a man invested £400 in $3\frac{3}{4}$ p c stock at 113 What was his net half-yearly dividend?

Find to the nearest pice or penny

10 The income derived from holding Rs 786 in a $2\frac{3}{4}$ p c stock.

11. The income derived from an investment of Rs 3750 in $4\frac{1}{4}$ p c Debenture stock at 140

12 The income derived from laying out £500 in the purchase of $2\frac{1}{2}$ p c. Consols at $82\frac{1}{4}$

EXAMPLE 3 If the current price of a 4 per cent stock is $105\frac{1}{2}$, find

(i) how much stock a man must hold to derive from it an income of £280,

(ii) how much cash he must invest to secure an income of £280

(i) £4 income is derived from holding £100 stock,

£280 income ,, ,, $£100 \times \frac{280}{4}$, or £7000

(ii) £4 income is derived from investing $£105\frac{1}{2}$ cash,

£280 income ,, ,, $£105\frac{1}{2} \times \frac{280}{4}$, or £7385

EXAMPLE 4. What rate per cent is obtained for money invested in Railway $4\frac{1}{2}$ p c stock at $122\frac{1}{2}$?

Here Rs $122\frac{1}{2}$ cash buys an income of Rs $4\frac{1}{2}$,

Rs. 100 cash ,, income of Rs $4\frac{1}{2} \times \frac{100}{122\frac{1}{2}}$, or Rs 3 67

That is, income is obtained at the approximate rate of 3 67 per cent on the money invested.

EXAMPLE 5 Which of the following stocks yields the better income to an investor 3 per cent stock at 87, or 4 per cent stock at 115?

Compare the incomes obtained by investing the same amount of cash (say Rs 100) in each stock.

Then, as in the last example

income on investing Rs 100 in 1st stock = $Rs\ 3 \times \frac{100}{87}$
 $= Rs\ 3\ 45$ (approx),

income ,, ,, Rs 100 ,, 2nd stock = $Rs\ 4 \times \frac{100}{115}$
 $= Rs\ 3\ 48$ (approx)

Hence the 2nd stock pays the better income by 0.03 per cent of the cash invested.

EXAMPLES XIX. b (*Continued.*)

13 From how much India 3 p c stock would an income of Rs 81 be derived?

14 How much Railway $4\frac{1}{2}$ p c stock must be held to secure an income of Rs 297?

15 What sum invested in a $5\frac{1}{2}$ p c stock at 110 will produce an income of Rs 60?

16 A man receives £24 3s from North Eastern Railway stock which pays a dividend of $5\frac{3}{4}$ p c. How much stock does he hold?

17 How much must be invested in $5\frac{1}{2}$ p c stock at $115\frac{1}{2}$ in order to secure an income of £80 13s 4d?

18 How much must be invested in $5\frac{1}{2}$ p c stock at $141\frac{1}{4}$ so that after paying income tax at 1s 2d in the £1 the net half yearly dividend may be £17 12s?

[Since 14d is deducted from every pound, the net annual income on £100 stock is $£5\frac{1}{2} \times \frac{220}{240}$]

19 If my annual income from $2\frac{1}{2}$ p c Consols is £35 7s 3d, find how much stock I hold

20 Find to the nearest rupee what sum must be invested in 3 p c stock at 104 to obtain an income of Rs 200

21 After deducting income tax at 1s in the £ I have an income of £77 18s a year derived from $4\frac{1}{2}$ p c stock which stood at $132\frac{1}{2}$ at the time of purchase. Find to the nearest pound how much I invested.

22 What rate per cent is obtained by investing in $4\frac{1}{2}$ p c stock at 90?

23 What interest shall I get on my capital by investing at 125 in a stock which is paying a dividend of $3\frac{1}{4}$ p c?

Find, correct to two places of decimals, the rate per cent of interest obtained by investing

24. In $5\frac{1}{2}$ p c Preference stock at 145

25. In a $3\frac{1}{2}$ p c stock at $78\frac{3}{4}$

26. In 4 p c Railway stock at $119\frac{3}{8}$

Which of the following stocks yields the better income, and by how much per cent? [Answer to two decimal figures]

27. A 3 p c stock at 85, or 4 per cents at 96?

28. A 4 p c stock at 126, or a $3\frac{1}{2}$ p c stock at 108?

29. A 5 p c stock at 140, or 6 per cents at 174?

30 Which is the more profitable investment, 4 p c Preference stock at 108 or $4\frac{1}{2}$ p c Debenture stock at 117? By how much would incomes derived from investing Rs 7020 in each differ from one another?

31 A man invests a certain sum in 3 p c stock at 81, and another invests the same amount in 4 p c stock at 112. The difference in their incomes is Rs 2, find the sum invested

32 A's income is derived from a certain amount of $3\frac{1}{2}$ p c stock at 122 $\frac{1}{2}$, B's income is derived from an equal amount of $2\frac{1}{2}$ p c stock at 92 $\frac{1}{2}$. If A's income exceeds B's by Rs 100, what amount of stock do they each hold?

33 At what price must 4 p c. stock be bought so that an investor may get 5 p c for his money?

[What is the price of 4 p c stock when Rs 100 cash invested in it produces an income of Rs 5?]

34 At what price must I buy $2\frac{1}{4}$ p c stock so as to get 2 $\frac{1}{2}$ p c for my money?

35 An investor in $4\frac{1}{2}$ p c stock finds that he is getting 6 p c for his money. At what price did he buy?

36 At what price must 3 p c stock be bought if an investment of Rs 1600 produces an income of Rs 50?

37 Find the price at which Rs 24000 was invested in $5\frac{1}{2}$ p c Preference stock, if the income derived is Rs 1200

38 What is the price of $5\frac{1}{2}$ p c stock when a man investing £2353 in it obtains an income of £95 6s 8d?

39 A man bought American Railway stock paying 6 p c, and after paying income tax at 10d in the £, he got 5 p c for his money. At what price did he buy?

40 The yearly dividend to an investor was £21 7s 6d, and this was 4.45 p c. for his money, find, to the nearest pound, how much cash he gave for his stock

41 A fund is being raised to provide a Scholarship of £60 a year. If the necessary income is to be derived from an investment in $2\frac{1}{4}$ p c Annuities at 92, find, to the nearest pound, how much must be collected from the subscribers to the fund

326 In the preceding examples we have dwelt upon the distinction between *holding stock* and *investing money* (or cash), and we have illustrated by examples of a simple kind (i) the buying and selling of stocks (ii) the income derived from stock held or cash invested, (iii) the rate per cent (or 'yield') to an investor at different prices. These cases cover all the main principles of the subject, and for the sake of simplicity we have supposed that agents' charges and other incidental expenses have been allowed

for in the prices of the stocks quoted. We have now to explain how the buying and selling of stocks are effected in actual practice, it will be seen that though modifications in detail are introduced into the working of examples, no new principle is involved.

327 Brokerage The transfer of stocks from one holder to another is effected through the agency of a Corporation known as a **Stock Exchange**, the members of which are either **Stock-Dealers** or **Stock-Brokers**. The former undertake the actual purchase or sale of stocks, while the latter act simply as agents between the Dealers and private clients.

The prices quoted against each stock usually name two prices. Thus the statement "**Consols** $84\frac{3}{4}$ – $85\frac{1}{4}$ " means that the Dealers are prepared to buy Consols at the lower price, or to sell them at the higher. The difference (in this case $\pounds\frac{1}{2}$) represents the Dealer's profit on each $\pounds 100$ of stock.

328 The Brokers buy stock from or sell it to the Dealers on behalf of their private clients, from whom they obtain a brokerage, or commission, for their services.

Speaking generally, the Broker's charge on all British or Foreign Government stocks is $2s\ 6d$, or $\pounds\frac{1}{8}$, on every $\pounds 100$ stock. On Colonial and Corporation stocks the charge is $5s$, or $\pounds\frac{1}{4}$ per $\pounds 100$ stock. In each case the brokerage is calculated as a percentage on the nominal par value of the stock.

In this sense, the Broker's charge is usually quoted "brokerage $\frac{1}{8}$ " or "brokerage $\frac{1}{4}$," the words "per cent" being omitted.

For example, if a man is buying Consols quoted at $85\frac{1}{2}$, then for every $\pounds 100$ stock bought he pays $\pounds 85\frac{1}{2}$ to the Dealer and $\pounds\frac{1}{8}$ to his Broker, that is, he *buys* at $85\frac{1}{2} + \frac{1}{8}$, or $85\frac{5}{8}$.

If he is selling at the same price, for every $\pounds 100$ stock sold he *receives* $\pounds 85\frac{1}{2}$ from the Dealer, but *pays* $\pounds\frac{1}{8}$ to his Broker, that is, he *sells* at $85\frac{1}{2} - \frac{1}{8}$, or $85\frac{3}{8}$.

Thus to a *buyer* the brokerage *increases* the price,
while ,, *seller* ,, *diminishes* ,,

329 For Railway and other stocks the charge commonly ranges from $\frac{1}{4}$ to $\frac{1}{2}$ per cent, and is calculated not on the nominal par value but on the actual cash value for which the stock is bought and sold.

In this sense the Broker's charge is quoted as " $\frac{1}{4}$ per cent," or " $\frac{1}{2}$ per cent," the words "per cent" being retained. In this case it has to be calculated as a separate item and not as an addition to or deduction from the price of the stock.

Thus if a Broker received instructions to buy £500 Railway stock at $103\frac{1}{8}$, and the brokerage was $\frac{1}{2}$ per cent., the account to the client (known as a "Contract Note") would be presented somewhat as follows

April 8th, 1908

We have this day bought, as per your order, subject to the Rules, Regulations, and Customs of the London Stock Exchange,

£500 Railway stock at	$103\frac{1}{8}$	£	s	d
Brokerage	$\frac{1}{2}\%$	518	2	6
		2	11	10
		<u>520</u>	<u>14</u>	<u>4</u>

NOTE. The above Scale of Commission is officially recognised by the London Stock Exchange, but the usage we have explained, though correct in theory, is subject to various modifications in practice. For instance, on Government and Colonial stocks brokerage " $\frac{1}{8}$ or $\frac{1}{4}$ per cent on the nominal par value" is sometimes charged on each £100 stock or part of £100 stock. Again, in addition to brokerage there are other incidental charges, some of which enter into every statement of account from broker to client. As some of these are fixed and others variable they must necessarily occur as separate items in the account. For these reasons brokers find it convenient to put *all* their charges down separately even in those cases in which the brokerage could theoretically be included in the price of the stock as in Art 328. The method of that article will, however, be used in some of the examples which follow.

As a rule brokerage alone will be considered, in a few cases in which we shall introduce extra charges, the wording of the examples will make their meaning clear.

EXAMPLE 1 *I invest Rs 1200 in 4 p c stock at $103\frac{1}{4}$, and after receiving a half year's dividend I sell out at 106. Find to the nearest pice my total gain, reckoning brokerage $\frac{1}{4}$ in each transaction*

On buying, the price of Rs 100 stock is $103\frac{1}{4} + \frac{1}{4}$, or $103\frac{1}{2}$,

On selling, " " " " $106 - \frac{1}{4}$, or $105\frac{3}{4}$

gain on buying and selling Rs 100 stock = Rs $2\frac{1}{4}$,

half year's dividend on Rs 100 stock = Rs 2,

corresponding to every Rs. 100 stock the total gain is Rs $4\frac{1}{4}$

Hence on an outlay of Rs $103\frac{1}{2}$ the gain is Rs $4\frac{1}{4}$,

" Rs 1200 " Rs $4\frac{1}{4} \times \frac{1200}{103\frac{1}{2}}$,

and Rs $4\frac{1}{4} \times \frac{1200}{103\frac{1}{2}} = \text{Rs } 49.275 = \text{Rs } 49 \text{ Rs } 4 \text{ a } 6 \text{ p}$

EXAMPLE 2. A person invests £9075 in 3 p o stock at $90\frac{5}{8}$, and when it has risen to $91\frac{1}{8}$ he sells out and re invests in $3\frac{1}{2}$ p o stock at $97\frac{3}{8}$, find the change of income, brokerage $\frac{1}{8}$ being charged on each transaction.

(i) Each £100 of the 1st stock costs $\pounds(90\frac{5}{8} + \frac{1}{8})$, or $\pounds90\frac{3}{4}$ cash

Hence $\pounds90\frac{3}{4}$ invested in 1st stock buys an income of £3,

$$\pounds9075 \quad \text{,,} \quad \text{,,} \quad \text{,,} \quad \text{,,} \quad \pounds3 \times \frac{9075}{90\frac{3}{4}}, \text{ or } \pounds300$$

That is, the first income is £300

(ii) On selling, each £100 of 1st stock produces $\pounds(91\frac{1}{8} - \frac{1}{8})$, or £91 cash

Thus stock bought for $\pounds90\frac{3}{4}$ sold for £91

$$\text{,,} \quad \text{,,} \quad \pounds9075 \quad \text{,,} \quad \pounds91 \times \frac{9075}{90\frac{3}{4}}, \text{ or } \pounds9100$$

That is, the first stock realizes £9100

(iii) The price to a buyer of 2nd stock = $97\frac{3}{8} + \frac{1}{8} = 97\frac{1}{2}$

Hence $\pounds97\frac{1}{2}$ invested in 2nd stock buys an income of $\pounds3\frac{1}{2}$,

$$\pounds9100 \quad \text{,,} \quad \text{,,} \quad \text{,,} \quad \text{,,} \quad \pounds3\frac{1}{2} \times \frac{9100}{97\frac{1}{2}}, \text{ or } \pounds326\frac{2}{3}$$

Thus the gain of income is £26 13s 4d

EXAMPLES XIX c

(In the following examples we shall use the abbreviations [B, $\frac{1}{8}$], [B, $\frac{1}{2}$ per cent.] to indicate "brokerage $\frac{1}{8}$ " and "brokerage $\frac{1}{2}$ per cent." respectively

1 How much cash would be obtained by selling Rs 6785 stock at $105\frac{3}{4}$? [B, $\frac{1}{4}$]

2 How much must I pay for Rs 2750 stock at $90\frac{7}{8}$? [B, $\frac{1}{8}$]

3 How much stock at $101\frac{1}{4}$ can be bought for Rs 3552 8a ? [B, $\frac{1}{4}$]

4 The proceeds of the sale of $3\frac{1}{2}$ p o stock at $93\frac{1}{4}$ amounted to Rs 6844 11a Find the amount of stock [B, $\frac{1}{8}$]

5 Find to the nearest pice the cost of Rs. 5782 stock at $125\frac{1}{4}$ [B, $\frac{1}{4}$]

6 If Rs 2500 stock are bought at $91\frac{3}{8}$ and afterwards sold at $90\frac{1}{8}$, how much is lost? [B, $\frac{1}{8}$]

7 A man invested Rs 3500 in $3\frac{1}{2}$ p c stock at $104\frac{3}{4}$, after receiving one half-yearly dividend he sold out at $108\frac{1}{4}$, find the total amount gained [B, $\frac{1}{4}$]

8 If I invest Rs. 4380 in $2\frac{1}{2}$ p c Consols at $91\frac{1}{8}$, what shall I gain by selling out at $93\frac{1}{8}$, after receiving one quarter's dividend? [B, $\frac{1}{8}$]

9 What income would be derived from investing Rs 4200 in $2\frac{3}{4}$ p c stock at $96\frac{1}{8}$? [B, $\frac{1}{8}$]

10 How much money must be invested in $3\frac{1}{4}$ p c stock at $103\frac{3}{4}$ to produce an income of Rs 400? [B, $\frac{1}{4}$]

11 Find to the nearest pound how much must be invested in 4 p c stock at 103 to raise an income of £275 [B, $\frac{1}{8}$]

12 Find to the nearest pound how much must be invested in 3 p c stock at $103\frac{1}{4}$ [B, $\frac{1}{4}$] to produce a net income of £500 a year, after deducting income tax at 14d in the £

13 At what price must $4\frac{3}{4}$ p c stock be bought to yield an income at the rate of 5 p c? [B, $\frac{1}{4}$]

14 Calculate the price of $2\frac{1}{2}$ p c stock when Rs 8670 can be bought for Rs. 8019 12a [B, $\frac{1}{8}$]

15 A man holding Rs 6000 of 3 p c stock sells it at $91\frac{1}{4}$, and with the proceeds buys 4 p c stock at $129\frac{3}{4}$ What is his loss of income? [B, $\frac{1}{4}$]

16 A holder of Rs 5500 of $3\frac{1}{2}$ p c stock sells out at $91\frac{1}{4}$ and invests the proceeds in a 4 p c stock at 101 If the brokerage is $\frac{1}{8}$ for the first stock and $\frac{1}{4}$ for the second, find the change in his income

17 A man invests Rs 14260 in 5 p c stock at $114\frac{3}{4}$ he sells out at $121\frac{1}{4}$ and invests in 3 p c stock at $92\frac{3}{4}$, find the change in his income [B, $\frac{1}{4}$]

18 I invest £1365 in 3 p c stock at $90\frac{7}{8}$, and sell out £1000 of the stock when the price has risen to $93\frac{5}{8}$, and the remainder when it has fallen to $85\frac{1}{8}$ How much do I lose by the transaction? [B, $\frac{1}{8}$]

19 I invest £4340 in $3\frac{1}{2}$ p c stock at $108\frac{1}{8}$, and sell out when the price has risen to $110\frac{1}{8}$ With the proceeds I buy stock at $120\frac{3}{4}$ If the latter pays dividends at the rate of $5\frac{1}{2}$ p c find the increase in my income, brokerage being $\frac{1}{8}$ for the first and $\frac{1}{4}$ for the second stock

20 A man invests £26180 in 3 p c stock at $93\frac{1}{4}$, but shortly after sells out half of it at $92\frac{1}{2}$, and with the proceeds buys 4 p c stock at $96\frac{3}{4}$ Find to the nearest penny the difference in his income [B, $\frac{1}{4}$]

[Before working Examples 21-27 the pupil should read Art 329]

21 What is the cost (including brokerage $\frac{1}{2}$ per cent.) of £500 Mexican Railway $4\frac{1}{2}$ p c Debenture stock at 95?

22 A man instructs his broker to buy £500 Railway stock at $128\frac{1}{2}$, and £500 National Telephone Deferred stock at $111\frac{1}{4}$. What is the total cost? [B, $\frac{1}{2}$ per cent.]

23 I buy £800 Consols at 91 [B, $\frac{1}{8}$], and sell £650 Railway stock at $110\frac{3}{4}$ [B, $\frac{1}{2}$ per cent.] How much is due from me to my broker?

24 I sell £2375 Railway stock at 125 [B, $\frac{1}{2}$ per cent.], and buy £4000 India $3\frac{1}{2}$ p c. stock at $97\frac{1}{2}$ [B, $\frac{1}{8}$]. How much do I owe my broker for the whole transaction?

25 If I sell out £3600 of $2\frac{1}{2}$ Consols at $89\frac{3}{8}$ [B, $\frac{1}{8}$] and instruct my broker to buy £2700 of 4 p c Railway stock at $119\frac{1}{2}$ [B, $\frac{1}{2}$ per cent.], find how much is due to my broker.

26 What is the broker's account for the purchase of £400 National Telephone Co Preferred stock at $103\frac{3}{4}$, if the brokerage is $\frac{1}{2}$ per cent., and other charges are as follows: Contract Note Stamp 1s, Registration Fee 2s 6d, and Transfer Stamp £2 5s?

27 A client instructs his broker to buy

(i) £300 India 3% stock at 93 [B, $\frac{1}{8}$],

(ii) £400 Transvaal 3% stock at $95\frac{1}{2}$ [B, $\frac{1}{4}$],

(iii) £500 Mexican Railway stock at 95 [B, $\frac{1}{2}$ per cent.]

There is a charge of 1s for Contract Note Stamp in each transaction, and in addition on the Railway stock the Transfer Stamp is £2 10s, and Registration Fee 2s 6d. What is the total amount due to the broker?

Shares

330 The Capital of a Company, instead of being raised in the form of Stock, is often divided into Shares of definite amount, such as Rs 10, Rs 20, or Rs 100. Thus a Company's Capital, amounting to Rs. 10,00,000, may consist of 100,000 Rs 10 shares, or of 50,000 Rs 20 shares. Such shares may be bought and sold like stock, except that, while stock may be bought or sold in any amounts whatever, only *whole shares* as a rule may change hands.

331 Sometimes a Company does not at first *call up* the whole of its capital. For example, suppose it is thought that though a capital of Rs 10,00,000 may ultimately be required, only Rs. 6,00,000

can be usefully employed at first the company in such a case might issue 100,000 nominal Rs 10 shares, requiring the subscribers to pay at first only Rs 6 cash on each share, and the remaining Rs 4 when called upon. The Rs 6,00,000 thus raised would be called the paid-up capital, or the capital might be said to consist of 100,000 Rs 10 shares, Rs 6 paid-up.

332 Dividends are allotted either at *so much per share*, or *as a percentage on the paid-up capital*. In the following examples, if nothing is said to the contrary, the shares are supposed to be *fully paid-up*.

EXAMPLE 1 *If Rs 30 shares in a Company are sold at Rs 3 12 a premium find (i) how many shares can be bought for Rs 5400, (ii) the cost price of 40 shares, (iii) the dividend at 4 per cent on 60 shares*

(i) Since each share costs Rs 33 12a, or Rs $33\frac{3}{4}$,

the req^d number of shares = $\text{Rs } 5400 \div \text{Rs } 33\frac{3}{4} = 160$

(ii) Cost of 40 shares = $\text{Rs } 33\frac{3}{4} \times 40 = \text{Rs } 1350$

(iii) 60 shares represent a capital of Rs 30×60 , or Rs 1800,

and dividend at 4 p c on Rs 1800 = $\text{Rs } 1800 \times \frac{4}{100}$
= Rs 72.

EXAMPLE 2. *I propose to buy £10 Bank Shares £7 paid up, at 2½% premium, brokerage 1s per share. (i) What must I give for 250 shares? (ii) Find the half yearly dividend on this purchase, at 12 per cent per annum. (iii) What rate per cent per annum should I get for my money?*

(i) A share on which £7 has been paid up costs, at 2½% premium, £9 7s 6d, or, with brokerage, £9 8s 6d

hence 250 such shares cost £9 8s 6d $\times 250$,

or, £2356 5s

(ii) The 250 shares bought represent a paid up capital of £7 $\times 250$, and a half-year's dividend on £7 $\times 250$ at 12 p c per annum

$$= £7 \times 250 \times \frac{6}{100} = £105$$

(iii) Cost of one share, including brokerage, = £9 8s 6d,

annual dividend on one share = $£7 \times \frac{12}{100}$

Hence on investing £9 42s I have an income of £7 $\times 12$.

„ £100 „ „ £7 $\times 12 \times \frac{100}{9\ 42s}$,

and $£7 \times 12 \times \frac{100}{9\ 42s} = £8\ 91$

That is, I obtain 8·9 p c approximately on my cash investment.

EXAMPLES XIX d

Find the total cost of

- 1 Five hundred Rs 10 mining shares at $38\frac{3}{4}$ per share
- 2 Sixty Rs 200 shares at $1\frac{3}{8}$ discount
- 3 How much must I pay a broker who buys for me forty four £1 shares at $2\frac{7}{8}$, brokerage $4\frac{1}{2}d$ per share, and eighty £5 shares at $1\frac{5}{16}$ premium, brokerage $9d$ per share?

How much cash will be obtained by selling

- 4 Fifty Rs 20 shares (Rs 15 paid up) at $2\frac{1}{2}$ premium?
- 5 Two hundred and fifty £5 shares (£2 paid up) at $\frac{3}{4}$ premium, brokerage $9d$ per share?
- 6 How many Rs 20 shares (Rs 15 paid up) at $2\frac{1}{2}$ premium, brokerage $4a$ per share, can be bought for Rs 355?
- 7 Find the annual income arising from
 - (i) Thirty five Rs 100 shares paying $4\frac{1}{2}$ p c
 - (ii) Forty seven Rs 50 shares paying $6\frac{1}{2}$ p c
 - (iii) Seventy five Rs 200 shares (Rs 150 paid) at $7\frac{1}{2}$ p c, together with a bonus of $8a$ per share
- 8 What is the half yearly dividend on 20 shares of Rs 100 each at 6 p c per annum, less income tax at 5 p c in the Re?
- 9 How much per cent for his money does an investor get by buying
 - (i) £10 shares (£3 paid up) at £5 when the dividend is 10% per annum?
 - (ii) £20 shares (£9 paid up) paying 8% per annum, when the shares are at $4\frac{1}{2}$ premium?
 - (iii) £100 shares (£15 $\frac{1}{2}$ paid up) at $20\frac{1}{2}$ premium, the half yearly dividend being $17s$ per share?
- 10 If £5 shares in a Company are sold at $2\frac{1}{2}$ premium, find (i) how many shares can be bought for £375, (ii) the cost price of 20 shares, (iii) the dividend on $5\frac{1}{2}$ p c on 75 shares

11 The £20 shares of a Bank have only £6 per share paid up, and their present price is $10\frac{3}{4}$. If brokerage is charged at $1s\ 3d$ a share, find (i) how many shares can be bought for £605 10s, (ii) the cost price of 36 shares, (iii) the dividend on 50 shares at $8\frac{3}{4}$ p c

12. A man sells out $2\frac{3}{4}$ p c stock at $96\frac{1}{4}$ and by investing the proceeds in shares which pay an annual dividend of £4 per share raises his income 5 per cent. What was the price of each share?

EXAMPLES XIX e

(Miscellaneous Examples on Stocks and Shares)

[Unless otherwise stated brokerage and other charges are supposed to be included in the prices quoted.]

1 I invest £5520 in $2\frac{1}{2}$ p c Consols at 92 at what price must I sell out to gain £210 on the transaction?

2 If I invest £1200 in $2\frac{3}{4}$ p c Debenture stock at $95\frac{1}{2}$, what is my income to the nearest penny? $[B, \frac{1}{4}]$

3 Which is the more profitable investment, $4\frac{1}{2}$ p c stock at 152, or $2\frac{1}{2}$ p c stock at 85? If Rs 3230 is invested in each, what is the difference in annual income?

4 An income of Rs 176 is derived from the investment of Rs 6200 in $2\frac{3}{4}$ p c stock. At what price was the stock bought? $[B, \frac{1}{8}]$

5 At what price must I buy 7 p c stock so as to get 4 p c for my money? $[B, \frac{1}{4}]$

6 What income is derived from investing Rs 7500 in $3\frac{1}{2}$ p c stock at $99\frac{1}{4}$? $[B, \frac{1}{4}]$ What would be the loss of capital if the stock were sold out at $87\frac{1}{8}$? $[B, \frac{1}{8}]$

7 At what price must $4\frac{1}{2}$ p c stock be to produce the same income as 5 p c stock at 115? Find the half yearly dividend from an investment of Rs 2346 in either stock.

8 A man invests a fourth of his capital in $2\frac{1}{4}$ p c stock at 90 and the remainder in $3\frac{1}{2}$ p c stock at 105, find the average rate per cent on his capital.

9 Find to the nearest penny the cost of £225 Canal stock at $59\frac{7}{8}$, allowing for brokerage at $\frac{1}{2}$ per cent.

10 A sum of £994 19s had to be raised from the sale of N S Wales Inscribed stock at $99\frac{3}{4}$. The brokerage and Contract Stamp amounted to £2 11s. How much stock had to be sold?

11 What sum must be invested in a 6 p c stock at $140\frac{3}{4}$ so as to produce an income of Rs 1200 a year, after paying income tax at 4 pias in the Re? $[B, \frac{1}{4}]$

12 My income from 3 p c stock after deducting 10d in the £ for income tax is £442 15s. I sell out at $78\frac{1}{8}$ and buy 4 p c stock at $102\frac{3}{8}$, find to the nearest penny the alteration in net income, brokerage $\frac{1}{8}$ being charged on each transaction.

13 A man invested Rs. 10,000, half in 3 p c. stock at par, subject to an income tax of 4 pies in the Re, and half in $3\frac{1}{4}$ p c stock at 104, free of income tax. Which investment was the more advantageous and by how much?

14 What was the total amount of a broker's bill for the purchase of £4376 Great Western Railway stock at 124, brokerage $\frac{1}{2}$ per cent upon the money value, Contract Stamp 1s, Registration Fee 2s 6d., Transfer Stamp £27 5s?

15 A man invests half his capital in 3 p c stock at $97\frac{1}{2}$, and the other half in 4 p c stock at 125, his total income from both sources is Rs. 510. How much did he invest?

16 The difference between the incomes derived from investing a certain sum in 6 p c stock at 126 and in 9 p c stock at 210 is Rs. 225. What is the amount invested?

17 How much must a man bequeath, subject to a legacy duty of 10 p c, so as to provide a sufficient investment in $4\frac{1}{2}$ p c stock at $103\frac{1}{2}$ to bring in a net income of £60 a year, after deducting income tax at 10d in the £?

18 I am a holder of 3 p c stock which yields me an income of £300 a year. I sell half of it at 92, and invest the proceeds in an American railway at 46. What dividend per cent. per annum ought the latter stock to pay so that the transaction may increase my income by £50?

19 A man sells £4560 of $2\frac{1}{2}$ per cent Consols at 85, and with the proceeds purchases 4 per cent stock at 114. After deducting income tax (at the same rate in both cases), he finds his income better by £20 18s 0d. What is the income tax per pound?

20 If fifty Rs. 100 shares in a company paying a dividend of 8 p c are sold for Rs. 180 each, and the proceeds invested in Rs. 50 shares in another company at Rs. 35 each, find what difference in income results if the second company pays a dividend of $3\frac{1}{2}$ p c.

21 One company pays $5\frac{1}{2}$ p c on shares of Rs. 100 each, another pays at the rate of $3\frac{1}{2}$ p c on shares of Rs. 10 each, if the price of the former be Rs. 115 8a, and of the latter Rs. 7 12a, compare the rates of interest which the shares return to a purchaser.

22 A man sells out £3840 of 8 p c mining stock at $187\frac{1}{2}$, and re-invests the proceeds in $4\frac{1}{2}$ p c Railway stock at 108, his net income being thus diminished by £6 18s. Find the rate of income tax in the £.

23 A person invests Rs. 80,000 in $2\frac{3}{4}$ p c stock at 94 and pays income tax at 4 pies in the Re. On the stock rising to 99 he sells out and invests the proceeds in $2\frac{1}{4}$ p c stock at 72, free of income tax. Find to the nearest pice the net change in his income.

24. A firm of Solicitors instructed their brokers to purchase sufficient India 3 p c stock to enable them to pay a sovereign per week from the dividends to an old servant. India stock was then at $97\frac{3}{4}$, brokerage $\frac{1}{8}$, income tax 1s in the £. There was a charge of 1s for Contract Note Stamp. What (to the nearest penny) was the sum paid to the brokers?

25. A man held one hundred Rs 100 shares which stood at 150 p c. premium, and he decided to sell and reinvest in the purchase of certain Rs 10 shares which stood at $16\frac{5}{8}$ p c. discount, paying all charges connected therewith from a separate fund. How many shares did he buy?

26. A lady has £1000 to invest. She tells her broker to purchase £500 Canada $3\frac{1}{2}$ p c. stock at 104, and to invest the balance in New Zealand 3 p c. stock at $97\frac{1}{4}$. Find to the nearest penny how much N Z stock he must buy. $[B, \frac{1}{4}]$

27. A Banker had £50,000 to invest. He bought £20,000 Jamaica $3\frac{1}{2}$ p c stock at $101\frac{1}{8}$, £10,000 Cardiff Corporation 3 p c stock at 97, and sufficient Bristol 3 p c stock at $97\frac{1}{4}$ to complete the amount. Find to the nearest pound how much Bristol stock he bought. Also find, to two places of decimals, the average income per cent on the whole investment after deducting 1s in the £ for income tax.

28. A speculator buys Rs. 40,000 stock at 65, and his bank lends him money to the extent of 40% of the actual value, charging 4% for the loan. He holds for a year, takes a dividend of $2\frac{1}{2}$, and sells out at 70. Find his actual profit. Also find, to one decimal place, the profit per cent on his capital outlay.

MISCELLANEOUS EXAMPLES

333 EXAMPLE 1 *By investing Rs 12720, partly in 3 p o stock at 96, and partly in 4 p o stock at 120, a man secures an annual income of Rs 410, how much does he invest in each kind of stock?*

Suppose he invests Rs x at 3%, and Rs y at 4%, then

$$x \times \frac{3}{100} + y \times \frac{4}{120} = 410,$$

or $x \times \frac{1}{32} + y \times \frac{1}{30} = 410,$ (i)

Also $x + y = 12720$ (ii)

Multiply (i) by $2 \times 16 \times 15$, the L C M of 32 and 30, then

$$15x + 16y = 196800,$$

and from (ii) $15x + 15y = 190800$

By subtraction, $y = 6000$, hence from (ii), $x = 6720$

Thus he invests Rs 6720 at 3%, and Rs 6000 at 4%

EXAMPLE 2 *One alloy of metals contains 90 per cent of copper and 10 per cent of tin. Another alloy contains 93 per cent. of copper and 4 per cent of tin. Find in what proportions they must be mixed that the mixture may contain 9 per cent of tin, and what percentage of copper it will contain (C S)*

Suppose x parts of the first metal have to be mixed with y parts of the second, then the mixture contains $x + y$ parts with 9% of tin

Also 10% of x and 4% of y are tin

$$\frac{10}{100}x + \frac{4}{100}y = \frac{9}{100}(x + y),$$

that is, $10x + 4y = 9x + 9y,$

$$x = 5y,$$

so that $\frac{x}{y} = \frac{5}{1}$

Hence 5 parts of the first metal must be taken with 1 part of the second.

Now suppose 500 parts of the first are mixed with 100 parts of the second

Then $\left. \begin{array}{l} 450 \text{ parts of the first} \\ 93 \text{ second} \end{array} \right\} \text{ are copper}$

Hence in 600 parts there are 543 parts of copper, so that the percentage of copper is $\frac{543}{600}$, or 90.5

MISCELLANEOUS EXAMPLES V

EXERCISES FOR REVISION

A

- 1 Find, to the nearest kilogram, the weight of 1 ton, assuming that $1 \text{ Kg} = 2.2046 \text{ lbs}$
- 2 Find, correct to the nearest penny, the value of 10 tons 13 cwt 74 lbs at £1 3s 4d per ton
- 3 The profits of a business are Rs 48750. One of the partners sells 0.24 of his share of the profits for Rs 7800. What fraction of the profits belong to him?
- 4 The length of a room is 23 ft 6 in, and it costs £5 17s 6d to paint the ceiling at 2s 3d per square yard. What is its breadth?
- 5 A tradesman sells goods for Rs 80 at a loss of 5 per cent, what must he sell them for to gain 14 per cent?
- 6 A man receives Rs 84 6a as his dividend on some $3\frac{3}{4}$ p.c. stock. How much of the stock does he hold?

B

- 7 It costs £339 7s to fence in a square enclosure at £2 11s 5d per 20 yds, what is its acreage?
- 8 A man buys 300 eggs at 15 for 12 a and sells them at 10 a per dozen. Find (i) his actual, (ii) his percentage gain or loss.
- 9 When 52 lbs of coffee are worth as much as 12 lbs of tea, 22 lbs of tea are worth as much as 572 lbs of sugar, a cask of sugar costs 2 guineas, and 1 cwt of coffee costs 8 guineas, what is the weight of a cask of sugar?
- 10 A piece of wire, $3\frac{1}{2}$ metres long, with a sectional area of 2 square mm, is heated, and then drawn to a length of 18 metres. Find, to the nearest hundredth of a square mm, the area of a cross-section of the wire thus drawn. (C S)
- 11 If 1 cwt. of sugar costs £1 6s 8d, draw a graph to find the price of any number of pounds. Find the cost of 26 lbs. How many pounds can be bought for 4s 10d?
- 12 Calculate (to a pice) the compound interest on Rs 1756 for 3 years at $2\frac{1}{2}$ per cent per annum.

C

- 13 Express as a decimal the ratio of Rs 20 11 a 6 p to Rs 121 14 a. Hence state what percentage the first sum is of the second.
- 14 Find the square root of 9.0707 correct to 6 places of decimals.

15 If a money lender charges 1 a. 6 p a week for a loan of Rs 15, what rate per cent of interest per annum does he obtain ?

16 A rectangular carpet 16 ft. 3 in long by 12 ft 2 in broad lies on the floor of a room 21 ft 8 in long and 18 ft 3 in broad What fraction of the area of the room is covered by the carpet ?

17 Three men together fill a pit in an hour and a half, throwing in respectively 8, 10, and 12 equal shovelfuls of earth per minute. In what time could each man have filled up the pit by himself ?

18 A tradesman gains 35 per cent by selling an article for Rs 5 1 a What would he have gained per cent if he had sold it for Rs 6 3 a ?

D

19 How many bricks $9'' \times 4\frac{1}{2}'' \times 3''$ can be carried by a truck whose load is 5 tons ? The bricks in question weigh 145 pounds per cubic foot Give your result to two significant figures (C S)

20 A walks at the rate of 4 miles an hour, B at the rate of $4\frac{1}{2}$ miles an hour how many yards start can B give A in walking over a course of 1350 yards ?

21 A tradesman marks articles 30 per cent. above their cost price, but takes off 5 per cent for cash find the cost of a vase for which I pay down £8 4s 8d

22. Assuming 1 lb = 0.4536 Kg, find the price, to the nearest franc, of 2 cwt. 26 lbs of coffee at 4 fr 75 c per kilogram

23 If Rs 9000 of a 4 per cent stock is sold at $112\frac{1}{2}$, and with the proceeds a $5\frac{1}{2}$ per cent stock is bought at $168\frac{3}{4}$, what is the resulting change of dividend ?

24 How must a sum of Rs 1130 be divided into two parts so that by receiving 7 per cent on one part and 2 per cent on the other a man may receive 5 per cent. on the whole sum ?

E

25 Add together $2\frac{2}{9}$, $3\frac{11}{12}$, $4\frac{3}{8}$, $2\frac{5}{6}$ and divide the result by the difference between $3\frac{7}{18}$ and $2\frac{5}{18}$

26 Express in its simplest form the ratio of Rs 269 8a to Rs. 500 8a

27 Find the cost, to the nearest shilling, of making a road $\frac{1}{4}$ mi 3 fur 115 yds long at £38 12s. per mile

28 A man buys 50 bicycles for Rs. 5000, but 20 of them are soiled He determines to sell each soiled one at three fourths the price at which he sells a new one What must this price be in order that he may make a profit of 35 per cent on his outlay ?

29 Two men and a boy can do a piece of work in 5 days, whilst a man and two boys can do it in 6 days. If a man is paid at the rate of Rs 7 a week, what should be the wages of a boy?

30 The populations of the upper and lower parts of a town were equal, and after the former had fallen 20 per cent., and the latter risen 15 per cent., the total number of inhabitants was 39,390. What was the original population of each part?

F

31. What will be the gain per cent if eggs bought at the rate of six for 5 are sold at the rate of five for 6?

32. A man measures the length and breadth of a rectangular field by pacing and takes the length of his pace as 30 inches. He makes the area 2 acres 3 roods. His pace is really 32 inches. Find the true area. (C S)

33 A man sells out Rs 10,000 of $2\frac{3}{4}$ per cent stock at par, and with part of the proceeds purchases enough 4 per cent stock at 140 to yield him the same income as before. What amount of cash does he retain in hand?

34. Find to the nearest penny the amount at simple interest of £389 6s 8d from May 17th to July 29th at $3\frac{1}{2}$ per cent

35 A man has to glaze 36 picture frames, each of which requires a piece of glass 17 inches by 9 inches. He cuts these from sheets of glass measuring 18 inches by 30 inches. How many such sheets must he use? If he buys the sheets at the rate of 2 annas per square foot and sells the glass actually put into the frames at 3 annas per square foot, what profit per cent does he make?

36 A man, his wife, and son, worked in a garden, the man for 2 days, his wife for $3\frac{1}{2}$ days, the boy for 4 days. Their daily wages were man's to woman's in the ratio of 7 to 4, and man's to boy's in the ratio of 7 to 3. Their total earnings amounted to Rs 5. What were the daily wages of each?

G

37 Find the price of a steel casting weighing 103 tons 5 cwt 3 qrs at £5 8s 6d a ton

If the steel weighs 488 lbs. per cubic foot, what is the volume of the casting? (C S)

38 A closed box whose outside measurements are 26, 19, and 18 inches is made of wood which is $\frac{1}{2}$ inch thick. If a cubic foot of wood weigh 40 lbs, find the weight of the box.

39 The wages of a man for a day's work are 5s 6d, and those of a woman 2s 9d. A man can do one and a half times as much work as a woman can do in the same time. Certain work has to be done which would occupy 50 men for 80 days, find the difference in the cost if 20 men and 30 women were employed to do the work instead of 50 men (C S)

40 What sum will amount to £308 14s if allowed to accumulate for 3 years at compound interest at the rate of 5% per annum?

41 At what price must a man mark an article which cost Rs 38 so that he may take off discount at 5%, and still make a profit of 5%?

42 A man invests Rs 23100 partly in 3 p c stock at 81 and partly in $4\frac{1}{2}$ p c stock at 135, and derives an annual income of Rs 800. How much does he invest in each kind of stock?

H

43 Find, correct to four places of decimals, the cube of 1.2345

44 Simplify $\frac{4\frac{1}{2} - 1\frac{1}{2}}{6\frac{2}{3} + 4\frac{1}{2}} - \frac{21 - 194}{93 + 87}$

45 If 100 yds of copper wire weigh 14.08 lbs, find to the nearest gram the weight of 1 metre, having given that

1 metre = 1.09 yds, and 1 gram = 0.0022 lb

46 A milk vendor receives two adulterated supplies which contain respectively 10 per cent. and 3 per cent. of water. How much must be taken of each kind so as to form 84 gallons of a mixture which contains 95 per cent. of milk?

47 A clock which shows correct time on Monday, at noon, gains 2 minutes 15 seconds per day. When it shows 5 o'clock on Wednesday evening, what is the correct time, to the nearest second?

48 Two partners invest Rs 13500 and Rs 7500 respectively in their business, and arrange that 40 per cent. of the profits should be divided equally between them, and the remaining profits treated as interest on the capital. If one partner's share is Rs 450 more than that of the other, what was the whole amount of the profits?

I

49 A tailor sends in a bill for Rs 190, but he will accept Rs 180 8s as payment in full if the bill is paid at once. What rate of discount does he allow?

50 When the rateable value of the county of London was £41,647,310 it was necessary to collect a rate of 2s 11d in the pound to pay various expenses. How much were these expenses to the nearest thousand pounds?

If the rateable value increases by 5 per cent. and these expenses increase by 10 per cent., find, to the nearest halfpenny, what rate in the pound must then be collected to pay these expenses (C S)

51 216 eggs are bought at 12 for 10s and are sold at 10 for 12s, some eggs are broken, but a profit of 20 per cent is made, how many eggs are broken?

52 A sum of money is to be paid down, such that with compound interest at 4 per cent it will amount to £800 at the end of 4 years. The interest is to be added annually. Find, to the nearest pound, how much must be paid. (C S)

53 It costs £28 to carpet the whole floor of a room 32 ft long and 25 ft wide, if a space 1 ft 3 in be left uncovered all round, what will be the saving in cost?

54 Three coolies, A, B, C, are employed in filling carts with sand. When all work together they can fill a cart in 8 min, A and C together can do so in 12 min, and A and B in 13 min 20 sec. If each man work for the same time, in what proportions should a wage of Rs 7 8s be divided between them?

J

55 Show how each of the following calculations can be done mentally, giving results

(i) 480 articles at 13s $3\frac{1}{2}d$ each

(ii) $24 \times 25 \times 26$

(iii) The income from Rs 12000 invested in the $2\frac{3}{4}$ per cents at 110

(iv) Which investment gives the larger income. Railway Stocks at 250, paying $7\frac{1}{2}$ per cent dividend, or Bank stock at 400, paying $11\frac{1}{4}$ per cent dividend?

56 If 3 men or 8 boys can do a piece of work in 17 days, in what time will 7 men and 4 boys do a piece of work twice as great?

57 In what time will the simple interest on a sum of money become equal to the principal at 4 per cent?

58 A cistern is constructed to hold 100 gallons, and the base of the cistern is a square yard. What is the depth of the cistern, to the nearest inch? A cubic foot is 6.23 gallons. (C S)

59 I invest equal sums in a 4 per cent stock and in a 3 per cent stock, and get 5 per cent for my money, the 4 per cents are at 90, what is the price of the 3 per cents?

60 If A runs a mile in 7.5 minutes, and B runs at the rate of 7.5 miles an hour, how far behind will the loser be in a race which the faster wins in 6 minutes?

K

61. A man in India wishes to send his wife in England £100 a year in monthly instalments. How many rupees worth 1s 4d each must he transmit monthly? (C S)

62 Find the weight (to the nearest kilogram) of an iron rod of square section, 10 metres long and 2.3 centimetres broad. A cubic centimetre of iron weighs 7.207 grams (C S)

63 Find (as intelligently as you can) the *total* amount of the following bill, showing all your methods of calculating. You may combine items. 135 eggs at 2s 3d a score, 135 eggs at 1s 9d a score, 110 lb of butter at 1s 7½d per lb, 106 cakes at 11s 3d a dozen, 220 lb of lard at 8¼d per lb, 318 lb of biscuits at 4s 3d per dozen lb.

Take off a discount of 10d in the £ from the total of the bill. (C S)

64 I hold Rs 7200 stock, partly in 3 per cents and partly in 5 per cents, thereby obtaining the same income as if I held the whole in a stock paying 3½ per cent. How much of each kind of stock do I hold?

65 Two jars containing respectively 3 and 5 gallons are filled with mixtures of alcohol and water. In the smaller jar 25 per cent of the mixture is alcohol, in the larger 25 per cent of the mixture is water. The jars are emptied into a 9 gallon cask, which is filled up with water. Find the percentage of alcohol in the cask. (C S)

66 A man is able to save 12½ per cent of his wages, but if his wages were raised Re 1 8a a week and his expenses were increased by 10 per cent, his annual savings would be diminished by Rs 13, what are the man's weekly wages, a year being taken as 52 weeks exactly?

L.

67 Find the value of

$$(i) \frac{15\frac{3}{4} - \frac{1}{3} \times 1\frac{5}{8}}{\frac{1}{5} \times 23\frac{1}{3} + \frac{9}{38}}, \quad (ii) \frac{\frac{1}{7} - \frac{1}{10} + \frac{4}{11} - \frac{1}{1}}{9 - (\frac{1}{7} - \frac{1}{10})(\frac{4}{11} - \frac{1}{5})}$$

68 A traveller intends to walk to a station, which is 2 miles off, in 40 minutes. What is this speed (i) in miles per hour, (ii) in feet per second?

After going half a mile he remembers that he has left a parcel behind and hurries back to fetch it, keeping up the same new rate of speed all the way back and then to the station. What must this speed be (in miles an hour) if he is to reach the station at the time originally planned? (C S)

69 A watch is offered for sale at Rs 115, and if that price is reduced by 5 per cent, the dealer who is selling it will still make 9¼ per cent profit, how much did the watch cost him?

70 If the population of a certain county is 10% more than it was 10 years ago, and 5% more than it was 4 years ago, what is the increase in the last 10 years, given that the population 4 years ago was twenty two millions?

71 If a kilogram = 2.205 lbs, and a gallon of water weighs 10 lbs, compare the volumes of a quart and a litre. Hence draw a graph from which the equivalent of any number of quarts may be expressed approximately in litres.

Express 2.5 litres in quarts, and 4.7 quarts in litres.

72 A new railway, 110 kilometres long, in Holland will cost 6 441,000 florins. Find the whole cost, and the cost per mile, in English money to the nearest thousand pounds. Assume that 1 Km = $\frac{5}{8}$ mile, £1 = 12 florins 11 cents, 1 florin = 100 cents (C S)

M

73 Find, correct to a pice, the interest on Rs 8740 for 220 days at $4\frac{1}{2}$ per cent per annum.

74 A man's income from $2\frac{1}{2}$ per cent Consols (after income tax at 1s in the pound has been deducted) is £539 12s. How much stock does he hold?

75 Of two square fields, one contains 10 acres, while the other is broader by 1 per cent. Find the difference in area, expressed in yards, feet, and decimals of a foot. (C S)

76 Find, within the hundredth part of an inch, the length which represents on a map, whose scale is 25 inches to the mile, the side of a square field which contains 30 acres.

77 If the manufacturer makes a profit of 20%, the wholesale dealer a profit of 25%, and the shopkeeper a profit of 40%, what was the cost of the manufacture of an article bought at a shop for Rs 13 2a?

78 The net profits of a business, of which the capital is £500,000, amount in a certain year to £30,562 9s 6d. To this is added a balance of £1050 19s 0d brought forward from the previous year. The sum of £5000 is placed on the reserve fund. A dividend is paid to the shareholders which is as great a whole number of pounds per £100 of capital as possible, and the remainder is carried forward.

What is the rate per cent of the dividend, and what is the amount carried forward? (C S)

N

79 It was calculated that, in boring the Simplon tunnel, the rock yielded a centimetre of its substance to the drill per minute. The whole length of the tunnel is 19.8 kilometres. How long would it have taken to bore the tunnel if the work had been entirely uninterrupted?

Answer to be given to the nearest tenth of a year. (C S)

80 If 80 Kg of tea at 2.75 fr the kilogram are mixed with 20 Kg at 9.5 fr, at what price per kilogram should the mixture be sold to gain 10 per cent? (C S)

81 A cubical box of external dimensions 17 inches each way would contain crushed ore of the value of £421 17s 6d if it were made of material 1 inch thick, but by mistake it has been made of thicker material, and the difference in the value of the ore which it will hold is consequently £78 17s 6d, what is the real thickness of the material? (C S)

82 If Rs 12,100 is lent on condition that Re 1 per day is paid as interest, find (correct to two decimal places) what rate per cent per annum the lender receives for his money

83 What maximum start in a mile race ought a cyclist whose record is 3 minutes 15 seconds to give to another whose record is 3 minutes 20 seconds, assuming that the pace of each is uniform over the course? (C S)

84 A sum is invested at compound interest payable annually. The interest in two successive years was Rs 112 8a and Rs 115 5a. Find the rate of interest and the value of the principal at the beginning of the first of these years

O

85 Shew that, in finding by Practice the price of a number of articles at £11 18s 4d each, or the price of a number of articles at £2 12s 6d each, one line of multiplication and one line of division is sufficient (C S)

86 What sum, correct to the nearest rupee, will amount to Rs 4548 9a in 63 days at $2\frac{1}{4}$ per cent?

87 A cube of metal, each edge of which measures five eighths of an inch, weighs 0 625 lb. What is the length of each edge of a cube of the same metal which weighs 40 lbs? (C S)

88 Two sets of telegraph wires are carried on opposite sides of a railway on posts whose distances apart are 275 feet in one case and 135 feet in the other. An engine starts from a point where two posts are exactly opposite one another, runs an exact number of quarter miles, and stops at a point where two posts are again exactly opposite one another. Find the least distance which the engine can have travelled

89 A dealer has two sorts of tea, one of which he could sell at Re 1 4a per lb and make 25 per cent on his outlay, the other at Re 1 11a and make $12\frac{1}{2}$ per cent. What profit per cent will he make if he mixes them in equal quantities and sells the mixture at Re 1 7a per lb?

90 A man's income is derived from £19,250 held in 3 per cent. stock. How much must he sell out at 99 so that by reinvesting in 4 per cent stock at 104 he may increase his income by 10 per cent?

91 If 24 men can reap a field of 20 acres in a given time, find roughly by means of a graph the number of acres which could be reaped in the same time by 15, 33, and 42 men respectively

92 A sells an article to B at a profit of 20 per cent B sells it to C at a profit of 5 per cent If C pays 70 rupees, what did it cost A (to the nearest rupee)?

P

93 Find, correct to the nearest pice, the interest on Rs 2378 for 68 days at $2\frac{1}{4}$ per cent

94 Assuming that 1 metre = 39 37 inches, and that £1 is worth 25 fr 20 c, express a price of 4s 11d per yard in francs per metre

95 How many days will a stream discharging 1000 gallons a minute take to fill a reservoir 100 yards square and 20 feet deep?

[A gallon is 0 16 of a cubic foot]

96 A man buys 120 eggs for Rs 3 12a and pays Re 1 4a for carriage If 20 eggs are broken in transit, and the remainder are to be sold so as to make a profit of Re 1 14a, draw a graph to shew the price of any number of eggs Find to the nearest pice the price of 3 dozen eggs, find also the number of eggs which would fetch Rs 4 2a

97 A square room, whose floor measures 32 sq yds 1 sq ft has a height of 11 ft 6 in, find the expense of decorating its walls and ceiling at 4a 3p per square yard Allowance is to be made for a door 7 ft 6 in by 3 ft 4 in, and a window 5 ft 4 in by 3 ft 9 in

98 A man pays for insurance on his life 15 per cent of his gross income, and after paying income tax on the remainder at 6d in the pound, he has £513 16s 6d left What is his gross income?

99 A cylindrical glass has an internal diameter of 2 cm, and is filled with water to about 1 cm from the top It is found that 58 steel pellets can be dropped in before the glass is quite full Find in c mm the volume of a pellet, that of a cylinder of diameter d cm, and height h cm, being $d^2 \times h \times 0.7854$ cubic centimetres (C S)

100 If a bar of uniform section be supported horizontally at its extremities A, B, it is known that the load which, placed at any point P, will just break the bar is inversely proportional to the product $AP \times BP$ If the bar be 10 feet long and the breaking load at its middle point be 12 cwt, find the loads which will just break the bar when placed 1, 2, 3, and 4 feet from either end (C S)

CHAPTER XX

CONTINUED FRACTIONS

FURTHER NOTES ON APPROXIMATE METHODS

334 FRACTIONS of the form

$$(i) \ 3 + \frac{1}{2 + \frac{1}{4 + \frac{1}{3}}}, \quad \text{or} \quad (ii) \ \frac{1}{2 - \frac{4}{7 - \frac{2}{3}}}$$

are known as **Continued Fractions**. The simplification of such fractions might have been included in the section on Complex Fractions in Chap v, Art. 131, but (for reasons which will appear later) continued fractions have been reserved for separate treatment here

EXAMPLE *Simplify*

$$(i) \ \frac{5}{8 + \frac{6}{8 - \frac{10}{11}}}, \quad (ii) \ 3 - \frac{3\frac{1}{8}}{1 + \frac{1}{1 + \frac{1}{7}}}$$

We begin with the lowest part and work upwards, step by step thus

$$(i) \quad \frac{6}{8 - \frac{10}{11}} = \frac{6 \times 11}{88 - 10} = \frac{6 \times 11}{78} = \frac{11}{13},$$

$$\frac{5}{8 + \frac{11}{13}} = \frac{5 \times 13}{104 + 11} = \frac{5 \times 13}{115} = \frac{13}{23}$$

(ii) Here the simplification at each step may be done mentally

$$3 - \frac{3\frac{1}{8}}{1 + \frac{1}{1 + \frac{1}{7}}} = 3 - \frac{3\frac{1}{8}}{1 + \frac{7}{8}} = 3 - \frac{25}{15}$$

$$= 3 - \frac{5}{3} = 1\frac{1}{3}$$

EXAMPLES XX a

Simplify the following continued fractions

1
$$\frac{1}{2 + \frac{3}{4 + \frac{1}{2}}}$$

2
$$\frac{3}{1 + \frac{2}{6 + \frac{1}{5}}}$$

3
$$2 + \frac{4}{1 + \frac{1}{1 + \frac{2}{7}}}$$

4
$$3 - \frac{1}{2 + \frac{2}{3 - \frac{1}{3}}}$$

5
$$\frac{6}{2 + \frac{5}{6 + \frac{1}{2}}}$$

6
$$\frac{10}{1 + \frac{8}{3 + \frac{7}{3}}}$$

7
$$7 - \frac{2}{8 - \frac{1}{1 - \frac{1}{8}}}$$

8
$$\frac{11}{3 + \frac{1}{3 - \frac{1}{5}}}$$

9
$$5 - \frac{2}{4 - \frac{3\frac{1}{2} + \frac{2}{3}}{4 - \frac{2}{3}}}$$

10
$$\frac{2 + \frac{1}{3 - 1\frac{3}{8}}}{6 + \frac{7}{8 + \frac{10}{11}}}$$

11.
$$\frac{6 + \frac{1}{6 - \frac{1}{6}}}{4 - \frac{1}{4 - \frac{1}{4}}} \times 10\frac{8}{9}$$

12
$$\frac{2 + \frac{1}{3\frac{4}{8}}}{2 + \frac{1}{3 + \frac{1}{1 + \frac{1}{4}}}}$$

13
$$2 - \frac{3}{9 - \frac{7}{1 + \frac{1}{2 - \frac{3}{8}}}}$$

14.
$$2 - \frac{2}{8 - \frac{7}{1 + \frac{1}{2 + \frac{1}{9}}}}$$

335 The above Exercise will furnish sufficient practice in simplifying continued fractions such as the pupil is likely to meet with in elementary Arithmetic. The rest of the present section will be devoted to the consideration of continued fractions of the form

$$a + \frac{1}{b + \frac{1}{c +}}, \quad \text{or} \quad \frac{1}{a + \frac{1}{b + \frac{1}{c +}}}$$

For the sake of saving space it is usual to write such fractions in the more compact forms

$$a + \frac{1}{b +} \frac{1}{c +}, \quad \frac{1}{a +} \frac{1}{b +} \frac{1}{c +}$$

It is to be noticed that the letters $a, b, c,$ all denote integral numbers, the signs are all positive, and each of the numerators is unity

336 The method of the following example, which is quite general, will shew that any simple fraction or decimal can be expressed in the form of a continued fraction *with unit numerators and with all the signs positive*

EXAMPLE Express $\frac{215}{93}$ as a continued fraction

$$\begin{aligned}
 \text{(i)} \quad \frac{215}{93} &= 2 + \frac{29}{93} = 2 + \frac{1}{\frac{93}{29}} \\
 \text{(ii)} \quad &= 2 + \frac{1}{3 + \frac{6}{29}} = 2 + \frac{1}{3 + \frac{1}{\frac{29}{6}}} \\
 \text{(iii)} \quad &= 2 + \frac{1}{3 + \frac{1}{4 + \frac{5}{6}}} = 2 + \frac{1}{3 + \frac{1}{4 + \frac{1}{\frac{6}{5}}}} \\
 &= 2 + \frac{1}{3 + \frac{1}{4 + \frac{1}{1 + \frac{1}{5}}}}
 \end{aligned}$$

It will readily be seen that the process corresponds to the method of finding the H C F of 215 and 93 Thus

$$\begin{array}{r|l}
 3 & 93 \quad 215 \quad 2 \\
 1 & 6 \quad 29 \quad 4 \\
 & 1 \quad 5 \quad 5
 \end{array}$$

The successive quotients are 2, 3, 4, 1, 5

337 From the successive lines of work in the above example, it appears that

- (i) 2 is a first approximation to the value of $\frac{215}{93}$, and is *too small* because the part $\frac{29}{93}$ has been omitted
- (ii) $2 + \frac{1}{3}$ is a second approximation, and is *too great* because the denominator 3 is less than the full denominator $3 + \frac{6}{29}$
- (iii) $2 + \frac{1}{3 + \frac{1}{4}}$ is a third approximation, and is *too small* because the part of the denominator $\frac{1}{4}$ is greater than $\frac{1}{4 + \frac{5}{6}}$, and so on

338 The approximate fractions obtained by stopping at the first, second, third, quotients of a continued fraction are called the first, second, third, **convergents**

Thus in the example of Art 336 the successive convergents are

$$2, \quad 2 + \frac{1}{3}, \quad 2 + \frac{1}{3 + \frac{1}{4}}, \quad 2 + \frac{1}{3 + \frac{1}{4 + \frac{1}{1}}}, \quad \text{and} \quad 2 + \frac{1}{3 + \frac{1}{4 + \frac{1}{1 + \frac{1}{5}}}},$$

the last of which is of course equal to the value of the original fraction.

Their values when simplified are

$$2, \quad \frac{7}{3}, \quad \frac{30}{13}, \quad \frac{37}{16}, \quad \frac{215}{93}$$

339 We shall now state some important properties of the convergents of a continued fraction. These may be tested in particular cases, but for formal proof the pupil must consult works on Algebra. [See Hall and Knight's *Higher Algebra*, Chap. XXI.]

- (i) After the first two convergents have been found, each of the remaining convergents can be obtained from the two which immediately precede it

Thus in the example of Art. 338, the successive quotients are

$$2, 3, 4, 1, 5$$

The first two convergents are $\frac{2}{1}, \frac{7}{3}$

$$\begin{aligned}\text{The 3rd convergent} &= \frac{(\text{num}^r \text{ of } 2^{\text{nd}}) \times 3^{\text{rd}} \text{ quot} + (\text{num}^r \text{ of } 1^{\text{st}})}{(\text{den}^r \text{ of } 2^{\text{nd}}) \times 3^{\text{rd}} \text{ quot} + (\text{den}^r \text{ of } 1^{\text{st}})} \\ &= \frac{7 \times 4 + 2}{3 \times 4 + 1} = \frac{30}{13}\end{aligned}$$

$$\begin{aligned}\text{The 4th convergent} &= \frac{(\text{num}^r \text{ of } 3^{\text{rd}}) \times 4^{\text{th}} \text{ quot} + (\text{num}^r \text{ of } 2^{\text{nd}})}{(\text{den}^r \text{ of } 3^{\text{rd}}) \times 4^{\text{th}} \text{ quot} + (\text{den}^r \text{ of } 2^{\text{nd}})} \\ &= \frac{30 \times 1 + 7}{13 \times 1 + 3} = \frac{37}{16},\end{aligned}$$

and so on, using each new quotient with the numerators and denominators of the two preceding convergents

- (ii) The value of the continued fraction lies between the values of any two consecutive convergents.

This has been illustrated in Art. 337

- (iii) The difference between any two consecutive convergents is the reciprocal of the product of their denominators.

$$\text{Thus the difference between } \frac{37}{16} \text{ and } \frac{30}{13} \text{ is } \frac{1}{16 \times 13},$$

$$\text{and the difference between } \frac{215}{93} \text{ and } \frac{37}{16} \text{ is } \frac{1}{93 \times 16}$$

- (iv) Each convergent is a nearer approximation to the value of the fraction than any of the preceding convergents

EXAMPLE 1 Calculate the successive convergents of the continued fraction $\frac{1}{3+} \frac{1}{2+} \frac{1}{4+} \frac{1}{1+} \frac{1}{3}$

The first two convergents are $\frac{1}{3}$ and $\frac{2}{7}$

By the rule in (i) above, the others are

$$\frac{2 \times 4 + 1}{7 \times 4 + 3}, \text{ or } \frac{9}{31}, \quad \frac{9 \times 1 + 2}{31 \times 1 + 7}, \text{ or } \frac{11}{38}, \quad \frac{11 \times 3 + 9}{38 \times 3 + 31}, \text{ or } \frac{42}{145}$$

Thus the five convergents are

$$\frac{1}{3}, \frac{2}{7}, \frac{9}{31}, \frac{11}{38}, \frac{42}{145}$$

$\frac{42}{145}$ is the value of the continued fraction in its simplest form, and of the preceding convergents each will be found to be a closer approximation than any which precedes it

EXAMPLE 2 *The value of π , that is the ratio of the circumference of a circle to its diameter, is 3 14159 to six significant figures. Find a series of fractions approximating to this ratio, and shew that the error in taking $\frac{355}{113}$ instead of the true value is less than $\frac{1}{212 \times 113}$*

Write 3 14159 in the form $3\frac{14159}{100000}$, then dealing only with the fractional part, the process of finding the H C F of 14159 and 100000 gives the successive quotients

$$7, 15, 1, 25, 1, 7, 4$$

$$\text{Thus } 3\ 14159 = 3 + \frac{1}{7 +} \frac{1}{15 +} \frac{1}{1 +} \frac{1}{25 +} \frac{1}{1 +} \frac{1}{7 +} \frac{1}{4}$$

The successive convergents are

$$\frac{3}{1}, \frac{22}{7}, \frac{333}{106}, \frac{355}{113}$$

Now 3 14159 lies between $\frac{333}{106}$ and $\frac{355}{113}$, and is nearer to $\frac{355}{113}$ than to $\frac{333}{106}$. Again since the difference between these convergents is equal to $\frac{1}{106 \times 113}$, it is evident that 3 14159 differs from the closer approximation by *less than half this fraction*

$$\text{That is } \frac{355}{113} \text{ differs from } 3\ 14159 \text{ by less than } \frac{1}{2 \times 106 \times 113}$$

340 It is easy to infer the general statement that a continued fraction differs from *the second of two consecutive convergents* by a fraction less than

$$\frac{1}{2(\text{prod}^t \text{ of their denominators})}$$

341 The last example furnishes a good illustration of the utility of continued fractions in approximate work. In cases where a high degree of accuracy is of less importance than ready calculation it is convenient to replace 3 14159 by some simpler number. By converting 3 14159 into a continued fraction, the convergents give a series of approximate values from which we may select one suited to our purpose

EXAMPLES XX. b

Calculate the successive convergents to

$$1 \quad 2 + \frac{1}{3 + \frac{1}{1 + \frac{1}{2 + \frac{1}{5}}}}$$

$$2 \quad 3 + \frac{1}{4 + \frac{1}{2 + \frac{1}{1 + \frac{1}{3 + \frac{1}{5}}}}}$$

$$3 \quad \frac{1}{2 + \frac{1}{2 + \frac{1}{3 + \frac{1}{1 + \frac{1}{4 + \frac{1}{2 + \frac{1}{6}}}}}}}$$

Express the following quantities as continued fractions, and find the fourth convergent to each

$$4. \quad \frac{79}{101}$$

$$5. \quad \frac{97}{223}$$

$$6. \quad \frac{113}{233}$$

$$7. \quad \frac{1128}{349}$$

$$8. \quad 1.139$$

$$9. \quad 1.414$$

$$10. \quad 0.393$$

$$11. \quad 0.3029$$

12. In Example 3 show that the error in taking $\frac{43}{105}$ as the equivalent of the continued fraction is less than $\frac{1}{4620}$

13. Assuming a metre to be approximately equal to 39.37 inches, shew by the theory of continued fractions that 32 metres is very nearly equal to 35 yards

14. Two scales of equal length are divided into 162 and 209 equal parts respectively, if they are placed so that their zero points coincide, shew that the 31st division of one nearly coincides with the 40th division of the other

15. Shew that $\frac{99}{70}$ differs from 1.41421 by a quantity less than $\frac{1}{70 \times 169}$

16. Among the convergents to

$$1 + \frac{1}{3 + \frac{1}{5 + \frac{1}{7 + \frac{1}{9 + \frac{1}{11}}}}}$$

find the first approximation which differs from the true value of the continued fraction by less than $\frac{1}{3600}$

17. Find an improper fraction lying between 3 and 4 which when converted into a continued fraction has 3, 1, 2, 9, 4 as successive quotients. Shew that by taking either of the fractions $\frac{36}{11}$, $\frac{337}{103}$ instead of the true value the error is less than 0.001

18. Find a series of fractions approximating to the square root of 10

[$\sqrt{10}$ lies between 3 and 4. Put $\sqrt{10} = 3 + x$, so that $(3+x)^2 = 10$

Hence $6x + x^2 = 1$, or $x(6+x) = 1$, whence $x = \frac{1}{6+x} = \frac{1}{6 + \frac{1}{6+x}}$.]

19 A man has to exchange 145 francs into English money when the exchange is at the rate of 25·20 fr for £1 Shew by continued fractions that by changing 5 francs for 4 shillings, or 29 francs for 23 shillings the loss on either side will not amount to 1s

20 Find by convergents an approximation to the square root of 26 which shall differ from the exact value by less than $\frac{1}{2040 \times 10301}$ (C S)

21 The true tropical year contains 365·242218 mean solar days, and the civil year contains 365 days Shew by means of a continued fraction that to add to the civil year 8 days in 33 years would be a better correction than that furnished by the introduction of leap years If the correction were adopted, find in how many years approximately the accumulated error would amount to one day (C S)

342 **Approximation by Aliquot Parts** When an operating factor is of frequent occurrence it is very convenient to be able to replace it by a formula consisting of simple fractions which are easy to apply For instance, in Art 300 we have shewn how the multiplier $\frac{1}{\frac{1}{3}}$, which occurs so often in certain questions in Interest, may be superseded by the use of the "third, tenth, and tenth rule" We shall now give some further instances of the use of aliquot parts as an aid to rapid calculation

343 The numerical value of π , which expresses the ratio of the circumference of a circle to its diameter, is 3 14159265 In the preceding pages the following approximations have been quoted and made use of

$$\frac{22}{7}, \quad 3 \frac{1416}{1000}, \quad \frac{355}{113},$$

which are true to 3, 5, and 6 significant figures respectively

Of these $\frac{22}{7}$ is very easy to apply in the form $3 + \frac{1}{7}$, but it is not a sufficiently close approximation to admit of its frequent use It can, however, be 'corrected' in the following way so as to give results as accurate as those obtained by using 3 1416 It is not often that a closer approximation than this is required

Since $3 + \frac{1}{7} = 3 \frac{142857}{100000}$, it exceeds 3 1416 by 00125 nearly

Hence $3 + \frac{1}{7} - \frac{1}{8000} = 3 \frac{1416}{1000}$ to 5 significant figures

Again $3\frac{1}{7}$, or $3 \frac{142857}{100000}$, exceeds 3 1416 by 001257, and it will be found that $3 \frac{142857}{100000} \times \cdot 0004 = 001257$ to 6 significant figures

Thus, approximately, $3\frac{1}{7}$ exceeds 3 1416 by $\cdot 0004$ of itself, that is,

$$3\frac{1}{7}(1 - \cdot 0004) = 3 \frac{1416}{1000}$$

It thus appears that in any calculation involving π as a multiplier, true to 5 significant figures, we may first use $\pi = 3\frac{1}{7}$, and then make a correction by deducting 4 ten-thousandths of the result

344 Since 1 metre=39 370113 inches

=1.093614 yards, approximately,

in order to convert a length given in metres to an equivalent in yards, we have to use the multiplier 1.093614

Now if we write down $1, \frac{1}{10},$ and $\frac{1}{100}$ in decimal form, we find that their sum to 7 significant figures is 1.093750, which is only .000136 in excess of the true value

$$\begin{array}{r} 1.000000 \\ 0.093333 \\ 0.010417 \\ \hline 1.093750 \end{array}$$

To 5 significant figures $1 + \frac{1}{10} + \frac{1}{100}$ differs only to the extent of $\frac{1}{100000}$ from the true value of the multiplier, and is a sufficiently close approximation for all practical purposes

EXAMPLE. Find, to 4 significant figures, the number of yards in the circumference of a circle whose diameter is 740.24 metres

We have $\text{circumference} = \text{diameter} \times \pi$

$$\begin{array}{r} 740.24 \text{ metres} \\ \frac{1}{10} \quad 61.69 \\ \frac{1}{100} \quad 7.71 \\ \hline 809.64 \text{ yards} \\ \quad 3\frac{1}{2} \\ \hline 2428.92 \\ \downarrow 115.66 \\ \hline 2544.58 \\ \text{deduct } 1.02 = 4 \text{ ten thousandths} \\ \hline 2543.56 \end{array}$$

Here we first use the multiplier $1 + \frac{1}{10} + \frac{1}{100}$ to convert the diameter into yards. We then multiply the result by $3\frac{1}{2}$, and correct the product by deducting 4 ten thousandths of itself [Art. 343]

Thus required circumference = 2544 yards

[These reduction formulæ and those in the following examples were suggested by Professor A. Lodge in the *Mathematical Gazette* of April 1894.]

345 It is sometimes required to find in decimal form, to a given degree of accuracy, the value of a series consisting of fractions each of which is formed from the preceding according to some fixed law. The following example will illustrate the method of dealing with such cases

EXAMPLE Find the value of the series

$$1 + \frac{1}{2} + \frac{1}{2 \cdot 3} + \frac{1}{2 \cdot 3 \cdot 4} + \frac{1}{2 \cdot 3 \cdot 4 \cdot 5} +$$

correct to five significant figures

It is easily seen that each of the successive denominators is formed from the preceding by introducing a new factor

	1 = 1 0000	00
	$\frac{1}{2} =$	5000 00
	$\frac{1}{2 \ 3} =$	1666 66
	$\frac{1}{2 \ 3 \ 4} =$	0416 66
	$\frac{1}{2 \ 3 \ 4 \ 5} =$	0083 33
	$\frac{1}{2 \ 3 \ 4 \ 5 \ 6} =$	0013 88
	$\frac{1}{2 \ 3 \ 4 \ 5 \ 6 \ 7} =$	0001 98
	$\frac{1}{2 \ 3 \ 4 \ 5 \ 6 \ 7 \ 8} =$	0000 25
	$\frac{1}{2 \ 3 \ 4 \ 5 \ 6 \ 7 \ 8 \ 9} =$	0000 03
	$\frac{1}{2 \ 3 \ 4 \ 5 \ 6 \ 7 \ 8 \ 9 \ 10} =$	0000 00
		1 7182 79

Each term is expressed in decimal form before attempting to find their sum. For the 2nd term we divide the 1st by 2, for the 3rd term we divide the 2nd by 3, for the 4th we divide the 3rd by 4, and so on. A line is drawn after the *fourth* decimal figure, and we retain two extra columns for carrying purposes. The work is continued until we arrive at a term beginning with six ciphers. This and all subsequent terms will not affect the first six decimal places.

Thus to five significant figures the result is 1 7183

NOTE It will be seen that if we had kept only one extra column to the right of the line, the 5th decimal figure would have been 4 instead of 7, and the result would not have been correct to 5 significant figures.

EXAMPLES XX c

- 1 Use the formulæ of Art 343 to find the values of

(i) 2753π , (ii) $32.7 \times 16.8 \times \pi$

correct to the nearest integer

- 2 Find in square metres, correct to two decimal places, the area of a circle the radius of which is 62.3 metres

- 3 Shew that $\frac{1}{\pi} = 0.31830989$, and that the expression

$$\frac{1}{3} - \left(\frac{1}{100} + \frac{1}{200} + \frac{1}{50,000} \right)$$

is a true equivalent of this decimal to 5 significant figures.

Find to the nearest metre the diameter of a circular field whose circumference is 291.85 metres

4. By the formula of Art 344 express in yards, to the nearest unit.

(i) 3724 metres, (ii) 561.41 metres

5 Assuming 1 yard = $\frac{3}{4}$ metre, approximately, show that yards may be converted into metres by means of the multiplier $1 - \frac{1}{10} + \frac{1}{70}$

Express in metres, to the nearest unit,

- (i) 3650 yards, (ii) 5 miles

6 A surveyor roughly uses his chain as the equivalent of 20 metres. Assuming 1 yard = 0.91439 metre, show that in measuring a mile he is liable to an error of about 9.4 metres in defect.

Show also that, by using the formula,

$$\frac{1 \text{ chain}}{1 \text{ metre}} = 20 + \frac{1}{10} + \frac{1}{70},$$

his equivalent of a mile in metres would be correct to the nearest unit.

7 Approximately, $\frac{1 \text{ inch}}{1 \text{ cm}} = 2.54 = 2\frac{1}{2} + \frac{4}{100} = \frac{10}{4} + \frac{4}{100}$

Use this formula to find the metric equivalents of the following lengths, to the nearest centimetre,

- (i) 5 ft 3 in, (ii) 39.375 in

8 Show that to six significant figures

$$\sqrt{2} = 1.4 \left(1 + \frac{1}{100} + \frac{1}{10,000} + \frac{1}{20,000} \right)$$

Use this formula to find the diagonal of a square enclosure each side of which is 353.55 metres.

9 Find the value of the following series, each correct to five significant figures

(i) $\frac{1}{5} + \frac{1}{5^2} + \frac{1}{5^3} + \frac{1}{5^4} + \frac{1}{5^5} + \dots$

(ii) $\frac{1}{7} + \frac{1}{7^2} + \frac{1}{7^3} + \frac{1}{7^4} + \frac{1}{7^5} + \dots$

10 Express

$$\frac{1}{2} + \frac{1}{2 \cdot 4} + \frac{1}{2 \cdot 4 \cdot 6} + \frac{1}{2 \cdot 4 \cdot 6 \cdot 8} + \frac{1}{2 \cdot 4 \cdot 6 \cdot 8 \cdot 10} + \frac{1}{2 \cdot 4 \cdot 6 \cdot 8 \cdot 10 \cdot 12}$$

as a decimal to six places.

11 Find the value of

$$\frac{1}{1 \cdot 3} + \frac{1}{3 \cdot 3^3} + \frac{1}{5 \cdot 3^5} + \frac{1}{7 \cdot 3^7} + \frac{1}{9 \cdot 3^9} + \dots$$

in the form of a decimal to six places.

CHAPTER XXI

LOGARITHMS

346 DEFINITION If a number N can be expressed in the form a^x , the index x is called the logarithm of the number N to the base a

EXAMPLES

(i) Since $81=3^4$, the logarithm of 81 to base 3 is 4

(ii) Since $2^8=256$, the logarithm of 256 to base 2 is 8

(iii) Since $10^1=10$, $10^2=100$, $10^3=1000$,

the natural numbers 1, 2, 3, are respectively the logarithms of 10, 100, 1000, to base 10

347 The logarithm of N to base a is usually written $\log_a N$, so that the same relation between the number and its logarithm is expressed by the two equations

$$a^x = N, \quad x = \log_a N$$

348 Any number might be taken as the base of a system of logarithms, but in arithmetical calculations the system in use is that which has 10 for its base. The advantages of this system will appear later

When a particular system is in use, the suffix denoting the base may be omitted. Thus we usually write $\log 2$, $\log 3$, instead of $\log_{10} 2$, $\log_{10} 3$,

Logarithms to the base 10 are known as **Common Logarithms**; this system was first introduced in 1615 by Briggs, a contemporary of Napier the inventor of Logarithms

[Articles 349, 350, 351 may be omitted by pupils who have read the *Theory of Indices in Algebra*]

349 Since every logarithm is an *index*, it follows that the rules which govern the use of logarithms are deducible from the laws of indices. The use of indices in previous chapters has been of a simple kind, and the examples have been such as could be easily dealt with from the definition of a positive integral index. It is now necessary to examine the fundamental laws of indices more closely

(1) Since, by definition of an index,

$$2^3 = 2 \times 2 \times 2, \text{ and } 2^5 = 2 \times 2 \times 2 \times 2 \times 2,$$

$$2^3 \times 2^5 = (2 \ 2 \ 2) \times (2 \ 2 \ 2 \ 2 \ 2)$$

$$= 2^8, \text{ since the factor 2 occurs 8 times,}$$

$$= 2^{3+5},$$

that is, the index of 2 in the product is the sum of the indices of 2 in the factors of the product

$$\begin{aligned} \text{Similarly} \quad 2^3 \times 2^9 \times 2^4 &= 2^8 \times 2^4 \\ &= 2^{12} \end{aligned}$$

In general, using letters instead of numbers,

$$a^m \times a^n = a^{m+n},$$

$$a^m \times a^n \times a^p = a^{m+n+p},$$

and so on, for any number of factors, so long as m , n , and p are positive whole numbers

$$\begin{aligned} \text{(ii) By definition, } 2^5 - 2^3 &= \frac{2 \times 2 \times 2 \times 2 \times 2}{2 \times 2 \times 2} \\ &= 2 \times 2 = 2^2 \\ &= 2^{5-3}, \end{aligned}$$

that is, the index of 2 in the quotient is the difference of the indices of 2 in the dividend and divisor

And generally, $a^m - a^n = a^{m-n}$, where m and n stand for any positive whole numbers, and m is greater than n

$$\begin{aligned} \text{(iii) By definition, } (2^3)^4 &= 2^3 \times 2^3 \times 2^3 \times 2^3 \\ &= 2^{3+3+3+3} \text{ by (i),} \\ &= 2^{12} \\ &= 2^{3 \times 4}, \end{aligned}$$

that is, the index of 2 in the result is the product of the indices of the powers in the expression $(2^3)^4$

And generally, $(a^m)^n = a^{mn}$, where m and n stand for any positive whole numbers

350 Collecting the above results we have

$$(i) \ a^m \times a^n = a^{m+n},$$

$$(ii) \ a^m - a^n = a^{m-n},$$

$$(iii) \ (a^m)^n = a^{mn}$$

These are the fundamental laws of indices and they have been proved on the supposition that m and n are positive whole numbers, and in the case of (ii) m is supposed to be greater

than n . But it is found convenient to use expressions involving fractional and negative indices such as $10^{\frac{2}{3}}$, 3^{-7} , or, more generally, $a^{\frac{p}{q}}$, a^{-n} . Further it is important that the fundamental laws shall be applicable to indices of all kinds without distinction. It can be proved algebraically (see Hall and Knight's *Elementary Algebra*, Chap XXX) that fractional and negative indices will conform to the general laws provided that we interpret them as follows

$a^{\frac{p}{q}}$ is equivalent to $\sqrt[q]{a^p}$, or the q^{th} root of a^p

Thus $81^{\frac{1}{4}}$ = the fourth root of $81 = 3$
 $8^{\frac{2}{3}} = \sqrt[3]{8^2} = \sqrt[3]{64} = 4$

Again, a^{-n} is equivalent to $\frac{1}{a^n}$

Thus $2^{-5} = \frac{1}{2^5} = \frac{1}{32}$, $10^{-3} = \frac{1}{10^3} = 0.001$;
 $8^{-\frac{1}{3}} = \frac{1}{8^{\frac{1}{3}}} = \frac{1}{\sqrt[3]{8}} = \frac{1}{2}$

351 One case deserves special attention

If $a^m \times a^n = a^{m+n}$ is to be true for *all* values of the indices, we have by putting 0 in the place of m ,

$$a^0 \times a^n = a^{0+n} = a^n,$$

$$a^0 = \frac{a^n}{a^n}$$

$$= 1$$

Hence *any number* with zero index is equivalent to 1

352 If we give these interpretations to negative and fractional indices, the fundamental laws may be applied to all indices without restriction

EXAMPLES

- (i) $10^3 \times 10^{-5} = 10^{3-5} = 10^{-2} = \frac{1}{10^2} = 0.01$.
- (ii) $27^2 = (3^3)^2 = 3^6$
- (iii) $27^{\frac{2}{3}} = \sqrt[3]{27^2} = \sqrt[3]{3^6} = 3^2 = 9$,
or $27^{\frac{2}{3}} = (27^{\frac{1}{3}})^2 = 3^2 = 9$
- (iv) $4^{-\frac{2}{3}} = \frac{1}{4^{\frac{2}{3}}} = \frac{1}{\sqrt[3]{4^2}} = \frac{1}{\sqrt[3]{64}} = \frac{1}{8}$

EXAMPLES XXI. a

Read off the values of

1	$2^4 \times 2^{-3}$	2	$2^3 \times 2^{-4}$	3	$2^5 \times 2^{-6}$	4.	$3^4 \times 3^{-5}$
5	$3^4 \times 3^{-4}$	6	$5^3 \times 5^{-1}$	7	$6^{-4} \times 6^2$	8	$2^{-3} \times 2^{-1}$
9	$4^2 - 4^3$	10	$3 - 3^4$	11.	$8 - 2^4$	12	$10^2 - 10^4$
13	$36^{\frac{1}{2}}$	14	$27^{\frac{1}{3}}$	15	$16^{\frac{1}{4}}$	16	$8^{\frac{2}{3}}$
17	$4^{\frac{2}{3}}$	18	$64^{\frac{1}{3}}$	19	$9^{\frac{2}{3}}$	20	$32^{\frac{2}{5}}$
21	2^{-4}	22	4^{-2}	23	3^{-1}	24	a^{-1}
25	4^{-3}	26	a^{-5}	27	3^0	28	x^0

29 From the statement $10^{m-n} = 10^m \times 10^{-n}$, what do you infer by putting m equal to n ?

30 State in words the meaning of $x^{\frac{m}{n}}$. Find its numerical value when $x=27$, $m=2$, $n=3$

Read off as decimals or whole numbers

31.	10^{-3}	32.	$10^{-5} \times 10^7$	33	$10^3 - 10^6$
34.	1000×10^{-6}	35	$2\ 143 \times 10^3$	36	$2\ 143 \times 10^{-2}$
37	$2\ 143 \times 10^5$	38	$2\ 143 \times 10^{-4}$	39	$2\ 143 - 10^3$

353 The following general propositions are applicable to all logarithms independently of any particular base

354 *The logarithm of 1 is 0*

For $a^0 = 1$ for all values of a , therefore $\log_a 1 = 0$, whatever the base may be

355 *The logarithm of the base itself is 1*

For $a^1 = a$, therefore $\log_a a = 1$

356 *To find the logarithm of a product*

Let M and N be two numbers such that $M = a^x$, $N = a^y$

Then $x = \log_a M$, $y = \log_a N$

The product $MN = a^x \times a^y = a^{x+y}$,

whence, by definition, $\log_a MN = x + y$
 $= \log_a M + \log_a N$

Similarly $\log MNP = \log M + \log N + \log P$,

and so on for any number of factors

EXAMPLE $\log 42 = \log (2 \times 3 \times 7) = \log 2 + \log 3 + \log 7$.

357 *To find the logarithm of a quotient, or a fraction*

As before suppose $M = a^x$, $N = a^y$,
so that $x = \log_a M$, $y = \log_a N$

The fraction $\frac{M}{N} = \frac{a^x}{a^y} = a^{x-y}$,

whence, by definition, $\log_a \frac{M}{N} = x - y$
 $= \log_a M - \log_a N$

EXAMPLE $\log(2\frac{1}{7}) = \log \frac{15}{7} = \log 15 - \log 7$
 $= \log(3 \times 5) - \log 7$
 $= \log 3 + \log 5 - \log 7$

358 *To find the logarithm of a number raised to any power, integral or fractional*

Suppose $M = a^x$, so that $x = \log_a M$, and suppose it is required to find the value of $\log_a(M^p)$

We have $M^p = (a^x)^p = a^{px}$,
whence, by definition, $\log_a(M^p) = px$
 $= p \log_a M$

Similarly $\log_a(M^{\frac{1}{r}}) = \frac{1}{r} \log_a M$

EXAMPLE. $\log \frac{3^5 \sqrt[3]{2}}{\sqrt[4]{5}} = \log(3^5 2^{\frac{1}{3}}) - \log 5^{\frac{1}{4}}$
 $= \log 3^5 + \log 2^{\frac{1}{3}} - \log 5^{\frac{1}{4}}$
 $= 5 \log 3 + \frac{1}{3} \log 2 - \frac{1}{4} \log 5$

359 The results we have proved may be summarised as follows

- (i) the logarithm of a product is equal to the sum of the logarithms of its factors,
- (ii) the logarithm of a fraction is equal to the logarithm of the numerator minus the logarithm of the denominator,
- (iii) the logarithm of the p^{th} power of a number is equal to the logarithm of the number multiplied by p ,
- (iv) the logarithm of the r^{th} root of a number is equal to the logarithm of the number divided by r

Thus by the use of logarithms the operations of multiplication and division may be replaced by those of addition and subtraction, the operations of involution and evolution by those of multiplication and division

360 The following examples will serve to familiarise the pupil with the laws of operation above established. The rest of the chapter will be devoted to the practical applications of Common Logarithms.

EXAMPLE 1 Express

(i) $2^8=256$ in the logarithmic form (e.g. $x=\log_a N$)

(ii) $5=\log_3 243$ in the index form (e.g. $a^x=N$)

(i) By definition of Art. 346, 8 is the logarithm of 256 to base 2, that is, $8=\log_2 256$

(ii) Here 5 is the index to which the base 3 must be raised in order to equal 243. Hence $3^5=243$

EXAMPLE 2. Express $\log \frac{144}{\sqrt[5]{128}}$ in terms of $\log 2$ and $\log 3$

$$\begin{aligned}\log \frac{144}{\sqrt[5]{128}} &= \log 144 - \log 128^{\frac{1}{5}} \\ &= \log (16 \times 9) - \frac{1}{5} \log 128 \\ &= \log (2^4 \times 3^2) - \frac{1}{5} \log 2^7 \\ &= \log 2^4 + \log 3^2 - \frac{1}{5} (7 \log 2) \\ &= 4 \log 2 + 2 \log 3 - \frac{7}{5} \log 2 \\ &= \frac{13}{5} \log 2 + 2 \log 3\end{aligned}$$

EXAMPLES XXI b

Read off each of the following equations in the logarithmic form

1 $2^5=32$ 2 $3^7=2187$ 3 $5^4=625$ 4 $7^3=343$

Read off the following logarithmic equations in the index form

5 $\log_2 128=7$ 6 $\log_4 1024=5$ 7 $\log_3 729=6$ 8 $\log_a b=c$

Express in terms of $\log a$, $\log b$, and $\log c$

9 $\log \frac{a}{bc}$ 10 $\log \frac{a^2}{bc^3}$ 11 $\log \frac{a^{\frac{1}{2}} b^{\frac{2}{3}}}{c^5}$ 12 $\log \frac{\sqrt[4]{b} \sqrt[3]{c}}{\sqrt{a^3}}$

Express in terms of $\log 2$ and $\log 3$

13 $\log 36$ 14 $\log \frac{1}{108}$ 15 $\log \sqrt{648}$ 16 $\log \sqrt{54} \times \sqrt[3]{243}$

Shew that

$$17 \quad \log\left(\frac{217}{38} - \frac{31}{286}\right) = 2 \log 7 \quad 18 \quad \log \frac{26}{51} + \log \frac{119}{91} = \log 2 - \log 3$$

$$19 \quad \text{If } A = PR^n, \text{ shew that } n = \frac{\log A - \log P}{\log R}$$

$$20 \quad \text{From the formula } V = \frac{\pi d^3}{6}, \text{ shew that}$$

$$\log d = \frac{1}{3} (\log V + \log 6 - \log \pi)$$

Common Logarithms

361 Since $10^1 = 10$, $10^2 = 100$, $10^3 = 1000$, $10^4 = 10000$,
we see that the numbers 1, 2, 3, 4,
are the logarithms of 10, 100, 1000, 10000, , respectively

$$\text{Also since } 10^{-1} = \frac{1}{10} = .1, 10^{-2} = \frac{1}{10^2} = .01, 10^{-3} = \frac{1}{10^3} = .001,$$

we see that the logarithms of 1, .01, .001,
are respectively -1, -2, -3,

NOTE. Since $10^0 = 1$, the logarithm of 1 is 0

Thus it appears that the logarithms of all numbers which are exact powers of 10 are integers either positive or negative. In the case of numbers which are not exact powers of 10 the logarithms will always lie between two consecutive integers and will therefore be partly integral and partly fractional.

The integral part of a logarithm is called the **characteristic**, and the fractional part when expressed as a decimal is called the **mantissa**.

362 We shall now shew that the characteristics may always be determined by inspection.

A number which has one digit in its integral part, such as 8.27, is greater than 10^0 and less than 10^1 ,

its logarithm lies between 0 and 1, that is, *its logarithm is a fraction*.

A number which has two digits in its integral part, such as 34.062, is greater than 10^1 and less than 10^2 ,

its logarithm lies between 1 and 2, and may be expressed as
 $1 + \text{a fraction}$

A number with three digits in its integral part, such as 1375, is greater than 10^2 and less than 10^3 ,

its logarithm lies between 2 and 3, and may be expressed as $2 + a \text{ fraction}$

Similarly $\log 615473 = 3 + a \text{ fraction}$, and so on. From these examples we deduce the following rule

The characteristic of the logarithm of a number greater than unity is less by one than the number of digits in its integral part, and is positive

EXAMPLE The characteristics of

$\log 314$, $\log 87263$, $\log 278$, $\log 3500$

are 2, 1, 0, 3, respectively

363 Again, a decimal with no ciphers immediately after the decimal point, such as 327, is greater than 1 and less than 1, that is, greater than 10^{-1} and less than 10^0

its logarithm lies between -1 and 0, and may be written $-1 + a \text{ fraction}$

A decimal with 1 cipher after the decimal point, such as 0654 is greater than 10^{-2} and less than 10^{-1} ,

its logarithm lies between -2 and -1, and may be written $-2 + a \text{ fraction}$

A decimal with 2 ciphers after the decimal point, such as 003878, is greater than 10^{-3} and less than 10^{-2} ,

its logarithm lies between -3 and -2, and may be written $-3 + a \text{ fraction}$

Hence the following rule

The characteristic of the logarithm of a number less than one is negative, and is greater by one than the number of ciphers immediately after the decimal point

EXAMPLE. The characteristics of

$\log 4$, $\log 3748$, $\log 000135$, $\log .08$

are -1, -1, -4, -2, respectively

364 *The mantissæ are the same for the logarithms of all numbers which have the same significant digits*

For if any two numbers have the same sequence of digits, differing only in the position of the decimal point, one must be equal to the other multiplied or divided by some integral power of 10. Hence their logarithms must differ by an integer. In other words, their decimal parts or mantissæ are the same

EXAMPLES (i) $\log 32700 = \log(3\ 27 \times 10^4) = \log 3\ 27 + \log 10^4$
 $= \log 3\ 27 + 4$

(ii) $\log \cdot 0327 = \log(3\ 27 \times 10^{-2}) = \log 3\ 27 + \log 10^{-2}$
 $= \log 3\ 27 - 2$

(iii) $\log 000327 = \log(3\ 27 \times 10^{-4}) = \log 3\ 27 + \log 10^{-4}$
 $= \log 3\ 27 - 4$

Thus $\log 32700$, $\log \cdot 0327$, $\log 000327$ differ from $\log 3\ 27$ only in the *integral part*, that is the *mantissa* is the same in each case

NOTE. Here, by introducing a power of 10, the numbers have been expressed in *standard form* [Art 153] with the decimal point after the first significant figure. When this method is adopted *the index of the power of 10 is the characteristic of the logarithm*

365 The logarithms of all integers from 1 to 20000 have been found and tabulated. In Chambers' Mathematical Tables they are given to seven places of decimals, but for many practical purposes sufficient accuracy is secured by using four-figure logarithms (available for all numbers from 1 to 9999), such as are contained in the Tables given on pages 438-441

366 **Advantages of Common Logarithms** It will now be seen that it is unnecessary to tabulate the characteristics, since they can always be written down by inspection [Arts 362, 363]. Also the Tables need only contain the mantissæ of the logarithms of integers [Art 364].

In order to secure these advantages it is convenient *always to keep the mantissa positive*, and it is usual to write the minus sign over a negative characteristic and not before it, so as to indicate that the characteristic alone is negative

Thus $\bar{5}\ 4771$, which is the logarithm of 00003, is equivalent to $-5 + 4771$, and must be distinguished from $-5\ 4771$, in which both the integer and the decimal are negative

367 In the course of work we sometimes meet with a logarithm wholly negative. In such a case a rearrangement is necessary in order to write the logarithm with a positive mantissa. A result such as $-3\ 5229$ may be transformed by subtracting 1 from the integral part and adding 1 to the decimal part

Thus
$$\begin{aligned} -3\ 5229 &= -3 - 1 + (1 - 5229) \\ &= -4 + 4771, \text{ or } \bar{4}\ 4771 \end{aligned}$$

368 The following examples dealing with negative characteristics should be carefully studied

EXAMPLE 1 From the sum of $\bar{3}\cdot9605$ and $1\cdot2135$ subtract

(i) $3\ 7234$, (ii) $\bar{4}\ 7234$

$$\begin{array}{r} \bar{3}\ 9605 \\ 1\cdot2135 \\ (i) \ \bar{1}\ 1740 \\ 3\ 7234 \\ \hline \bar{5}\ 4506 \end{array}$$

$$\begin{array}{r} (ii) \ \bar{1}\ 1740 \\ \bar{4}\ 7234 \\ \hline 2\ 4506 \end{array}$$

Here after adding the decimal figures we have 1 to carry. Thus at the first stage the characteristic is the algebraic sum of 2 and -3, which is written $\bar{1}$.

In (i) when we get to the integral part we have to subtract $3+1$ from -1 , the result is -5 , and is written $\bar{5}$.

In (ii) we have to subtract $-4+1$ (or -3) from -1 . The result is 2.

EXAMPLE 2. (i) Multiply $\bar{1}\ 8173$ by 3 (ii) Divide $\bar{4}\ 8134$ by 3

$$\begin{array}{r} (i) \ \bar{1}\ 8173 \\ \quad \quad 3 \\ \hline \bar{1}\ 4519 \end{array}$$

On multiplying 8 by 3 we have to carry 2 to the product of -1 and 3.

Hence the characteristic is $-3+2$, or -1 .

$$(ii) \quad \bar{4}\ 8134 = \bar{6} + 2\ 8134,$$

$$\frac{1}{3}(\bar{4}\ 8134) = \frac{1}{3}(\bar{6} + 2\ 8134) \\ = 2\ 9378$$

Here we cannot divide $\bar{4}\ 8134$ as it stands by 3. By a suitable addition and subtraction the characteristic is adjusted

so that its negative part is a multiple of the given divisor. A similar artifice is always employed in dividing a logarithm with a negative characteristic.

EXAMPLES XXI c.

1 Find by inspection the characteristics of the logarithms of 3174 , $625\ 7$, $3\ 502$, 4 , 371 , $\cdot000135$, $23\cdot20$.

2 The mantissa of $\log 3754$ is 5715 . Write down the logarithms of $37\ 54$, 003754 , 3754000 , 3754 .

3 The logarithm of $8\ 061$ is $0\cdot9061$. Write down the logarithms of $806\ 1$, $8\cdot061 \times 10^4$, $8\ 061 \times 10^{-4}$.

Also write down the numbers whose logarithms are

$$5\ 9064, \ 1\ 9004, \ \bar{3}\cdot9064, \ \bar{1}\cdot9064$$

Find (to four decimal figures) the values of

$$4 \quad \bar{1}\ 3681 \times 3$$

$$5 \quad \bar{2}\cdot0068 \times 7$$

$$6 \quad \bar{4}\ 9832 \times 12$$

$$7 \quad \bar{2}\ 4320 + \bar{1}\ 3971$$

$$8 \quad \bar{3}\ 6583 - \bar{4}\ 7241$$

$$9 \quad \bar{2}\ 4871 + 1\ 9970$$

$$10 \quad \bar{4}\ 5885 - 2\ 9347$$

$$11 \quad \bar{1}\ 6989 - \bar{3}\ 3010$$

$$12. \quad \bar{4}\ 5703 - 5$$

$$13 \quad \frac{1}{8}(3\ 8123)$$

$$14 \quad \frac{2}{7}(\bar{1}\ 5632)$$

$$15 \quad \frac{1}{4}(\bar{2}\ 1305).$$

Use of Four-Figure Tables

369 *To find the logarithm of a given number from the Tables*

EXAMPLE 1 Find $\log 38$, $\log 380$, $\log 0038$

We first find the number 38 in the left hand column on p 438. Opposite to this we find the digits 5798. This, with the decimal point prefixed, is the mantissa for the logarithms of all numbers whose significant digits are 38. Hence, prefixing the characteristics, we have

$$\log 38 = 1.5798, \quad \log 380 = 2.5798, \quad \log .0038 = \bar{3}.5798$$

EXAMPLE 2 Find $\log 386$, $\log 0386$, $\log 386000$

The same line as before will give the mantissa of the logarithms of all numbers which begin with 38. From this line we choose the mantissa which stands in the column headed 6. This gives 5866 as the mantissa for all numbers whose significant digits are 386. Hence, prefixing the characteristics, we have

$$\log 386 = 5866, \quad \log 0386 = \bar{2}.5866, \quad \log 386000 = 5.5866$$

370 Similarly the logarithm of any number consisting of not more than 3 significant digits can be obtained directly from the Tables. When the number has 4 significant digits, use is made of the principle that *when the difference between two numbers is small compared with either of them, the difference between their logarithms is very nearly proportional to the difference between the numbers*. It would be out of place to attempt any demonstration of the principle here. It will be sufficient to point out that differences in the logarithms corresponding to small differences in the numbers have been calculated, and are printed ready for use in the *difference columns* at the right hand of the Tables. The way in which these differences are used is shown in the following example

EXAMPLE Find (i) $\log 3864$, (ii) $\log .003868$

Here, as before, we can find the mantissa for the sequence of digits 386. This has to be *corrected* by the addition of the figures which stand underneath 4 and 8 respectively in the difference columns

$\begin{array}{rcl} \text{(i) } \log 386 & = & 0.5866 \\ \text{diff for } 4 & \quad & 5 \\ \hline \log 3864 & = & 0.5871 \end{array}$	$\begin{array}{rcl} \text{(ii) } \log .00386 & = & \bar{3}.5866 \\ \text{diff for } 8 & \quad & 9 \\ \hline \log .003868 & = & \bar{3}.5875 \end{array}$
---	--

NOTE In printing the differences non significant ciphers are omitted. Thus the differences used above are really 0005 and 0009. This accounts for the position of the digits 5 and 9 in making the necessary 'correction'. With a little practice the correction from the difference columns can be performed mentally.

371 The number corresponding to a given logarithm is called its **antilogarithm**. Thus in the last example 3864 and 003868 are respectively the numbers whose logarithms are 0.5871 and $\bar{3}.5875$.

Hence $\text{antilog } 0.5871 = 3864$, $\text{antilog } \bar{3}.5875 = 003868$.

372 *To find the antilogarithm of a given logarithm*

In using the Tables of antilogarithms on pages 440, 441, it is important to remember that we are seeking *numbers* corresponding to *given logarithms*. Thus in the left hand column we have the first two digits of the given *mantissa*, with the decimal point prefixed. The characteristics of the given logarithms will fix the position of the decimal point in the numbers taken from the Tables.

EXAMPLE. Find the antilogarithm of (i) 1.583, (ii) $\bar{2}.8249$.

(i) We first find 58 in the left hand column on page 441, and pass along the horizontal line and take the number in the vertical column headed by 3. Thus 583 is the mantissa of the logarithm of a number whose significant digits are 3828. Hence $\text{antilog } 1.583 = 38.28$.

(ii) $\text{antilog } \bar{2}.824 = 06608$

diff for 9 14

$\text{antilog } \bar{2}.8249 = 06682$

Here corresponding to the first 3 digits of the mantissa we find the sequence of digits 6608, and the decimal point is inserted in the position corresponding to the

characteristic $\bar{2}$. To the number so found we add 14 from the difference column headed 9.

373 The following examples illustrate the use of logarithms in abbreviating arithmetical calculations.

EXAMPLE 1 Find the product of 72.38 and 5689 to four significant figures, by the use of the Tables.

$\log 72.38 = 1.8591$

diff for 8 5

$\log 568 = \bar{1}.7543$

diff for 9 7

$\log \text{product} = 1.6146$

$\text{antilog } 1.614 = 41.11$

diff for 6 6

$\text{antilog } 1.6146 = 41.17$

Thus the required product is 41.17.

NOTE. It is important to observe that accuracy beyond four significant figures can never be secured with four figure logarithms. Moreover we cannot always rely on the accuracy of the last figure. In the present case, if the product of 72.38 and 5689 is obtained by contracted multiplication it will be found that the result to four significant figures is 41.18.

EXAMPLE 2 Find the value of $\frac{3\ 274 \times 0059}{14\ 83 \times 077}$ to four significant digits

By Art 357, $\log \text{fraction} = \log \text{numerator} - \log \text{denominator}$

Numerator	Denominator
$\log 3\ 27 = 0\ 5145$	$\log 14\ 8 = 1\ 1703$
diff. for 4 = 5	diff. for 3 = 9
$\log 0059 = \bar{3}\ 7700$	$\log 077 = \bar{2}\ 8805$
$\log \text{numerator} = \bar{2}\ 2850$	$\log \text{denominator} = 0\ 0577$
$\bar{2}\ 2850$	$\text{antilog } \bar{2}\ 228 = 0\ 1690$
subtract 0 0577	diff. for 2 = 1
$\log \text{fraction} = \bar{2}\ 2282$	$\text{antilog } \bar{2}\ 2282 = 0\ 1691$

Thus

$$\frac{3\ 274 \times 0059}{14\ 83 \times 077} = 0\ 1691$$

EXAMPLE 3 Find the cube root of 02748

Let $x = \sqrt[3]{02748}$, or $(02748)^{\frac{1}{3}}$,

then

$$\begin{aligned}\log x &= \frac{1}{3} \log (02748) \\ &= \frac{1}{3} (\bar{2}\ 4391), \text{ from Table of Logs,} \\ &= \bar{1}\ 4797, \\ x &= 3018, \text{ from Table of Antilogs}\end{aligned}$$

EXAMPLES XXI. d.

Find by means of the Tables the values (to four significant digits) of the following products

- | | | |
|----------------------------------|-------------------------------------|----------------------------------|
| 1. $2834 \times 17\ 62$ | 2. $8\ 034 \times 1893$ | 3. $470\ 8 \times 6\ 39$ |
| 4. $3\ 7 \times 8\ 9 \times 023$ | 5. $31\ 9 \times 1\ 51 \times 9\ 7$ | 6. $43 \times 8\ 07 \times 0392$ |

Find the value of

- | | | | |
|---|---|---|--------------------------|
| 7. $\frac{17\ 3}{294\ 8}$ | 8. $\frac{487}{6398}$ | 9. $\frac{2\ 179}{8973}$ | 10. $\frac{01254}{4105}$ |
| 11. $\frac{2\ 38 \times 3\ 901}{4\ 83}$ | 12. $\frac{14\ 72 \times 38\ 05}{387\ 9}$ | 13. $\frac{925\ 9 \times 1\ 597}{74\ 03}$ | |
| 14. $\sqrt{51}$ | 15. $\sqrt[3]{11}$ | 16. $(097)^4$ | 17. $\sqrt[4]{10\ 15}$ |

374 In using four-figure logarithms for purposes of practical calculation care must be taken not to attempt a greater degree of accuracy than is obtainable from the Tables. In some cases the first step of the work will be to adapt the *data* to the Tables.

375 In scientific work which records very large or very small approximate results it is often convenient to express them by writing the significant digits in standard form [Art 153], and multiplying or dividing by a power of 10

Thus 4037000, correct to the nearest thousand, may be written 4.037×10^6

And .004037, correct to the nearest millionth, may be written 4.037×10^{-3}

Or again, if it is known that the distance of the Earth from the Sun is 92,000,000 miles, true to the nearest million, this approximate distance may be represented by 9.2×10^7 miles

EXAMPLE 1 Find as accurately as possible from four figure Tables the product of 37 848 and 40869

Here the data must first be adapted to the Tables

Now $37\ 848 = 37\ 85$ correct to four significant figures

and $40869 = 40870$

$$\begin{aligned}\log 37\ 85 &= 1.5781 \\ \log 40870 &= 4.6115 \\ \hline \log \text{product} &= 6.1896\end{aligned}$$

Now $\text{antilog } 1896 = 1.547$,

the required *product* $= 1.547 \times 10^6$, or 1547000,

the fourth significant figure being open to doubt, and this is the closest approximation that can be obtained by the use of four figure Tables

EXAMPLE 2 Find the value of $\frac{(330 \times \frac{1}{49})^4}{\sqrt[3]{22 \times 6.9}}$ to the nearest integer

Denote the expression by x , then

$$\log x = 4(\log 330 - \log 49) - \frac{1}{3}(\log 22 + \log 6.9),$$

$$\begin{array}{rcl}\log 330 &= & 2.5185 \\ \log 49 &= & 1.6902 \\ \hline & & 0.8283 \\ & & \underline{4} \\ & & 3.3132 \\ \text{subtract } 0.7271 & & \\ \hline \log x &= & 2.5861\end{array}$$

$\log x = 2.5861 = \log 385.6$, from the Tables.

$x = 386$, to the nearest integer

EXAMPLES XXI. d. (Continued)

Find from the Tables, as accurately as possible, the values of the following expressions, giving the results in standard form

$$18 \quad \frac{153 \ 76 \times 0137}{276 \times 0035}$$

$$19 \quad \frac{3302 \ 7 \times 14 \ 3}{0501 \times 387 \times 0091}$$

$$20 \quad 5^4$$

$$21 \quad 11^6$$

$$22 \quad 7^7$$

$$23 \quad 13^5$$

$$24 \quad \sqrt[3]{82 \ 558}$$

$$25 \quad 17^2 \times 29^2$$

$$26 \quad (2 \ 301)^5$$

$$27 \quad (.089)^4$$

$$28 \quad \frac{5^3 \times 19^2}{6^2}$$

$$29 \quad \frac{1}{(3 \ 47)^4}$$

$$30 \quad \sqrt{\frac{01367 \times 0296}{873 \ 47}}$$

$$31 \quad \text{Find the value of } \sqrt{\frac{678 \times 9 \cdot 01}{0234}} \text{ to the nearest integer}$$

[Some of the Miscellaneous Examples on Contracted Work may here be worked by the use of logarithms See page 205]

Applications of Logarithms

376 In Chap XVIII reference was made to the use of logarithms in connection with examples in Compound Interest If Rs P amounts to Rs A in n years at r per cent, we have

$$A = PR^n, \text{ or } P \left(1 + \frac{r}{100}\right)^n, \quad [\text{Art 313}]$$

whence

$$\log A = \log P + n \log R$$

Thus any of the four quantities involved in the formula may be found when the other three are known The Tables should be used in all cases where r or n is required, and then use will also be found convenient in finding A or P whenever the number of years is large

EXAMPLE 1 In how many years at compound interest will Rs 342 amount to Rs. 1000 at 3 p c per annum?

Let n denote the number of years, then

$$1000 = 342(1 \ 03)^n$$

Hence

$$\log 1000 = \log 342 + n \log 1 \ 03,$$

or

$$n = \frac{\log 1000 - \log 342}{\log 1 \ 03}$$

$$= \frac{4660}{0128}$$

$$= 36 \ 4$$

$$\begin{array}{r} \log 1000 = 3 \ 0000 \\ \log 342 = 2 \ 5340 \\ \hline 0 \ 4660 \end{array}$$

Thus the required time is about $36\frac{1}{2}$ years

EXAMPLE 2 *The gas-service pipe to a house 75 feet from the main is $\frac{7}{8}$ in in diameter, for how many burners, each taking 5 cubic feet of gas per hour, will this serve? The number of cubic feet per hour delivered by a pipe on that main is $1000\sqrt{\frac{d^5}{0.45L}}$, where d is the diameter of the pipe in inches, and L is the length of the pipe in yards*

Each burner consumes 5 cu ft of gas per hour, hence, putting $d=0.875$, $L=25$, we have to find the value of $200\sqrt{\frac{(0.875)^5}{0.45 \times 25}}$

Let x denote the value of this expression, then

$$\log x = \log 200 + \frac{1}{2}[\log(0.875)^5 - (\log 0.45 + \log 25)]$$

$$= 2.3010 + \bar{1}.3294$$

$$= 1.6304,$$

$$x = 42.70, \text{ from the Tables}$$

Thus the pipe supplies a little more than enough for 42 burners

$\begin{array}{r} 5 \log 0.875 = \bar{1}.6420 \times 5 \\ = \bar{1}.7100 \\ \text{subtract } 1.0511 \\ \hline 2 \sqrt{\bar{2}.6589} \\ \hline \bar{1}.3294 \end{array}$	$\begin{array}{r} \log 0.45 = \bar{1}.6532 \\ \log 25 = 1.3979 \\ \hline 1.0511 \end{array}$
---	--

EXAMPLES XXI e

Find, to the nearest rupee, the amount at Compound Interest of

1 Rs 370 in 25 years at 4 % per annum

2 Rs 250 in 7 years, at 5 % per annum, the interest being paid annually for the first five years, and half yearly for the last two

3 Find, to the nearest pound, what sum will amount to £3000 in 15 years at $3\frac{1}{2}$ % compound interest

4 Find in how many years Rs 1130 will amount to Rs 3000 at 5 % compound interest

5 A man leaves to his son, aged 8, a sum of £270 to accumulate at compound interest, at 4 % per annum, until it amounts to £450 How old will the son be when he receives the legacy ?

6 The population of Ireland, to the nearest thousand, was 4,459,000 at the census of 1901, and was decreasing at a rate such that in x years from the census it would fall to $(0.9477)^x$ of the population at the census Estimate, as nearly as possible with four figure Tables, the population 3 years after the census

[Some of the Examples in XVIII g may here be worked by the aid of the Tables, bearing in mind the limitations named in Art 374.]

7 Find a mean proportional between 2 87 and 30 08, and a third proportional to 0 0238 and 7 805 [See Art 268]

8 If $s = \frac{1}{2}ft^2$, find f when $s=289\ 3$, $t=3\frac{7}{8}$

9 Find the weight, to the nearest kilogram, of an iron girder which is 5 4 m long, 0 36 m wide and 0 22 m thick, having given that a cubic centimetre of iron weighs 7 76 grams

10 The time of oscillation, measured in seconds, of a pendulum, l cm long, is $\pi\sqrt{\frac{l}{g}}$, where $\pi=3\ 1416$ and $g=981$ Find in seconds the time of oscillation of a pendulum 150 cm long (C S)

11 The volume of a sphere of radius r is given by the formula $V=\frac{4}{3}\pi r^3$, find the radius of a sphere the volume of which is 248 6 cubic centimetres

12 A cubical block of metal, each edge of which is 18 2 cm, is melted down into a sphere Find the diameter of the sphere as correctly as possible

13 When $m=9\ 17$, $v=17\ 64$, find the value of $\frac{1}{2}mv^2$

14. If $F=\frac{mv^2}{gr}$, find F when

$$m=24\ 7, \quad r=8\ 4, \quad v=60, \quad g=32\ 19$$

15 If $\frac{v^2}{r}=\frac{g}{289}$, calculate v , having given that

$$r=4000, \quad g=\frac{32\cdot2}{5280}$$

Also shew that the value of $\frac{2\pi r}{v \times 60 \times 60}$, where

$$\pi=3\ 1416, \text{ is approximately } 24$$

16 A garden roller of 13 inches internal radius and 3 feet long, is four fifths filled with water to make it heavier Find, to the nearest pound, the weight of water, given that the internal volume of a roller of r inches radius, and l inches long, is $\pi r^2 l$ cubic inches [1 cubic foot of water weighs 62 3 lbs] (C S)

17 A litre measure is 14 2 cm high What must be the height (to the nearest millimetre) of a half litre measure of the same shape? Among measures of the same shape the volume varies as the cube of the height (C S)

18 The height of a pint pot of a certain shape is 12.6 cm, to the nearest tenth. A litre being 1.76 pints to the nearest hundredth, find the height of pots of the same shape that will hold 3 decilitres, 5 deci-litres, and 1 litre (C S)

19 If a person 35 years old pays a single premium of £50 7s 6d into the Post Office Savings Bank, he assures that the sum of £100 will be paid on his death

Assuming that interest is reckoned at $2\frac{1}{2}$ per cent, and is added annually to the capital, find to the nearest year what is the expectation of life at that age, that is, find the number of years in which the sum paid will amount to £100 (C S)

20 In order to find the diameter of a tube of uniform bore some mercury was poured into it and the height of the column measured. The weight of the mercury was 25.6 grams, the height of the column 15.3 cm. What was the diameter of the tube? A cubic cm. of mercury weighs 13.6 grams

[The volume of a cylinder of height h , on a circular base of diameter d , $= 0.7854h \times d^2$] (C S)

21 Find, as nearly as possible, how many metres of wire, 0.3 mm in diameter, can be drawn from 450 Kg. of copper, of which the specific gravity is 8.88

22 If a water-pipe is L yards long, d inches in diameter, and one end is H feet higher than the other, then $\sqrt{(3d)^5 / H - L}$ gallons of water will flow through the pipe in 1 minute. Use this formula to find how many gallons per minute will flow through a pipe a mile long, $4\frac{1}{4}$ inches in diameter, one end being 38 feet higher than the other (C S)

23 An air pump with a cylinder of volume A is used to exhaust a vessel of volume B . After n strokes of the pump the pressure of the air in the vessel is $\left(\frac{B}{A+B}\right)^n \times p$, where p is the atmospheric pressure. Taking p as 30 inches of mercury, A as 17 cubic inches, and B 130 cubic inches, find the pressure in inches of mercury after 15 strokes and after 50 strokes (C S)

24 The area of the opening under the arch of a bridge is sometimes calculated from the formula $\frac{4V}{3} \sqrt{(0.626V)^2 + C^2}$, where V is the height of the arch and C half the distance between the ends of the arch. Calculate this area to two significant figures when $V=12$ feet and $C=16$ feet (C S)

Logarithms

No.	0	1	2	3	4	5	6	7	8	9	1	2	3	4	5	6	7	8	9
10	0000	0043	0086	0129	0170	0212	0253	0294	0334	0374	4	8	12	17	21	25	29	33	37
11	0414	0459	0492	0531	0569	0607	0645	0682	0719	0755	4	8	11	15	19	23	26	30	34
12	0792	0828	0864	0899	0934	0969	1004	1038	1072	1106	3	7	10	14	17	21	24	28	31
13	1139	1173	1206	1239	1271	1303	1335	1367	1399	1430	3	6	10	13	16	19	23	26	29
14	1461	1492	1523	1553	1584	1614	1644	1674	1703	1732	3	6	9	12	15	18	21	24	27
15	1761	1790	1818	1847	1875	1903	1931	1959	1987	2014	3	6	8	11	14	17	20	22	25
16	2041	2068	2095	2122	2148	2175	2201	2227	2253	2279	3	6	8	11	13	16	18	21	24
17	2304	2330	2355	2380	2405	2430	2455	2480	2504	2529	2	5	7	10	12	15	17	20	22
18	2553	2577	2601	2625	2648	2672	2695	2718	2742	2765	2	5	7	9	12	14	16	19	21
19	2788	2810	2833	2856	2878	2900	2923	2945	2967	2989	2	4	7	9	11	13	16	18	20
20	3010	3032	3054	3075	3096	3118	3139	3160	3181	3201	2	4	6	8	11	13	15	17	19
21	3222	3243	3263	3284	3304	3324	3345	3365	3385	3405	2	4	6	8	10	12	14	16	18
22	3424	3444	3464	3483	3502	3522	3541	3560	3579	3598	2	4	6	8	10	12	14	15	17
23	3617	3636	3655	3674	3692	3711	3729	3747	3766	3784	2	4	6	7	9	11	13	15	17
24	3802	3820	3838	3856	3874	3892	3909	3927	3945	3962	2	4	5	7	9	11	13	14	16
25	3970	3987	4014	4031	4048	4065	4082	4099	4116	4133	2	3	5	7	9	10	12	14	15
26	4150	4166	4183	4200	4216	4232	4249	4265	4281	4298	2	3	5	7	8	10	11	13	15
27	4314	4330	4346	4362	4378	4393	4409	4425	4440	4456	2	3	5	6	8	9	11	13	14
28	4472	4487	4502	4518	4533	4548	4564	4579	4594	4609	2	3	5	6	8	9	11	12	14
29	4624	4639	4654	4669	4683	4698	4713	4728	4742	4757	1	3	4	6	7	9	10	12	13
30	4771	4786	4800	4814	4829	4843	4857	4871	4886	4900	1	3	4	6	7	9	10	11	13
31	4914	4928	4942	4955	4969	4983	4997	5011	5024	5038	1	3	4	6	7	9	10	11	12
32	5051	5065	5079	5092	5105	5119	5132	5145	5159	5172	1	3	4	5	7	8	9	11	12
33	5185	5198	5211	5224	5237	5250	5263	5276	5289	5302	1	3	4	5	6	8	9	10	12
34	5315	5328	5340	5353	5366	5378	5391	5403	5416	5429	1	3	4	5	6	8	9	10	11
35	5441	5453	5465	5478	5490	5502	5514	5527	5539	5551	1	2	4	5	6	7	9	10	11
36	5563	5575	5587	5599	5611	5623	5635	5647	5658	5670	1	2	4	5	6	7	8	10	11
37	5682	5694	5705	5717	5729	5740	5752	5763	5775	5786	1	2	3	5	6	7	8	9	10
38	5798	5809	5821	5832	5843	5855	5866	5877	5888	5899	1	2	3	5	6	7	8	9	10
39	5911	5922	5933	5944	5955	5966	5977	5988	5999	6010	1	2	3	4	5	7	8	9	10
40	6021	6031	6042	6053	6064	6075	6085	6096	6107	6117	1	2	3	4	5	6	8	9	10
41	6128	6138	6149	6160	6170	6180	6191	6201	6212	6222	1	2	3	4	5	6	7	8	9
42	6232	6243	6253	6263	6274	6284	6294	6304	6314	6325	1	2	3	4	5	6	7	8	9
43	6335	6345	6355	6365	6375	6385	6395	6405	6415	6425	1	2	3	4	5	6	7	8	9
44	6435	6444	6454	6464	6474	6484	6493	6503	6513	6522	1	2	3	4	5	6	7	8	9
45	6532	6542	6551	6561	6571	6580	6590	6600	6609	6618	1	2	3	4	5	6	7	8	9
46	6628	6637	6646	6656	6665	6675	6684	6693	6702	6712	1	2	3	4	5	6	7	8	9
47	6721	6730	6739	6749	6758	6767	6776	6785	6794	6803	1	2	3	4	5	6	7	8	9
48	6812	6821	6830	6839	6848	6857	6866	6875	6884	6893	1	2	3	4	5	6	7	8	9
49	6902	6911	6920	6928	6937	6946	6955	6964	6972	6981	1	2	3	4	5	6	7	8	9
50	6990	6998	7007	7016	7024	7033	7042	7050	7059	7067	1	2	3	3	4	5	6	7	8
51	7076	7084	7093	7101	7110	7118	7126	7135	7143	7151	1	2	3	3	4	5	6	7	8
52	7160	7168	7177	7185	7193	7202	7210	7218	7226	7235	1	2	2	3	4	5	6	7	7
53	7243	7251	7259	7267	7275	7284	7292	7300	7308	7316	1	2	2	3	4	5	6	6	7
54	7324	7332	7340	7348	7356	7364	7372	7380	7388	7396	1	2	2	3	4	5	6	6	7

Logarithms

No	0	1	2	3	4	5	6	7	8	9	1	2	3	4	5	6	7	8	9
55	7404	7412	7419	7427	7435	7443	7451	7459	7466	7474	1	2	2	3	4	5	5	6	7
56	7482	7490	7497	7505	7513	7520	7528	7536	7543	7551	1	2	2	3	4	5	5	6	7
57	7559	7566	7574	7582	7589	7597	7604	7612	7619	7627	1	2	2	3	4	5	5	6	7
58	7634	7642	7649	7657	7664	7672	7679	7686	7694	7701	1	1	2	3	4	4	5	6	7
59	7709	7716	7723	7731	7738	7745	7752	7760	7767	7774	1	1	2	3	4	4	5	6	7
60	7782	7789	7796	7803	7810	7818	7825	7832	7839	7846	1	1	2	3	4	4	5	6	6
61	7853	7860	7868	7875	7882	7889	7896	7903	7910	7917	1	1	2	3	4	4	5	6	6
62	7924	7931	7938	7945	7952	7959	7966	7973	7980	7987	1	1	2	3	4	4	5	6	6
63	7994	8000	8007	8014	8021	8028	8035	8041	8048	8055	1	1	2	3	4	4	5	6	6
64	8062	8069	8075	8082	8089	8096	8102	8109	8116	8122	1	1	2	3	4	4	5	6	6
65	8129	8136	8142	8149	8156	8162	8169	8176	8182	8189	1	1	2	3	4	4	5	6	6
66	8195	8202	8209	8216	8222	8228	8235	8241	8248	8254	1	1	2	3	4	4	5	6	6
67	8261	8267	8274	8280	8287	8293	8299	8306	8312	8319	1	1	2	3	4	4	5	6	6
68	8325	8331	8338	8344	8351	8357	8363	8370	8376	8382	1	1	2	3	4	4	5	6	6
69	8388	8395	8401	8407	8414	8420	8426	8432	8439	8445	1	1	2	2	3	4	4	5	6
70	8451	8457	8463	8470	8476	8482	8488	8494	8500	8506	1	1	2	2	3	4	4	5	6
71	8513	8519	8525	8531	8537	8543	8549	8555	8561	8567	1	1	2	2	3	4	4	5	6
72	8573	8579	8585	8591	8597	8603	8609	8615	8621	8627	1	1	2	2	3	4	4	5	6
73	8633	8639	8645	8651	8657	8663	8669	8675	8681	8686	1	1	2	2	3	4	4	5	6
74	8692	8698	8704	8710	8716	8722	8727	8733	8739	8745	1	1	2	2	3	4	4	5	6
75	8751	8756	8762	8768	8774	8779	8785	8791	8797	8802	1	1	2	2	3	3	4	5	5
76	8808	8814	8820	8825	8831	8837	8842	8848	8854	8859	1	1	2	2	3	3	4	5	5
77	8865	8871	8876	8882	8887	8893	8898	8904	8910	8915	1	1	2	2	3	3	4	5	5
78	8921	8927	8932	8938	8943	8949	8954	8960	8965	8971	1	1	2	2	3	3	4	5	5
79	8976	8982	8987	8993	8998	9004	9009	9015	9020	9025	1	1	2	2	3	3	4	5	5
80	9031	9036	9042	9047	9053	9058	9063	9069	9074	9079	1	1	2	2	3	3	4	5	5
81	9085	9090	9096	9101	9106	9112	9117	9122	9128	9133	1	1	2	2	3	3	4	5	5
82	9138	9143	9149	9154	9159	9165	9170	9175	9180	9186	1	1	2	2	3	3	4	5	5
83	9191	9196	9201	9206	9212	9217	9222	9227	9232	9238	1	1	2	2	3	3	4	5	5
84	9243	9248	9253	9258	9263	9269	9274	9279	9284	9289	1	1	2	2	3	3	4	5	5
85	9294	9299	9304	9309	9315	9320	9325	9330	9335	9340	1	1	2	2	3	3	4	5	5
86	9345	9350	9355	9360	9365	9370	9375	9380	9385	9390	1	1	2	2	3	3	4	5	5
87	9395	9400	9405	9410	9415	9420	9425	9430	9435	9440	0	1	1	2	2	3	3	4	4
88	9445	9450	9455	9460	9465	9469	9474	9479	9484	9489	0	1	1	2	2	3	3	4	4
89	9494	9499	9504	9509	9513	9518	9523	9528	9533	9538	0	1	1	2	2	3	3	4	4
90	9542	9547	9552	9557	9562	9566	9571	9576	9581	9586	0	1	1	2	2	3	3	4	4
91	9590	9595	9600	9605	9609	9614	9619	9624	9628	9633	0	1	1	2	2	3	3	4	4
92	9638	9643	9647	9652	9657	9661	9666	9671	9675	9680	0	1	1	2	2	3	3	4	4
93	9685	9689	9694	9699	9703	9708	9713	9717	9722	9727	0	1	1	2	2	3	3	4	4
94	9731	9736	9741	9745	9750	9754	9759	9763	9768	9773	0	1	1	2	2	3	3	4	4
95	9777	9782	9786	9791	9795	9800	9805	9809	9814	9818	0	1	1	2	2	3	3	4	4
96	9823	9827	9832	9836	9841	9845	9850	9854	9859	9863	0	1	1	2	2	3	3	4	4
97	9868	9872	9877	9881	9886	9890	9894	9899	9903	9908	0	1	1	2	2	3	3	4	4
98	9912	9917	9921	9926	9930	9934	9939	9943	9948	9952	0	1	1	2	2	3	3	4	4
99	9956	9961	9965	9969	9974	9978	9983	9987	9991	9996	0	1	1	2	2	3	3	4	4

Antilogarithms

Log	0	1	2	3	4	5	6	7	8	9	1	2	3	4	5	6	7	8	9
00	1000	1002	1005	1007	1009	1012	1014	1016	1019	1021	0	0	1	1	1	1	2	2	2
01	1023	1026	1028	1030	1033	1035	1038	1040	1042	1045	0	0	1	1	1	1	2	2	2
02	1047	1050	1052	1054	1057	1059	1062	1064	1067	1069	0	0	1	1	1	1	2	2	2
03	1072	1074	1076	1079	1081	1084	1086	1089	1091	1094	0	0	1	1	1	1	2	2	2
04	1096	1099	1102	1104	1107	1109	1112	1114	1117	1119	0	1	1	1	1	2	2	2	2
05	1122	1125	1127	1130	1132	1135	1138	1140	1143	1146	0	1	1	1	1	2	2	2	2
06	1148	1151	1153	1156	1159	1161	1164	1167	1169	1172	0	1	1	1	1	2	2	2	2
07	1175	1178	1180	1183	1186	1189	1191	1194	1197	1199	0	1	1	1	1	2	2	2	2
08	1202	1205	1208	1211	1213	1216	1219	1222	1225	1227	0	1	1	1	1	2	2	2	3
09	1230	1233	1236	1239	1242	1245	1247	1250	1253	1256	0	1	1	1	1	2	2	2	3
10	1259	1262	1265	1268	1271	1274	1276	1279	1282	1285	0	1	1	1	1	2	2	2	3
11	1288	1291	1294	1297	1300	1303	1306	1309	1312	1315	0	1	1	1	1	2	2	2	3
12	1318	1321	1324	1327	1330	1334	1337	1340	1343	1346	0	1	1	1	1	2	2	2	3
13	1349	1352	1355	1358	1361	1365	1368	1371	1374	1377	0	1	1	1	1	2	2	2	3
14	1380	1384	1387	1390	1393	1396	1400	1403	1406	1409	0	1	1	1	1	2	2	2	3
15	1413	1416	1419	1422	1426	1429	1432	1435	1439	1442	0	1	1	1	1	2	2	2	3
16	1445	1449	1452	1455	1459	1462	1466	1469	1472	1476	0	1	1	1	1	2	2	2	3
17	1479	1483	1486	1489	1493	1496	1500	1503	1507	1510	0	1	1	1	1	2	2	2	3
18	1514	1517	1521	1524	1528	1531	1535	1538	1542	1545	0	1	1	1	1	2	2	2	3
19	1549	1552	1556	1560	1563	1567	1570	1574	1578	1581	0	1	1	1	1	2	2	2	3
20	1585	1589	1592	1596	1600	1603	1607	1611	1614	1618	0	1	1	1	1	2	2	2	3
21	1622	1626	1629	1633	1637	1641	1644	1648	1652	1656	0	1	1	1	1	2	2	2	3
22	1660	1663	1667	1671	1675	1679	1683	1687	1690	1694	0	1	1	1	1	2	2	2	3
23	1698	1702	1706	1710	1714	1718	1722	1726	1730	1734	0	1	1	1	1	2	2	2	3
24	1738	1742	1746	1750	1754	1758	1762	1766	1770	1774	0	1	1	1	1	2	2	2	3
25	1778	1782	1786	1791	1795	1799	1803	1807	1811	1816	0	1	1	1	1	2	2	2	3
26	1820	1824	1828	1832	1837	1841	1845	1849	1854	1858	0	1	1	1	1	2	2	2	3
27	1862	1866	1871	1875	1879	1884	1888	1892	1897	1901	0	1	1	1	1	2	2	2	3
28	1905	1910	1914	1919	1923	1928	1932	1936	1941	1945	0	1	1	1	1	2	2	2	3
29	1950	1954	1959	1963	1968	1972	1977	1982	1986	1991	0	1	1	1	1	2	2	2	3
30	1995	2000	2004	2009	2014	2018	2023	2028	2032	2037	0	1	1	1	1	2	2	2	3
31	2042	2046	2051	2056	2061	2065	2070	2075	2080	2084	0	1	1	1	1	2	2	2	3
32	2089	2094	2099	2104	2109	2113	2118	2123	2128	2133	0	1	1	1	1	2	2	2	3
33	2138	2143	2148	2153	2158	2163	2168	2173	2178	2183	0	1	1	1	1	2	2	2	3
34	2188	2193	2198	2203	2208	2213	2218	2223	2228	2234	1	1	2	2	2	3	3	4	4
35	2239	2244	2249	2254	2259	2265	2270	2275	2280	2286	1	1	2	2	2	3	3	4	4
36	2291	2296	2301	2307	2312	2317	2323	2328	2333	2339	1	1	2	2	2	3	3	4	4
37	2344	2350	2355	2360	2366	2371	2377	2382	2388	2393	1	1	2	2	2	3	3	4	4
38	2399	2404	2410	2415	2421	2427	2432	2438	2443	2449	1	1	2	2	2	3	3	4	4
39	2455	2460	2466	2472	2477	2483	2489	2495	2500	2506	1	1	2	2	2	3	3	4	4
40	2512	2518	2523	2529	2535	2541	2547	2553	2559	2564	1	1	2	2	2	3	3	4	4
41	2570	2576	2582	2588	2594	2600	2606	2612	2618	2624	1	1	2	2	2	3	3	4	4
42	2630	2636	2642	2649	2655	2661	2667	2673	2679	2685	1	1	2	2	2	3	3	4	4
43	2692	2698	2704	2710	2716	2723	2729	2735	2742	2748	1	1	2	2	2	3	3	4	4
44	2754	2761	2767	2773	2780	2786	2793	2799	2805	2812	1	1	2	2	2	3	3	4	4
45	2818	2825	2831	2838	2844	2851	2858	2864	2871	2877	1	1	2	2	2	3	3	4	4
46	2884	2891	2897	2904	2911	2917	2924	2931	2938	2944	1	1	2	2	2	3	3	4	4
47	2951	2958	2965	2972	2979	2985	2992	2999	3006	3013	1	1	2	2	2	3	3	4	4
48	3020	3027	3034	3041	3048	3055	3062	3069	3076	3083	1	1	2	2	2	3	3	4	4
49	3090	3097	3105	3112	3119	3126	3133	3141	3148	3155	1	1	2	2	2	3	3	4	4

Antilogarithms

Log	0	1	2	3	4	5	6	7	8	9	1	2	3	4	5	6	7	8	9
50	3162	3170	3177	3184	3192	3199	3206	3214	3221	3228	1	1	2	3	4	4	5	6	7
51	3230	3243	3251	3258	3266	3273	3281	3289	3296	3304	1	2	2	3	4	5	5	6	7
52	3311	3319	3327	3334	3342	3350	3357	3365	3373	3381	1	2	2	3	4	5	5	6	7
53	3389	3396	3404	3412	3420	3428	3435	3443	3451	3459	1	2	2	3	4	5	6	6	7
54	3467	3475	3483	3491	3499	3507	3516	3524	3532	3540	1	2	2	3	4	5	6	6	7
55	3548	3556	3565	3573	3581	3589	3597	3606	3614	3622	1	2	2	3	4	5	6	7	7
56	3631	3639	3648	3656	3664	3673	3681	3690	3698	3707	1	2	3	3	4	5	6	7	8
57	3715	3724	3733	3741	3750	3758	3767	3776	3784	3793	1	2	3	3	4	5	6	7	8
58	3802	3811	3819	3828	3837	3845	3854	3863	3872	3881	1	2	3	4	4	5	6	7	8
59	3890	3899	3908	3917	3926	3935	3944	3953	3962	3971	1	2	3	4	5	5	6	7	8
60	3980	3989	3998	4007	4016	4025	4034	4043	4052	4061	1	2	3	4	5	6	6	7	8
61	4071	4080	4089	4098	4107	4116	4125	4134	4143	4152	1	2	3	4	5	6	7	8	9
62	4162	4171	4180	4189	4198	4207	4216	4225	4234	4243	1	2	3	4	5	6	7	8	9
63	4253	4262	4271	4280	4289	4298	4307	4316	4325	4334	1	2	3	4	5	6	7	8	9
64	4344	4353	4362	4371	4380	4389	4398	4407	4416	4425	1	2	3	4	5	6	7	8	9
65	4435	4444	4453	4462	4471	4480	4489	4498	4507	4516	1	2	3	4	5	6	7	8	9
66	4526	4535	4544	4553	4562	4571	4580	4589	4598	4607	1	2	3	4	5	6	7	9	10
67	4617	4626	4635	4644	4653	4662	4671	4680	4689	4698	1	2	3	4	5	7	8	9	10
68	4708	4717	4726	4735	4744	4753	4762	4771	4780	4789	1	2	3	4	6	7	8	9	10
69	4799	4808	4817	4826	4835	4844	4853	4862	4871	4880	1	2	3	5	6	7	8	9	10
70	4890	4899	4908	4917	4926	4935	4944	4953	4962	4971	1	2	4	5	6	7	8	9	11
71	4980	4989	4998	5007	5016	5025	5034	5043	5052	5061	1	2	4	5	6	7	8	10	11
72	5071	5080	5089	5098	5107	5116	5125	5134	5143	5152	1	2	4	5	6	7	8	10	11
73	5162	5171	5180	5189	5198	5207	5216	5225	5234	5243	1	2	4	5	6	7	8	10	11
74	5253	5262	5271	5280	5289	5298	5307	5316	5325	5334	1	2	4	5	6	8	9	10	12
75	5344	5353	5362	5371	5380	5389	5398	5407	5416	5425	1	3	4	5	7	8	9	10	12
76	5435	5444	5453	5462	5471	5480	5489	5498	5507	5516	1	3	4	5	7	8	9	11	12
77	5526	5535	5544	5553	5562	5571	5580	5589	5598	5607	1	3	4	5	7	8	10	11	12
78	5617	5626	5635	5644	5653	5662	5671	5680	5689	5698	1	3	4	6	7	8	10	11	13
79	5708	5717	5726	5735	5744	5753	5762	5771	5780	5789	1	3	4	6	7	9	10	11	13
80	5799	5808	5817	5826	5835	5844	5853	5862	5871	5880	1	3	4	6	7	9	10	12	13
81	5890	5899	5908	5917	5926	5935	5944	5953	5962	5971	1	3	4	6	7	9	11	12	14
82	5980	5989	5998	6007	6016	6025	6034	6043	6052	6061	1	3	4	6	7	9	11	12	14
83	6071	6080	6089	6098	6107	6116	6125	6134	6143	6152	1	3	4	6	7	9	11	13	14
84	6162	6171	6180	6189	6198	6207	6216	6225	6234	6243	1	3	4	6	8	10	11	13	15
85	6253	6262	6271	6280	6289	6298	6307	6316	6325	6334	2	3	5	7	8	10	12	13	15
86	6344	6353	6362	6371	6380	6389	6398	6407	6416	6425	2	3	5	7	8	10	12	13	15
87	6435	6444	6453	6462	6471	6480	6489	6498	6507	6516	2	3	5	7	9	10	12	14	16
88	6526	6535	6544	6553	6562	6571	6580	6589	6598	6607	2	3	5	7	9	11	12	14	16
89	6617	6626	6635	6644	6653	6662	6671	6680	6689	6698	2	3	5	7	9	11	12	14	16
90	6708	6717	6726	6735	6744	6753	6762	6771	6780	6789	2	4	6	7	9	11	13	15	17
91	6799	6808	6817	6826	6835	6844	6853	6862	6871	6880	2	4	6	7	9	11	13	15	17
92	6890	6899	6908	6917	6926	6935	6944	6953	6962	6971	2	4	6	8	10	12	14	15	17
93	6980	6989	6998	7007	7016	7025	7034	7043	7052	7061	2	4	6	8	10	12	14	16	18
94	7071	7080	7089	7098	7107	7116	7125	7134	7143	7152	2	4	6	8	10	12	14	16	18
95	7162	7171	7180	7189	7198	7207	7216	7225	7234	7243	2	4	6	8	10	12	15	17	19
96	7253	7262	7271	7280	7289	7298	7307	7316	7325	7334	2	4	6	8	11	13	15	17	19
97	7344	7353	7362	7371	7380	7389	7398	7407	7416	7425	2	4	6	8	11	13	15	17	19
98	7435	7444	7453	7462	7471	7480	7489	7498	7507	7516	2	4	6	8	11	13	15	17	19
99	7526	7535	7544	7553	7562	7571	7580	7589	7598	7607	2	4	6	8	11	13	15	17	19

MISCELLANEOUS EXAMPLES

377 Some Applications of Graphs When two quantities x and y are so related that a change in one produces a proportional change in the other, their variations can always be expressed by an equation of the form $y = ax$, where a is some constant quantity. Hence in all such cases the graph which exhibits their variations is a straight line through the origin, so that in order to draw the graph it is only necessary to know the position of one other point on it. Such examples as deal with work and time, distance and time (when the speed is uniform), quantity and cost of material, principal and simple interest at a given rate per cent, may all be illustrated by linear graphs through the origin.

EXAMPLE 1 At 8 a.m. A starts from P to ride to Q which is 48 miles distant. At the same time B sets out from Q to meet A . If A rides at 8 miles an hour, and rests half an hour at the end of every hour, while B walks uniformly at 4 miles an hour, find graphically

- (i) the time and place of meeting,
- (ii) the distance between A and B at 11 a.m.,
- (iii) at what time they are 14 miles apart

In Fig. 14 on the opposite page, let the position of P be chosen as origin, let time be measured horizontally from 8 a.m. (1 inch to 1 hour), and let distance be measured vertically (1 inch to 20 miles). Thus each division on the horizontal axis represents 6 minutes and each division on the vertical axis stands for 2 miles.

In 1 hour A rides 8 mi., therefore if D is taken 0.4 inch above the point which marks 9 p.m., PD is the graph of A 's motion for the first hour. In the next half hour he makes no advance towards Q , therefore the corresponding portion of the graph is DE . Proceeding in the same way, we may complete the broken line $PDEFGHKX$ giving the details of A 's motion between 8 a.m. and 1 p.m.

On the vertical axis mark PQ to represent 48 mi. and mark the hours on the horizontal line through Q . At 9 a.m. B has walked 4 mi. towards P . Measuring a distance to represent 4 mi. downwards we get the point R , and QR produced is the graph of B 's motion. It cuts A 's graph at X . Hence the point of meeting is X , which is 28 mi. from P , and the time is 1 p.m.

The distance between A and B at any time is shown by the difference of the ordinates. Thus at 11 a.m. their distance apart is MG , which represents 20 mi.

Lastly, to find when A and B are 14 mi. apart, slide a graduated ruler parallel to the vertical axis till the difference of the ordinates of the two graphs is found to be 14. This is shown by NT , thus the time is 11.30 a.m.




FIG 14

NOTE In examples of this type the advantage of the graphical method lies in the fact that a graph records a number of allied results which can be interpreted at a glance instead of making each a subject of separate calculation. For instance, the diagram on the preceding page gives the relative positions of *A* and *B* at any time between 8 a.m. and 1 p.m.

EXAMPLE 2 *A*, *B*, and *C* run a race of 300 yards. *A* and *C* start from scratch, and *A* covers the distance in 40 seconds, beating *C* by 60 yards. *B*, with 12 yards' start, beats *A* by 4 seconds. Supposing the rates of running in each case to be uniform, find graphically the relative positions of the runners when *B* passes the winning post.

Find also by how many yards *B* is ahead of *A* when the latter has run three fourths of the course.

In Fig. 15 on the opposite page, let time be measured horizontally (1 inch to 20 seconds), and distance vertically (1 inch to 60 yards). Thus each division on the horizontal axis represents 2 seconds, and each division on the vertical axis stands for 6 yards.

O is the starting point for *A* and *C*, and if we take *OP* equal to 0.2 inch, representing 12 yards, on the vertical axis, *P* will represent *B*'s starting point.

Since *A* runs 300 yards in 40 seconds, the graph of his course is found by joining *O* to the point which marks 40 seconds on the time axis.

From this point measure a vertical distance of 1 inch downwards to *Q*. Then since 1 inch represents 60 yards, *Q* is *C*'s position when *A* is at the winning post, and *OQ* is the graph of *C*'s course.

Along the time axis take 1.8 inch to *R*, representing 36 seconds, then since *B* completes his course in 36 seconds, *PR* represents the graph of *B*'s running.

Through *R* draw a vertical line to meet the graphs of *A* and *C* in *S* and *T* respectively. Then *S* and *T* mark the positions of *A* and *C* when *B* passes the winning post.

By inspection *RS* and *ST* represent 30 and 54 yards respectively.

Thus *B* is 30 yards ahead of *A*, and *A* is 54 yards ahead of *C*.

Again, since *A* runs three fourths of the course in 30 seconds, the difference of the corresponding ordinates of *A*'s and *B*'s graphs after 30 seconds will give the distance between *A* and *B*. By measurement we find *VW* = 0.45 inch, which represents 27 yards.

Thus *B* is 27 yards ahead of *A* when the latter has run three fourths of the course.

NOTE The solutions of the two preceding examples have been given very fully to illustrate and enforce the general principles on which the linear graphs depend. Solutions may usually be presented with less detail, and the results quickly obtained from a well drawn diagram on a suitable scale.




FIG 1'

378 When a variable quantity y is partly constant and partly proportional to a variable quantity x , the algebraical relation between x and y is of the form $y = ax + b$, where a and b are constant. The corresponding graph will therefore be a straight line, and since a straight line is completely determined when the positions of two points are known, it follows that, in all problems which can be illustrated by linear graphs, it is sufficient if the data furnish for each graph two independent pairs of simultaneous values of the variable quantities.

EXAMPLE 1 In a certain establishment the clerks are paid an initial salary for the first year, and this is annually increased by a fixed bonus, the initial salary and the bonus being different in different departments. *A* receives Rs 1300 in his 10th year, and Rs 2200 in his 19th. *B*, in another department, receives Rs 1400 in his 5th year and Rs 1800 in his 13th.

Draw graphs to shew their salaries in different years

In what year do they receive equal salaries?

Also find in what year A earns the same salary as that received by B for his 21st year

In Fig. 16 let each horizontal division represent 1 year, and let the salaries be measured vertically, beginning at 1300, with 1 division to represent Rs 20.

Suppose the initial salary is denoted by Rs a , and the yearly bonus by Rs b , then the salary for the first year is Rs a , for the second it is Rs $(a + b)$, for the third it is Rs $(a + 2b)$, for the fourth it is Rs $(a + 3b)$, and so on.

Hence if the salary after x years is denoted by Rs y , it is evident that in each case we have a relation of the form $y = a + bx$, where a and b are constant. Thus the variations of time and salary may be represented by linear graphs.

After 9 years *A* receives Rs 1300, and after 18 years he receives Rs 2200. That is, when $x = 9$, $y = 1300$, and when $x = 18$, $y = 2200$. Thus the points *P* and *Q* are determined, and by joining them we have the graph for *A*'s salary.

Similarly the graph for *B*'s salary is found by joining *P'* (4, 1400) and *Q'* (12, 1800).

To find in what year *A* and *B* have equal salaries we must note the point *L* where the two graphs have the same ordinate and abscissa. Here $x = 16$, $y = 2000$.

Thus *A* and *B* have the same salary when each have served 16 years, that is in their 17th year.

Again *B*'s salary at the end of 20 years is given by the ordinate of *M*, which is the same as that of *Q* which represents *A*'s salary after 18 years.

Thus *A*'s salary for his 19th year is equal to *B*'s salary for his 21st year.




FIG 1A.

MISCELLANEOUS EXAMPLES VI

1 By measuring time along OX (1 inch for 1 hour) and distance along OY (1 inch for 10 miles) shew how to draw lines

- (i) from O to indicate distance travelled towards Y at 12 miles an hour,
- (ii) from Y to indicate distance travelled towards O at 9 miles an hour

If these are the rates of two men starting at noon to ride towards each other from places 60 miles apart, find from the graphs when they are first 18 miles from each other Also find (to the nearest minute) their time of meeting

2 At noon A starts to walk at 6 miles an hour, and at 1 30 p.m. B follows on horseback at 8 miles an hour When will B overtake A? Also find

- (i) when A is 5 miles ahead of B,
- (ii) when A is 3 miles behind B

3 Two bicyclists ride to meet each other from two places 95 miles apart A starts at 8 a.m. at 10 miles an hour, and B starts at 9 30 a.m. at 15 miles an hour Find graphically when and where they meet, and at what times they are $37\frac{1}{2}$ miles apart

[Take 25 mi. to the inch vertically, and 1 hr. to the inch horizontally]

4. The salary of an assistant is increased each year by a fixed sum After 6 years' service his salary is raised to Rs 1280, and after 15 years to Rs 2000 Draw a graph from which his salary may be read off for any year, and determine from it (i) his initial salary, (ii) the salary he should receive for his 21st year

5 A man gains 12 per cent by selling articles at 16s 4d each, what price must he charge for each article in order to make a profit of £10 18s 9d on the sale of 100 articles?

6 The table given below shows the approximate population and the average daily supply of water per head in the places named Estimate the average supply per head for the three cities taken together

	Approx population	Gallons per head
Manchester, -	610,000	16 5
Liverpool, - -	730,000	17 9
Birmingham, - -	520,000	15 3

7 A man's income from $2\frac{1}{2}$ per cent. Consols (after income tax at 1s in the £ has been deducted) is £448 8s How much stock does he hold?

8 A takes 9 strides to B's 7. A's strides are $3\frac{1}{2}$ ft, and B's $4\frac{1}{4}$ ft. Find how far A must run to catch B who has a start of 25 yards.

✓9 X and Y are two towns 35 miles apart At 8 30 a m A starts to walk from X to Y at 4 miles an hour, after walking 8 miles he rests for half an hour, and then completes his journey on horseback at 10 miles an hour At 9 48 a m B starts to walk from Y to X at 3 miles an hour, find when and where A and B meet Also find at what times they are $6\frac{1}{2}$ miles apart.

✓10 A can beat B by 20 yards in 120, and B can beat C by 10 yards in 50 Supposing their rates of running to be uniform, find graphically how much start A can give C in 120 yards so as to run a dead heat with him If A, B, and C start together, where are A and C when B has run 80 yards?

✓11 A, B, and C run a race of 200 yards A gives B a start of 8 yards, and C starts some seconds after A A runs the distance in 25 seconds and beats C by 40 yards B beats A by 1 second, and when he has been running 15 seconds, he is 48 yards ahead of C Find graphically how many seconds C starts after A Shew also from the graphs that if the three runners started level they would run a dead heat.

[Take 1 inch to 40 yards, and 1 inch to 10 seconds]

↓12 The rainfall on a roof 20 ft long and 12 ft wide is collected in a covered rectangular cistern 5 ft long, 4 ft wide, and 8 ft deep, what depth of water will be found in the cistern after a fall of 2 inches of rain?

13 When the exchange between Paris and London is 25 $10\frac{1}{2}$ francs for £1, express 430 fr 50 c in £ s d to the nearest penny

14 Find, to the nearest pice, the difference between the simple and compound interest on Rs 401 10 a for 3 years at 5 per cent

↓15 It cost Rs 420 to carpet the whole floor of a room 30 ft long and 28 ft wide, if a space 1 ft 3 in wide is left uncovered all round, what is the saving in cost?

16 Standard gold consists of 11 parts by weight of pure gold and 1 part of copper If a sovereign weighs 123 grains, find how many can be coined from a bar of standard gold containing 1 lb avoirdupois of pure gold

17 A and B ride to meet each other from two towns X and Y which are 60 miles apart A starts at 1 p m, and B starts 30 minutes later If they meet at 4 p m, and A gets to Y at 6 p m, find, by means of a graph, the time when B gets to X Also find the times when they are 22 miles apart. When A is half-way between X and Y, where is B?

18 Two men, setting out at the same time from places A and B, twelve miles apart, meet at a distance of four miles from B. If they had both started together from A, at the same rates as before, and the faster one had gone to B and immediately turned back, how far from B would he have met the other? Verify your solution graphically.

19 A cyclist has to ride 75 miles. He rides for a time at 9 mi. an hour and then alters his speed to 15 mi. an hour, covering the distance in 7 hours. Find graphically at what time he changed his speed.

20 A county contains three districts, A, B, C. The population of A is 185000 and is increasing at the rate of 0.482 per cent. per annum, that of B is 235000 and is increasing at the rate of 0.324 per cent. per annum, that of C is 325000 and is increasing at the rate of 0.516 per cent. per annum. What is the rate of increase per cent. per annum for the whole county?

21 In the first four months the takings of a business are respectively £335 2s 1½d, £371 15s 11d, £401 11s 5½d, and £446 11s 6d. What must be the average takings for the remaining months in order that the receipts for the year may amount to £5000?

22 Express 765 and 7931520 in prime factors. Find all the pairs of numbers which have 765 for their H.C.F. and 7931520 as their L.C.M.

23 The cost of turfing a rectangular grass plot of which the sides are in the ratio of 2 : 3 is Rs 24, at the rate of 4 a. per square yard. Find the lengths of the sides.

24 The capital of a railway is six crores of rupees, one third is borrowed on mortgage at 4½ per cent., the remainder is held in shares. The working expenses are 40 per cent. of the gross receipts. Find, to the nearest anna, what the average weekly receipts must be to pay the shareholders 5 per cent.

25 A man buys eggs at 18 for 12 annas, and sells them at 10 a. 6 p. per dozen, find his gain per cent.

26 By using decimal contracted methods find, to the nearest penny, the value of 40 tons 2 cwt 12 lbs. at £17 5s 7d per ton.

27 Three substances are mixed together. Their volumes are proportional to 3, 4, 5 respectively, and the weights of equal volumes are proportional to 4, 5, 6 respectively. What is the weight of each substance if the weight of the mixture is 5 lbs 13 oz.?

28 The distance from A to B is 110 miles, if I were to set out at noon to cycle from A, riding 26 miles the first hour and decreasing my pace by 3 miles each successive hour, find graphically how long it would take me to reach B. Also find approximately the time at which I should reach C, which is 48 miles from B.

29 The following table shews the number of acres planted with tea in India and Ceylon in three different years

	1895	1900	1905
Number of acres planted with tea, -	720,717	914,487	913,290

It has been estimated that the increase of acreage between 1895 and 1900 caused an increase of crop of 48 million lbs Find how much tea (to the nearest lb) this gives to the acre

Find also, at the same rate, the decrease of crop owing to the decrease of acreage between 1900 and 1905 (C S)

30 Find graphically at what distance from a station X, and at what time, a train which leaves it for another station Y at 2.33 p.m., and goes at the rate of 35 miles an hour, will meet a train which leaves Y at 1.45 p.m. and goes at the rate of 25 miles an hour, the distance between the stations being 80 miles

Also find at what times the trains are 24 miles apart, and how far apart they are at 4.9 p.m.

[Take 1 inch to 20 mi., and 1 inch to 2 hrs.]

31 A rectangular plot of building land with a frontage of 34 feet and a depth of 125 feet was let on a building lease at the rate of Rs. 600 per higha Find the rent of the plot to the nearest pie

32 A tradesman marks his goods at such a price that he can deduct 10 per cent for cash and yet make 15 per cent profit What is the marked price of an article which cost him Rs 72?

33 A can do a piece of work in $2\frac{1}{2}$ days which B can do in $3\frac{1}{4}$ days If A's wages are £1 16s 8d a week and B's wages are £1 8s 9d, what would A have charged for doing a piece of work for which B received £11 10s?

34 In France when the population was 33.4 millions, the number of acres under wheat was 13,224,000, and the average yield per acre 15.2 bushels, when the population had grown to 38.2 millions, the acres under wheat were 17,198,000 and the average yield in bushels per acre 18.0

Find at each period the total wheat crop in bushels (to the nearest million bushels) and the amount of wheat raised per head of population (to the nearest bushel) (C S)

35 The expenses of a school are partly constant and partly proportional to the number of boys The expenses were £650 for 105 boys, and £742 for 128 Draw a graph to represent the expenses for any number of boys, find the expenses for 115 boys, and the number of boys that can be maintained at a cost of £710

[See Art 378 Take 1 inch to £100 on the axis of y, 1 inch to 10 boys on the axis of x, and begin measuring ordinates at 600, abscissae at 100.]

36. The annual expenses of a Convalescent Home are partly constant and partly proportional to the number of inmates. The expenses were Rs 3840 for 12 patients and Rs 4320 for 16. Draw a graph to shew the expenses for any number of patients, and find from it the cost of maintaining 15.

In a rival establishment the expenses were Rs 3750 for 5, and Rs 4450 for 15 patients. Find graphically for what number of patients the cost would be the same in the two cases.

37. At the last census in a certain town it was found that the males were 42 per cent of the population, and in another town 46 per cent. of the population was male. The population of the first town is to that of the second as 3 : 8. What percentage (to the nearest integer) of the combined populations of the two towns is male? (O S)

38. A closed cubical cistern, made of metal 1 centimetre thick, has an internal capacity of 1 cubic metre. Assuming the metal to be 7 times as heavy as water, find the weight of the cistern in kilograms.

39. If the decimal fraction 0.567 of a pound were taken to be equal to 567 farthings, express the error that would be made as a percentage of the true value.

Find, to the nearest whole number, what the error would be in farthings. (C S)

40. Two casks originally contain 60 gallons of wine and 30 gallons of water respectively. On three successive occasions 12 gallons of liquid are drawn from each cask and placed in the other. Express in gallons and decimals of a gallon the quantity of wine now in each cask.

41. A piece of work can be done by 3 men and 4 boys in 6 days, by 3 men and 1 boy in 8 days, and by 4 women and 8 boys in 5 days. How long would a woman take to complete the work single handed?

42. Calculate to the nearest centime, and using as few figures as possible, the value of £32 17s 11½d in French money, at the rate of 25 francs 11 centimes for £1.

43. What is the ground rent per bigha, when a plot of land of 9 big 18 cot 2 chh yields Rs 1664 4 a in ground rents?

44. A ventilating tube whose sectional area is 44 square inches is delivering a current with the velocity of 1.24 ft per sec into a hall whose dimensions are 52 feet by 35 feet by 21 feet. Find, to the nearest second, how long it will take for the air of the hall to be renewed in this way.

45. A man travels 60 miles in 3 hours, partly by rail and partly by coach. If he had gone all the way by rail he would have arrived at his destination an hour earlier, and would have saved two fifths of the time he was on the coach. How far did he travel by coach?

46 A merchant borrows Rs. 344810 on the condition that at the end of each year he is to pay back part of the principal, with interest at 5% on the amount standing unpaid during the year. Prove that by an annual payment of Rs 97240 8a. he can clear off the debt in four years

47 If 31 Napoleons contain 180 grams, and 6231 sovereigns 704103 grains, of gold, find the smallest whole number of Napoleons that are equal to a whole number of sovereigns, 5 lbs being equivalent to 2268 kilograms.

48 A grocer mixes two qualities of sugar at 3a 6p and 5a per sceer respectively, and gains 2 per cent. on his outlay by selling the mixture at 4a 6p. In what ratio does he mix the two qualities?

49 Prove, with as little calculation as possible, that


$$39.94771 \times 2.499531 - 1249835$$

is greater than 0.00007 and less than 0.00009' (C S)

50 If a fall of £2 3375 in the selling price of certain goods converts the seller's profits of $5\frac{1}{2}$ per cent. on his outlay to a loss of $5\frac{1}{2}d$ in the £, what did he pay for the goods? (C S)

51 French and English wall papers are cut into pieces, the former 18 inches wide and 9 yards in length, the latter $22\frac{1}{2}$ inches wide and 12 yards in length. A paperhanger's book contains patterns of both which are priced by the piece. How would you reduce the prices of the French pieces (given in English money) so as to compare them with the prices of the English pieces? (C S)

52 Two pedestrians, X and Y, start from A and D respectively at the same time, their rates of walking being as 4 : 3. X's rate on the level is 4 miles an hour, uphill 3 miles an hour, and down hill 5 miles an hour. Where will they meet? (C S)



[The numbers indicate miles, A to B is 8 miles, B to C $4\frac{1}{4}$ miles, and C to D 6 miles.]

53 A walks $7\frac{1}{2}$ yds. while B walks 6. If they walk in the same direction, and B has a start of 20 yds, find graphically A's position relatively to B

(i) when B has walked 50 yards,

(ii) when A has walked 130 yards

How far will B have walked when he is 4 yards behind A?

54. I row against a stream flowing $1\frac{1}{2}$ miles an hour to a certain point, and then turn back, stopping two miles short of the place whence I originally started. If the whole time occupied in rowing is 2 hrs 10 mins and my uniform speed in still water is $4\frac{1}{2}$ miles an hour, find graphically how far upstream I went

[Take 1/2 of an inch horizontally to represent 1 hour, and 1 inch to 2 miles vertically]


55. A pint measure is 12.4 cm high to the nearest mm. Find what must be the height of a litre measure of the same shape. Among measures of the same shape the volume varies as the cube of the height. A litre is 1.76 pints to the nearest hundredth (C S)

56. In making out his balance sheet a manufacturer reckons that his machinery (if there have been no renewals) deteriorates in a year by 5 per cent of its value at the beginning of the year. If he buys machinery that costs Rs 27400, at what value will it stand in his balance sheet 6 years afterwards?

57. If 10 men, 8 women, and 6 boys can complete a piece of work in 25 days, for how many days will 19 men, 20 women, and 30 boys be occupied upon three times the work, the work of a man, woman, and boy being to one another as 5 to 3 to 2?

58. A recipe gives directions to mix 4 parts of substance A with 7 parts of substance B. These parts ought to be taken by weight but, by mistake, they are taken by volume. Find the error in the percentage of weight of A in the mixture if 117 cubic inches of A weigh as much as 151 cubic inches of B (C S)

59. A haystack 30 ft long has throughout its length the section shewn in the margin to a scale of 1 inch to 6 yds. The area of a section which is a ft wide, b ft high at the sides, and c ft high at the ridge is $a \times \frac{b+c}{2}$ sq ft. Find (to the nearest ton) the weight of hay in the stack, taking a cubic foot of hay as weighing 10 lbs



60. A rectangular stone trough is 3 ft 9 ins long, 2 ft 7 ins broad and 1 ft 2 ins deep externally, and weighs 874 lbs when empty. The interior surface is irregular, but it is found by trial that the trough holds 38 gallons. Find, to one place of decimals, how many times the stone is as heavy as water, bulk for bulk. [1 cubic foot of water weighs 62.3 lbs, 1 gallon of water weighs 10 lbs] (C S)

61. A man has a lease of a house, which has 3 years to run, and the rent is £150 a year, to be paid at the end of each year. In consideration, however, of a sum of money paid down he gets the rent reduced to £100 for the rest of his term. Find, to the nearest shilling, what sum he ought to pay, the current rate of investments being 3 per cent

62 At the age of 20 an assistant commenced at Rs 1000 a year for the first three years His salary was then raised Rs.200 each year for 10 consecutive years, and afterwards remained stationary He has just retired, and reckons that, on the average, his salary has been Rs 2500 a year What is his present age?

63 There was a question in an arithmetic paper —To find the L.C.M of three given numbers One of them was 3425, another 1829, and the third was an even number of 5 figures. One candidate, by mistake, copied down 3245 instead of 3425 but obtained the correct answer What was the third given number? (C S)

64 I have two kinds of foolscap paper ruled, so that on the one I find that 10 intervals measure 3 3 inches, and on the other 8 intervals measure 2 7 inches Express, as the vulgar fraction of an inch, how much an interval on the one paper differs in size from an interval on the other paper

Also find the shortest distance which is equal to an exact number of intervals on both kinds of paper (C S)

65 Assuming that 32 metres=105 feet, and that 4 litres=7 pints, find how many litres of water would be contained in a trench 48 metres long, 2 metres wide, when a trench of the same depth, 35 ft long and 4 ft wide, contains 2400 gallons

66 A starts 3 min after B for a place $4\frac{1}{2}$ miles distant B on reaching his destination, immediately returns, and after walking a mile meets A If A's speed is a mile in 18 minutes, what is B's speed?

67 A, B, and C entered into partnership, and provided capitals of £1100, £1300, and £1700 respectively Some months later, £500 extra capital being needed, it was supplied by B At the end of 12 months the total profit was £2513 14s, and A's share thereof £623 14s When did B supply the extra capital?

68 If 1 metre=39 37 inches, 1 gram=15 43 grains, find by how much per cent a pressure of 15 lbs per square inch exceeds a pressure of 1 kilogram per square centimetre.

69 A man's expenditure each year is to his income for that year as 5 is to 4, and his income for any year is to his income for the previous year as 9 is to 10 His expenditure for the year 1902 exceeded by 50 his income for the year 1900 What was his income in 1900?

70 A wine merchant buys 200 gallons of wine at 10s per gallon, at the end of 4 years he finds that 25 gallons of it have been lost by leakage, at what price per gallon must he sell the remainder so that he may have 5 per cent compound interest on his capital?

71 One cubic centimetre of concentrated sulphuric acid weighs 1 842 grams If 70 parts by volume of this acid are mixed with 30 parts of water, it is found that one cubic centimetre of the mixture weighs 1 615 grams Find how much per cent the mixture has shrunk (C S)

72 Three athletes run a three mile race round a course of 528 yards. Their rates are as 32 30 22. Find the positions of the other two when the winner comes in.

73 A man buys some property for Rs. 28000, and lets it on lease at a rent of Rs 1550 per annum, if the property costs Rs 140 a year for repairs, what interest does he get on his investment?

If the rent be collected by an agent for a commission of $2\frac{1}{2}$ per cent, what is the net interest obtained by the landlord?

74 The third class return fare from London to Plymouth, a distance of 234 miles, is 32s 10d. Express this in terms of centimes per kilometre, having given that 1 yard = 0.9144 metre, and £1 = 25 17 francs.

75 A motor car, travelling at the rate of 40 miles an hour, starts from a place P to travel, on a road running beside a railway, to a place Q, a distance of 150 miles. Fifteen minutes after the motor car has started, a train, travelling at the rate of 60 miles an hour, leaves P to go to Q. If the train stops for five minutes at a station 35 miles from P, find graphically

(i) At what distances from P the train and motor car are together

(ii) The length of time between the arrivals at Q of the train and motor car

(CS)

76 From a vessel containing a gallons of spirits, b gallons are taken and replaced by water. From the mixture b gallons are taken and replaced by water, shew that the vessel now contains $a \left(\frac{a-b}{a} \right)^2$ gallons of spirits.

77 A, B, and C together can do a piece of work in 60 days. After they had worked together for 10 days, A withdraws and B and C work together for 20 days. B then withdraws and C completes the work in 96 days more working one third longer each day. Working at his former rate C could alone do the whole work in 222 days. Find how long B would take to do the work alone.

78 A sum of money is accumulating at compound interest at a certain rate per cent. If simple interest instead of compound were reckoned, the interest for the first two years would be diminished by 13s 4d, and that for the first three years by £2. 0s 4d, what is the sum?

79 Express $\sqrt{25 + \sqrt{125}}$ as a decimal correct to 4 significant figures.

80 The elder of two brothers inherited from his father two fifths more money than the other. Since their father's death, the elder brother has increased his capital to the extent of three sevenths of its original value, and the younger has lost Rs 707. He now finds that he has only Rs 43 for every Rs 100 that his elder brother has. How much had each at first?

81 A rectangular roof 10 54 metres long by 8 2 metres broad is covered with sheet lead whose thickness is 8 millimetres Find the weight of the covering in kilograms [Specific gravity of lead=11 35]

82 Using contracted decimal work find the value of 5 tons 3 cwt 26½ lbs at £1 17s 5½d per cwt

83 A train starting at 12 o'clock on a 25 mile journey passes the points given in the annexed table at the stated times

Time,	12	h m 12 4	h m 12 8	h m 12 13	Arrives h m 12 20, stops 3 mins.	h m 12 27	h m 12 31	h. m 12 38 Stop
Distance in miles,	0	2	5	10	15	17	20	25

Plotting times horizontally and distance vertically, draw the curve showing the speed of the train throughout, and find from it at about what distance from the start the speed is greatest, and that speed in miles per hour (C S)

84 A gramophone with 5 rolls of music costs Rs 70, the same gramophone with 20 rolls of music costs Rs 90 How much should be paid for the gramophone with 50 rolls of music?

85 The following rules for conversion of units are sometimes employed

(i) to convert ounces to grams multiply by $\frac{85}{32}$,

(ii) to convert pounds to kilograms multiply by $\frac{5}{11}$

Having given 1 kilogram=2·204 pounds, find the percentage error in each case (C S)

86 Find from the following table which variety produces the most butter per gallon of milk

Variety	Milk used	Butter produced
A	132 gals.	22½ lb
B	704½ gals	139 lb
C	61 gals	12 lb
D	632 gals	112 lb
E	119 gals	20½ lb

(Madras Entrance)

87 If a sheet of lead 10.9 metres long and 19 decimetres wide weighs 1747 kilograms, and 1 cubic centimetre of lead weighs 11.4 grams, what is the thickness of the sheet to the nearest tenth of a millimetre?

88 Three persons contribute sums of Rs 2500, Rs. 5000, and Rs 7500 respectively towards a venture, on the understanding that the profits shall be divided in such a way that the *rate* of interest which each receives shall be in proportion to the amount of his contribution. If the profits for a year amount to Rs. 2450, how much will each of them receive?

89 An astronomical clock has its dial divided in 24 divisions instead of 12, and the small hand goes round in 24 hours, the large hand going round once every hour. The 24 hour is noon. Find when the hands are at right angles between 24 and 1, and also the interval between two successive meetings of the hands.

90 In a hundred yards race *A* can beat *B* by 4 yards, in a quarter of a mile race *C* can beat *A* by 11 yards, by how much can *C* beat *B* in a mile race, supposing that the average speeds of each man when running a hundred yards, a quarter of a mile, and a mile are proportional to 9 8 7?

91 Find the cost of making a road half a mile long, 36 ft wide, the soil being first excavated to a depth of one foot at a cost of 1s per cubic yard, rubble being then laid in, 9 inches deep, at a cost of 1s 6d per cubic yard, and 3 inches of gravel, at 3s 3d per cubic yard, being laid on the top, and the whole consolidated by a steam roller at a cost of 2d per square yard.

92 In the year 1905 the total British and Australian coinage was as follows

Gold	Silver	Bronze.
£18,588,000	£510,490	£100,325

Express each of these totals as a percentage of the total coinage correct to three significant figures.

93 A fundholder directs his broker to purchase £100 shares in a certain mine, quoted at $272\frac{1}{2}$ per share. To accomplish this he authorises him to sell out £850 in 3 p.c. stock at $95\frac{5}{8}$, and £1300 in $4\frac{1}{2}$ p.c. stock at $105\frac{3}{8}$. The broker's charge on each of the three transactions is $\frac{1}{8}$ percent on the nominal value of the stock, how much does he receive for the whole transaction?

94. An armourer undertakes to supply 2000 swords at Rs 12 15s each, and he estimates that if 5 per cent fail to stand the required tests and are worthless, the profit will be 15 per cent on his whole outlay. At the trial 35 per cent. of the swords prove worthless. How much does the armourer lose by the contract?

95 The population of a certain town was 5000 in 1850 and its rates of increase for successive periods of 10 years from 1850 to 1900 were 8, 10, 13, 14, and 15 per cent. Find the population at the end of each period, and plot a curve shewing the growth of population during the 50 years. From the curve estimate the population in the years 1875 and 1895 (C S)

96 The rent of a house is Rs 2000 per annum, due by half yearly payments on Jan 1st and July 1st, and no payment has been made since the beginning of last year. What sum to the nearest pice will be due at the beginning of next year, interest being added to arrears, at the beginning of each half year, at the rate of 5 per cent per annum?

97 Cycling from A to B I ride at 15.75 kilometres an hour except up one hill 0.75 kilometre long, where I dismount and push the machine at 4.5 kilometres an hour. On returning I ride all the way at 15 kilometres an hour and take the same time over the journey. What is the distance from A to B? (C S)

98 A and B start together from the same point on a circular track, and walk in the same direction till they both again arrive at the starting point. If A performs a circuit in 224 seconds and B in 364 seconds, how many times will A have passed B?

99 Find correct to 4 significant figures the value of $(1.031485)^3$, stating with reasons what figures may be disregarded at any stage of the work.

100 A rectangular field is 127.35 metres long and 98.27 metres wide. Express the area as the decimal of an acre, having given that 1 jd = 0.9144 metre.

101 A man invests Rs 10,000 in 3 p c stock at 105. At the end of the first year he invests the year's dividend in the same stock at 107, at the end of the second year he invests the whole dividend for that year in the same stock at 108. What is his dividend for the third year, correct to the nearest pice?

102 Assuming the following to be an extract from a broker's stock- and share list, arrange the stocks in relative order of merit as profitable investments, and calculate the net interest which would be received by investing a lac of rupees in Government paper giving $3\frac{1}{2}$ per cent, after deducting income tax at the rate of 5 pices in the rupee.

Share.	Dividend per cent.	Name of Share or Stock or Debenture.	Quotation
Rs 100	3	Govt Paper (3)	Rs 81
Rs 100	$3\frac{1}{2}$	Do do ($3\frac{1}{2}$)	Rs 97.3
£100	$2\frac{1}{2}$	Do Consols	£82 $\frac{1}{4}$
Rs 500	10	Bank of Madras	Rs 1,097 $\frac{1}{2}$
Rs 500	12	Bank of Bengal	Rs 1,430

(Calcutta Entrance)

103 From a quarter cask (27 gallons) of sherry a dishonest servant abstracts half a pint daily, replacing it by half a pint of water. Find an expression to shew the number of pints of sherry left after 20 days

104 There are two cogged wheels, with 5 and 24 teeth respectively, working into each other. If the first makes 16 complete revolutions in 10 seconds, how many revolutions will the second make in 1 minute? (C S)

105 The average annual depth of rainfall at a certain place was 24.98 inches for the years 1899, 1900, 1901, the succeeding three years it was 29.62. The year 1903 was the wettest, when there fell 4.8 inches more than in 1902, 6.36 inches more than in 1904, and 7.47 more than in 1900. The fall in the year 1901 was short of the preceding year by only 0.17 inch. Find the depth of rainfall that fell in each of the six years (C S)

106 In a flat race A beats B by 15 yards, and C by 20 yards. When B and C run over the course together B wins by 15 yards, find the length of the course

107 A scholarship is founded from the investment of £2000 in $4\frac{1}{2}$ per cent stock at $114\frac{1}{2}$, find the annual value of the scholarship after income tax at 11d in the £ has been deducted

108 A man bought certain goods of which he sold $\frac{1}{3}$ at a profit of 14 per cent, $\frac{2}{3}$ at a profit of $17\frac{1}{2}$ per cent, and the remainder at a profit of 20 per cent. What was his profit per cent on the whole?

109 A man lends his capital on mortgage at $3\frac{3}{4}$ per cent per annum. After 6 months the money is repaid, with an additional month's interest in lieu of notice. The man then uses the capital and interest to purchase 3 per cent stock at $108\frac{1}{4}$. He sells this stock at $106\frac{3}{4}$ at the end of the year, having received one half yearly dividend. If he has to pay a brokerage of $\frac{1}{4}$ per cent on the nominal value of the stock both when buying and when selling it, what is his net gain per cent on his capital for the year?

110 Three persons, A , B , and C , hold a grazing farm in common at a yearly rent of Rs 570. A puts in 126 oxen for three months, B puts in 162 for 5 months, and C puts in 72 for 12 months. How much of the rent should each person pay?

111 A Parliamentary grant is made at the rate of 5s per head for all the children at elementary schools. If this grant is distributed at the rate of 5s 9d per child in town and 3s 3d per child in country schools, what percentage of the total number of children are in each class of school? (C S)

112 A bookseller began business on January 1st, 1908, with a capital of Rs 8000. On 15th September he was joined by a partner, who brought Rs 11,500 to the business. At the end of December the profits were found to be Rs 1654. Find to the nearest anna the share of each (Panjab Entrance)

113 A bicycle was sold at a loss of 40 per cent on the cost price, and a second bicycle was bought with the proceeds when 5 guineas had been added. This second bicycle was sold at a loss of 35 per cent, and a third bicycle was bought with the proceeds after the addition of £5 15s 3d. This third bicycle cost £16, what was the price of the first?

114. Shew that a hectare is approximately 2 471 acres, having given that a metre is 3·28 feet

115 The surface of a sphere of radius r inches is $4\pi r^2$ square inches, where $\pi = 3\frac{1}{7}$. If π is taken, instead, to be equal to $\frac{22}{7}$, find, roughly in square miles, the difference that this will make in the calculated area in the earth's surface, the earth being a sphere of radius 4000 miles (C S)

116 A company borrows the sum of Rs 16,58,775 on the understanding that at the end of each year a portion of the principal is to be paid off, with interest at 4 per cent per annum on the amount standing unpaid during that year. Prove that the debt can be cleared off in four years by an annual payment of Rs 456,976

117 A ship strikes on a rock and fires guns at intervals of one minute. A lifeboat's crew start from the shore, rowing $3\frac{1}{3}$ miles an hour, at the instant when they see the flash of one of those guns, and they have rowed 308 ft when they hear the report of the next gun. If light travels instantaneously, and sound at the rate of 1100 ft. per sec, what is the distance of the ship from the shore?

118 Two trains start at the same time, one from Liverpool to Manchester, and the other in the opposite direction, and running steadily complete the journey in 42 minutes and 56 minutes respectively. How long is it from the moment of starting before they meet? (C S)

Verify your result by a graphical solution

119 If 9 men and 6 boys can do in 2 days what 5 men and 7 boys could do in 3 days, in what time could 2 men and 5 boys do the same?

120 There are two jars, one containing a gallon of brandy and the other a gallon of water. One pint of brandy is taken from the first and placed in the second, then one pint of the mixture is taken from the second and placed in the first. Shew that the amount of water now in the first is equal to the amount of brandy in the second

121 (1) Taking $\pi = 3\frac{1}{7}$, shew that $\frac{1}{\pi} = \frac{1}{4} + \frac{1}{16} + \frac{1}{176}$. Use this to divide 57·6 by π correct to two places of decimals

(2) If π hours = 3 hours, 8 minutes, 30 seconds, find the value of π as (i) a decimal fraction (to four decimal places), (ii) as a vulgar fraction (Madras Entrance)

122 Assuming that the volume of a sphere is 0.5236 that of a cube whose edge is its diameter, and that a cubic inch of iron weighs 4.48 oz., find to the nearest ounce the weight of a hollow sphere formed of iron $\frac{1}{4}$ in. thick, whose internal diameter is 7 in.

123 Three railway tickets, a 1st, a 2nd, and half a third class were purchased for 16s. 10 $\frac{1}{2}$ d. The 1st class ticket cost $1\frac{2}{3}$ times as much as the 2nd, and the 2nd class $1\frac{1}{2}$ times as much as a whole 3rd class ticket. The distance travelled was 45 miles. Find the cost of each ticket and the rate per mile for each class. (C S)

124. Find a prime number of 3 digits, such that the digit in the units place is equal to the sum of the other two, and if the other two digits be interchanged we still have a prime number of 3 digits. (C S)

125 A man starts to row on the still water of a canal, and completes a mile in quarter of an hour. He then reaches a river and rows with the stream $1\frac{1}{3}$ miles in the next quarter of an hour. How long will it take him to return to the starting point if he rows back with the same strength as on his outward course?

126 A man borrows Rs 25,220 which he undertakes to pay back with compound interest at the rate of 5 per cent per annum in three equal yearly instalments at the end of one, two, and three years. Show that each instalment is Rs 9261.

127 Two passengers have between them 345 lbs of luggage and pay on their excess luggage Rs 3.2a and Rs 5 respectively. If the luggage had belonged to one of them the excess charge would have been Rs 11.4a. How much free luggage is allowed to each passenger?

128 The cost of producing a photogravure is partly fixed, viz. Rs 300 for the plate, and partly variable, viz. Re 1.12a per copy. What is the least number of copies that must be sold at Rs 7.10a each to ensure a profit? Verify the solution graphically.

129 A party of tourists set out for a station 3 miles distant and go at the rate of 3 miles an hour. After going half a mile one of them has to return to the starting point, at what rate must he now walk in order to reach the station at the same time as the others? (C S)

Verify your solution graphically.

130 Find the error per cent to the nearest integer in the following rule: "To convert miles per hour into feet per second, multiply by $1\frac{1}{2}$." (Madras Entrance.)

131 A sovereign may not weigh more than 123.47447 grains, and has to be withdrawn from circulation when it weighs 122.5 grains. A heap of sovereigns weighs 384 tolas, correct to the nearest tola. State the greatest and least possible number in the heap. [A tola contains 180 grains.] (Madras Entrance.)

132 The first of a series of cogged wheels, working into each other in a straight line, has a certain number of teeth, the number of teeth in the second is to that of the first as 6 7, of the third to the second as 5 6, and of the fourth to the second as 2 3. If the wheels are set in motion, how many revolutions must each wheel make before they are simultaneously in their original positions? (C S)

133 What sum at compound interest will amount to Rs 6500 at the end of the first year and Rs 6760 at the end of the second year?

134 If a rectangular pathway which measures 787 4 metres in length and 1 53 metres in width is made at a cost of 1¹ francs per square metre, find the length to the nearest foot of a similar pathway 6 feet wide which costs 1¹/₂ per square yard, the total cost being the same [Assume £1 = 25·20 fr]

135 The receipts of a company amounted in one year to Rs 35,40,000 and the expenses to Rs 25,10,000. In the subsequent year receipts fell off by 3¹/₂ per cent and expenses increased ¹/₂ per cent. Find by what percentage of itself the profit in the first year exceeded the profit in the succeeding year.

136 At the beginning of a year a man invests £9000 in 3 per cent stock at 117, and £7200 in 2¹/₂ per cent stock at 108. At the beginning of the next year when both stocks are at 111 he sells them. Assuming him to have received one year's interest on each stock, and to have paid a brokerage of 5s per £100 of stock on the latter transaction but not on the former, find how much he has gained on the whole.

137 Find the value of $\sqrt{1\cdot009} - \sqrt{0\cdot091}$ correct to 4 places of decimals.

138 Two houses exactly alike are built one in 4 months and the second in 7 months. The number of workmen engaged on the first is double that employed on the second, and they work two hours a day overtime, for which they are paid half as much again as for work done in the ordinary working day of 10 hours. If the sum paid for labour is Rs 17400, find the price of each house.

139 A litre of water weighs a kilogram, a litre of another liquid weighs 1 340 kilograms. A mixture of the two weighs 1·270 kilograms per litre. Determine the volume of each in a litre of the mixture. (C S)

140 Three trains start from a town A at 12 0, 12 5, and 12 10, and travelling each at a uniform rate by 3 different routes of the same length to a town B, are observed to pass a signal box at B exactly abreast of each other at 12 50. If at 12 20 the sum of the distances traversed by the three trains is 36 miles 7 furlongs, how far from A is the signal box at B? (C S)

141 A room is a ft long b ft broad, and c ft high. How many yards of paper d ft wide will be required to cover the walls? Find also the cost in rupees of this paper at the rate of n annas per piece of 12 yards. (Panjab Entrance)

142 A milkman adulterates his milk as follows — He takes 5 seers out of each maund and replaces it with water. He then takes another 5 seers out of the mixture and replaces that with water, and he repeats the operation a third time. If he then sells his adulterated milk at the price that the pure milk originally cost him, find his gain per cent correct to two decimal places.

143 By the use of logarithms find the value of

$$(i) \frac{52.45 \times 378.372 \times 0.020863}{87.318 \times 0.584}, \quad (ii) (1.03)^3 \times (1.025)^4 \times (1.05),$$

as accurately as the Tables permit

144. Find the amount at compound interest of £500 for 4 years, the interest being at the rate of 3 per cent per annum for the first two years, 10 per cent paid quarterly for the third year, and 5 per cent per annum for the fourth year.

145 One gallon of spirit which contains 11 per cent of water is added to three gallons containing 7 per cent of water, and to this mixture half a gallon of water is added. Find the percentage of the water in the mixture.

146 How many shot, $\frac{1}{8}$ in diameter, will go to a pound if a cubic foot of lead weighs between 708 and 712 lbs? (C S)

147 A certain mixture should be made by dissolving 12 grams of bluestone and 8 grams of lime in 1 litre of water. The mixture is actually made by dissolving 2 oz. of bluestone and $1\frac{1}{4}$ oz. of lime in 1 gallon of water. On this plan how many grams of bluestone and of lime are there to the litre of water? (C S)

148 A sum of money was lent at 8 per cent per annum, two years ago, to be repaid now with compound interest, but a dispute arises as to whether the interest should have been compounded annually or half yearly. The sum in dispute being Rs 650, find the sum lent to the nearest hundred rupees. (Madras Entrance)

149 A contractor undertakes to complete a piece of work in 130 days. He employs 150 men for 25 days and they complete $\frac{1}{4}$ of the work. He then reduces the number of men to 100, who work for 60 days, after which there are 10 days' holidays. How many men must be employed for the remaining period so that the work may be completed in time? (Bombay Entrance)

150 A merchant advertises goods at a price that would give him 40 per cent profit. At this price he succeeds in selling $\frac{3}{4}$ of his stock, but to dispose of the remainder he has to lower his prices 40 per cent. What is his percentage profit on the transaction? (Madras Entrance.)

151. A man takes a boat and rows up stream. When he has gone $1\frac{1}{2}$ miles up stream he passes a bottle floating down with the stream. He goes on up the river for another 18 minutes and then turns. When he gets back to the starting-place he finds that the bottle has just arrived there. Assuming that his speed through the water and the speed of the stream are both uniform, find the speed of the stream in miles per hour (C S)

152. If a corporation borrows p pounds at the rate of r per cent, the loan and interest can be paid off by n equal annual instalments of a pounds where

$$a = \frac{p \times R^n \times (R - 1)}{R^n - 1}, \text{ and } R = 1 + \frac{r}{100}$$

What must be the annual payment if a loan of £5000 at 3% is repaid by 10 equal payments? (C S)

153. Through a wooden pipe, whose cross section is a square on a side of 6 cm, water flows uniformly at the rate of 50 metres a minute. How long will it take to discharge 30,000 litres?

154. A banker invests half the money deposited by his clients in 4 per cent. preference stock at 150, and lends a quarter of it on mortgages at 5 per cent, keeping the remainder in cash at the bank. After paying 2 per cent interest on deposits, he has an average annual balance of Rs 10,000 in his favour. Find the average amount of the deposits to the nearest rupee.

155. A mixture is made of two liquids, one of which weighs 0.68 gram per c cm and the other 1.04 gram per c cm, and the mixture weighs 0.82 gram per c cm. Find the percentage (by volume) of each liquid in the mixture (C S)

156. A plan is to be enlarged so that a plot of ground which occupied 1.5 sq in in the original shall occupy at least 1 sq foot in the enlarged plan. If the original measured 6 in by 4 in, what must the least dimensions of the enlarged plan be? (C S)

157. A certain piece of work is found to occupy 14 men and 13 boys for 3 hours. Double the work has to be done in 5 hours, and there is no room for additional workers. How many boys must be replaced by men, if 4 men do as much work as 7 boys? (Madras Entrance)

158. A railway train can travel 20% faster than a motor car. Both leave Khandala for Poona, a distance of 75 Kms, at the same time and reach Poona at the same time, but the train has lost $12\frac{1}{2}$ minutes in stopping at stations on the way. Find speed of the car in Kms per hr (Bombay Entrance)

159 A manufacturer estimates that he can make a certain patented article for Rs 170 per gross. Find, to the nearest pice, the retail price for each article which must be fixed so that, after paying the patentee a royalty of 10 per cent on the retail price, and giving the retail tradesman a discount of 40 per cent on the retail price, the manufacturer may make a profit of 25 per cent on the cost of making it.

If the retail price were fixed at Rs 3, what would be the actual amount of profit made by the manufacturer on each article?

160 In a certain examination the highest and lowest marks gained in a Latin paper were 153 and 51. These have to be reduced so that the maximum (120) is given to the first candidate, and the minimum (30) to the lowest. This is done by reducing all the marks in a certain ratio, and then increasing or diminishing them all by the same number. In a Greek paper the highest and lowest marks were 161 and 56, after a similar adjustment these become 100 and 40 respectively. Draw graphs from which all the reduced marks may be read off, and find the marks which should be finally given to a candidate who scored 102 in Latin and 126 in Greek.

Shew also that it is possible in one case for a candidate to receive equal marks in the two subjects both before and after reduction. What are the original and reduced marks in this case?

161 A man riding a bicycle, at the rate of 15 miles per hour, towards a fort where minute guns are being fired, finds that he hears the 52nd report just 50 minutes after the first. Find the velocity of sound.

162 Water has to be diverted from a river through a six inch diameter pipe running full bore at a velocity of one foot per second to irrigate a field of 20 acres. How long will it take to deliver an inch of water over the whole area? [Area of circle = π (radius)²] (C S)

163 A man invests Rs 14625 in $3\frac{1}{2}\%$ Government Paper at $97\frac{1}{8}$. He sells out when the price has risen to $98\frac{1}{8}$ and buys 4% Municipal Debentures at $111\frac{7}{8}$. What will be the change in income? Brokerage at $\frac{1}{8}\%$ is charged in each transaction. (Bombay Entrance)

164. Find the cost of a draft on London for £1030 7s 6d at $3\frac{1}{8}\frac{5}{8}d$ per rupee. (Madras Entrance)

165 On a single line railway, 55 miles long, there are stations at every 5 miles, where it is possible for two trains to pass one another. A fast train starts at noon from one terminus, running at the rate of 50 miles an hour, and stops 2 minutes at the fifth station out. A slow train starts 5 minutes later from the other terminus, running at the rate of 20 miles an hour, and stops 2 minutes at every station. At what station must the slow train lie by for the fast train to pass it? The slow train must be out of the way at least a minute before the fast train is due. (C S)

166 When a body floats in a liquid, the weight of the displaced liquid is equal to the weight of the body

A man whose weight is 10 stone (or 140 lbs) finds that he can just float in fresh water when he is practically wholly immersed. Calculate his volume in cubic feet [1 cu ft of water weighs 62.3 lbs]

At a football match in Wales men were crowded together to the utmost extent upon a stand 360 ft long and 40 ft wide. Taking the average weight to be 10 stone, and supposing the space occupied by the men's bodies to be 90 per cent of the space between the stand and 5 ft 6 in above it, find the number of men on the stand (C S)

167 At the point where a stream passes a bridge it is 18 metres wide and has a uniform depth of 3.6 metres. If the stream flows uniformly at the rate of 1.75 kilometres per hour, how many litres of water pass through the bridge in one minute? (C S)

168 A man has in his workshops 96 ordinary gas burners, each burning $3\frac{1}{2}$ cubic feet of gas per hour for an average of 13 hours a week from October 1st to March 31st

He adopts a new patent burner said to save 33 per cent. If the price of gas is Rs 2 1a. per 1000 cubic feet, how much ought he to save in the 6 months by using the patent? (C S)

169 A company has 3 kinds of capital, £17,904,062 guaranteed stock on which it pays dividend at the rate of 5 per cent per year, £11,925,808 preference stock on which it pays 5 per cent per year, and £35,538,259 ordinary stock, the dividend on which varies with the profits. For a certain half-year £1,492,156 11s 9d is available for dividend

What dividend to the nearest quarter per cent for the half year can it declare on its ordinary stock, £35,538,259, so as to carry over at least £40,000 after paying the dividends on the three descriptions of stock? What amount will it carry over after paying these dividends to the nearest penny? (C S)

170 A statuette 10 in high is to be made of silver, a plaster model 4 ft in height has been made, and weighs 150 lbs. What will be the weight of the silver statuette, silver being 12.9 times as heavy as plaster? (C S)

171 A yard measure is too long by 0.18 of an inch. If it is used to measure the sides of a rectangle, find by how much per cent the true area exceeds the calculated area

172 The weights of two spheres are in the ratio of 8 to 17, and the weights of a cubic foot of the material in the two spheres are in the ratio of 289 to 64. Compare their radii

173 A, B and C are partners in a business, and their shares are in the proportion of $\frac{1}{2}$: $\frac{1}{3}$: $\frac{1}{4}$. A withdraws half his capital at the end of 4 months, and after 8 months more a profit of Rs 2024 is divided. What is A's share? (Panjab Entrance)

174. In 1891 the population of three towns was 45,682, 25,408, and 18,960 respectively. In 1901 the two former had increased by 8 per cent and $4\frac{1}{2}$ per cent respectively, and the latter had decreased by 10 per cent, find the average increase per cent in the population of the three towns

175 A man buys at £8 16s 8d per ton a quantity of ore which contains 23 per cent of copper, 92 per cent of the copper is extracted at a cost of 2s 8d per cwt of ore, find the price per ton at which the copper must be sold to ensure a profit of 15 per cent on the whole

176 If a circular disc measures a inches across and b inches in thickness its volume is $0.7854 \times a^2 \times b$ cubic inches

A penny measures 1.23 inches across and a halfpenny 1 inch, if the thicknesses were in the same ratio, what fraction (as a decimal to the nearest hundredth) would the weight of the halfpenny be of the weight of the penny? (C S)

177 A dishonest tradesman marks his goods at an advance of 5 per cent on the cost price, but uses a fraudulent balance, whose beam is horizontal when the weight in one scale is one fifteenth more than the weight in the other. What is his actual gain per cent? (C S)

178 Three vessels, each capable of holding 32 gallons, contain mixtures of wine and water. In the first, which is half full, the quantities of wine and water are equal, in the second, which is three quarters full, there are 9 gallons of wine, and in the third, which is full, there are only 4 gallons of wine. If the second is now filled up from the third, and then the first filled from the second, what will the quantities of wine and water become in the first?

179 How many paving stones, each of them 1 foot long and 9 inches wide, will be required for paving a street 30 feet wide, surrounding the outside of a square grass plot, the area of the grass plot being 10 acres? (Calcutta Entrance)

180 The debts of a bankrupt amount to £2194 10s 6d and his assets consist of a property worth £916 5s 4d and an undiscounted bill of £513 due 4 months hence, simple interest at 4 per cent. How much in the pound can he pay to his creditors? (Calcutta Entrance)

181. When can a vulgar fraction be converted into a terminating decimal? What kind of decimal will the fraction $\frac{119}{130}$ produce? (Calcutta Entrance.)

182 A , B , and C could reap a field in 18 days, B , C , and D in 20 days, C , D , and A in 24 days, and D , A , and B in 27 days. In what time would it be reaped by them all together? (Panjab Entrance)

183 A trader allows a discount of 5 per cent to his customers. What price should he mark on an article, the cost price of which is Rs 712 8a, so as to make a clear profit of $39\frac{1}{3}$ per cent on his outlay?
(Calcutta Entrance)

184 A person invests Rs 44,100 in the $3\frac{1}{2}$ per cent Government securities at 98, and when they rise to 98 $\frac{1}{2}$, he sells out and invests the proceeds in the 5 per cent Calcutta Municipal Debentures at 110 $\frac{1}{8}$. Find the alteration in his income.
(Calcutta Entrance)

185 Two men run a race of 100 yards. The race is won by 9 $\frac{1}{11}$ yards in distance and by one second in time. Find the speed of each and the time each took to run the distance.
(Calcutta Entrance)

186 A runs and B bicycles round a circular course in the same direction in 224 and 88 seconds respectively. If they start together, how many seconds will intervene until they are together again?
(Calcutta Entrance)

187 A man borrows Rs 250 for 9 months at 3 per cent per annum, and by immediately lending it out for the same period at a higher rate of interest he makes a profit of Rs 2 13a. What rate of interest does he charge?
(Calcutta Entrance)

188 In making out his balance sheet, a manufacturer reckons that his machinery depreciates in value in a year by 5 per cent of its value at the beginning of the year. If he originally possesses machinery to the value of Rs 54 321, at what value, correct to the nearest rupee, should it stand in his balance sheet six years afterwards?
(Calcutta Entrance)

189 The hands of a clock coincide after every 66 mins of correct time. How much is the clock fast or slow in 24 hrs?
(Calcutta Entrance)

190 A race course is 440 yds long. A and B run a race and A wins by 5 yds. B and C run over the same course and B wins by 4 yds. C and D run over it and D wins by 16 yds. If A and D run over it, which would win, and by how much?
(Calcutta Entrance)

ANSWERS

PART I

I a	Page 4.	1	(i) 4002, (ii) 46298	2	1878	3	416
4	66	5	11817	6	9123	7	67573
8	2,662,750	10	14456	11	14496	12	27898

I b	Page 8	1	8645	2	334,368		
3	1,289,377	4	5,211,621	5	43,618,934		
6	20,826,052	7	353,798,810	8	353,524,691		
9	635,161,754	10	444,150	11	2,314,400		
12	26,310,000	13	(i) 21375, (ii) 106,875, (iii) 534,375				
14.	(i) 480,420, (ii) 2,402,100, (iii) 12,010,500						
15	(i) 357,896, (ii) 3,648,345						
16	(i) 8,385,597, (ii) 4,997,477, (iii) 67,592,994						
18	212	19	193	20	3856	21	1901
22	27276	23	48711	24	2016	25	723
26	266	27	11008	28	39892	29	368,372
30	(i) 39,367,914, (ii) 7,256,358,800						

I c	Page 11	1.	77, rem 33	2	75, rem 48		
3	19, rem 5	4.	142, rem 4	5	150, rem 6		
6	1050, rem 3	7	44, rem 33	8	58, rem 60		
9	25, rem 7	10	150, rem 81	11	10, rem 160		
12	19 rem 468	13	321	14.	108, rem 11		
15	209, rem 24	16	2345	17	432, rem 23		
18	1030, rem 72	19	871, rem 23	20	607	21	857
22	289, rem 41	23	1198, rem 166	24	7126, rem 45		

Miscellaneous Examples I Page 13 1 Ninety nine millions, four hundred and forty thousand, eight hundred and eighty

2	Thirty two lacs and fourteen	3	948,007	4	£5375		
5	Rs 3427	6	360, 216, 20736, 1	7	13	8	42
9	351,196	10	237,263	11	Rs 8120	12	25
13	60200	14	189	15	246	16	124
17	Hat Rs 6, cap Rs 2	18	Father's Rs 25 a month, son's Rs 11				

19	115,411,149	20	3,578,234,210	21	1256, rem 209
22	987,818,609	23	99,99,990	24	58
25	3,182,079	26	501	27	5488
28	(i) 1,322,972,384, (ii) 1,668,152,175	29	1293 maunds		
30	(i) 73700, (ii) 250,000	31	3785, rem 36	32	1243
33	465	34	555,111,111,222	35	966,432
36	36	38	35 yrs, 15 yrs	39	10
41	20	42	He put down 5 for 3	40	80,000,000
43	The two dividends are 68734 and 13746				
44	43364	45	£23	46	Rs 1
47	Greatest, Two crores, thirty four lacs, fifty six thousand, seven hundred and eight, least, Two crores, three lacs, forty five thousand, six hundred and seventy eight				
48	A, 73, B, 46, C, 30	49	A, 48, B, 24, C, 96	Av, 9	
50	20	51	7 and 6	52	Divisor 561, quotient 943

II a	Page 25	16	17555	17	360	18	7308
19	6430	20	3903	21	9223	22	6430
23	4383	24	8765	25	£9 2s 6d	26	£9 10s 8½d
27	£22 16s 9¾d	28	800 a	29	474 a	30	5565 a
31	2928 p	32	16811 p	33	26000 p		
34	Rs. 15 10 a	35	Rs 520 13 a 4 p	36	Rs 1822 14 a 8 p		
37	1347	38	3481	39	3664	40	5788
42	15367	43	£7 8s 6d	44	£10 0s 3d	41	4493
45	£135 18s	46	380	47	777		
48	2776	49	625000	50	562 Rs 50 cents		

II b	Page 27.	1	£22 0s 1d	2	Rs 15 10 a 10 p
3	105 Rs 25 cents	4	£42 1s 2½d	5	Rs 178 4 a 8 p
6	1029 Rs 75 cents	7	£143 11s 6d	8	Rs 1768 11 a 7 p
9	736 Rs 10 cents	10	Rs 1962. 11 a 1 p		
11	£51 8s	12	263 Rs 50 cents		
13	(i) £46101 13s 7d, (ii) £36705 13s 9d, (iii) £30000				
	Total, £112,807 7s 4d				

II c	Page 29	1	£9 16s 8d	2	£85 18s 10½d
3	Rs 205 11 a 9 p	4	Rs 733 6 a 7 p	5	660 Rs 75 cents
6	1668 Rs 65 cents	7	£1 6s 7d	8	£6 1s 7½d
9	Rs 70 3 a 6 p	10	300 Rs 10 cents	11	Rs 785 13 a 2 p
12	Rs 372 6 a 4 p	13	£324 16s 9d	14	Rs 28 11 a 5 p
15	Rs 10 6 a	16	£90 5s 6d		
17	£11 6s 11d	18	£96 16s 4d		

II. d Page 31

- 1 (i) £46 3s 9d, (ii) £107 15s 5d, (iii) £169 7s 1d
 2 (i) £105 17s 6d, (ii) £185 5s 7½d, (iii) £238 4s 4½d
 3 (i) Rs 1044 14a 9p, (ii) Rs.1880 13a 9p, (iii) Rs 2507 13a
 4. (i) 2506 Rs 80 cents, (ii) 3342 Rs 40 cents, (iii) Rs.4178
 5 £461 6 £2970 15s 7 Rs 1135 6a 9p
 8 Rs 3230 6a 3p 9 65001 Rs 20 cents 10 48758 Rs 40 cents
 11. (i) £231 5s 10d, £2312 18s 4d, £23129 3s 4d
 (ii) 232 Rs 50 cents, Rs 2325, Rs 23250
 12 (i) £330 1s 8d, (ii) £371 6s 10½d, (iii) £701 8s 6½d
 13 £1095 11s 11d 14. £1827 4s 1d 15 £3332 12s 8d
 16 £10584 19s 7d 17 Rs 11652 5a 3p 18 Rs 33530 11a 9p
 19 7115 Rs 40 cents 20 23500 Rs 85 cents
 21. £9 7s 6d 22 Rs 3 23 Rs 957 24. Rs.56687 8a

II e Page 34.

1. £5 7s 11d 2 £5 15s 2d
 3 Rs 4 9a 3p 4. Rs 26 0a 4p 5 18 Rs 30 cents
 6 46 Rs 35 cents 7 Re 1 10a 7p. 8 £3 9s 7d
 9 £7 6s 4d 10 Rs 41 4a 2p 11. 40 Rs 25 cents
 12 90 Rs 5 cents 13 £3 5s 2d, rem 7s 11d
 14. 6 Rs 8 cents, rem 20 cents 15 £23 2s. 7d
 16 Rs 41 4a 2p, rem 6a. 5p
 17 18 Rs 48 cents, rem 2 Rs 54 cents
 18 Rs 20 5a 1p, rem Re 1 11a. 1 p
 19 17 20 11 21. 23 22 14 23 99
 24. 44 25 72 26 111 27 23, rem. 10d
 28 13, rem 10a 9p 29 72, rem 16s 30 6418

II f Page 35

- 16 15s 11d 17 6a 3p
 18 £19 7s 6d 19 22 Rs 50 cents. 20 Rs 22.
 21 £215 10s 10d 22 17s 6½d 23 40
 24. 6d 25 95, rem 10a 26 235, rem 75 cents
 27 54 28 148, ½d 29. 939
 30 500, 1s 8d 31 41 32 Rs 3729 7a 9p
 33 £160 15s 34. £5 13s 6d
 35 A, Rs 40, B, Rs 27 36 A, £120, B, £80, C, £65
 37 A, Rs 10, B, 8 Rs 20 cents, C, 7 Rs 25 cents
 38 £38 19s 2d 39 £1000 40 2d, £8 6s 8d
 41 72 42 18 Rs 52 cents 43 2¼d, 9s 2d
 44 12800 45 Rs 430 8a 3p

II g	Page 39	1	101	2	283	3	719
4	184.	5	1195	6	2207	7	700
9	785	10	693	11.	603	12	690
14.	503	15	53	16	14960	17	19610
19	7000	20	800	21	30	22	7830
24.	7083	25	7830	26	14014	27	141,004
28	(i) 4 yds 2 ft 3 in , (ii) 13 yds 2 ft 1 in						
29	(i) 15 big 19 cot , (ii) 51 big 5 cot						
31	8 m 1 dm 3 cm	32	9 m 5 cm	33	7 m 2 cm	34	7 dm 2 mm.
34.	7 dm 2 mm.	35	5 Km	36	1 Hm 7 Dm 3 m	37	5 Km 2 Dm
36	5 Km 2 m	37	2 Km 2 Hm	38	5 Km 2 Dm	39	15840 , 27720
39	15840 , 27720	40	80 , 792 , 8 in	41	35 yds 0 ft 7 in.	42	33 m 7 dm 1 cm
42	33 m 7 dm 1 cm	43	33 dm 7 cm 1 mm	44	24 mi 760 yds	45	25 Km 520 m
44	24 mi 760 yds	46	3 mi 2 fur 209 yds	47	27 big 11 cot	48	(i) 11 yds 2 ft 3 in , (ii) 11 m 9 dm 1 cm
46	3 mi 2 fur 209 yds	49	2 mi 780 yds , 2 Km 20 m	50	(i) 49 yds 2 ft 3 in , (ii) 46 m 5 dm 3 cm	51	(i) 3 yds 8 in , rem 3 in (ii) 1 big 5 cot. 1 hath
48	(i) 11 yds 2 ft 3 in , (ii) 11 m 9 dm 1 cm	52	12 mi	53	6 Km.	54.	528
49	2 mi 780 yds , 2 Km 20 m	55	10 , 5 ft over	56	4964	57	20 chains , 440 yds
50	(i) 49 yds 2 ft 3 in , (ii) 46 m 5 dm 3 cm	58	497 [True run=497 mi 800 yds]	59	2 mi. 300 yds , 13 m	60	445 yds
51	(i) 3 yds 8 in , rem 3 in (ii) 1 big 5 cot. 1 hath						
52	12 mi	53	6 Km.	54.	528		
55	10 , 5 ft over	56	4964	57	20 chains , 440 yds		
58	497 [True run=497 mi 800 yds]						
59	2 mi. 300 yds , 13 m			60	445 yds		

II h	Page 41	1	1025	2	9520	3	4872.	4	52690
5	14232	6	5000	7	900	8	3900	9	641
10	641	11	3250	12	25 lbs	13	2 tons 13 cwt 64 lbs.	14.	44 gals 1 qt 1 pint
16	101 md. 22 sr 8 ohk	17	19 candies 10 md 5 vis	18	1 candy 7 md. 5 sr 5 tank	19	4 Hg 7 g	20	4 Kg 7 g
21	4 Kg 7 Hg	22	4 Kg 7 Dg	23	3 Hl 5 Dl 7 l.	24.	29 Hl 3 l.	25	(i) 2240 , (ii) 2200
26	(i) $42\frac{1}{2}$ grains , (ii) there is no difference								
27	176 tons 1 cwt 3-qr 23 lbs	28	337 md 5 sr 1 chk 3 tola	29	24 Kg 7 Dg 6 g	30	8 cwt 65 lbs , 1 Dg 3 g	31	39 gals 1 pt
34	1 md 38 sr 3 powa	35	10 annas gain	36	4	37	177 6704 Hl	38	54
39	10 lbs , 171 lbs =13 st 3 lbs	40	68 yds , 12 lbs 12 oz.	41	2 tons 16 cwt 1 qr	42	31 , 18 lbs over	43	135
		44.	3 20 p m	45	88 tons				

II k Page 46			6	2700	7	8100	8	96	
9	450	10	48	11	400	12	1152	13	1476
14.	9072	15	2200	16	3600	17	5000	18	1400
19	140,000	20	141,400	21	51617	22	50607		
23	122 sq yds	2 sq ft		24.	8 sq ft	96 sq in			
25	560 sq yds	2 sq ft	36 sq in	26	56 sq dm	48 sq cm			
27	56 sq m	48 sq dm		28	56 sq m	4 sq dm	8 sq cm		
29	84 sq yds	5 sq in		30	27 sq m				
31	(i) 100, (ii) 10000	(iii) 1,000,000							
32	(i) 960 sq yds	3 sq ft	(ii) 960 sq m	84 sq dm					
33	(i) 12, (ii) 12	34.	250 sq yds	35	83 sq yds	3 sq ft			
36	2 sq ft.	108 sq in		37	3 sq m	96 sq dm			
38	140 sq m	39	3 sq in	40	20 ft				
44.	(i) 1, (ii) 3, (iii) $4\frac{1}{2}$, (iv) 6								
45	(i) 26620, (ii) 4048, (iii) 69220, (iv) 1188000, (v) 49052, (vi) 37400								
46	76 sq yds	See Tables V and Art. 34							
47	2 sq bighas	48	13552 sq bighas						
49	(i) 10 big 18 cot 12 chl , (ii) 411 ac 2760 sq yds , (iii) 15625 acres , (iv) 6 erwms 22 grounds 1600 sq ft								
50	300 ac	51	247 sq big 7 sq cot 6 sq chl						
52	1 ac	53	29 Ha						
54	(i) 356 ac 1 r , (ii) 304 Ha	55	35						

II l Page 52

3	(i) 600 cu m, (ii) 24 cu ft, (iii) 3600 cu ft, (iv) 125 cu ft				
4.	(i) 46656, (ii) 17900	5	6 cu m	6	(i) 1000, (ii) Rs 702
7	(i) 5775 cu ft (ii) Rs 2193 12 r	8	900 tons		
9	(i) 1000, (ii) 1000 Kg	10	224	11	9
12	360	13	21, 12 cwt	14	390
		15	3 inches		

II m Page 53

3	1157 dys 9 hrs 46 min 40 sec	2	Rs 153 2a 3p
4.	3 dys 15 hrs 50 min 24 sec	5	Rs 12 12a
6	340 dys 17 hrs 30 min 50 sec		
7	Two crores ten lacs and twenty four thousand		
8	299,760 sheets, Rs 7806 4a	9	4524
10	31556926	11	March 24 th , 1897
		12	6915

III a Page 56

4.	120	5	125	6	80
7	200	8	40	9	102
10	20	11	9		
12	10	13	42	14	24
15	1	16	24		
17	60	18	15	19	300
		20	45	21	440

30	48	31	1	32	700	33	480	34	4
35	2.	36	3	37	4	48	0	49	0
50	60	51	21	52	23	53	0	54.	59
55	1	56	179	57	971	58	120	59	5

III b Page 60	1	-£12, +£3	2	Rs a - Rs b - Rs c + Rs d
3 3 miles S	4	+4, -2	5	20
6 -6°	7	+24, -4	8	-4 miles
9	$A, £a - £x + £y, B, £b - £y + £x$			

III c	Page 64.	13	9, 24	14	4, 16	15	33
16	171	17	32	18	4	19	56
21.	10	22	19	23	6a	24	15b
25	5x	26	6m	27	6y	28	4x

III e	Page 67	13	1	14	3	15	6
16	5	17	2	18	5	20	4
21	7	22	4	23	2	24	7
26	6	27	2	28	6	29	3

III f	Page 69	1	16, 12	2	27, 18	3	5	4	36, 24
5	<i>A</i> , £35, <i>B</i> , £20, <i>C</i> , £12	6	<i>A</i> , Rs 14, <i>B</i> , Rs 28, <i>C</i> , Rs 24						
7	<i>A</i> , £15, <i>B</i> , £25, <i>C</i> , £45	8	<i>A</i> , Rs 35, <i>B</i> , Rs 72, <i>C</i> , Rs 81						
9	40 shillings, 27 sixpences	10	<i>A</i> , Rs 9 4a, <i>B</i> , Rs 2 12a						
11.	<i>A</i> , Rs 90, <i>B</i> , Rs 30	12	17s, 13s						

IV	a	Page 76	1	3, 4	2	3, 9	8	3, 9
4.	3, 5, 9		5	11	6	5	7	3, 11
8	None	9	3, 4, 8, 9, 11	10	11		11	3, 4, 9
12	3, 4, 11	13	2, 5, 0, 0, 0	14.	2, 2, 6, 7	15	8, 9, 2	
16	(1) 4, (11) 7		17	3 ² 5	18	2 ² 3 7	19	2 ² 3 11
20	3 5 7		21	3 ³ 5	22	2 ⁵ 3 ²	23	3 ⁴ 5
24.	2 3 7 11		25	2 ² 5 7 ²		26	2 3 ² 7 11	
27	2 3 ² 5 ³ 7		28	3 ² 7 11 13		29	2 ² 7 ² 17	
30	2 3 ² 13 23		31	2 ³ 3 ² 5 17		32	3 ² 5 7 23	
33	2 3 ³ 11 97		34.	2 ⁷ 3 ³ 7 31		35	Prime	
36	3 101		37	Prime		38	7 97	
39	Prime		40	2 ³ 89		41	Prime	
42	Prime		3	23 29		44.	11 971	
45	(1) 7 10 ³ +5 10 ² +4 10+3, (11) 8 10 ³ +2 10+9							
46	100 <i>p</i> +10 <i>q</i> + <i>r</i>							
47	100 <i>a</i> +10 <i>b</i> + <i>c</i> (1) <i>c</i> must be even, (11) <i>c</i> must be 5 or 0							
48	1000 <i>a</i> +100 <i>b</i> +10 <i>c</i> + <i>d</i>							

IV b	Page 78	18	18	19	24	20	No	21.	No
22	48	23	No	24.	44	25	56	26	No
28	2	29	5	30	11	31	7	32	5
35	28	36	36	37	45	38	7056	39	1521
40	(i) 18, (ii) 12, (iii) 7, (iv) 25								

IV c	Page 80			15	36		16	46		17	17	
18	45		19	22		20	16		21.	48	22	33
23	15		24.	12.		25	17		26	36	27	37
28	35		29	50		30	18		31	135	32	11
33	3xy		34	4abc		35	5p ² q		36	8a	37	xy

IV d	Page 82			1	13	--	29	3	43
4.	28	5	17	6	47	7	31	8	7
9	4	10	74	11	493	12	7	13	221
14.	263	15	589	16	31	17	1507	18	772
19	1545	20	6732	21	61	22	94	23	31
24	2223	25	27	26	852	27	185	29	A crown
30	7 m	31	385, 525	32	31	33	479, 83		

IV e	Page 84	25	HCF = 5 3, LCM = 5 ³ 3 ²						
26	HCF = 2 7, LCM = 2 ⁴ 7 ³			27	HCF = 3, LCM = 2 ⁴ 3 ⁴				
28	HCF = ab, LCM = a ³ b ²			29	HCF = 2b, LCM = 12abc				
30	HCF = yz, LCM = 9xy ² z.			31	120	32	60		
33	72	34	240	35	756	36	240	37	1452
38	1764	39	7200	40	720	41	1260	42	6720
43	32130	44.	8640	45	9360				
46	HCF = 15, LCM = 225			47	HCF = 14, LCM = 558				
48	HCF = 11, LCM = 11550								

IV f	Page 86	1	9061	2	12673	3	40513
4.	38399	5	48345	6	5,189,184	7	472,787
8	£2 12s 6d	9	32	10	39312	11	729
12	46046	13	8 gallons	14	£20 12s 6d	15	5040 mi
16	4 min 48 sec	17	46 min 12 sec	18	1309		

V d	Page 93		11	$\frac{1}{5}$	12	$\frac{3}{4}$	13	$\frac{4}{7}$	
14.	$\frac{7}{11}$	15	$\frac{13}{14}$	16	$\frac{1}{13}$	17	$\frac{17}{10}$	18	$\frac{1}{13}$
19	$\frac{1}{17}$	20	$\frac{19}{13}$	25	(i) $\frac{a}{b}$, (ii) $\frac{b}{x}$, (iii) $\frac{2a}{3}$, (iv) $\frac{2x}{3a}$				
26	$\frac{17}{19}$	27	$\frac{23}{14}$	28	$\frac{20}{31}$	29	$\frac{23}{10}$	30	$\frac{13}{18}$
31	$\frac{11}{19}$	32	$\frac{93}{103}$	33	$\frac{5}{8}$	34	$\frac{4}{9}$	35	$\frac{3}{8}$

V e Page 95

5	$4\frac{5}{11}$	6	$5\frac{1}{10}$
10	$7\frac{11}{13}$	11	$14\frac{1}{8}$
17	$\frac{165}{13}$	18	$\frac{221}{14}$
22	$\frac{888}{49}$	23	$\frac{575}{21}$

2 $3\frac{1}{18}$

7 $7\frac{1}{2}$

12 $6\frac{3}{17}$

19 $\frac{465}{23}$

24 $\frac{1220}{13}$

3 $2\frac{1}{19}$

8 $9\frac{1}{8}$

13 $16\frac{1}{7}$

20 $\frac{288}{25}$

25 $\frac{1661}{67}$

4 $8\frac{8}{13}$

9 $8\frac{1}{10}$

16 $\frac{76}{13}$

21 $\frac{775}{10}$

V f Page 97

9	$\frac{1}{10}, \frac{1}{8}, \frac{1}{4}, \frac{1}{2}$
12	2nd, by $\frac{11}{14}$

7 $\frac{1}{2}, \frac{4}{7}, \frac{2}{3}$

10 2nd, by $\frac{4}{13}$

13 2nd, by $\frac{1}{100}$

8 $\frac{1}{3}, \frac{7}{18}, \frac{5}{12}$

11 1st, by $\frac{3}{8}$

V g Page 98

24.	$\frac{8}{13}$	25	$\frac{1}{8}$
29	1	30	$\frac{4}{5}$
36	$\frac{11m}{12}$	37	$\frac{p}{18}$
41	1	42	$\frac{11}{36}$
46	$1\frac{2}{3}$	47	$\frac{1}{15}$

21 $\frac{1}{25}$

26 $\frac{7}{20}$

31 $\frac{2}{3}$

38 $\frac{a+b}{ab}$

43 $1\frac{5}{21}$

48 $\frac{13}{21}$

22 $\frac{17}{30}$

27 $\frac{13}{24}$

32 0

39 $\frac{1}{6a}$

44 2

49 $\frac{19}{27}$

23 $\frac{29}{30}$

28 $\frac{5}{8}$

35 $\frac{9a}{20}$

40 $\frac{3m+2n}{mn}$

45 $\frac{2}{3}$

50 $\frac{1}{12}$

V h Page 100

5	10	6	$3\frac{4}{15}$
10	$1\frac{11}{45}$	11	$\frac{1}{8}$
15	$11\frac{2}{3}$	16	$10\frac{7}{8}$
20	3	21	0

1 $4\frac{5}{8}$

2 $6\frac{9}{80}$

7 $1\frac{2}{5}$

12 $\frac{5}{48}$

17 $2\frac{1}{4}$

22 1

3 $12\frac{13}{70}$

8 $1\frac{2}{11}$

13 $16\frac{1}{12}$

18 11

23 $3\frac{789}{1000}$

4 $11\frac{11}{80}$

9 $4\frac{1}{8}$

14 13

19 $\frac{1}{3}$

24 $5\frac{137}{1000}$

V k. Page 101

29	$\frac{37}{40}$	30	$3\frac{82}{180}$
35	$\frac{7}{8}$	36	$1\frac{8}{11}$
40	6 a	41	$\frac{1}{5}$

26 $6\frac{19}{22}$

31 $\frac{13}{420}$

37 $\frac{1}{24}$

42 $7\frac{1}{21}, \frac{1}{-1}$

27 $5\frac{41}{83}$

32 $14\frac{44}{403}$

38 $1\frac{11}{18}$

43 (i) $4\frac{5}{6}$, (ii) $\frac{1}{18}$

28 $4\frac{117}{140}$

33 $\frac{37}{40}$

39 First, by $\frac{1}{24}$

V l Page 103

4.	$5\frac{7}{11}$	5	$4\frac{11}{15}$
9	$1\frac{5}{12}$	10	$\frac{5}{28}$
14	1	15	6
18	$\frac{5}{6}$	19	$1\frac{1}{15}$
22	$\frac{7}{24}$, Rs 50, Rs 72, Rs 48, Rs 70	23	A pays B 5s, B pays A 4d
24	9 ft 6 in	25	Rs 14400

1 $\frac{9}{18}$

6 $9\frac{14}{15}$

11 1

16 $8\frac{1}{8}$

20 8 a

26 58333

2 $\frac{3}{18}$

7 $\frac{2}{15}$

12 $8\frac{2}{3}$

17 2

21 £3 5s 3d

28 18 $\frac{11}{12}$

3 $\frac{1}{6}$

13 $\frac{4}{15}$

V m	Page 107	16	$50\frac{1}{2}$	17	$74\frac{1}{2}$	18	159
19	$27\frac{1}{2}$	20	$1\frac{1}{8}$	21	$1\frac{1}{8}$	22	$\frac{11}{18}$
24	(i) 12, 4, $12\frac{1}{3}$, (ii) 7, 8, $7\frac{8}{17}$, (iii) 15, 5, $15\frac{5}{13}$					25	$7s\ 6d$
26	$1\frac{10}{11}$ yds	27	$11\frac{1}{2}$ maunds	28	£6 13s 6d		
29	570 metres	30	Rs 3 5 a 4 p	31	$14\frac{1}{8}$ yds = 14 yds 6 in		
32	10, $13\frac{1}{4}$, $62\frac{1}{2}$	33	22, 77, $160\frac{3}{5}$	34	$45\frac{1}{2}$, $73\frac{1}{2}$, 175		
35	5, 250, $\frac{1}{2}$ of an acre						

V n	Page 109	9	$198\frac{1}{4}$	10	$88\frac{1}{2}$	11	$662\frac{1}{2}$
12	336	13	(i) $\frac{mx}{n}$, (ii) mx , (iii) $\frac{a^2}{b}$	14	Rs 4351 10 a 8 p		
15	£2118 15s	16	280	17	Rs 1,50,000	18	5
19	£3652, £2739, £1826, £1826	20	Rs 150				

V p	Page 113			17	$10\frac{1}{2}$	18	9
19	$1\frac{7}{8}$	20	$26\frac{2}{5}$	21	$\frac{5}{32}$	22	1
23	$\frac{4}{7}$	24	1	25	2	26	£22 10s
27	$115\frac{3}{8}$ miles	28	200 maunds	29	$\frac{y}{4b}$	30	$\frac{m}{3n}$
31	(i) $10\frac{5}{8}$, (ii) 17, (iii) $63\frac{8}{9}$	32	(i) $27\frac{1}{2}$, (ii) $41\frac{1}{4}$, (iii) 154				
33	£3 14s 3d	34	Rs 13 12a	35	Rs 814	36	11s 6d
37	A, 25, M, 60	38	Rs 83333 5 a 4 p				
39	22 ft and $18\frac{1}{2}$ ft, $20\frac{4}{13}$ ft and $16\frac{2}{13}$ ft						
40	$\frac{13}{30}$	41	$\frac{11}{50}$	42	14s		

V q	Page 116	13	$13\frac{1}{2}$	14	$1\frac{1}{8}$	15	$\frac{2}{3}$	16	$\frac{7}{8}$
17	$1\frac{7}{8}$	18	$4\frac{1}{8}$	19	$12\frac{1}{2}$	20	$2\frac{11}{16}$	21	mb
22	$\frac{m}{ny}$	24	am	25	$1\frac{2}{13}$	26	$3\frac{7}{16}$	27	10
28		29						28	2

[For (i), (ii), (iii) use 1 Km = $\frac{5}{8}$ mi For (iv), (v), (vi) use 1 m = $39\frac{3}{8}$ in]

(i) $1\frac{3}{5}$ Km, (ii) 1600 m, (iii) 160 Km, (iv) $\frac{32}{5}$ m,
 (v) $2\frac{14}{3}$ cm, (vi) $44\frac{4}{5}$ m

30 (i) $\frac{5}{11}$ Kg, (ii) $50\frac{10}{11}$ Kg, (iii) $\frac{4}{7}$ litre, (iv) $4\frac{4}{7}$ litres,
 (v) 121 lbs, (vi) $218\frac{3}{4}$ gals, (vii) $15\frac{2}{5}$ gns

V r	Page 119	1	$4\frac{1}{8}$	2	$2\frac{11}{12}$	3	$26\frac{1}{4}$	4	$4\frac{7}{10}$
5	$9\frac{1}{12}$	6	$3\frac{1}{10}$	7	$4\frac{17}{12}$	8	$2\frac{1}{30}$	9	$1\frac{11}{16}$
10	$4\frac{1}{2}$	11	$2\frac{1}{10}$	12	$3\frac{2}{5}$	13	$7\frac{1}{2}$	14	$2\frac{7}{10}$

15	$5\frac{1}{10}$	16	$\frac{23}{88}$	17	$\frac{263}{440}$	18	$11\frac{99}{120}$	19	$\frac{759}{800}$
20	$\frac{30}{10}$	21	$1\frac{40}{10}$	22	3	23	$21\frac{1}{8}$	24	$1\frac{1}{10}$
25	$\frac{5}{87}$	26	$1\frac{17}{35}$	27	$2\frac{1}{2}$	28	12	29	$2\frac{19}{100}$
30	$\frac{4}{11}$	31	$5\frac{31}{40}$	32	$4\frac{11}{18}$	33	$17\frac{13}{14}$	34	$\frac{1}{10}$
35	$1\frac{1}{12}$	36	1	37	$3\frac{5}{12}$	38	$23\frac{1}{3}$	39	$3\frac{1}{3}$

V s Page 121

15	1	16	1	17	$\frac{8}{17}$	18	1	19	$\frac{1}{17}$	20	$1\frac{13}{16}$
21	$1\frac{1}{2}$	22	$\frac{1}{8}$	23	$2\frac{1}{4}$	24	$\frac{1}{2}$	25	$1\frac{9}{11}$	26	$2\frac{1}{10}$
27	5	28	1	29	$8\frac{9}{14}$	30	$1\frac{2}{3}$	31	$1\frac{1}{7}$	32	$1\frac{9}{11}$

V t Page 122

4 (i) $1\frac{1}{2}$, (ii) $1\frac{1}{3}$, (iii) $\frac{1}{4}$, (iv) $\frac{1}{4}$

5	(i) $\frac{1}{4}$,	(ii) $\frac{1}{12}$,	(iii) $\frac{2}{15}$,	(iv) $\frac{1}{2}$							
6	(i) $\frac{1}{3}$,	(ii) $\frac{1}{4}$,	(iii) $\frac{2}{5}$,	(iv) $\frac{4}{5}$							
7	(i) 6,	(ii) $1\frac{1}{5}$,	(iii) $1\frac{2}{3}$,	(iv) $1\frac{5}{7}$							
8	(i) $\frac{4}{7}$,	(ii) $1\frac{1}{3}$,	(iii) $1\frac{1}{2}$,	(iv) $\frac{7}{10}$							
9	(i) $2\frac{1}{2}$,	(ii) $7\frac{1}{2}$,	(iii) 2,	(iv) $\frac{2}{3}$							
10	(i) $\frac{1}{4}$,	(ii) $2\frac{1}{4}$,	(iii) $\frac{1}{3}$,	(iv) $1\frac{4}{5}$							
11	6	12	12	13	8	14	20	15	3	16	3
17	6	18	5	19	7	20	$\frac{1}{2}$	21	15	22	16
23	15	24	$2\frac{4}{5}$	25	$5\frac{4}{5}$	26	35, 15	27	11, 17		
28	A, Rs 12, B, Rs 8			29	6	30	(i) 8, (ii) $\frac{7}{12}$, (iii) 119				

VI. a Page 126

1	6s 8d , 3s 4d , 2s 6d , 1s 8d , 1s 3d , 7s 6d , 12s 6d , 17s 6d										
2	$7\frac{1}{2}$ p , 3a 9p , 1a 8p , 13s 4d , 16s 8d										
3	4 m , 10 m 4 srs , 24 srs					4.	2 powa , 2 pts , $3\frac{1}{2}$ srs				
5	1a 3p			6	10s			7	Re 1 7a 4p		
8	8a 3p			9	Rs 3			10	£1 15s 7d		
11.	9a 4p		12	18 tons 13 cwt 2 qrs 24 lbs			13	£1 9s 2d			
14	9 yds 1 ft 8 in			15	Re 1 6a			16	39mds 30srs		
17	Rs 66 0a 1p					18	Rs 9 1a 3p				
19	7 tons 9 cwt 17 lbs 8 oz					20	£6 0s $3\frac{1}{4}$ d.				
21	Rs 36 7a 10p					22	1 ac 1 r $11\frac{1}{2}$ p				
23	Rs 137 13a. 5p					24.	1 md 21srs 4ohk				
25	3a 3p		26	£1		27	6 m		28	230 yds	
29	Re 1 9a 5p		30	962 yds		31	3 qrs		32	Rs 5 3s 10s	

VI b	Page 128	6	$\frac{11}{49}$	7	$\frac{1}{3}$	8	$\frac{11}{108}$	9	$\frac{3}{10}$
10	$\frac{1}{7}$	11	$\frac{4}{8}$	12	$\frac{9}{128}$	13	$\frac{8}{18}$	14	$\frac{1}{3}$
15	$\frac{27}{100}$	16	$\frac{2}{3}$	17	$\frac{6}{9}$	18	$\frac{6}{9}$	19	$\frac{6}{13}$
20	$\frac{1}{10}$	21	$\frac{1}{10}$	22	$\frac{3}{4}$	23	$1\frac{13}{108}$	24	$\frac{7}{8}$
25	$\frac{19}{13}$	26	$\frac{19}{38}$	27	$\frac{1}{8}$	28	$\frac{2}{9}$	29	$\frac{2}{3}$
30	$\frac{25}{18}$	31	$\frac{51}{80}$	33	2	34.	40 27	35	$1\frac{8}{38}$

VI c	Page 131	5	(i) 25%, (ii) $16\frac{2}{3}\%$	6	Rs 40
7	329	8	Rs 675	9	5%
12	4580	13	Rs 3550	14.	£1080
17	£4500	18	Rs 76960	19	200
				20	12%

VI e	Page 134	1.	Rs 270	2	Rs 60	3	Rs 21			
4.	£40	5	£30	6	£24	7	Rs 9765			
8	Rs 5054	10a	8p	9	£3078	2s	6d			
11.	Rs 840	12	Rs 1173	13	Rs 802	10a	8p			
14.	Rs 88	15	Rs 265	10a	16	Rs 135				
17	Rs 513	18	Rs 862.	12a	19	£2001				
20	£1522.	18s	4d	21	Rs 1011	8a	22	Rs 2866	1a	
23	Rs 536	12a	24.	Rs 1360	13a	4p	25	£401	11s	8d
26	£2483	8s	1½d	27	Rs 2742	2a	3p	28	Rs 1084	8a
29	£33161	14s	30	£1824	7s	6d				

Miscellaneous Examples II Page 135

Miscellaneous Examples II				Page 135	2	15	
3	Rs 113 12a	4.	(i) $\frac{3}{8}$, (ii) $\frac{7}{18}$, (iii) $\frac{2}{7}$	5	1 m 65 cm		
6	18 lbs	7	The first by $\frac{2}{15}$	8	$4\frac{7}{12}$, $3\frac{37}{108}$		
9	$\frac{5}{8}$ mile	10	40	11	902,100	13	(i) $\frac{14}{81}$, (ii) $\frac{7}{18}$
14.	9 weeks	15	$51\frac{1}{3}$	16	Rs 3125	17	£25044 3s 9d
18	$\frac{10}{38}$, $\frac{10}{31}$, $\frac{10}{88}$, $\frac{2}{11}$, $\frac{5}{19}$, $\frac{10}{31}$	19	$42\frac{3}{8}$ miles	20	25, 24		
21.	1 m 60 cm	22	2275	23	4	25	$\frac{9}{32}$
26	First, third, 28, 41580	27	56732, 11346	28	Rs 70		
29	30 mi an hour	30	$10\frac{3}{8}$, $18\frac{5}{11}$, $81\frac{1}{11}$	34.	1 sq yd		
31	$\frac{24}{11}$	32	2520, 2688, 2856	36	£2 18s		
35	$27 \cdot 3^2 \cdot 7 \cdot 31 = 62 \cdot 63 \cdot 64$	37	(i) $10\frac{1}{4}$, (ii) $1\frac{1}{2}$	38	(i) $12\frac{97}{100}$, (ii) $\frac{19}{21}$, (iii) $\frac{5}{8}$		
39	$299\frac{4}{5}$ mds	40	20 ft	41	£2		
42	216	43	$1\frac{1}{2}d$	44	(i) $1\frac{31}{100}$, (ii) $1\frac{1}{10}$	45	Rs 425
46	$1\frac{3}{4}$ pints	47	$\frac{1}{200}$	48	(i) $4\frac{19}{20}$, (ii) $3\frac{9}{10}$	49	$\frac{1}{15}$
50	£49 2s	51	36	52	1 pie	53	25

54. (i) $\frac{11}{4}$, (ii) $\frac{7}{8}$, (iii) $\frac{65}{100}$	55 5 hrs	56 (i) 2, (ii) $8\frac{1}{2}$
57 (i) 6 yds 9 in., (ii) Rs 83 8 a. 5 p	58 Rs 250	
59 160 60 2s 6d	61 $\frac{7}{80}$, $\frac{13}{100}$	62 $87\frac{1}{2}$, 225
63 Rs 2, Rs 4, Rs 5	64. (i) 1, (ii) 2	65 3s, 4s
66 (i) $25\frac{3}{8}$ m, (ii) $5\frac{1}{2}$ cwt., (iii) $41\frac{1}{7}$ litres, (iv) 2240 Kg		
67 (i) $1\frac{1}{8}$, (ii) $\frac{31}{32}$	68 (i) $9\frac{8}{9}$, (ii) $\frac{1}{2}$	69 5, $\frac{1}{7}$
70 5 miles	71 17920	72 £6 10s 8d
73 3 p	75 11	76 503 gm
78 4 hrs	79 365 dys 5 hrs 45 mins 36 secs	80 $\frac{1}{5}$

VII a Page 143	11 16	12 21	13 150	14. 8
15 Rs 6	16 56	17 26	18 Rs 20 13 a 4 p	
19 £7 17s 6d	20 6 tons	21 Rs 72 9 a	22 9 hrs 20 min	
23 (i) $1\frac{1}{2}$ hrs, (ii) $\frac{px}{y}$ hrs	24 (i) 36 miles, (ii) $\frac{mx}{p}$ miles			
25 $8\frac{1}{2}$ miles, $\frac{v}{2}$ miles	26 (i) 36, (ii) $\frac{3a}{88}$			
27 (i) 132, (ii) $\frac{88m}{3}$	28 (i) $1\frac{1}{4}$ min, (ii) $\frac{ax}{y}$ min			
29 36 days	30 $7\frac{1}{3}$ hrs	31 3 tons 17 cwt		
32 Rs 80 2 a 6 p	33 Rs 1629	34. £23 8s 9d		
35 $28\frac{1}{2}$ min	36 Rs 159 11 a	37 2 yrs 9 months		
38 Rs 549 6 a 8 p	39 47 ac 1 r 35 p	40 75 days		

VII b Page 146	1 Rs 2480	2 £93 10s
3 63 in	4. 34 miles	5 Rs 1100
7 Rs 451 8 a.	8 The whole	9 $\frac{5}{6}$
11 Rs 498	12 1s 8d	13 $1\frac{1}{4}d$, $2\frac{3}{4}d$
15 3s 8d	16 Rs 2	17 8 a 9 p
19 Approximately equal	20 $81\frac{3}{8}$ Km	18 2d
22 £124	23 8	21 £5 12s 6d
26 468 ac	27 $\frac{1}{4}$	25 37500 oz
29 $\frac{11}{100}$, Rs. 27037 8 a	30 Rs 6033 12 a.	

VIII d Page 156	20 234 5	21. 3 6401
22 10^3	23 10^3	35 £4 1
37 £8 9	38 £17 7	50 5 047
52 0 416	53 0 00626	58 7 Dm 2 m 3 cm, 0 07203
59 762	60 Rs 15,08,000	61 23900
63 (i) 10, (ii) 1000, (iii) 100,000	64 (i) 100, (ii) 1000, (iii) 10	62 2 Km 12 m
65 (i) $3\ 816 \times 10^2$, (ii) $4\ 068 \times 10^3$, (iii) $8\ 67-10$, (iv) $4\cdot25-10^3$		

VIII. e Page 159

1	48210	2	60 2
3	4000	4	0 8701
5	146,800	6	405.03
7	4 16	8	5 0026
9	8 14	10	14 08
11	6.0606	12	0.0707
13	100	14	10000

VIII f Page 161

1	3421	2	80
3	4 09	4	9000
5	250	6	6970
7	46	8	16.2
9	75	10	1
11	1000	12	150
13	4750	14	72 5
15	25	16	2 5
17	88	18	720
19	18 4	20	0 92
21	60 Kg		

VIII g Page 163

1	9 4.	2	16	3	17 5
4	16 88	5	7	6	20 5
7	40 02.	8	10	9	309 702
10	30	11	2 13 m	12	7400 m
13	4 3 Km	14	29 Rs 40 cents, 60 cent	15	2 3
16	1 41	17	1 29	18	0 81
19	5 193	20	0.25	21	0.219
22	0.994	23	0 01 m	24	3.2 m
25	0 1	26	3.2 m	27	500 m
28	1 m, $\frac{1}{1000}$	29	0 1	30	0.06 m, yes
31	3 44	32	1	33	-0 47
34	-0 54	35	0	36	-0.01
37	6.2923	38	-10	39	0.001
40	1.09	41	1 307	42	(i) 2 809, (ii) -2 16, (iii) -17 48
43	25 81, 26				

VIII h. Page 165

14.	(i) 5 35, (ii) 53 5, (iii) 0 535
15	(i) 3.28, (ii) 328, (iii) 0 0328
16	(i) 1.29, (ii) 12.00, (iii) 0.0129
17	6 th decimal place
18	0 000006
19	(i) 16578 8, (ii) 1 65788, (iii) 165,788,000
20	(i) 300, (ii) 0 003, (iii) 0.0003
21.	(i) 3654, (ii) 0 3654, (iii) 0.003654
22	6.9
23	50 4°
24.	5468
25	Rs 1480
26	123 m 75 cm

VIII k. Page 168

1	5.04	2	16.96
3	9 1	4	1 19
5	0 312	6	99.2
7	(i) 173.08, (ii) 25.962, (iii) 6.0578	8	10 5525
9	1 17	10	0 377
11	0 02508	12	1.932
13	1204 8	14.	3 348
15	33	16	843 5608
17	91 44 cm, 0 9144 m	18	Rs 48
19	14	20	2 5029
21	1002.	22	1 932.
23	0 10353	24.	0 816
25	745 821	26	40, 0 4, 4

27	28 8 sq in	28	81 9 sq m	29	1 16 sq m		
30	The first $\frac{1}{100}$ sq in	31	4 275 sq Km	32	317 4 lbs		
33	(i) 0.049, (ii) 4.9, (iii) 0.00049						
34	(i) 2, (ii) 2 56, (iii) 76 2.						
35	(i) 87 9 m, (ii) 1414 ft, (iii) 1885 ft			36	378 gm		
37	3780 gm	38	61 6 gm	39	5750 Kg	40	480,000 Kg
41	3 5	42	9 5	43	1	44	0 13

VIII l Page 171.

VIII 1 Page 171.				20	6, 12s	21	1 87		
22	0.263	23	0.038	24.	0 0063	25	0.076		
26	0 4275	27	2 73	28	0 53	29	0 318		
30	7 5	31	3 8	32	6 5	33	Each=0 4125		
34.	0 675	35	0 474	36	123	37	0 59		
38	265	39	2.003	40	5	41	0.06		
42	0 78	43	0 0057	44.	30.25	45	5 49		
46	7 375	47	0 125	48	0 175	49	36.25		
50	21 550 Km	51	1046 Rs 1 cent	52	90 l in ,	53	0.01 in		
53	12.09 m	54.	7.01"	55	39	56	0 7833	57	0.9556
58	2 4286	59	0 1111	60	0 5714	61.	1 6364		
62	3 7	63	0 82.	64.	0.09	65	0 067		
66	0 909	67	0 4087	68	0 6389	69	0.0116		

VIII m Page 174.

3	2.3	4	1.7	5	1.6	6	5.6
7	2.3	8	17	9	0.45	10	0.28
11	111	12	0.67	13	0.14	14	0.46
15	250	16	0.0365	17	7.02	18	0.0046875
19	0.34, 34, 0.0034	20	1.7, 0.017, 170				
21	0.0365, 0.365, 3650	22	(i) 0.029, (ii) 7.1, (iii) 39, (iv) 6				
23	214, rem 90 cents	24	6000	25	2.54	26	3.28 ft.
27	7.4"	28	17.25 m	29	10.8	30	128
31	0.2	32	0.0083	33	80.0056	34	0.2085
35	0.0033	36	0.0078	37	1.3240	38	0.0365
39	(i) 6.329, (ii) 0.516, (iii) 2.665						
40	(i) 15.8 in, (ii) 40.34 in	41	45, 0.1 in rem				
42	(i) 0.0007, (ii) 0.0001, (iii) 0.0271, (iv) 0.0022						

VIII n. Page 179

4	$\frac{11}{-8}$	5	$5\frac{19}{80}$	6	$\frac{1}{80}$	7	$7\frac{11}{20}$	8	$\frac{9}{18}$
9	0.23	10	3.009	11	8.27	12	0.00041		
13	0.013	14	0.00052	15	0.000073	16	0.175		

17	3 875	18	0 3125	19	1 88	20	0 0015625
21.	(i), (iii), (iv), (vi), (viii), (x) terminate, the rest do not						
22	0 104	23	2 077	24	3 114	25	0 579
26	7 609	27	(i) 0 4, (ii) 0 35, (iii) 0 353, (iv) 0 3529				
28	0 714 $\frac{2}{7}$, 0 714	29	0 764 $\frac{1}{7}$, 0 765	30	0 478 $\frac{6}{7}$, 0 478		
31	0 016 $\frac{5}{8}$, 0 016	32	0 023 $\frac{1}{2}$, 0 024				
33	(i) 0 3, 0 3, (ii) 0 333 $\frac{1}{3}$, 0 666 $\frac{2}{3}$, (iii) 0 333, 0 667						
34.	(i) 0 1, 0 1, 0 7 (ii) 0 111 $\frac{1}{3}$, 0 444 $\frac{4}{3}$, 0 777 $\frac{2}{3}$, (iii) 0 111, 0 444, 0 778						
35	(i) 0 09, 0 27, 0 72, (ii) 0 090 $\frac{1}{11}$, 0 272 $\frac{6}{11}$, 0 727 $\frac{7}{11}$, (iii) 0 091, 0 273, 0 727						
36	(i) 0 142857, 0 428571, 0 714285, (ii) 0 142 $\frac{6}{7}$, 0 428 $\frac{4}{7}$, 0 714 $\frac{2}{7}$, (iii) 0 143, 0 429 0 714						
37	(i) 0 14, (ii) 0 144 $\frac{4}{9}$, (iii) 0 144						
38	(i) 0 29 $\frac{1}{4}$, (ii) 0 295 $\frac{5}{11}$, (iii) 0 295						
39	(i) 4 153846, (ii) 4 153 $\frac{1}{11}$, (iii) 4 154						
40	(i) 2 297, (ii) 2 297 $\frac{1}{3}$, (iii) 2 297						
41	(i) 5 148, (ii) 5 148 $\frac{1}{2}$, (iii) 5 148						
42	2 1375	43	0 32625	44.	3 19875	45	5 3245
46	$\frac{7}{8}$	47	$\frac{7}{8}$	48	$\frac{1}{32}$	49	$\frac{2}{320}$
50	(i) 0 12, (ii) 0 625, (iii) 0 014, (iv) 0 055						

IX a Page 181	1	0 03125	2	0 015625	3	0 046875	
4.	0 0234375	5	0 0546875	6	0 0416	7	0 0390625
8	0 02083	9	0 25	10	0 75	11	0 125
12	0 225	13	0 625	14.	0 375	15	0 575
16	0 0625	17	5 325	18	7 425	19	8 725
20	Rs 4 71875	21	Rs 3 96875	22	Re 1 390625		
23	Re 0 546875	24	Rs 8 484375	25	Rs 5 5078125		
26	£11 694	27	£0 831	28	£8 767		
29	£2 5344	30	£5 3729	31	£0 1677		
32	5 34375 maunds	33	4 29375 bighas	34	0 003125		
35	0 430625	36	0 784375				

IX b Page 183			1	6s	2	14s	3	18s	
4.	1s	5	11s	6	13s	7	16s	8	19s
9	9p	10	1½p	11	7½p	12	10½p	13	Rs 3 3a 6p
14	Rs 5 3a			15	Rs 9 14a			16	Rs 2 1a 3p
17	Rs 11 9a			18	6a 6p			19	£4 12s 7d
20	£5 14s 5d			21	£14 16s 6d			22	£9 17s 9½d
23	12s 8¼d			24	£11 0 11¼d			25	9a

26	Rs 6 5a	27	Rs. 15 9a 6p	28	Rs 5 5a
29	Rs 58 6a 11p	30	Rs 7 0a 3p	31	0 9422
32	0 9333	33	0 3971	34	0 0911
35	1 md 35 srs 8 chk	36	6 big 9 cot 8 chk		
37	21 hr 28 min 48 sec	38	2 m 55 yds		
39	17 seers	40	6 tons 11 cwt 1 qr	41	£31 6s $0\frac{3}{4}d$
42	0 7969	43	0 325	44	0 0375
45	£4 6s 6d	46	£3 1s $5\frac{1}{4}d$	47	14s $2\frac{1}{2}d$
48	2s	49	£7 15s $6\frac{1}{2}d$	50	15s 1d
51	3	52	(i) 3, (ii) 5	54	3
55	4238 mm	56	7100 m	57	11 chataks
58	385 yds	59	1511 sq chks	60	304 yds

IX c Page 186

1	£0·25	2	£0 4	3	£0 85
4	£0 6	5	£0 575	6	£0 475
8	£0 075	9	Re 0 078 $\frac{1}{8}$	10	Re 0 156 $\frac{1}{4}$
11	Re 0 234 $\frac{3}{8}$	12	Re 0 328 $\frac{1}{8}$	13	Re 0 468 $\frac{1}{4}$
14	Re 0 515 $\frac{5}{8}$	15	Re 0 671 $\frac{7}{8}$	16	Re 0·718 $\frac{1}{4}$
17	(i) £2 354 $\frac{1}{8}$, (ii) £2 354	18	(i) £3 566 $\frac{2}{3}$, (ii) £3 567		
19	(i) £7 720 $\frac{5}{8}$, (ii) £7 721	20	(i) £4 429 $\frac{1}{8}$, (ii) £4 429		
21	(i) £5 927 $\frac{1}{12}$, (ii) £5 927	22	(i) £18 040 $\frac{1}{2}$, (ii) £18 041		
23	Rs 2 547	24	Rs 5 641	25	Rs 9 906
26	Rs 16 094	27	Rs 12 195	28	Rs 22·273
29	Rs. 11 609	30	Rs 17 328	31	Rs 29 477
32	£0·20417	33	£3 70833	34	£0 45208
35	£1 16458	36	£0 37188	37	£0 56042
38	£8 51771	39	£0 94271	40	£3 71146
41	£0 82604.	42	£2 73333	43	£0 64688

IX d Page 188

1	9s 6d	2	16s 6d
3	6s $1\frac{1}{4}d$	4	11s $2\frac{1}{4}d$
5	13s $2\frac{3}{4}d$	6	9s $2\frac{1}{2}d$
7	1s $9\frac{1}{4}d$	8	3s 10d
9	9s $11\frac{1}{4}d$	10	£3 1s $11\frac{1}{2}d$
11	£11 2s $2\frac{3}{4}d$	12	£7 10s $2\frac{1}{4}d$
13	£4 0s $7\frac{1}{4}d$	14	£4 0s $0\frac{3}{4}d$
15	£4 16s 6d	16	£9 8s 7d
17	7d	18	£4 12s 8d
19	£7 8s 4d	20	£2 7s 3d
21	18s 5d	22	£2 7s 3d
23	7s 5d	24	£2 2s
25	£0·000042	26	£0·000042
27	4 p	28	Rs 4 13 a 5 p
29	Rs 7 5a 1 p	30	Re 1 3a 9 p
31	Rs 7 5a 1 p	32	1 a 7 p
33	$\frac{1}{2}\frac{3}{8}$	34	Rs 13 12, Rs 13 1a 11 p
35	Rs'32 41, Rs 32 6a 7 p	36	Rs 13 12, Rs 13 1a 11 p
37	$\frac{1}{2}\frac{3}{8}$	38	Rs 13 12, Rs 13 1a 11 p
39	Rs'32 41, Rs 32 6a 7 p	40	£25 5s 7d

- X a Page 193**
- | | | | |
|----|---------------|----|-------------|
| 1 | 79000, 79 | 2. | 481000, 481 |
| 3 | 370000, 370 | 4 | 2 764, 2764 |
| 6 | 3 401, 3401 | 7 | 7 417, 7417 |
| 9 | 0 910, 910 | 10 | 0·002, 2 |
| 12 | 10·000, 10000 | 11 | 0·001, 1 |
| 15 | 705 | 13 | 6·27 |
| 18 | 0·00403 | 14 | 81 5 |
| 21 | 0·0182 | 16 | 0 682 |
| 24 | 462000 | 17 | 0·0919 |
| 27 | 249 | 19 | 4 78 |
| | | 20 | 8 62 |
| | | 22 | 37300 |
| | | 23 | 70100 |
| | | 25 | 263 |
| | | 26 | 1120 |
| | | 28 | 16 |
| | | 29 | 760 |
- 31 £3 465 and £3 475, or £(3 47 ± ·005)
- 32 41 625 tons and 41·635 tons, or (41·63 ± ·005) tons
- 33 3 595 miles and 3 605 miles, or (3·60 ± ·005) miles
- 34 0·065 m and 0·075 m, or (0 07 ± ·005) m
- 35 (i) Rs (40 76 ± ·005), (ii) Re (0 4076 ± ·00005),
(iii) Rs (4076 ± 5), (iv) Rs (407600 ± 50)
- 36 (i) (9 347 ± ·0005) Km, (ii) (93 47 ± 005) Hm,
(iii) (9347 ± 5) metres, (iv) (934700 ± 50) cm
- 37 (i) Rs (74·20 ± 05), Rs (7420 ± 5),
Rs (7 420 ± ·005), Rs (74200 ± 50),
(ii) Rs (74·20 ± ·005), Rs (7420 ± 5),
Rs (7 420 ± ·0005), Rs (74200 ± 5)
- 38 Absolute errors (i) £0·018, (ii) £0 18, (iii) £0·00018 Relative and
percentage errors the same in each case, namely 0 00048 and
0·048
- 39 Absolute errors (i) 0 48 m, (ii) 0·0048 m, (iii) 0·0000048 m
Relative error in each case 0·00053, percentage error 0·053
- 40 471, 0·00065, 0 065 41. 110 ac, 0 00011, 0 011
42. £222000, 0 00029, 0·029 43 2 77 ft, 0·00046, 0 046
- 44 32 35 gra, 0·0021, 0·21

X b Page 195

- | | | | |
|---|-------|----|-------|
| 1 | 62 94 | 2 | 5 90 |
| 3 | 6 78 | 4. | 0·009 |
| 5 | 4 375 | 6 | 4 000 |
| 7 | 333 | 8 | 41 6 |
| 9 | 1000 | 10 | 0 948 |
- 11 23,100,000 12 27,700,000 13 £150,900,000
- 14 0 0064, 0·000512, 0 00004096 (i) 0·087, (ii) 0 087
- 15 0·25 16 Rs 1047 17 392 5 Km
- 18 £3 7292, £0 7917, £12 7273 £17·2482, £17 4s 11½d
- 19 Rs 10 20 Rs 10

X c Page 198

1	18 38	2	3 32.
3	49 54	4.	0 13
5	15 94	6	38 02
7	7 18	8	8 50
9	2 50	10	376
11	30	12	8
13	243	14.	3 349
15	2 000	16	10 173
17	3 000	18	50 9
19	0 0493	20	30 0
21	184	22	3 312
23	1 751	24.	4 360
25	1 846	26	4 411
27	1	28	478,000,000
29	3,047,000	30	29,000,000
31	408,000,000	32	250,000,000
33	296 m	34.	13 49 m
35	364 Km	36	15 65 Kg
37	£103,100,000	38	£12,600,000

X d Page 202

1	8 18	2	17 7
3	0 331	4.	0 0209
5	9 62	6	53 68
7	0 47	8	82 56
9	3 406	10	1 980
11.	0 024	12	0 052
13	1 200	14.	3 317
15	0 318	16	1 732.
17	2 601	18	0 626
19	0 0082	20	24 9
21.	0 0142	22	902
23	1132	24.	1122
25	44,000	26	41900
27	8 120	28	92 sec
29	6032 7 ft	30	£4 10s 2d
31	15 96d	32	562, 150, 140
33	(i) 1 152 miles, (ii) 0 868 knots		
34.	(i) 0 025400 metres, 25 400 mm, (ii) 20 12 metres, (iii) 1 609 Km		
36	69 Rs 17 cents, £4. 10s 9d	37	277 3 cu in
38	£665 11s 2d	39	£1539
40	£18 1s 9d, £30 1s 10d, £2 11s		

X e Page 205

1	0 87	2	3 68
3	0 63	4.	4 41
5	9 35	6	6 73
7	1 07	8	0 51
9	219	10	703
11	344	12	192.
13	2 011	14.	13,170,000
15	£2 1s 9d	16	\$4 8632
17	\$772 40	18	4 536 litres
19	2 828	20	2 000
21	0 00005, 0 00000	22	(i) 0 000013, (ii) 0 0007
23	695	24	585
25	10 76	26	119 60 sq yds
27	2 47 ac	28	16 387 cu cm
29	1 4667 ft per sec, 1 4667	30	7 233 ft lbs

X. f Page 211.

- 1 (13.08 ± 0.015) in., 13 1"
- 2 Within ± 20 miles
- 3 21 83 m, 0.015 m
- 4 19.014, 19 008
- 5 10 01 correct to 2nd dec place.
- 6 2 56" and 2 58"
- 7 48 5 metres, nearly
- 8 $2.607 \pm .001$
- 9 $6.109 \pm .001$
- 10 0.0045 and 0.0075
- 11 2 5785 and 2 5815
- 12 ± 0.5 cm
- 13 (i) To nearest 10 lbs, i.e. Error within ± 5 lbs
(ii) To nearest 100 lbs, i.e. Error within ± 50 lbs
(iii) Error within ± 36.05 lbs
14. (i) 29 0625 and 30 1625, (ii) 28 52 and 30 72
- 15 (i) 21 7875 sq cm and 22 7375 sq cm
(ii) 20 4525 sq cm and 30 5525 sq cm
(iii) 560 sq ft and 600 sq ft
(iv) 215,000 sq yds and 234,000 sq yds
- 16 21, units' figure doubtful (21.06 ± 48 , nearly)
- 17 44, to nearest unit ($44.21 \pm .06$)
- 18 205, units' figure doubtful (204.8 ± 5 , nearly)
- 19 2 1, to nearest tenth ($2.066 \pm .004$, nearly)
- 20 2 16, the last digit doubtful ($2.16 \pm .01$, nearly)
- 21 1354 0 ft correct to the nearest tenth
22. About 4620 lbs, units' figure doubtful
23. About 213 lbs, units' figure doubtful.
24. 800.9 lbs and 790.3 lbs nearly
25. Between Rs 2,39,400 and Rs 3,23,400
- 26 5 32, remaining figures doubtful
- 27 (i) 1 Hm, (ii) 1 cm, (iii) 1 Km, (iv) 1 mm, 3 figures
- 28 £3 711 458 (i) 2 figs, (ii) 5, (iii) 1, (iv) 6
(i) 7s 5d, (ii) £371 2s 11d, (iii) $8\frac{3}{4}d$, (iv) £3711 9s 2d
- 29 0.03612 lbs, 252.88 grains, yes, to nearest hundredth
- 30 454 grms nearly ($453.6 \pm .2$)
- 31 (i) 25.4 mm ($25.39 \pm .01$) (ii) 2,590,000 sq m to nearest 10,000
- 32 (i) 4.46 ($\pm .01$) (ii) 14.91 ($\pm .01$)
(iii) 2325 (± 3) (iv) 227,000 to nearest 1000
- 33 (i) 2.32 metres, last figure doubtful.
(ii) About 7920 miles, last two figs. doubtful.
- 34 About 499 seconds (possible error ± 2 seconds, nearly)
- 35 10 4

XI a Page 217	1 0 933	2 0·0375
3 5 84	4. 0·293	5 0 125, 12 5 %
6 0 56, 56 %	7 0 56, 56 %	8 0 76, 76 %
9 2 85 %	11 3 46 %	12 3 40 %
13 7 55 %	14 10·0 %	15 14 a 5 p
16 Rs 6 14 a 6 p	17 Rs 25 12 a	18 Rs 12 15 a 4 p
19 Rs 9 4 a 7 p	20 Rs 3 3 a 4 p	21 Rs 22 9 a 6 p
22 Rs 234 10 a	23 Rs 21 4 a. 3 p	24 Rs 80 9 a 6 p
25 18s 10d	26 £19 1s 2d	27 £24 8s 9d
28 £3 17s 5d	29 3 71 %	30 43 9 %
31 49 5 %	32 81 6 %	33 5·26 %
34 22 4 %	35 17	36 3 5
37 Rs 728,668	38 £14346 11s 5d, £11955 9s 6d, £9564 7s 7d, £7970 6s 4d, £3985 3s 2d	
39 43 %, 35 %	40 95 3 %, 88 3 %, £953, £883	

XI b Page 221	1. Rs 2194 5 a 4 p	2 Rs 901 4 a
3 Rs 1108 15 a 9 p	4. £4056 6s 7d	5 £170 18s 1d
6 Rs 18 15 a 3 p	7 Rs 195 0 a 3 p	8 Rs 1874 7 a
9 Rs 667 11 a	10 Rs. 60 14 a 9 p	11 Rs 3 0 a 6 p
12 £734 7s 9d	13 £2737 4s 5d	14 £40 4s 2d
15 £6 11s 4d	16 £1	17 £12 19s 9d
18 Rs 35725 11 a 1 p	19 Rs 1511	13 a. 4 $\frac{1}{2}$ p
20 £1144 0s 11d	21 £10 11s 6d	22 £41 4s 2d
23 £36 4s 10d	24. 162 Rs 13 cents.	25 Rs 13 2 a
26 Rs 14019 14 a 2 p	27 £7427 6s 10 $\frac{1}{2}$ d	
28 Rs 13808 10 a 8 p	29 9 hrs 35' 34"	
30 43 Kg 175 gm	31 £6 3s 3d	32 1094
33 29 739 gm	34. 27 ft 4 5 in	35 1 03 Kg

XII a Page 224	1 4 days	2 20 min
3 3 hrs	4. 1 day	5 9 36 a m
6 56 $\frac{1}{4}$ min	7 1 $\frac{1}{8}$ hrs	8 $\frac{n-m}{mn}, \frac{mn}{n-m}$ min
9 22 $\frac{1}{2}$ days	10 5 $\frac{5}{11}$ days, $\frac{1}{80}$ of the work	11 $\frac{4a}{7}$ days
12 A 50 days, B 50 days	13 30 days	
14 A 75 days, B 50 days	15 A 2s 6d, B 1s 6d, C 6d	
16 (i) 12 hrs, (ii) 12 hrs		

XII. b Page 227	1. 44	2 73 $\frac{1}{3}$	3 11
4. 2 $\frac{3}{4}$	5 15	6 40	7 3

- | | | | | | | | |
|----|------------------------|-----|--|-----|----------------------|-----|---------|
| 8 | $5\frac{5}{8}$ | 9 | 3 | 10 | 1 min | 11. | 33 yds |
| 12 | 3 sec | 13 | 30 | 14. | 5 sec | 15 | 224 yds |
| 16 | 4 hrs, 14 miles from A | 17 | $2\frac{1}{2}$ hrs., $11\frac{1}{4}$ miles | | | | |
| 18 | 6 hrs | 19 | 1 45 p m, $13\frac{1}{8}$ miles, $16\frac{7}{8}$ miles | | | | |
| 20 | 12 o'clock, 12 miles | 21 | $4\frac{1}{2}$ sec | 22 | $27\frac{3}{11}$ sec | | |
| 23 | 6 min. | 24. | $11\frac{1}{2}$ sec | | | | |

XII. c Page 229

- | | | | | | |
|---|---|----|-------------------------------------|----|-----------|
| 2 | 4873 tons, 422 tons | 3 | £432 | 1. | 5 ft 2 in |
| 5 | £94 13s 4d, £103 6s 8d | | | 4. | 2s 6d |
| 7 | 6233 yds., $21\frac{1}{4}$ mi per hour, very nearly | 8 | 16 7 yrs | | |
| 9 | $\frac{9a+11b}{20}$, 18 1 | 10 | 638.9 miles, 23 1 knots, 24.2 knots | | |
11. 1 52 in, 2.23 in
 12 (i) 0, 176, 352, 528, 704 yds, (ii) 176, 352, 528 704, 880 yds
 Average result = 2200 yds
 $s = 2200$ yds

XII d Page 232

- | | | | |
|----|--|-----|---|
| 2 | (i) $49\frac{1}{11}$ ', (ii) $16\frac{4}{11}$ ' past 9 | 3 | $16\frac{4}{11}$ ' past 6, $49\frac{1}{11}$ ' past 6 |
| 4. | $10\frac{10}{11}$ ' past 5, $43\frac{7}{11}$ ' past 5 | 5 | $25\frac{1}{11}$ ', $51\frac{3}{11}$ ' past 7 |
| 6 | $9\frac{9}{11}$ ', 12' past 2 | 7 | 24', or $30\frac{6}{11}$ ' past 5 |
| 8 | 225 yds | 9 | 3 to 8 |
| 10 | 5 to 13 | | |
| 11 | 8 of the former with 10 of the latter | 12 | 2 yds |
| 13 | 10 yds | 14 | $8\frac{1}{3}$ yds |
| 15 | 24 | | |
| 16 | 20 | 17 | 42 |
| 18 | 176 yds | | |
| 19 | In 3 min, when one has walked 330 yds and the other 396 yds // | | |
| 20 | $6\frac{1}{4}$ yds | 21 | $5\frac{1}{2}$ min |
| 22 | A, 10 yds | | |
| 23 | 6 mi per hr | 24. | 440 yds, $4\frac{8}{9}$ yds per sec, $4\frac{2}{3}$ yds per sec |
| 25 | 22 mi per hr, 2 mi per hr | 26 | 5 mi per hr |
| 27 | 36 miles | | |

XII e Page 235

- | | |
|-----|--|
| 1 | A 45 yrs, B 48 yrs. |
| 2 | A 16 yrs, B 25 yrs, C 10 yrs |
| 3 | Silk Rs 6 12a, Linen Re 1 2a |
| 4. | 140 at 14 a, 60 at Re 1 2a |
| 5 | 180, 205 |
| 6 | 40 |
| 7 | 36 |
| 8 | 360 |
| 9 | 55 |
| 10 | 10 p m, half-way |
| 11 | 7 miles |
| 12 | 15 miles from A's starting point, $3\frac{1}{2}$ hrs |
| 13 | $2\frac{1}{3}$ miles |
| 14. | $1\frac{7}{8}$ miles |
| 15 | 58 miles |
| 16 | 60 miles, 5 p m, 10 p m |
| 17 | 2 p m or 3 40 p m |
| 18 | 2 hrs, +18 must be changed to -18 |

- 19 (i) 12' after A starts, 1 mile from Bath
 (ii) 42' after A starts, $3\frac{1}{2}$ miles from Bath 20 5 miles
 21 5 hrs from the start 22 9 parts of milk to 1 of water
 23 6 gallons 24 45 min 25 2 miles an hour
 26 12 noon, 125 miles from Bristol 27 5 miles

Misc Ex III Page 238

- 1 6s 8d, 6s 10d, 6s 5d
 2 Rs. 4 8 a, Rs 5 3 20,430 tons 4. 1s 3d
 5 Rs 42 2 a 6 252 96 7 £3 1s 6d 8 3s 1 $\frac{3}{4}$ d
 9 17 ft, 2 hrs 58 min 10 30 gallons, 6s
 11 274 3000, 13 5 13 6 yds 2 ft 15 Rs 34 0 a 6 p
 16 Rs 392 8 a 17 46 424, 6 80 18 $\frac{1}{1}$
 19 21 ft 9 in 20 Rs 52 13 a 1 p 21 44 fr 8 c
 22 £244 $\frac{4}{5}$ = £244 8s 11d 23 2 58 p m 24. £3 8s 8d
 25 Till he is 55 yrs old 26 2 min 15 secs 27 £1 4s 11d
 28 No loses 8s 6d 29 Rs 483 12 a
 30 £5327 2s gained 31 2 1635 Kg and 2 1725 Kg
 32 79900 33 90 miles 34 C and D by 264 yds
 35 18 min, $1\frac{1}{5}$ miles 4 miles, and 42 min from the start

PART II

XIII a		Page 245	1.	19	2	23	3	29	
4.	31	5	37	6	43	7	48	8	59
9	58	10	73	11.	193	12	232	13	140
14.	309	15	741	16	708	17	905	18	1679
19	4321	20	3702	21	1003	22	20515	23	92829
24.	34021	26	(i) 5345616, (ii) 105616				27	4297	

XIII. b		Page 246	1	3 4	2	4 5	3	0 79
4.	0 17	5	2 71	6	6 42.	7	7 01	
8	31 6	9	9 99	10	34 91	11	2 403	
12	0·0374	13	3·083	14	23 605	15	0 01263	
16	17 453	17	52·007	18	260 04	20	0 018496	

XIII c Page 249			1	1 732	2	2·236	
3	2 449	4.	3 162	5	2 646	6	1 581
7	0 686	8	0·265	9	0 714	10	0·226
11.	0 379	12	15 349	13	11 535	14.	4 178
15	17·029	16	0 766	17	$1\frac{3}{4}$	18	$1\frac{1}{2}$
19	$2\frac{5}{7}$	20	$\frac{19}{24}$	21	$6\frac{3}{29}$	22	$\frac{7}{369}$
23	$\frac{109}{105}$	24.	$33\frac{5}{7}$	25	0 354	26	1 183
27	0 845	28	2 057	29	1·029	30	0 853
31	1 581	32	3·953	33	0·23769	34.	0 189736
35	0 60698	36	1·751846				

XIII d. Page 251				1	1 1547	2	6 7082.
3	0 7071	4.	2 3094	5	19 5959	6	0 8165
7	3 7796	8	7 5378	9	0·2887	10	0·2041
11	0 2679	12	1 3660	13	3·2361	14.	0·2679
15	5·0379	16	22 1803	17	24	18	102.
19	0 051	20	2 71	21	6 44		

XIII e Page 253

1	289 yds	2	105 ft
3	438 cubits	4.	1458 yds
6	(i) 324, (ii) 325, (iii) 19 7 $\frac{1}{2}$	7	Rs 33 12 a
8	30 min	9	63 8 ft, 191 4 ft
10	£104 10s		
11	—18 ft.	12	12 min nearly
13	6600 sq yds, 81.2 yds		
14	(i) 314 16 sq cm, (ii) 17 7 cm	15	(i) 35 5 sq in, (ii) 43 3 sq in
16	5 64 cm	17	39 9 cm
18	344 metres per sec		

XIV a Page 257

1.	98 sq ft	2	143 sq ft
3	42 sq ft	4.	20 sq ft
5	162 sq ft.	6	116 $\frac{1}{4}$ sq ft
7	99 sq m	8	47 56 sq m
9	101 6 sq m	10	54 yds
11	17 5 cm	12	14 ft
13	3 big 15 cot		
14.	6 sq yds 2 sq ft 36 sq in	15	3 sq yds 5 sq ft 16 sq in
16	1 sq yd 1 sq ft 81 sq in	17	3 sq yds 1 sq ft 64 sq in
18	Rs 16 10 a	19	£4 10s
20	29 Rs 70 cents		
21	£1 9s 4d	22	1 a.
23	4 a	24.	16 $\frac{1}{2}$ ac
25	1 89 ac	26	9 sq big 15 sq cot 5 sq ohk
27	47 ac 12 gun 4 a	28	3 big 6 cot 4 ft
29	23 oh 45 lks		
30	Rs 16 6 a 6 p	31	(i) 5 957 Ha., (ii) 15 ac
32	£21. 5s, 15	33	2 big 4 cot
34.	£149 4s 6d		
35	1029	36	Rs 50 10 a
37	24 ft 6 in	38	1 ft 3 in
39	Length of tile must be parallel to width of floor, 6s 8d		
40	2132, 41	41	549, 540 whole, 9 divided
42	232 sq yds	43	Rs 14 10 a
44	3904		
45	78 sq yds	46	Rs 736 14 a.
47	Rs 79 9 a		
48	1728 tiles, 288 boards	49	£570 12s

XIV b Page 263

1	40 yds	2	28 yds 1 ft
3	13 ft 6 in	4.	Rs 300
5.	8, £9, $\frac{8}{9}$		
6	Rs 62 8 a	7	36 yds, £9 18s, 13 $\frac{1}{2}$ sq ft
8	(i) 90 sq yds 6 sq ft, (ii) 128 sq yds 3 sq ft	9	Rs 60
10	Rs 52 14 a	11	(i) 13 sq yds 1 sq ft, (ii) 30 sq ft 132 sq in
12	Rs 2 4 a	13	10
14.	12	15	£3
16	£2 3s 3d	17	10 ft 6 in
18	46 sq ft.		
19	Rs 1 14 a	20	Rs 552
21	131 sq ft.		

XIV c Page 265

1	(i) 533 sq ft, (ii) 6s 2 $\frac{1}{4}$ d, (iii) 1s 3d		
2	(i) 14 08 m, (ii) 46 ft. 2 in	3	10 1 yds
4.	£100 11s 8d		
5	£1 12s 3 $\frac{1}{2}$ d	6	1561 6 ac
7	20 sq cm		
8	4 ways, 39690, 4410, 810, 90	9	Rs 41 2 a
10	Rs 37 14 a 6 p	11	4 ac 0 r 2 p
12	11 m 73 cm		

- | | | | | | |
|-----|---------------------------------------|-----|------------|----|--------------------------------|
| 13 | 633 sq m | 14. | £5 | 15 | (i) 10 18 sq m , Rs 40 5 a 5 p |
| 16 | 628 3 sq ft | 17 | 698 sq yds | 18 | Rs 116 10 a 9 p |
| 19 | £4 13s 4d | 20 | Rs 171 | 21 | 15 sq in |
| 22. | 107 5 sq ft , 65 sq ft | | | 23 | 110 yds |
| 24. | 2663 Rs. 25 cents | 25 | 682 6 ac | 26 | 171 yds |
| 27 | 15 in , $12\frac{1}{2}$ in , 30 sq ft | | | 28 | £62831 4s |

XIV d Page 270

- | | |
|-----|---|
| 1. | (i) 15 cu ft , (ii) 63 cu. ft , (iii) 60 cu ft , (iv) 162 cu ft |
| 2. | 121 5 sq ft , 91 125 cu ft |
| 4. | 36 cu ft |
| 5 | (i) 3 cu m , (ii) 720 cu r |
| 6 | 4 m |
| 7 | 1 5 m |
| 8 | 150 lbs |
| 9 | 40 mds |
| 10 | 168 sq ft |
| 11 | 2 ft |
| 12 | 1 ft 6 in |
| 13 | 10 sq yds |
| 14. | $25\frac{1}{2}20\frac{1}{8}$ mds |
| 15 | 93 tons |
| 16 | 650625 gallons |
| 17 | 133 125 |
| 18 | 3185 lbs |
| 19 | 8640 |
| 20 | 12 sq ft |
| 21 | 12 ft |

XIV e Page 273

- | | |
|----|---|
| 1 | 21 42 Kg |
| 2 | (i) 18 75 gm , (ii) 27 648 gm |
| 3 | 2 5 tons |
| 4. | 1275 lbs |
| 5 | 3630 tons |
| 6 | 117 48 Kg , 258 lbs |
| 7 | 10 cm |
| 8 | 218750 litres |
| 9 | 50 cm |
| 10 | 203 lbs |
| 11 | 240 cu in |
| 12 | 327 cu in |
| 13 | Capacity 819 cu in , Material 301 cu in |
| 14 | $11\frac{1}{4}$ hrs |
| 15 | 110,000 gallons |
| 16 | 25 cm |
| 17 | $\frac{2}{3}\frac{1}{8}\frac{1}{4}$ tons , Rs 3 11 a. 9 p |
| 18 | 13 cu ft , 15438 lbs |
| 19 | $4\frac{1}{2}$ m |
| 20 | 1105 |
| 21 | 7 8 |
| 22 | 27000 blocks , 10, roughly , £11 14s 5d |
| 23 | 39 |
| 24 | 406 acres , 15 sq mi |
| 25 | 255 days |
| 26 | 2,374,600 |
| 27 | 265 m. |

XV a Page 279

- | | | | |
|----|--|-----|-------|
| 9 | 36 | 10 | 120 |
| 11 | (i) and (ii) 5 , (iii) and (iv) 17 , (v) and (vi) 37 | | |
| 12 | 10 mi | 13 | 13 mi |
| | | 14. | 10 mi |

XV b Page 281

- | | | | |
|---|---|---|------------------------------------|
| 1 | $x=5, y=8$ | 3 | $(-5, 0), (0, 10)$ |
| 5 | The three lines are parallel | 6 | A straight line through the origin |
| 7 | A circle whose radius is 5 units, and whose centre is at the origin | | |

XV c Page 283

- | | | | |
|---|-------------------------|---|------------------|
| 1 | $x=4, y=0$ | 2 | $x=2, y=1$ |
| 3 | (i) 3 , (ii) 1 3 nearly | 4 | 25 , -5 |
| | | 5 | 26 nearly , 1 28 |

XV. d Page 289

8	3 85 in, 17 6 in	9	54 5° F, 86 9° F	10	30 5, 5 9
11	8 1 in, 24 375 oz	12	£2 12s, £3 8s	13	Rs 17, Rs 36 5
15	36, 32 5, 79	16	30 4 cm 18 lbs		
17	P, 36700, Q, 42,000	In 1883, 45000 in each		18	45 96, 39 40

XVI a Page 294

XVI a	Page 294	1.	$\frac{5}{7}$	2	$\frac{7}{25}$	3	$\frac{4}{15}$	4.	$\frac{3}{15}$
5	$\frac{1}{7}$	6	(i) 1 32	(ii) 7 80,	(iii) 9 64,	(iv) 17 64			
7	The second, the third, (i) 54 5%, (ii) 63 6%, (iii) 45 5%								
8	(i) 35 32, (ii) 72 35, (iii) 7 4, (iv) 5 2								
9	20 33	10	12 7	11	4 3	12	9 20		
13	8 9	14	16	15	$\frac{2}{3}$	16	19 3		
17	(i) 8 8, (ii) 11 3, (iii) 7 0			18	The first, 10 9				
19	$\frac{1}{6 \text{ } 15 \text{ } 00 \text{ } 00}$, 180 mi, 8 3 in								
20	$11\frac{1}{9}$ mi to 1 in, $\frac{1}{704 \text{ } 000}$, 73 mi, 43 mi								

XVI b Page 298

3	Rs 24	4	Rs 2 8a	5	£3 17s	6	1 05 Kg
7	221	8	$\frac{2}{3}$	9	5 175	10	1
11	4 5	12	$9\frac{1}{3}$	13	0 126	14	$\frac{b^2}{a}$
15	21	16	$\frac{1}{2}$	17	0 91	18	a^2b^2
19	Rs 45	20	252 m	21	9 24 tons	22	945 mi
23	£5 8s	24	2750 m	25	132 fr	26	0 061
27	1018 Kg	28	2667 m	29	219 gals	30	449 5 lbs

XVI c Page 301

XVI c Page 301				1	(i) Rs 22, (ii) 9 tons, (iii) £9,		
(iv) 1 19 Km, (v) Rs 16 4a, (vi) 1 lb 14 oz							
2	Rs 132	3	333 mi	4	9 in	5	39 days
6	324 hrs	7	$7\frac{1}{2}$ min	8	Rs 78 12a	9	60 yds
10	25 knots	11	3 min	12	(i) £58 16a, (ii) $8\frac{1}{4}$ d per hr		
13	(i) $4\frac{1}{2}$ mi, (ii) 4 hrs 12 min, (iii) $21\frac{1}{3}$ mi per hr					14	Rs 20
15	132 Kg	16	£187 10s	17	Rs 840	18	31 cwt
19	$54\frac{2}{3}$ mi, $51\frac{1}{4}$ mi per hr			20	131 22 oz	21	136 5 m
22	34 55 m	23	296	24	170	25	0 40 oz.
26	20 2 mi	27	2 mi to 1 in, 3 8 in, 5 1 mi				
28	15 8 mi to 1 in, $\frac{1}{1001088}$, 109 mi						
29	710 lt., 710 Kg			30	8 min		

XVI d Page 304.

XVI d	Page 304.	1	Rs 263 4a	2	£96 5s 7d
3	£121 2s	4.	18 cwt. 3 qr 6 lbs	5	65 mi
6	Rs 2 13a	7	2 hrs	8	39
				9	49

10	80	11	33 mi	12	£1 2s 2d	13	18 cwt 80 lbs
14	2 tons 8 cwt 0 qr 24 lbs	15	Rs 40 4a.	16	12a		
17	4s 7d	18	Rs 85 6a 8p	19	£105 15s 9d		
20	Rs 937 8a, Rs 37 8a.	22	Rs 1530 14a 10p				
23	Rs 4670 5a	24	Rs 2848	25	Rs 57 8a		
26	£2500	27	£745 1s 3d	28	Rs 5236		
29	£640	30	£580 13s 4d, £563 7s 10d	31	£528 10s		
32	3 5 in, 15 mi to 1 in, $\frac{1}{550400}$	33	Rs 3524				
34	3 hrs.	35	Rs 306 6a 6p	36	Rs 1233		
37	825 gm	38	£999	39	No gain or loss		
40	1 4 Kg	41	129646 lit	42	0 78 cu in		

XVI e Page 314.

7	(i) 17s, (ii) Rs 61
8	(i) 11 4 litres, (ii) 4 6 gals
10	(i) 54 1 grains, (ii) 0.2 gram
11	2300 yds
12	50 25 cm, 12 7 cm
13	Rs 7 11a, Rs 21 15a, Rs 52 10a, 62 days
14	27 3, 44, 53 2 mi per hr
15	£2, £2 8s, £3 4s, £3 12s
17	1s 5d, 2s, 3s 8d, 5 hrs
18	90, 72.

XVI f Page 317

XVI f Page 317		1.	320 sq ft	2	3½ maunds
3	45 mi	4.	Rs 12	5	¾ ton
7	12 wks	8	Rs 2700	9	Rs 11 4a
11	Rs 384	12	24	13	11 men
15	26 days	16	25½ days	17	Rs 100
19	£39 7s 6d	20	56	21	(i) 5 6, (ii) 11.2, (iii) 40
22	1000 men	23	28 days	24	3s 6d
26	5½ hrs	27	34 mi an hr	28	English, £8000
				25	33 6
				14.	60 men
				10	10
				6	1¼ lbs

XVI g Page 321

1	Rs 24, Rs 56	2	114 mi, 209 mi
3	90 mds, $112\frac{1}{2}$ mds, $247\frac{1}{2}$ mds		
4.	Rs 119, Rs 136, Rs 153	5	£5 8s, £6 15s, £8 2s
6	60 6 yds, 90 9 yds, 151 5 yds		
7	25 Kg, 45 Kg, 50 Kg, 60 Kg	8	Rs 550, Rs 880, Rs 990
9	Rs 30, Rs 20, Rs 15	10	176 seers, 198 seers, 55 seers
11	£3 7s 6d, £5 8s, £8 2s		
12	Rs 15, Rs 20, Rs 22 8a, Rs 24		
13	1 60 Km, 1.25 Km, 2 15 Km	14	139 gm, 324 gm, 537 gm
15	26.0 m, 43 3 m, 50 7 m	16	67 5 yds, 94 5 yds, 108 yds
17	30, 48, 72	18	$1\frac{1}{4}$ tons, $18\frac{1}{4}\%$, 50% , $31\frac{1}{4}\%$
19	153 m, 102 m, 34 m	20	88 ft, 120 ft, 130 ft
21.	£33 2s, £41 7s 6d, £91 0s 6d	22	Rs 400, Rs 240, Rs 160
23	A 25%, B $33\frac{1}{3}\%$, C $41\frac{2}{3}\%$, Rs 6250		

- 24 Rs 12750, Rs 15750, Rs 22500, 25 %
 25 £31 5s, £41 5s, £52 10s, 2s 6d 26 17s, 13s, 10s
 27 33900 grs 28 864 gm 29 298 gm
 30 3 53 Kg 31 A £42 7s, B £18 3s, C £12 2s
 32 A Rs 5 10a, B Rs 9, C Rs 6.
 33 A Rs 5 13a 4p, B Rs 2 5a 4p, C Rs 4 5a 4p
 34 A £42, B £56, C £48 35 20 212 19
 36 A £170 13s 4d, B £153 12s, C £50 14s 8d
 37 Rs 750, Rs 850 38 Rs 2025, Rs 2250, Rs 2812 8a
 39 A Rs 9300, B Rs 465, C Rs 5812 8a
 40 A Rs 3360, B Rs 4200, C Rs 2100 41 6 oz, 9 oz
 42 42 lbs, 16 lbs, 20 lbs 43 £486 13s 4d, £730, £2433 6s 8d
 44 49, 56, 105 45 7 5 4, 1 4 lt, 1 lt, 0 8 lt.

XVI h Page 327

- 1 4 5 in 2 42 ft.
 3 250 sq cm 4 22 0 cm, 153 9 sq cm
 5 10,125 sq yds 6 2587 sq mi
 7 (i) 16 ft, (ii) 258 ft, $\pi = 16 1 \times t^2$ 8 0 41 lb, 11 07 lbs
 9 9 cm, 6 cm, 4 725 Kg 10 2 5 lbs, 56 lbs
 11 78 12 302 4 cu in 13 The second
 14 10d 15 Rs 27000 16 0 01538 gm, 13 5 %
 17 $2\frac{1}{2}$ in 18 $y = \frac{1}{4}x^2$ 7 56, 10 56

19	C (in inches)	$\frac{1}{4}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2
	S (in tons)	0 1	0 4	0 9	1 6	2 5	3 6	4 9	6 4

- 20 (i) 1 62 lbs per sq ft, (ii) 28 mi per hr

Miscellaneous Examples IV Page 331

- A 1 (i) $1\frac{1}{7}$, (ii) $\frac{1}{5}$ 2 £37 5s $5\frac{3}{4}d$
 3 The train 4 10 56 in
 5 2704 tiles, 3344 sq in 6 3^3 7 11 13 37
 B 7 Rs 280 6a 9p 8 $1\frac{2}{5}$ 9 £7 11s 4d
 10 301 fr 11 15s 1d 12 114 days
 C 13 $19\frac{1}{2}$ seers 14 0.28845 15 13 ac, £253 10s
 16 0 727 17 10511 Kg 18 700 yds
 D 19 Lighter 20 £39 19s $9\frac{3}{4}d$
 21 $29172 \times 17^2 = 8430708$ 22 15a and 10a
 23 £16 24 B Rs 35, C Rs 23

- E 25 Rs 5500 26 18 days, 12 days
 27 0.251875 , $0.251\frac{7}{8}$ 28 50 %, 16 %, 13 %
 30 First 5s, Third 3s 6d
- F 31 (i) $\frac{3}{4}$, (ii) 1 32 384
 33 Man 8a, Boy 4a 34 Rs 40 14a 3p
 35 £7475 10s 36 113 grains
- G 37 3^2 , 7, 11, 17, and 2^3 , 7, 13, 17 H.C.F. = 119
 38 6 8 oz. 39 5 fr 44 c 17s 2d
 41 57 nearly 42 363 men
- H 43 10 Kg, 8 Kg, 11 lbs, 38 lbs
 44 A £173 7s 9d, B £140 10s 6d, C £96 5s
 45 9 46 1123 47 £187 5s 7d 48 30
- I 49 18 sq in 50 Rs 30 1a, Rs 48 9a, Rs 53 3a
 51 21 days 52 12 a 53 60 mi per hr 54 Rs 229
- J 55 4 735, 12 3125, 5 1325, 7 82, 30 56 (i) $\frac{2}{9}$, (ii) $\frac{8}{39}$
 57 132 sq yds 4 sq ft 58 $22\frac{1}{2}$ weeks
 59 2 11 Kg, 4 Kg per sq cm, 32 60 Rs 300
- K 61 £294 7s $3\frac{1}{2}$ d 62 7 63 210 00004
 64 (i) 3 mi per hr, (ii) $4\frac{1}{2}$ hrs 65 51 litres
 66 3 mins $31\frac{1}{2}$ secs
- L 67 3a 6p 68 £134 2s 8d 69 Rs 4840
 70 25 in to 1 mile, 62 5 sq in 72 Rs 3 10a
- M 73 £235 5s 6d 74 10 days
 75 A Rs 981 9a, B Rs 2944 11a, C Rs 3926 4a
 76 6 3 secs, 31 5 secs 77 1 ft 2 in
 78 52, Re 1 12a, Rs 3 12a
- N 79 2.2 lbs 80 31 oz. 81 $1\frac{1}{3}$ miles an hour
 82 20 miles 83 88 yds, 22 mi per hr
 84 2 83, 4 95, 12 16, 5 5
- O 85 123, $93=105-15+3$ 86 4 ft 87 138
 88 Rs 2 6a 9p 89 1 m 85 cm, 1 815 m and 1 885 m
 90 (i) 44 sq ft, (ii) 164 gm.
- P 91 54
 92 (i) Rs 652 8a, (ii) Rs 64 15a 6p, (iii) 24 mi 1265 yds
 93 Rs 39 8a 94 1 in to 22 miles 95 2 hrs
 96 6 p m, 48 mi from London At 4 and 8 p m
 (i) B 4 mi behind A, C 6 mi behind B (ii) 4 20 p m

XVII a Page 341

- 1 (i) 28 6%, (ii) 15 4%, (iii) 29 4%, (iv) 52 4%, (v) 53 3%
 2 (i) $\frac{1}{10}$, (ii) $\frac{1}{40}$, (iii) $\frac{1}{8}$, (iv) $\frac{1}{3}$ 3 14% 4 28 $\frac{1}{4}$ %
 5 25% 6 1 $\frac{1}{4}$ % 7 Re 1 12a 8 Rs 4 8a
 9 Rs 15 12a 10 Rs 42 12a 11 Rs 41 2a. 12 Rs 115 8a
 13 20% 14 16% 15 8% 16 4 $\frac{1}{4}$ %
 17 14 0% 18 7 66% 19 60 7% 20 3 30%
 21 6 51% 22 £22 18s 5d 23 £79 0s 7d. 24. £29 10s 10d
 25 £2 10s 26 £6 0s 6d 27 £46 5s 1d
 28 (i) £9 1s 8d, (ii) £86 9s 10d 29 Rs 125 30 0 69%
 31 15.2% 32 268, 5 7%

XVII b Page 344.

1. Rs 2400 2 13,272
 3 57,000 4 108,290 5 6a 9p 6 14s 7d
 7 142,800 8 £560 9 Rs. 80,000 10 Rs 1,25,625
 11 172 425 Km 12 3 71% 14 4%
 15 Olives, 35 lbs per ac, 8% Currants, 2083 lbs per ac, 3%
 Figs, 1154 lbs per ac, 1%
 16 21%, 27%, 10%, 42% 17 67%, 66%, 65%, 66%
 18 The former 19 15%, 15%, 11%

XVII c Page 347

- 1 20% gain 2 13 $\frac{1}{3}$ % loss
 3 10% loss 4 12 $\frac{1}{2}$ % gain 5 20% gain
 6 £6 7 6s 2d 8 67 Rs 50 cents
 9 Rs 10 2a. 10 25% 11 22 $\frac{1}{2}$ %
 12 Rs 72 13 Rs 7 2a 14. Rs 3
 15 (i) 8 4% gain, (ii) 13 7% loss, (iii) 12 5% gain
 16 12% gain 17 Rs 8 12a 18 15% gain
 19 21% gain 20 20% gain 21 Rs 6 4a.
 22 Rs 12 8a. 23 £16 4s 24. Rs 72 8a.
 25 Rs 65 10a 26 1s 0 $\frac{1}{2}$ d 27 £18 13s 4d
 28 3s 4d, £28 16s 29 2s

XVII. d. Page 350

- 1 Rs 440 2 21s
 3 Re 1 11a 4 10s 10d 11 5s
 6 7% loss 7 5% lost 8 Rs 6 14a
 9 Re 1 14a 10 8% 11. 29 6% gain
 12 12% 13 £415 ~ 14. Rs 37 8a
 15 £33 6s 8d 16 Rs 46 14a. 17 14s 8d
 18 48s 19 Rs 693 20 £4 10s
 21 Rs 2100 22 £4 3s 4d 23 £5

24	4s 9d	25	Rs 50, 25%	26	10%
27	5%	28	20%		
29	(i) 8s 3d, (ii) £1 17s 1½d, (iii) £10, (iv) 48½%				

XVII e Page 353		1	80,000	Births 8800,	Deaths 3200
2	12%	3	25%	4	Rs 20736
6	Rs 3937 8a	7	£134 5s	8	88%
10	33½%	11	5%	12	25%
14	2 3	15	11 80	16	66%
17	£14 6 millions,	71	7 millions	18	£24
20	Rs 200	21	Rs 300	22	£1 10s 10d
23	£1 2s 2d	24	In equal quantities	25	Rs 180
26	19%, 77%	27	28 6%, 26 0%	28	8 2%, £20

XVIII a Page 358		1	Rs 36	2	Rs 90
4	Rs 84	5	Rs 40 8a	6	Rs 405
8	Rs 38 4a	9	Rs 234	10	Rs 29 8a
12	Rs 38 4a	13	£75 15s 9d	14	£48 18s
15	£404 10s 3d	16	£61 13s 11d	17	£538 6s 8d
18	£44 5s 5d	19	£313 4s	20	£228 9s 4d
21	£8 3s 3d	22	£166 6s 6d	23	£271 10s 10d
24	Rs 1953 7a 9p	25	Rs 1284 13a 3p	26	£10 6s 8d
27	12 Rs 35 cents	28	Rs 440 2a 8p	29	6350 Rs 65 cents

XVIII b Page 361		1	Rs 761 4a	2	±1853 7s
3	Rs 1748 4a	4	£253 11s 11d	5	£1702 16s
6	£869 8s 5d	7	Rs 431 10a	8	Rs 222 14a 9p
9	Rs 385 9a 9p	10	£791 10s 9d	11	Rs 1 6a 9p
12	Rs 2'0a 3p	13	Rs 65 15a 6p	14	Rs 7 10a 9p
15	Rs 10 6a	16	£415 18s 10d	17	£513 7s 1d
18	£2473 14s 7d	19	£1406 10s 3d	20	£407 9s
21	Rs 1268 12a	22	£204 13s 2d, £301 18s 8d		
23	Rs 632 15a 9p				

XVIII c Page 363		1	Rs 300	2	Rs 450
4	Rs 250	5	£126 13s 4d	6	Rs 137 8a
8	Rs 75	9	Rs 1090	10	Rs 800
12	Rs 700	13	£5400	14	£485
16	£230 6s 8d	17	Rs 1351 1a 9p	18	£237
20	£310 16s	21	£1778	22	10 yrs
24	8 yrs	25	4½ yrs	26	3½ yrs
28	8 yrs	29	4 yrs	30	2½ yrs
				31	103 days

32	100 days	33	112 days	34.	3%	35	6%
36	$3\frac{1}{2}\%$	37	5%	38	$4\frac{1}{2}\%$	39	$3\frac{1}{2}\%$
40	$2\frac{1}{2}\%$	41	$4\frac{1}{2}\%$	42	4%	43	8%
44.	3 55%	45	6 76%	46	£2057		
47	(i) £236 7s, (ii) £55 6s	48	240 days				
49	Jan 9 th	50	£1500				

XVIII d Page 368

2	Rs 92. 5a 3p	3	Rs 28 10a 3p	4	Rs 6 6a	1	Rs 20 3a. 3p
5	Rs 5 8a. 3p	6	Rs 51 14a 9p	7	Rs 12 2a 9p		
8	Rs 14 9a 9p	9	£14 13s 11d	10	£1 9s 4d		
11	£23 2s 8d	12	£13 9s 2d	13	£39 9s 6d		
14	£37 5s 8d	15	Rs 27 12a	16	£18 10s		

XVIII e Page 370

3	Rs 4 2a 3p	4.	Rs 3 5a	5	Rs 11 8a 9p	1	Rs 28 9a 3p
6	Rs 313 10a 6p	7	£1899 7s 8d	8	£3646 5s 11d.		
9	£737 5s 3d	10	£1024. 13s 9d	11.	4% 12 2 $\frac{1}{2}\%$		
13	9 months	14.	4 months	15	5% 16 10.26%		

XVIII f Page 372

3	Rs 3978 6a	4.	Rs. 4051 11a.	5	Rs 811 13a 3p	1	Rs 220 8a
6	Rs 4011 2a 9p	7	£18 7s 3d	8	£53 1s 4d		
9	£90 19s 11d	10	£558 18s 9d	11	£373 19s 3d	2	Rs 2704
12	£516 15s	13	£1371 3s 10d	14.	Rs 533		
15	Rs 5384. 7a 3p	16	Rs 4890 10a	17	Rs 5266 6a. 6p	5	Rs 811 13a 3p
18	Rs 7702 14a	19	£5478 4s 6d.	20	£1762 9s 8d		
21	£260 2s 6d	22	£580 3s 3d	23	£325 5s 4d		
24.	£239 17s 2d	25	Rs 54 11a 3p	26	£340 7s 8d		
27	£574 17s 4d	28	Rs. 17104 7a 9p				
29	Rs 106408 3a 6p	30	Rs 262 11a 9p				
31	(i) 10.250%, (ii) 5 095%, (iii) 2 524%						

XVIII g Page 376

3	£1104 2s 3d	4	£279	5	£312.	1	Rs 410 9a
6	£3000	7	£4750	8	£3300	2	Rs 982. 9a
10	Rs 266 11a 3p	11	Rs 770 15a 6p	12	Rs 1830 4a 6p		
13	Rs 5600	14.	Rs 3600	15	Rs 280 12a 9p		
16	Rs 19512	17	Rs. 2500	19	£317		
20	33,600, 30,000	21	374,600	22	£15 4s		
23	£9 17s 2d	24.	£18 6s	25	£4 3s 3d		
26	£18 7s	27	£240	28	£3125		
29	Rs 3750	30	Rs 5000	31	Rs 14283		
32	Rs 22103	33	Rs 27 9a 6p	34	Rs 14068		

XVIII h. Page 381

- 1 (i) Rs 3 8, (ii) 13 a, (iii) 15, (iv) 29, (v) Rs 100
 2 (i) Rs 355, (ii) 33 years 3 £2 2s, 10s 6d, £1, £1 8s
 4 Each Principal amounts to £450 in 25 years £200, £300

XIX a Page 384.

1	Rs 2632	2	Rs 3825
3	Rs 3811	4.	£4230 9s
6	£485 12s 6d	7	Rs 400
9	Rs. 4000	10	£1600
12	£5600	13	Rs 2736
15	80	16	£714
18	86	19	Rs 2751 13 a 6 p
21.	Rs 3911 5 a 6 p	22	Rs 39
24	Rs 760	25	£442
27	Rs 37 8 a	28	Rs 213 14 a 6 p
		29	£50 18s 4d
		20	Rs 7256 6 a 6 p
		23	£21 2s 6d
		26	£137 10s
		29	£50 18s 4d

XIX b Page 386

1	Rs 102	2	£95 12s 6d
3	£128 12s 6d	4.	Rs 44
6	Rs 45	7	The 2 nd by Rs 10 8 a
9	£6 5s	10	Rs 21 9 a 9 p
12	£15 3s 11d	13	Rs 2700
15	Rs 1200	16	£420
18	£960	19	£1414 10s
21	£2414.	22	5 %
24	3 79	25	4 44
27	The 2 nd by 0 64 %	28	The 2 nd by 0 07 %
29	The 1 st by 0 12 %	30	The 2 nd , Rs 10
31	Rs 1512 in each	32	Rs 10,000
34.	110	35	75
38	135 $\frac{3}{4}$	39	115
		36	96
		40	£480
		33	80
		37	110
		41	£2007

XIX. c Page 392.

1	Rs 7158 2 a 9 p	2	Rs 2502. 8 a
3	Rs 3500	4.	Rs 7350
6	Rs 37 8 a	7	Rs 158 5 a 3 p
9	Rs 120	10	Rs 12,800
12	£18,319	13	94 $\frac{3}{4}$
15	Rs. 12	16	Gain of Rs 5 8 a.
18	£5	19	£60
21	£477 7s 6d	20	Gain of £112 11s 6d
24.	£951 1s 11d	23	£12 14s 6d
27	£1142 10s 6d	26	£419 10s
		8	Rs 126
		11.	£7090
		14.	92 $\frac{5}{8}$
		17	Loss of Rs 120
		23	£12 14s 6d
		26	£419 10s

XIX d	Page 396	1	Rs 1937 $\frac{1}{2}$	2	Rs 11928 12a
3	£635 6s 6d	4.	Rs 875	5	£678 2s 6d
6	20	7	(i) Rs 157 8a, (ii) Rs 152 12a, (iii) Rs 881 4a		
8	Rs 58 7a	9	(i) £6, (ii) £5 6s 8d, (iii) £4 14s 5d		
10	50, £150, £20 12s 6d	11	(i) 56, (ii) £389 5s, (iii) £26 5s		
12	£133 6s 8d				

XIX. e	Page 397	1	95 $\frac{1}{2}$	2	£34 9s 4d
3	The first by 10a.	4.	96 $\frac{3}{4}$	5	174 $\frac{3}{4}$
6	Rs 291 10a 8p, Rs 250	7	103 $\frac{1}{2}$, Rs 51	8	3 $\frac{1}{8}$
9	£135 7s 10d	10	£1000	11	Rs 28800
12	Gain of £10 16s	13	The second by Rs 9 6a		
14.	£5480 15s. 11d	15	Rs 16,250	16	Rs 47250
17	£1600	18	2%	19	1s
21	155 147	22	10d	20	Gain of Rs 50
24.	£1785 15s 9d	23	Increase of Rs 341 5a		
27	£20,643, 3 08%	25	3000	26	£489 15s 5d
		28	Rs 2484, 9 6%		

Miscellaneous Examples V Page 401

A	1.	1016 Kg	2	£12 9s 3d	3	$\frac{3}{4}$
	4	20 ft	5	Rs 96	6	Rs 2250
B	7	90 ac	8	(i) 10a, (ii) 4 $\frac{1}{8}$ %	9	168 lbs
	10	0 39 sq mm	11	6s 2d, 20 3	12	Rs 121 3a 6p
C	13	0 17, 17%	14.	3 011760	15	32 $\frac{1}{2}$ %
	16	$\frac{1}{2}$	17	5 $\frac{5}{8}$ hrs, 4 $\frac{1}{2}$ hrs, 3 $\frac{3}{4}$ hrs	18	65%
D	19	1100	20	150 yds	21.	£6 13s 4d
	22	539 fr	23	Rs 30 loss	24.	Rs 678 at 7%, Rs 452 at 2%
E	25	13 $\frac{2}{7}$, 12 $\frac{2}{5}$	26	$\frac{7}{13}$	27	£1831 4s
	28	Rs 150	29	Rs 4	30	20,200
F	31.	44%	32	3 13 acres, nearly	33	Rs 375
	34.	£392 1s 2d			35	12, 27 $\frac{1}{2}$ %
	36	Man 14a, woman 8a, boy 6a				
G	37	£560 6s 8d, 474 l cu ft			38	28 $\frac{3}{4}$ lbs
	39	£137 10s less	40	£266 13s 4d	41	Rs 42
	42	Rs 8100 at 81, Rs 15000 at 135				
H.	43	1 8814	44.	$\frac{1}{5}$	45	70 gm
	46	24 gals of 1 st with 60 of 2 nd			47	4 hrs 55 min 2 secs.
	48	Rs 2625				

- I 49 5% 50 £6,074,000, 3s 0 $\frac{1}{2}$ d 51 36 52 £684
53 £4 15s 4 $\frac{1}{2}$ d 54. A Rs 2, B Rs 2 8a, C Rs. 3
- J 55 (i) £319 (ii) 15,600 (iii) Rs 300 (iv) The former
56 12 days 57 25 yrs 58 1 ft 9 in
59 54 60 88 yds
- K 61 125 62 38 Kg 63 £28 9s, £27 5s 3 $\frac{1}{2}$ d
64. Rs 6000 at 3%, Rs 1200 at 5% 65 50% 66 Rs 20
- L 67 (i) 1, (ii) 1 $\frac{1}{3}$
68 (i) 3 mi per hr, (ii) 4 4 ft per sec 5 mi an hr
69 Rs 100 70 2,100,000
71 500 441 2.2 quarts, 5 3 litres 72 £532,000, £8000
- M 73 Rs 237 1a 74. £22,720 75 972 sq yds, 7 56 sq ft
76 5 41 in 77 Rs 6 4a 78 5%, £1613 8s 6d
- N 79 3 8 yrs 80 4 51 fr 81 1 $\frac{1}{2}$ in
82 3 02% 83 44 yds 84. 2 $\frac{1}{2}$ %, Rs 4500
- O 86 Rs 4531 87 2 $\frac{1}{2}$ in 88 11 $\frac{1}{4}$ mi 89 15%
90 £7150 91 18, 40, 51 92 Rs 56
- P 93 Rs 12 3a 94 6 77 fr 95 7 $\frac{13}{16}$ days
96 Rs 2 7a 6p, 00 97 Rs 30 4a 6p 98 £620
99 54.2 cu mm 100 33 $\frac{1}{3}$ cwt, 18 $\frac{3}{4}$ cwt, 14 $\frac{2}{7}$ cwt, 12 $\frac{1}{2}$ cwt
- XX a Page 411 1 $\frac{7}{8}$ 2 2 $\frac{11}{11}$ 3 4 $\frac{1}{4}$ 4 2 $\frac{1}{11}$
5 2 $\frac{1}{8}$ 6 4 7 6 $\frac{17}{14}$ 8 3 $\frac{1}{4}$ 9 4 $\frac{3}{11}$ 10 $\frac{2}{8}$
11 18 12 1 13 1 $\frac{5}{14}$ 14. 1 $\frac{5}{13}$
- XX b Page 415 1 $\frac{2}{1}, \frac{7}{3}, \frac{9}{4}, \frac{25}{11}, \frac{134}{69}$
2 $\frac{1}{1}, \frac{13}{4}, \frac{19}{13}, \frac{42}{13}, \frac{155}{48}, \frac{817}{153}$ 3 $\frac{1}{2}, \frac{2}{5}, \frac{7}{17}, \frac{9}{23}, \frac{43}{105}, \frac{95}{133}, \frac{613}{1497}$
4 $\frac{1}{3+}, \frac{1}{1+}, \frac{1}{2+}, \frac{1}{6+}, \frac{1}{4}, \frac{19}{70}$ 5 $\frac{1}{6+}, \frac{1}{2+}, \frac{1}{3+}, \frac{1}{1+}, \frac{1}{10}, \frac{9}{58}$
6 $1+\frac{1}{2+}, \frac{1}{1+}, \frac{1}{10+}, \frac{1}{2+}, \frac{1}{3}, \frac{43}{32}$ 7 $3+\frac{1}{4+}, \frac{1}{3+}, \frac{1}{4+}, \frac{1}{6}, \frac{181}{56}$
8 $1+\frac{1}{7+}, \frac{1}{5+}, \frac{1}{6+}, \frac{1}{1+}, \frac{1}{3}, \frac{254}{223}$ 9 $1+\frac{1}{2+}, \frac{1}{2+}, \frac{1}{2+}, \frac{1}{2+}, \frac{1}{5+}, \frac{1}{3}, \frac{17}{12}$
10 $\frac{1}{2+}, \frac{1}{1+}, \frac{1}{1+}, \frac{1}{5+}, \frac{1}{8+}, \frac{1}{1+}, \frac{1}{3}, \frac{11}{28}$

$$11. \frac{1}{3+} \frac{1}{3+} \frac{1}{3+} \frac{1}{6+} \frac{1}{1+} \frac{1}{2+} \frac{1}{1+} \frac{1}{10}, \frac{63}{208}$$

$$16. \frac{151}{118}$$

$$17. \frac{1384}{428}$$

$$18. \frac{3}{1}, \frac{19}{6}, \frac{171}{37}, \frac{721}{228},$$

$$20. \frac{52525}{10301}$$

$$21. 4854$$

XX c Page 418

$$2. 12193 \text{ 46 sq m} \quad 3. 93 \text{ m}$$

$$5. (1) 3337 \text{ m}, (11) 8046 \text{ m}$$

$$8. 500 \text{ m}$$

$$10. 0 \text{ 648721}$$

$$11. 0 \text{ 346574}$$

$$1. (1) 8649, (11) 1726$$

$$4. (1) 4073 \text{ yds}, (11) 614 \text{ yds}$$

$$7. (1) 1 \text{ 60 m}, (1) 1 \text{ 00 m}$$

$$9. (1) 0 \text{ 25000}, (11) 0 \text{ 16667}$$

$$12. 3 \text{ 1416}$$

XXI a Page 423

$$19. 27$$

$$20. 4$$

$$17. 8$$

$$18. 4$$

$$32. 001$$

$$33. 001$$

$$30. 9$$

$$31. 001$$

$$36. 02143$$

$$37. 214300$$

$$34. 001$$

$$35. 2143$$

$$38. \cdot 0002143$$

$$39. \cdot 002143$$

XXI b Page 425

$$3. 4 = \log_5 625$$

$$1. 5 = \log_2 32$$

$$2. 7 = \log_3 2187$$

$$6. 4^5 = 1024$$

$$4. 3 = \log_7 343$$

$$5. 2^7 = 128$$

$$9. \log a - \log b - \log c$$

$$7. 3^8 = 729$$

$$8. a^x = b$$

$$11. \frac{1}{2} \log a + \frac{2}{3} \log b - 5 \log c$$

$$10. 2 \log a - \log b - 3 \log c$$

$$13. 2 \log 3 + 2 \log 2$$

$$12. \frac{1}{4} \log b + \frac{1}{3} \log c - \frac{3}{2} \log a$$

$$15. \frac{3}{2} \log 2 + 2 \log 3$$

$$14. -3 \log 3 - 2 \log 2$$

$$16. \frac{1}{6} \log 3 + \frac{1}{2} \log 2$$

XXI c Page 429

$$1. 3, 2, 0, \bar{1}, \bar{1}, \bar{4}, 1$$

$$2. 1 \text{ 5745}, \bar{3} \text{ 5745}, 6 \text{ 5745}, \bar{1} \text{ 5745}$$

$$3. 2 \text{ 9064}, 4 \text{ 9064}, 0 \text{ 00009064}, 806100, 80 \text{ 61}, 008061, 8061$$

$$4. \bar{2} \text{ 1043}$$

$$5. \bar{14} \text{ 0476}$$

$$6. \bar{37} \text{ 7984}$$

$$7. \bar{3} \text{ 8291}$$

$$8. 0 \text{ 9342}$$

$$9. 2 \text{ 8841}$$

$$10. \bar{7} \text{ 6538}$$

$$11. 2 \text{ 3979}$$

$$12. \bar{1} \text{ 3141}$$

$$13. \bar{1} \text{ 6354}$$

$$14. \bar{1} \text{ 8253}$$

$$15. \bar{2} \text{ 5979}$$

XXI d. Page 432

$$3. 3008$$

$$4. 7573$$

$$1. 4 \cdot 994$$

$$2. 1 \text{ 521}$$

$$7. 05868$$

$$8. \cdot 07612$$

$$5. 467 \text{ 3}$$

$$6. 13 \text{ 60}$$

$$11. 1 \text{ 923}$$

$$12. 1 \text{ 444}$$

$$9. 2 \text{ 429}$$

$$10. \cdot 03055$$

$$15. 2 \cdot 224$$

$$16. \cdot 00008855$$

$$13. 19 \text{ 97}$$

$$14. 2 \text{ 258}$$

$$19. 2 \text{ 391} \times 10^3$$

$$20. 3 \cdot 908 \times 10^5$$

$$17. 1 \text{ 784}$$

$$18. 2 \text{ 008}$$

$$22. 8 \cdot 235 \times 10^5$$

$$23. 3 \text{ 711} \times 10^5$$

$$21. 1 \text{ 772} \times 10^5$$

$$24. 4 \text{ 354}$$

$$25. 4 \text{ 130} \times 10^6$$

$$26. 6 \text{ 449} \times 10$$

$$27. 2 \text{ 510} \times 10^{-1}$$

$$28. 5 \text{ 802}$$

$$29. 6 \text{ 900} \times 10^{-3}$$

$$30. 6 \text{ 806} \times 10^{-4}$$

$$31. 16$$

XXI e Page 435

3	£1793	4.	20 years	1.	Rs 985	2	Rs 352
7	9.29, 2560	8	38 53	5	21 years	6	3,794,000
11	3.9 cm	12	22 58 cm	9	3319 Kg	10	1.23 sec
15	0.2905	16	551 lbs.	13	1427	14	329
18	10.2 cm, 12 1 cm, 15.2 cm	17	11 3	19	28 years	20	0 3958 cm
21	716,900 m	22.	85.29 gallons	24.	280 sq ft.		
23	4 743, 0 06413						

Miscellaneous Examples VI Page 448

1. 2 p m, 2.52 p m
2. 6 p m, (i) 3 30 p m, (ii) 7 30 p m
3. 47 m from A's starting place at 12 42 p m 11 12 a.m and 2.12 p m
4. (i) Rs 800, (ii) Rs 2400
5. 16s 9 $\frac{1}{4}$ d
6. 16 7 gallons per head
7. £18,880
8. 450 yds
9. 9 m from Y at 12 48 p m 12 18 p m and 1 18 p m
10. 40 yds A 16 yds ahead, C 16 yds behind
11. 5 secs
12. 2 ft
13. £7 3s
14. Rs 3 1a.
15. Rs 69 6a
16. 62
17. 7 36 p m, 3 p m and 5 p m, 19 m from Y
18. 4 miles
19. 5 hrs from the start.
20. 0 447 %
21. £430 12s 4 $\frac{1}{2}$ d
22. $765 = 3^3 \times 5 \times 17$, $7931520 = 2^7 \times 3^6 \times 5 \times 17$
23. 24 ft., 36 ft
24. Rs 92948 11 a
25. 31 $\frac{1}{4}$ %
26. £692 19s 9d
27. 1 lb 2 oz., 1 lb 14 oz., 2 lbs. 13 oz.
28. 7 hrs 3 42 p m approx
29. 248 lbs, 296,500 lbs nearly
30. 35 m from London at 3 33 p m 3 9 p m, 3 51 p m, 36 m
31. Rs 177 1a 3p
32. Rs 92
33. £11
34. 201,000,000 bush, 310,000,000 bush, 6 bush, 8 bush
35. £690, 120 boys
36. Rs 4200 20 for Rs 4800
37. 45 %
38. 428 456 Kg
39. 4 %, 23 farthings
40. 41.28 gals, 18 72 gals
41. 45 days
42. fr 826 04
43. Rs 168
44. 28 hrs. 1 min 14 secs
45. 45 miles
47. 31,527
48. 20 31
50. £30
51. Multiply by $\frac{5}{3}$
52. Between B and C, 3 m from B
53. (i) A is 7 $\frac{1}{2}$ yds. behind, (ii) A is 6 yds ahead, (iii) 96 yds
54. 5 miles
55. 14.97 m.
56. Rs 20141 8a
57. 30 days
58. 6 08 %
59. 30 tons.
60. 2 7
61. £141 9s
62. 50
63. 73,350
64. $\frac{3}{100}$ m, $14\frac{17}{10}$ m
65. 81,000 litres
66. 5 m per hr
67. 4 months later

68	5 5 %	69	£4000	70	13s 11d	71	1 585 %
72	The 2 nd is 330 yds from starting point	73	5 04 %, 4 90 %	74.	10 97 c per Km		
	3 rd 66						
75	30 mi, 40 mi, 55 min	77	120 days	78	£1066 13s 4d		
79	6 015	80	Elder Rs 7070, younger Rs 5050	81	7848 Kg		
82	£193 7s 1d	83	Between 5 and 10 miles	80 mi	per hr		
84.	Rs 130	85	(i) 0 09 %, (ii) 0 18 %				
86	C 197 lb, D 177 lb, B 175 lb, A 173 lb, E 172 lb						
87	7 4 mm	88	Rs 175, Rs 700, Rs 1575				
89	15 $\frac{15}{8}$ ' past noon, 1 hr 2 $\frac{1}{2}$ '	90	112 64 yds	91.	£605		
92	96 8 %, 2 66 %, 0 523 %	93	£3 13s 9d				
94.	Rs 4556 4a	95	6300, 8150	96	Rs 4152 8a 3p		
97	37 5 Km	98	5	99	1 097		
100	3 09	101	Rs 301 14a 3p				
102	(i) Bank of Madras, (ii) Bank of Bengal, (iii) Govt Paper (3), (iv) Govt Paper (3 $\frac{1}{2}$), (v) Govt Consols, Rs 3503 7a						
103	216($\frac{4}{3}\frac{1}{2}$) ²⁰	104	20				
105	23 37 in, 25 87 in, 25 70 in, 28 54 in, 33 34 in, 26 98 in						
106	225 yds	107	£75	108	16 $\frac{1}{2}$ %	109	1 $\frac{1}{4}$ %
110	A Rs 105, B Rs 225, C Rs 240	111	70 %, 30 %				
112	Rs 1161 6a, Rs 492 10a.	113	£17 10s				
115	81,097 sq miles more	117	3608 ft				
118	24 min	119	6 days				
121	18 33 (i) 3 1416, (ii) 3 $\frac{17}{120}$	122	185 oz.				
123	9s 4 $\frac{1}{2}$ d, 5s 7 $\frac{1}{2}$ d, 1s 10 $\frac{1}{2}$ d, 2 $\frac{1}{2}$ d, 1 $\frac{1}{2}$ d, 1d						
124.	617 or 167	125	$\frac{3}{4}$ hr	127	75 lbs	128	52
129	4 $\frac{1}{2}$ mi per hr	130	2 %	131	564, 560		
132	60 70, 84, 105	133	Rs 6250	134.	637 yards		
135	13·2 %	136	£116 13s 4d	137	0 703		
138	Rs 10,400, Rs 7000	139	$\frac{7}{34}$ water, $\frac{27}{34}$ other liquid				
140	37 $\frac{1}{2}$ miles	141	$\frac{2c(a+b)}{3d}$, $\frac{nc(a+b)}{288d}$	142	49 27		
143	(i) 8 134, (ii) 1 229	144.	£614 10s				
145	18 $\frac{3}{7}$ %	146	Between 2373 and 2387				
147	12 5 grams bluestone, 7 81 grams lime	148	Rs 187900				
149	150 men	150	26 %	151	2 $\frac{1}{2}$ miles		
152	£587·2	153	166 $\frac{1}{3}$ min	154.	Rs 17,14,286		
155	61 1 of 1 st , 38·9 of 2 nd	156	59 in, 40 in				
157	10 boys	158	60 Kms	159	Rs 2 15a 3p, 5 $\frac{1}{9}$ a		
160	75 in Latin, 80 in Greek. 74 and 50	161	1100 ft. per sec.				

- 162 102 7 hrs 163 No change in income
 164 Rs. 15,516 3 a. 9 p 165 2nd station out from terminus
 166 2 25 cu ft , 31,700, to the nearest hundred
 167 1,890,000 litres 168 Rs 77 4 a. 9 p
 169 $1\frac{3}{4}\%$, £124,490 6s 170 17 5 lbs 171 1 0025 %
 172 8 17 173 Rs 736 174 3 2 % 175 £62 10s
 176 0 54 177 12 % 178 13 gallons wine, 19 gallons water
 179 110400 180 13s 4d
 181 When, after reducing the fraction to its lowest terms, the denominator is some power of 2 or of 5, or is a product of two such powers of 2 and 5
 A terminating decimal
 182 $10\frac{5}{11}$ days 183 Rs 1000 184 Rs 425
 185 Time, 10 secs and 11 secs Speed, $20\frac{5}{11}$ miles an hour and
 $18\frac{2}{11}$ miles an hour
 186 $144\frac{1}{7}$ secs 187 $4\frac{1}{2}\%$ 188 Rs 39931
 189 $11\frac{10}{11}$ minutes 190 D wins by $7\frac{1819}{483}$ yards

WORKS BY H S HALL, M.A., and F H STEVENS, M.A

A School Geometry, based on the recommendations of the Mathematical Association, and on the recent report of the Cambridge Syndicate on Geometry Indian Editions. Part I 8 annas Parts I and II 12 annas Parts I-IV Re 18 Parts I-V Rs 2.

Ordinary Editions Parts I and II—*Part I* Lines and Angles Rectilinear Figures. *Part II* Areas of Rectilinear Figures Containing the substance of Euclid Book I 15 annas KEY, Rs 2 3 Part I—Separately 10 annas Part II—Separately 5 annas

Part III—Circles Containing the substance of Euclid Book III 1-31, and part of Book IV 10 annas

Parts I, II, III in one volume Re 19

Part IV—Squares and Rectangles. Geometrical Equivalents of Certain Algebraical Formulæ Containing the substance of Euclid Book II and Book III 35-37 5 annas

Parts III and IV in one volume 15 annas

Parts I IV in one volume Re 1 14 KEY, Rs 3 12

Part V—Containing the substance of Euclid Book VI. 15 annas

Parts IV and V in one volume Re 1 4

Parts I V in one volume Rs 2 8

Parts III, IV and V in one volume Re 1 9

Part VI—Containing the substance of Euclid Book XI 1 21, together with Theorems relating to the Surfaces and Volumes of the simpler Solid Figures 15 annas

Parts IV, V, VI in one volume Re 1 9

Key to Parts V and VI Rs 2 3

Parts I VI in one volume Rs 2 13 KEY, Rs. 5 5

Lessons in Experimental and Practical Geometry Indian Edition 12 annas Ordinary Edition 15 annas

A School Geometry, Parts I and II, with an Introductory Course of Experimental and Practical Work Re 1 9

An Elementary Course of Mathematics. Comprising Arithmetic, Algebra, and Euclid Re 1 9

An Elementary Course of Mathematics. Comprising Arithmetic, Algebra, and Geometry Re 1 9

A School Arithmetic Adapted for use in Indian Schools by Rev ANDREW SIMS, B A Crown 8vo Re 1 12

A School Arithmetic Indian Edition Complete Re 1 12 Ordinary Edition Part I With Answers, Re. 1 9 Without Answers Re 1 4 KEY, Rs 2 13 Part II With Answers, Re 1 9 Without Answers, Re 1 4 KEY, Rs 3 12 Complete With Answers, Rs 2 13 Without Answers, Rs 2 3 KEY, Rs 6 9 Answers, complete, 10 annas

Examples in Arithmetic Taken from "A School Arithmetic" With or without Answers Part I, 15 annas Part II, Re 1 4 Complete, Re 1 14

MACMILLAN AND CO LTD LONDON, BOMBAY, CALCUTTA, AND MADRAS

WORKS BY F H STEVENS, M A.

Elementary Mensuration Rs 2 3
Mensuration for Beginners 15 annas
Mensuration for Beginners. Adapted for Indian use by R SHAW,
M A. Re 1 8

WORKS BY H S HALL, M A., and S R KNIGHT, B A

Elementary Algebra for Schools Adapted for Indian Schools
by B H RAU, B A. Re 1 8

Elementary Algebra for Schools (containing a full treatment of
Graphs) New Edition, revised and enlarged Rs 2 3 With Answers
Rs 2 13

Answers to Examples in Elementary Algebra Sewed 10 As
Solutions of the Examples in Elementary Algebra for
Schools Rs 5 5

Elementary Algebra for Schools (Chapters XXVIII.-XLIV)
With Answers Re 1 9

Higher Algebra A Sequel to Elementary Algebra for Schools
Fourth Edition, revised and enlarged Rs 4 11

Solutions of the Examples in Higher Algebra 8vo Rs 6 9

Algebra for Beginners Indian Edition With Answers Re 1 8
Ordinary Edition Re 1 4 With Answers, Re 1 9

Answers to Algebra for Beginners and Easy Graphs Sewed
5 annas

Algebraical Exercises and Examination Papers With or
without Answers Third Edition, revised and enlarged Re 1 9

Arithmetical Exercises and Examination Papers With an
Appendix containing Questions in LOGARITHMS AND MENSURA
TION With or without Answers Third Edition, revised and enlarged.
Re 1 9

Elementary Trigonometry. Fourth Edition, revised and enlarged
Rs 2 13

Solutions of the Examples in Elementary Trigonometry
Rs 5 5

WORKS BY H S HALL, M A.

A School Algebra With or without Answers Part I. Re 1 9
Part II 15 annas Parts I and II, Rs 2 3 Part III, 15 annas Parts
II and III, Re 1 9 Complete, Rs 2 13 Keys to Part I Rs 3 12
Parts II and III. Rs 3 12 Complete, Rs 6 4

Examples in Algebra Taken from Part I. of "A School Algebra"
With or without Answers Re 1 4

Algebraical Examples Supplementary to Hall and Knight's
ALGEBRA FOR BEGINNERS and ELEMENTARY ALGEBRA
(Chaps I XXVII.) With or without Answers Re 1 4

A Short Introduction to Graphical Algebra Fourth Edition,
revised and enlarged. 10 annas Key, Rs 2 3

Solutions of the Examples in Hall's Graphical Algebra
Rs 2 3

Easy Graphs. 10 annas Solutions. Rs 2 3

WORK BY H S HALL, M A., and R J WOOD, B A

Algebra for Elementary Schools. Parts I, II, and III, 5 annas
each Cloth, 7 annas each Answers, 4 annas each

MACMILLAN AND CO LTD, LONDON, BOMBAY, CALCUTTA, AND MADRAS

